

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SC S	Bandwidth h	Modulation	Channel I	RB Config	Power (dBm)	Gain (dBi)	E(I)RP (dBm)	Limit (dBm)	Verdict
n78(3700-3800)	30	20	DFT-BPSK	L	Inner_1RB_Left	25.83	-0.64	25.19	30	PASS
n78(3700-3800)	30	20	DFT-BPSK	L	Inner_1RB_Right	25.67	-0.64	25.03	30	PASS
n78(3700-3800)	30	20	DFT-BPSK	L	Inner_Full	25.75	-0.64	25.11	30	PASS
n78(3700-3800)	30	20	DFT-BPSK	L	Outer_Full	25.21	-0.64	24.57	30	PASS
n78(3700-3800)	30	20	DFT-QPSK	L	Inner_1RB_Left	25.79	-0.64	25.15	30	PASS
n78(3700-3800)	30	20	DFT-QPSK	L	Inner_1RB_Right	25.77	-0.64	25.13	30	PASS
n78(3700-3800)	30	20	DFT-QPSK	L	Inner_Full	25.68	-0.64	25.04	30	PASS
n78(3700-3800)	30	20	DFT-QPSK	L	Outer_Full	25.27	-0.64	24.63	30	PASS
n78(3700-3800)	30	20	DFT-16QAM	L	Inner_1RB_Left	24.93	-0.64	24.29	30	PASS
n78(3700-3800)	30	20	DFT-16QAM	L	Inner_1RB_Right	24.92	-0.64	24.28	30	PASS
n78(3700-3800)	30	20	DFT-16QAM	L	Inner_Full	24.77	-0.64	24.13	30	PASS
n78(3700-3800)	30	20	DFT-16QAM	L	Outer_Full	23.83	-0.64	23.19	30	PASS
n78(3700-3800)	30	20	DFT-64QAM	L	Inner_1RB_Left	23.3	-0.64	22.66	30	PASS
n78(3700-3800)	30	20	DFT-64QAM	L	Inner_1RB_Right	23.35	-0.64	22.71	30	PASS
n78(3700-3800)	30	20	DFT-64QAM	L	Inner_Full	23.31	-0.64	22.67	30	PASS
n78(3700-3800)	30	20	DFT-64QAM	L	Outer_Full	23.34	-0.64	22.7	30	PASS
n78(3700-3800)	30	20	DFT-256QAM	L	Inner_1RB_Left	21.07	-0.64	20.43	30	PASS
n78(3700-3800)	30	20	DFT-256QAM	L	Inner_1RB_Right	21.08	-0.64	20.44	30	PASS

n78(3700-3800)	30	20	DFT-256QAM	L	Inner_Full	21.35	-0.64	20.71	30	PASS
n78(3700-3800)	30	20	DFT-256QAM	L	Outer_Full	21.28	-0.64	20.64	30	PASS
n78(3700-3800)	30	20	DFT-BPSK	M	Inner_1RB_Left	25.77	-0.64	25.13	30	PASS
n78(3700-3800)	30	20	DFT-BPSK	M	Inner_1RB_Right	25.72	-0.64	25.08	30	PASS
n78(3700-3800)	30	20	DFT-BPSK	M	Inner_Full	25.64	-0.64	25	30	PASS
n78(3700-3800)	30	20	DFT-BPSK	M	Outer_Full	25.12	-0.64	24.48	30	PASS
n78(3700-3800)	30	20	DFT-QPSK	M	Inner_1RB_Left	25.78	-0.64	25.14	30	PASS
n78(3700-3800)	30	20	DFT-QPSK	M	Inner_1RB_Right	25.68	-0.64	25.04	30	PASS
n78(3700-3800)	30	20	DFT-QPSK	M	Inner_Full	25.57	-0.64	24.93	30	PASS
n78(3700-3800)	30	20	DFT-QPSK	M	Outer_Full	25.29	-0.64	24.65	30	PASS
n78(3700-3800)	30	20	DFT-16QAM	M	Inner_1RB_Left	24.87	-0.64	24.23	30	PASS
n78(3700-3800)	30	20	DFT-16QAM	M	Inner_1RB_Right	24.86	-0.64	24.22	30	PASS
n78(3700-3800)	30	20	DFT-16QAM	M	Inner_Full	24.75	-0.64	24.11	30	PASS
n78(3700-3800)	30	20	DFT-16QAM	M	Outer_Full	23.65	-0.64	23.01	30	PASS
n78(3700-3800)	30	20	DFT-64QAM	M	Inner_1RB_Left	23.38	-0.64	22.74	30	PASS
n78(3700-3800)	30	20	DFT-64QAM	M	Inner_1RB_Right	23.32	-0.64	22.68	30	PASS
n78(3700-3800)	30	20	DFT-64QAM	M	Inner_Full	23.11	-0.64	22.47	30	PASS
n78(3700-3800)	30	20	DFT-64QAM	M	Outer_Full	23.23	-0.64	22.59	30	PASS
n78(3700-3800)	30	20	DFT-256QAM	M	Inner_1RB_Left	21.6	-0.64	20.96	30	PASS
n78(3700-3800)	30	20	DFT-256QAM	M	Inner_1RB_Right	21.31	-0.64	20.67	30	PASS
n78(3700-3800)	30	20	DFT-256QAM	M	Inner_Full	21.05	-0.64	20.41	30	PASS

n78(3700-3800)	30	20	DFT-256QAM	M	Outer_Full	21.41	-0.64	20.77	30	PASS
n78(3700-3800)	30	20	DFT-BPSK	H	Inner_1RB_Left	25.79	-0.64	25.15	30	PASS
n78(3700-3800)	30	20	DFT-BPSK	H	Inner_1RB_Right	25.96	-0.64	25.32	30	PASS
n78(3700-3800)	30	20	DFT-BPSK	H	Inner_Full	25.89	-0.64	25.25	30	PASS
n78(3700-3800)	30	20	DFT-BPSK	H	Outer_Full	25.43	-0.64	24.79	30	PASS
n78(3700-3800)	30	20	DFT-QPSK	H	Inner_1RB_Left	25.83	-0.64	25.19	30	PASS
n78(3700-3800)	30	20	DFT-QPSK	H	Inner_1RB_Right	25.96	-0.64	25.32	30	PASS
n78(3700-3800)	30	20	DFT-QPSK	H	Inner_Full	25.95	-0.64	25.31	30	PASS
n78(3700-3800)	30	20	DFT-QPSK	H	Outer_Full	25.08	-0.64	24.44	30	PASS
n78(3700-3800)	30	20	DFT-16QAM	H	Inner_1RB_Left	24.94	-0.64	24.3	30	PASS
n78(3700-3800)	30	20	DFT-16QAM	H	Inner_1RB_Right	24.84	-0.64	24.2	30	PASS
n78(3700-3800)	30	20	DFT-16QAM	H	Inner_Full	25.02	-0.64	24.38	30	PASS
n78(3700-3800)	30	20	DFT-16QAM	H	Outer_Full	24	-0.64	23.36	30	PASS
n78(3700-3800)	30	20	DFT-64QAM	H	Inner_1RB_Left	23.32	-0.64	22.68	30	PASS
n78(3700-3800)	30	20	DFT-64QAM	H	Inner_1RB_Right	23.6	-0.64	22.96	30	PASS
n78(3700-3800)	30	20	DFT-64QAM	H	Inner_Full	23.57	-0.64	22.93	30	PASS
n78(3700-3800)	30	20	DFT-64QAM	H	Outer_Full	23.58	-0.64	22.94	30	PASS
n78(3700-3800)	30	20	DFT-256QAM	M	Inner_1RB_Left	21.61	-0.64	20.97	30	PASS
n78(3700-3800)	30	20	DFT-256QAM	M	Inner_1RB_Right	21.29	-0.64	20.65	30	PASS
n78(3700-3800)	30	20	DFT-256QAM	M	Inner_Full	21.37	-0.64	20.73	30	PASS
n78(3700-3800)	30	20	DFT-256QAM	M	Outer_Full	21.49	-0.64	20.85	30	PASS

n78(3700-3800)	30	30	DFT-BPSK	L	Inner_1RB_Left	25.9	-0.64	25.26	30	PASS
n78(3700-3800)	30	30	DFT-BPSK	L	Inner_1RB_Right	25.94	-0.64	25.3	30	PASS
n78(3700-3800)	30	30	DFT-BPSK	L	Inner_Full	25.87	-0.64	25.23	30	PASS
n78(3700-3800)	30	30	DFT-BPSK	L	Outer_Full	25.39	-0.64	24.75	30	PASS
n78(3700-3800)	30	30	DFT-QPSK	L	Inner_1RB_Left	25.89	-0.64	25.25	30	PASS
n78(3700-3800)	30	30	DFT-QPSK	L	Inner_1RB_Right	25.94	-0.64	25.3	30	PASS
n78(3700-3800)	30	30	DFT-QPSK	L	Inner_Full	25.85	-0.64	25.21	30	PASS
n78(3700-3800)	30	30	DFT-QPSK	L	Outer_Full	25.21	-0.64	24.57	30	PASS
n78(3700-3800)	30	30	DFT-16QAM	L	Inner_1RB_Left	24.95	-0.64	24.31	30	PASS
n78(3700-3800)	30	30	DFT-16QAM	L	Inner_1RB_Right	24.92	-0.64	24.28	30	PASS
n78(3700-3800)	30	30	DFT-16QAM	L	Inner_Full	24.82	-0.64	24.18	30	PASS
n78(3700-3800)	30	30	DFT-16QAM	L	Outer_Full	23.81	-0.64	23.17	30	PASS
n78(3700-3800)	30	30	DFT-64QAM	L	Inner_1RB_Left	23.54	-0.64	22.9	30	PASS
n78(3700-3800)	30	30	DFT-64QAM	L	Inner_1RB_Right	23.43	-0.64	22.79	30	PASS
n78(3700-3800)	30	30	DFT-64QAM	L	Inner_Full	23.3	-0.64	22.66	30	PASS
n78(3700-3800)	30	30	DFT-64QAM	L	Outer_Full	23.43	-0.64	22.79	30	PASS
n78(3700-3800)	30	30	DFT-256QAM	L	Inner_1RB_Left	21.29	-0.64	20.65	30	PASS
n78(3700-3800)	30	30	DFT-256QAM	L	Inner_1RB_Right	21.65	-0.64	21.01	30	PASS
n78(3700-3800)	30	30	DFT-256QAM	L	Inner_Full	21.38	-0.64	20.74	30	PASS
n78(3700-3800)	30	30	DFT-256QAM	L	Outer_Full	21.27	-0.64	20.63	30	PASS
n78(3700-3800)	30	30	DFT-BPSK	M	Inner_1RB_Left	25.89	-0.64	25.25	30	PASS

n78(3700-3800)	30	30	DFT-BPSK	M	Inner_1RB_Right	25.78	-0.64	25.14	30	PASS
n78(3700-3800)	30	30	DFT-BPSK	M	Inner_Full	25.72	-0.64	25.08	30	PASS
n78(3700-3800)	30	30	DFT-BPSK	M	Outer_Full	25.37	-0.64	24.73	30	PASS
n78(3700-3800)	30	30	DFT-QPSK	M	Inner_1RB_Left	25.84	-0.64	25.2	30	PASS
n78(3700-3800)	30	30	DFT-QPSK	M	Inner_1RB_Right	25.82	-0.64	25.18	30	PASS
n78(3700-3800)	30	30	DFT-QPSK	M	Inner_Full	25.67	-0.64	25.03	30	PASS
n78(3700-3800)	30	30	DFT-QPSK	M	Outer_Full	25.23	-0.64	24.59	30	PASS
n78(3700-3800)	30	30	DFT-16QAM	M	Inner_1RB_Left	24.79	-0.64	24.15	30	PASS
n78(3700-3800)	30	30	DFT-16QAM	M	Inner_1RB_Right	24.94	-0.64	24.3	30	PASS
n78(3700-3800)	30	30	DFT-16QAM	M	Inner_Full	24.66	-0.64	24.02	30	PASS
n78(3700-3800)	30	30	DFT-16QAM	M	Outer_Full	23.9	-0.64	23.26	30	PASS
n78(3700-3800)	30	30	DFT-64QAM	M	Inner_1RB_Left	23.34	-0.64	22.7	30	PASS
n78(3700-3800)	30	30	DFT-64QAM	M	Inner_1RB_Right	23.3	-0.64	22.66	30	PASS
n78(3700-3800)	30	30	DFT-64QAM	M	Inner_Full	23.17	-0.64	22.53	30	PASS
n78(3700-3800)	30	30	DFT-64QAM	M	Outer_Full	23.42	-0.64	22.78	30	PASS
n78(3700-3800)	30	30	DFT-256QAM	M	Inner_1RB_Left	21.48	-0.64	20.84	30	PASS
n78(3700-3800)	30	30	DFT-256QAM	M	Inner_1RB_Right	21.32	-0.64	20.68	30	PASS
n78(3700-3800)	30	30	DFT-256QAM	M	Inner_Full	21.21	-0.64	20.57	30	PASS
n78(3700-3800)	30	30	DFT-256QAM	M	Outer_Full	21.29	-0.64	20.65	30	PASS
n78(3700-3800)	30	30	DFT-BPSK	H	Inner_1RB_Left	25.86	-0.64	25.22	30	PASS
n78(3700-3800)	30	30	DFT-BPSK	H	Inner_1RB_Right	25.88	-0.64	25.24	30	PASS

n78(3700-3800)	30	30	DFT-BPSK	H	Inner_Full	25.85	-0.64	25.21	30	PASS
n78(3700-3800)	30	30	DFT-BPSK	H	Outer_Full	25.38	-0.64	24.74	30	PASS
n78(3700-3800)	30	30	DFT-QPSK	H	Inner_1RB_Left	25.81	-0.64	25.17	30	PASS
n78(3700-3800)	30	30	DFT-QPSK	H	Inner_1RB_Right	25.88	-0.64	25.24	30	PASS
n78(3700-3800)	30	30	DFT-QPSK	H	Inner_Full	25.8	-0.64	25.16	30	PASS
n78(3700-3800)	30	30	DFT-QPSK	H	Outer_Full	25.27	-0.64	24.63	30	PASS
n78(3700-3800)	30	30	DFT-16QAM	H	Inner_1RB_Left	24.97	-0.64	24.33	30	PASS
n78(3700-3800)	30	30	DFT-16QAM	H	Inner_1RB_Right	25.07	-0.64	24.43	30	PASS
n78(3700-3800)	30	30	DFT-16QAM	H	Inner_Full	24.81	-0.64	24.17	30	PASS
n78(3700-3800)	30	30	DFT-16QAM	H	Outer_Full	23.84	-0.64	23.2	30	PASS
n78(3700-3800)	30	30	DFT-64QAM	H	Inner_1RB_Left	23.31	-0.64	22.67	30	PASS
n78(3700-3800)	30	30	DFT-64QAM	H	Inner_1RB_Right	23.68	-0.64	23.04	30	PASS
n78(3700-3800)	30	30	DFT-64QAM	H	Inner_Full	23.33	-0.64	22.69	30	PASS
n78(3700-3800)	30	30	DFT-64QAM	H	Outer_Full	23.33	-0.64	22.69	30	PASS
n78(3700-3800)	30	30	DFT-256QAM	H	Inner_1RB_Left	21.39	-0.64	20.75	30	PASS
n78(3700-3800)	30	30	DFT-256QAM	H	Inner_1RB_Right	21.36	-0.64	20.72	30	PASS
n78(3700-3800)	30	30	DFT-256QAM	H	Inner_Full	21.28	-0.64	20.64	30	PASS
n78(3700-3800)	30	30	DFT-256QAM	H	Outer_Full	21.46	-0.64	20.82	30	PASS
n78(3700-3800)	30	40	DFT-BPSK	L	Inner_1RB_Left	25.97	-0.64	25.33	30	PASS
n78(3700-3800)	30	40	DFT-BPSK	L	Inner_1RB_Right	25.99	-0.64	25.35	30	PASS
n78(3700-3800)	30	40	DFT-BPSK	L	Inner_Full	25.74	-0.64	25.1	30	PASS

n78(3700-3800)	30	40	DFT-BPSK	L	Outer_Full	25.33	-0.64	24.69	30	PASS
n78(3700-3800)	30	40	DFT-QPSK	L	Inner_1RB_Left	25.91	-0.64	25.27	30	PASS
n78(3700-3800)	30	40	DFT-QPSK	L	Inner_1RB_Right	25.89	-0.64	25.25	30	PASS
n78(3700-3800)	30	40	DFT-QPSK	L	Inner_Full	25.89	-0.64	25.25	30	PASS
n78(3700-3800)	30	40	DFT-QPSK	L	Outer_Full	25.25	-0.64	24.61	30	PASS
n78(3700-3800)	30	40	DFT-16QAM	L	Inner_1RB_Left	25.1	-0.64	24.46	30	PASS
n78(3700-3800)	30	40	DFT-16QAM	L	Inner_1RB_Right	24.99	-0.64	24.35	30	PASS
n78(3700-3800)	30	40	DFT-16QAM	L	Inner_Full	24.79	-0.64	24.15	30	PASS
n78(3700-3800)	30	40	DFT-16QAM	L	Outer_Full	23.87	-0.64	23.23	30	PASS
n78(3700-3800)	30	40	DFT-64QAM	L	Inner_1RB_Left	23.79	-0.64	23.15	30	PASS
n78(3700-3800)	30	40	DFT-64QAM	L	Inner_1RB_Right	23.74	-0.64	23.1	30	PASS
n78(3700-3800)	30	40	DFT-64QAM	L	Inner_Full	23.29	-0.64	22.65	30	PASS
n78(3700-3800)	30	40	DFT-64QAM	L	Outer_Full	23.29	-0.64	22.65	30	PASS
n78(3700-3800)	30	40	DFT-256QAM	L	Inner_1RB_Left	21.46	-0.64	20.82	30	PASS
n78(3700-3800)	30	40	DFT-256QAM	L	Inner_1RB_Right	21.42	-0.64	20.78	30	PASS
n78(3700-3800)	30	40	DFT-256QAM	L	Inner_Full	21.32	-0.64	20.68	30	PASS
n78(3700-3800)	30	40	DFT-256QAM	L	Outer_Full	21.29	-0.64	20.65	30	PASS
n78(3700-3800)	30	40	DFT-BPSK	M	Inner_1RB_Left	26.04	-0.64	25.4	30	PASS
n78(3700-3800)	30	40	DFT-BPSK	M	Inner_1RB_Right	25.97	-0.64	25.33	30	PASS
n78(3700-3800)	30	40	DFT-BPSK	M	Inner_Full	25.78	-0.64	25.14	30	PASS
n78(3700-3800)	30	40	DFT-BPSK	M	Outer_Full	25.3	-0.64	24.66	30	PASS

n78(3700-3800)	30	40	DFT-QPSK	M	Inner_1RB_Left	25.97	-0.64	25.33	30	PASS
n78(3700-3800)	30	40	DFT-QPSK	M	Inner_1RB_Right	25.96	-0.64	25.32	30	PASS
n78(3700-3800)	30	40	DFT-QPSK	M	Inner_Full	25.74	-0.64	25.1	30	PASS
n78(3700-3800)	30	40	DFT-QPSK	M	Outer_Full	25.28	-0.64	24.64	30	PASS
n78(3700-3800)	30	40	DFT-16QAM	M	Inner_1RB_Left	25.06	-0.64	24.42	30	PASS
n78(3700-3800)	30	40	DFT-16QAM	M	Inner_1RB_Right	24.92	-0.64	24.28	30	PASS
n78(3700-3800)	30	40	DFT-16QAM	M	Inner_Full	24.84	-0.64	24.2	30	PASS
n78(3700-3800)	30	40	DFT-16QAM	M	Outer_Full	23.93	-0.64	23.29	30	PASS
n78(3700-3800)	30	40	DFT-64QAM	M	Inner_1RB_Left	23.4	-0.64	22.76	30	PASS
n78(3700-3800)	30	40	DFT-64QAM	M	Inner_1RB_Right	23.79	-0.64	23.15	30	PASS
n78(3700-3800)	30	40	DFT-64QAM	M	Inner_Full	23.24	-0.64	22.6	30	PASS
n78(3700-3800)	30	40	DFT-64QAM	M	Outer_Full	23.47	-0.64	22.83	30	PASS
n78(3700-3800)	30	40	DFT-256QAM	M	Inner_1RB_Left	21.59	-0.64	20.95	30	PASS
n78(3700-3800)	30	40	DFT-256QAM	M	Inner_1RB_Right	21.49	-0.64	20.85	30	PASS
n78(3700-3800)	30	40	DFT-256QAM	M	Inner_Full	21.48	-0.64	20.84	30	PASS
n78(3700-3800)	30	40	DFT-256QAM	M	Outer_Full	21.46	-0.64	20.82	30	PASS
n78(3700-3800)	30	40	DFT-BPSK	H	Inner_1RB_Left	25.85	-0.64	25.21	30	PASS
n78(3700-3800)	30	40	DFT-BPSK	H	Inner_1RB_Right	26.11	-0.64	25.47	30	PASS
n78(3700-3800)	30	40	DFT-BPSK	H	Inner_Full	25.9	-0.64	25.26	30	PASS
n78(3700-3800)	30	40	DFT-BPSK	H	Outer_Full	25.49	-0.64	24.85	30	PASS
n78(3700-3800)	30	40	DFT-QPSK	H	Inner_1RB_Left	25.87	-0.64	25.23	30	PASS

n78(3700-3800)	30	40	DFT-QPSK	H	Inner_1RB_Right	26.07	-0.64	25.43	30	PASS
n78(3700-3800)	30	40	DFT-QPSK	H	Inner_Full	25.85	-0.64	25.21	30	PASS
n78(3700-3800)	30	40	DFT-QPSK	H	Outer_Full	25.29	-0.64	24.65	30	PASS
n78(3700-3800)	30	40	DFT-16QAM	H	Inner_1RB_Left	24.97	-0.64	24.33	30	PASS
n78(3700-3800)	30	40	DFT-16QAM	H	Inner_1RB_Right	25.25	-0.64	24.61	30	PASS
n78(3700-3800)	30	40	DFT-16QAM	H	Inner_Full	24.88	-0.64	24.24	30	PASS
n78(3700-3800)	30	40	DFT-16QAM	H	Outer_Full	23.87	-0.64	23.23	30	PASS
n78(3700-3800)	30	40	DFT-64QAM	H	Inner_1RB_Left	23.27	-0.64	22.63	30	PASS
n78(3700-3800)	30	40	DFT-64QAM	H	Inner_1RB_Right	23.91	-0.64	23.27	30	PASS
n78(3700-3800)	30	40	DFT-64QAM	H	Inner_Full	23.31	-0.64	22.67	30	PASS
n78(3700-3800)	30	40	DFT-64QAM	H	Outer_Full	23.41	-0.64	22.77	30	PASS
n78(3700-3800)	30	40	DFT-256QAM	H	Inner_1RB_Left	21.29	-0.64	20.65	30	PASS
n78(3700-3800)	30	40	DFT-256QAM	H	Inner_1RB_Right	21.66	-0.64	21.02	30	PASS
n78(3700-3800)	30	40	DFT-256QAM	H	Inner_Full	21.47	-0.64	20.83	30	PASS
n78(3700-3800)	30	40	DFT-256QAM	H	Outer_Full	21.52	-0.64	20.88	30	PASS
n78(3700-3800)	30	50	DFT-BPSK	L	Inner_1RB_Left	25.72	-0.64	25.08	30	PASS
n78(3700-3800)	30	50	DFT-BPSK	L	Inner_1RB_Right	25.32	-0.64	24.68	30	PASS
n78(3700-3800)	30	50	DFT-BPSK	L	Inner_Full	25.61	-0.64	24.97	30	PASS
n78(3700-3800)	30	50	DFT-BPSK	L	Outer_Full	25.05	-0.64	24.41	30	PASS
n78(3700-3800)	30	50	DFT-QPSK	L	Inner_1RB_Left	25.7	-0.64	25.06	30	PASS
n78(3700-3800)	30	50	DFT-QPSK	L	Inner_1RB_Right	25.33	-0.64	24.69	30	PASS

n78(3700-3800)	30	50	DFT-QPSK	L	Inner_Full	25.54	-0.64	24.9	30	PASS
n78(3700-3800)	30	50	DFT-QPSK	L	Outer_Full	25.26	-0.64	24.62	30	PASS
n78(3700-3800)	30	50	DFT-16QAM	L	Inner_1RB_Left	24.73	-0.64	24.09	30	PASS
n78(3700-3800)	30	50	DFT-16QAM	L	Inner_1RB_Right	24.39	-0.64	23.75	30	PASS
n78(3700-3800)	30	50	DFT-16QAM	L	Inner_Full	24.57	-0.64	23.93	30	PASS
n78(3700-3800)	30	50	DFT-16QAM	L	Outer_Full	23.56	-0.64	22.92	30	PASS
n78(3700-3800)	30	50	DFT-64QAM	L	Inner_1RB_Left	23.39	-0.64	22.75	30	PASS
n78(3700-3800)	30	50	DFT-64QAM	L	Inner_1RB_Right	22.75	-0.64	22.11	30	PASS
n78(3700-3800)	30	50	DFT-64QAM	L	Inner_Full	23.14	-0.64	22.5	30	PASS
n78(3700-3800)	30	50	DFT-64QAM	L	Outer_Full	22.99	-0.64	22.35	30	PASS
n78(3700-3800)	30	50	DFT-256QAM	L	Inner_1RB_Left	21.24	-0.64	20.6	30	PASS
n78(3700-3800)	30	50	DFT-256QAM	L	Inner_1RB_Right	20.8	-0.64	20.16	30	PASS
n78(3700-3800)	30	50	DFT-256QAM	L	Inner_Full	21.21	-0.64	20.57	30	PASS
n78(3700-3800)	30	50	DFT-256QAM	L	Outer_Full	21.24	-0.64	20.6	30	PASS
n78(3700-3800)	30	50	DFT-BPSK	M	Inner_1RB_Left	25.63	-0.64	24.99	30	PASS
n78(3700-3800)	30	50	DFT-BPSK	M	Inner_1RB_Right	25.51	-0.64	24.87	30	PASS
n78(3700-3800)	30	50	DFT-BPSK	M	Inner_Full	25.65	-0.64	25.01	30	PASS
n78(3700-3800)	30	50	DFT-BPSK	M	Outer_Full	25.04	-0.64	24.4	30	PASS
n78(3700-3800)	30	50	DFT-QPSK	M	Inner_1RB_Left	25.56	-0.64	24.92	30	PASS
n78(3700-3800)	30	50	DFT-QPSK	M	Inner_1RB_Right	25.6	-0.64	24.96	30	PASS
n78(3700-3800)	30	50	DFT-QPSK	M	Inner_Full	25.65	-0.64	25.01	30	PASS

n78(3700-3800)	30	50	DFT-QPSK	M	Outer_Full	25.26	-0.64	24.62	30	PASS
n78(3700-3800)	30	50	DFT-16QAM	M	Inner_1RB_Left	24.76	-0.64	24.12	30	PASS
n78(3700-3800)	30	50	DFT-16QAM	M	Inner_1RB_Right	24.67	-0.64	24.03	30	PASS
n78(3700-3800)	30	50	DFT-16QAM	M	Inner_Full	24.52	-0.64	23.88	30	PASS
n78(3700-3800)	30	50	DFT-16QAM	M	Outer_Full	23.65	-0.64	23.01	30	PASS
n78(3700-3800)	30	50	DFT-64QAM	M	Inner_1RB_Left	23.19	-0.64	22.55	30	PASS
n78(3700-3800)	30	50	DFT-64QAM	M	Inner_1RB_Right	23.21	-0.64	22.57	30	PASS
n78(3700-3800)	30	50	DFT-64QAM	M	Inner_Full	23.21	-0.64	22.57	30	PASS
n78(3700-3800)	30	50	DFT-64QAM	M	Outer_Full	23.12	-0.64	22.48	30	PASS
n78(3700-3800)	30	50	DFT-256QAM	M	Inner_1RB_Left	21.45	-0.64	20.81	30	PASS
n78(3700-3800)	30	50	DFT-256QAM	M	Inner_1RB_Right	21.23	-0.64	20.59	30	PASS
n78(3700-3800)	30	50	DFT-256QAM	M	Inner_Full	21.18	-0.64	20.54	30	PASS
n78(3700-3800)	30	50	DFT-256QAM	M	Outer_Full	21.01	-0.64	20.37	30	PASS
n78(3700-3800)	30	50	DFT-BPSK	H	Inner_1RB_Left	25.43	-0.64	24.79	30	PASS
n78(3700-3800)	30	50	DFT-BPSK	H	Inner_1RB_Right	25.73	-0.64	25.09	30	PASS
n78(3700-3800)	30	50	DFT-BPSK	H	Inner_Full	25.68	-0.64	25.04	30	PASS
n78(3700-3800)	30	50	DFT-BPSK	H	Outer_Full	25.22	-0.64	24.58	30	PASS
n78(3700-3800)	30	50	DFT-QPSK	H	Inner_1RB_Left	25.61	-0.64	24.97	30	PASS
n78(3700-3800)	30	50	DFT-QPSK	H	Inner_1RB_Right	25.81	-0.64	25.17	30	PASS
n78(3700-3800)	30	50	DFT-QPSK	H	Inner_Full	25.71	-0.64	25.07	30	PASS
n78(3700-3800)	30	50	DFT-QPSK	H	Outer_Full	25.22	-0.64	24.58	30	PASS

n78(3700-3800)	30	50	DFT-16QAM	H	Inner_1RB_Left	24.72	-0.64	24.08	30	PASS
n78(3700-3800)	30	50	DFT-16QAM	H	Inner_1RB_Right	24.55	-0.64	23.91	30	PASS
n78(3700-3800)	30	50	DFT-16QAM	H	Inner_Full	24.7	-0.64	24.06	30	PASS
n78(3700-3800)	30	50	DFT-16QAM	H	Outer_Full	23.68	-0.64	23.04	30	PASS
n78(3700-3800)	30	50	DFT-64QAM	H	Inner_1RB_Left	22.85	-0.64	22.21	30	PASS
n78(3700-3800)	30	50	DFT-64QAM	H	Inner_1RB_Right	23.39	-0.64	22.75	30	PASS
n78(3700-3800)	30	50	DFT-64QAM	H	Inner_Full	23.27	-0.64	22.63	30	PASS
n78(3700-3800)	30	50	DFT-64QAM	H	Outer_Full	23.19	-0.64	22.55	30	PASS
n78(3700-3800)	30	50	DFT-256QAM	H	Inner_1RB_Left	21.23	-0.64	20.59	30	PASS
n78(3700-3800)	30	50	DFT-256QAM	H	Inner_1RB_Right	21.13	-0.64	20.49	30	PASS
n78(3700-3800)	30	50	DFT-256QAM	H	Inner_Full	21.16	-0.64	20.52	30	PASS
n78(3700-3800)	30	50	DFT-256QAM	H	Outer_Full	21.18	-0.64	20.54	30	PASS
n78(3700-3800)	30	60	DFT-BPSK	L	Inner_1RB_Left	25.63	-0.64	24.99	30	PASS
n78(3700-3800)	30	60	DFT-BPSK	L	Inner_1RB_Right	25.58	-0.64	24.94	30	PASS
n78(3700-3800)	30	60	DFT-BPSK	L	Inner_Full	25.66	-0.64	25.02	30	PASS
n78(3700-3800)	30	60	DFT-BPSK	L	Outer_Full	25.1	-0.64	24.46	30	PASS
n78(3700-3800)	30	60	DFT-QPSK	L	Inner_1RB_Left	25.63	-0.64	24.99	30	PASS
n78(3700-3800)	30	60	DFT-QPSK	L	Inner_1RB_Right	25.55	-0.64	24.91	30	PASS
n78(3700-3800)	30	60	DFT-QPSK	L	Inner_Full	25.68	-0.64	25.04	30	PASS
n78(3700-3800)	30	60	DFT-QPSK	L	Outer_Full	25.27	-0.64	24.63	30	PASS
n78(3700-3800)	30	60	DFT-16QAM	L	Inner_1RB_Left	24.46	-0.64	23.82	30	PASS

n78(3700-3800)	30	60	DFT-16QAM	L	Inner_1RB_Right	24.44	-0.64	23.8	30	PASS
n78(3700-3800)	30	60	DFT-16QAM	L	Inner_Full	24.67	-0.64	24.03	30	PASS
n78(3700-3800)	30	60	DFT-16QAM	L	Outer_Full	23.71	-0.64	23.07	30	PASS
n78(3700-3800)	30	60	DFT-64QAM	L	Inner_1RB_Left	23.01	-0.64	22.37	30	PASS
n78(3700-3800)	30	60	DFT-64QAM	L	Inner_1RB_Right	23.07	-0.64	22.43	30	PASS
n78(3700-3800)	30	60	DFT-64QAM	L	Inner_Full	23.23	-0.64	22.59	30	PASS
n78(3700-3800)	30	60	DFT-64QAM	L	Outer_Full	23.14	-0.64	22.5	30	PASS
n78(3700-3800)	30	60	DFT-256QAM	L	Inner_1RB_Left	21.23	-0.64	20.59	30	PASS
n78(3700-3800)	30	60	DFT-256QAM	L	Inner_1RB_Right	20.77	-0.64	20.13	30	PASS
n78(3700-3800)	30	60	DFT-256QAM	L	Inner_Full	21.17	-0.64	20.53	30	PASS
n78(3700-3800)	30	60	DFT-256QAM	L	Outer_Full	21.26	-0.64	20.62	30	PASS
n78(3700-3800)	30	60	DFT-BPSK	M	Inner_1RB_Left	25.58	-0.64	24.94	30	PASS
n78(3700-3800)	30	60	DFT-BPSK	M	Inner_1RB_Right	25.66	-0.64	25.02	30	PASS
n78(3700-3800)	30	60	DFT-BPSK	M	Inner_Full	25.59	-0.64	24.95	30	PASS
n78(3700-3800)	30	60	DFT-BPSK	M	Outer_Full	25.09	-0.64	24.45	30	PASS
n78(3700-3800)	30	60	DFT-QPSK	M	Inner_1RB_Left	25.55	-0.64	24.91	30	PASS
n78(3700-3800)	30	60	DFT-QPSK	M	Inner_1RB_Right	25.65	-0.64	25.01	30	PASS
n78(3700-3800)	30	60	DFT-QPSK	M	Inner_Full	25.52	-0.64	24.88	30	PASS
n78(3700-3800)	30	60	DFT-QPSK	M	Outer_Full	25.28	-0.64	24.64	30	PASS
n78(3700-3800)	30	60	DFT-16QAM	M	Inner_1RB_Left	24.43	-0.64	23.79	30	PASS
n78(3700-3800)	30	60	DFT-16QAM	M	Inner_1RB_Right	24.47	-0.64	23.83	30	PASS

n78(3700-3800)	30	60	DFT-16QAM	M	Inner_Full	24.62	-0.64	23.98	30	PASS
n78(3700-3800)	30	60	DFT-16QAM	M	Outer_Full	23.64	-0.64	23	30	PASS
n78(3700-3800)	30	60	DFT-64QAM	M	Inner_1RB_Left	23	-0.64	22.36	30	PASS
n78(3700-3800)	30	60	DFT-64QAM	M	Inner_1RB_Right	22.8	-0.64	22.16	30	PASS
n78(3700-3800)	30	60	DFT-64QAM	M	Inner_Full	23.09	-0.64	22.45	30	PASS
n78(3700-3800)	30	60	DFT-64QAM	M	Outer_Full	23.05	-0.64	22.41	30	PASS
n78(3700-3800)	30	60	DFT-256QAM	M	Inner_1RB_Left	21.05	-0.64	20.41	30	PASS
n78(3700-3800)	30	60	DFT-256QAM	M	Inner_1RB_Right	21.08	-0.64	20.44	30	PASS
n78(3700-3800)	30	60	DFT-256QAM	M	Inner_Full	21.03	-0.64	20.39	30	PASS
n78(3700-3800)	30	60	DFT-256QAM	M	Outer_Full	21.08	-0.64	20.44	30	PASS
n78(3700-3800)	30	60	DFT-BPSK	H	Inner_1RB_Left	25.55	-0.64	24.91	30	PASS
n78(3700-3800)	30	60	DFT-BPSK	H	Inner_1RB_Right	25.76	-0.64	25.12	30	PASS
n78(3700-3800)	30	60	DFT-BPSK	H	Inner_Full	25.67	-0.64	25.03	30	PASS
n78(3700-3800)	30	60	DFT-BPSK	H	Outer_Full	25.13	-0.64	24.49	30	PASS
n78(3700-3800)	30	60	DFT-QPSK	H	Inner_1RB_Left	25.49	-0.64	24.85	30	PASS
n78(3700-3800)	30	60	DFT-QPSK	H	Inner_1RB_Right	25.79	-0.64	25.15	30	PASS
n78(3700-3800)	30	60	DFT-QPSK	H	Inner_Full	25.6	-0.64	24.96	30	PASS
n78(3700-3800)	30	60	DFT-QPSK	H	Outer_Full	25.22	-0.64	24.58	30	PASS
n78(3700-3800)	30	60	DFT-16QAM	H	Inner_1RB_Left	24.37	-0.64	23.73	30	PASS
n78(3700-3800)	30	60	DFT-16QAM	H	Inner_1RB_Right	24.74	-0.64	24.1	30	PASS
n78(3700-3800)	30	60	DFT-16QAM	H	Inner_Full	24.63	-0.64	23.99	30	PASS

n78(3700-3800)	30	60	DFT-16QAM	H	Outer_Full	23.7	-0.64	23.06	30	PASS
n78(3700-3800)	30	60	DFT-64QAM	H	Inner_1RB_Left	22.99	-0.64	22.35	30	PASS
n78(3700-3800)	30	60	DFT-64QAM	H	Inner_1RB_Right	23.38	-0.64	22.74	30	PASS
n78(3700-3800)	30	60	DFT-64QAM	H	Inner_Full	23.17	-0.64	22.53	30	PASS
n78(3700-3800)	30	60	DFT-64QAM	H	Outer_Full	23.21	-0.64	22.57	30	PASS
n78(3700-3800)	30	60	DFT-256QAM	H	Inner_1RB_Left	21.07	-0.64	20.43	30	PASS
n78(3700-3800)	30	60	DFT-256QAM	H	Inner_1RB_Right	21.28	-0.64	20.64	30	PASS
n78(3700-3800)	30	60	DFT-256QAM	H	Inner_Full	21.25	-0.64	20.61	30	PASS
n78(3700-3800)	30	60	DFT-256QAM	H	Outer_Full	21.09	-0.64	20.45	30	PASS
n78(3700-3800)	30	70	DFT-BPSK	L	Inner_1RB_Left	25.64	-0.64	25	30	PASS
n78(3700-3800)	30	70	DFT-BPSK	L	Inner_1RB_Right	25.47	-0.64	24.83	30	PASS
n78(3700-3800)	30	70	DFT-BPSK	L	Inner_Full	25.51	-0.64	24.87	30	PASS
n78(3700-3800)	30	70	DFT-BPSK	L	Outer_Full	25.06	-0.64	24.42	30	PASS
n78(3700-3800)	30	70	DFT-QPSK	L	Inner_1RB_Left	25.55	-0.64	24.91	30	PASS
n78(3700-3800)	30	70	DFT-QPSK	L	Inner_1RB_Right	25.43	-0.64	24.79	30	PASS
n78(3700-3800)	30	70	DFT-QPSK	L	Inner_Full	25.6	-0.64	24.96	30	PASS
n78(3700-3800)	30	70	DFT-QPSK	L	Outer_Full	25.26	-0.64	24.62	30	PASS
n78(3700-3800)	30	70	DFT-16QAM	L	Inner_1RB_Left	24.82	-0.64	24.18	30	PASS
n78(3700-3800)	30	70	DFT-16QAM	L	Inner_1RB_Right	24.71	-0.64	24.07	30	PASS
n78(3700-3800)	30	70	DFT-16QAM	L	Inner_Full	24.58	-0.64	23.94	30	PASS
n78(3700-3800)	30	70	DFT-16QAM	L	Outer_Full	23.57	-0.64	22.93	30	PASS

n78(3700-3800)	30	70	DFT-64QAM	L	Inner_1RB_Left	22.94	-0.64	22.3	30	PASS
n78(3700-3800)	30	70	DFT-64QAM	L	Inner_1RB_Right	23.28	-0.64	22.64	30	PASS
n78(3700-3800)	30	70	DFT-64QAM	L	Inner_Full	23.13	-0.64	22.49	30	PASS
n78(3700-3800)	30	70	DFT-64QAM	L	Outer_Full	23.07	-0.64	22.43	30	PASS
n78(3700-3800)	30	70	DFT-256QAM	L	Inner_1RB_Left	21	-0.64	20.36	30	PASS
n78(3700-3800)	30	70	DFT-256QAM	L	Inner_1RB_Right	20.91	-0.64	20.27	30	PASS
n78(3700-3800)	30	70	DFT-256QAM	L	Inner_Full	21.06	-0.64	20.42	30	PASS
n78(3700-3800)	30	70	DFT-256QAM	L	Outer_Full	20.97	-0.64	20.33	30	PASS
n78(3700-3800)	30	70	DFT-BPSK	M	Inner_1RB_Left	25.48	-0.64	24.84	30	PASS
n78(3700-3800)	30	70	DFT-BPSK	M	Inner_1RB_Right	25.48	-0.64	24.84	30	PASS
n78(3700-3800)	30	70	DFT-BPSK	M	Inner_Full	25.51	-0.64	24.87	30	PASS
n78(3700-3800)	30	70	DFT-BPSK	M	Outer_Full	25.28	-0.64	24.64	30	PASS
n78(3700-3800)	30	70	DFT-QPSK	M	Inner_1RB_Left	25.39	-0.64	24.75	30	PASS
n78(3700-3800)	30	70	DFT-QPSK	M	Inner_1RB_Right	25.49	-0.64	24.85	30	PASS
n78(3700-3800)	30	70	DFT-QPSK	M	Inner_Full	25.54	-0.64	24.9	30	PASS
n78(3700-3800)	30	70	DFT-QPSK	M	Outer_Full	25.28	-0.64	24.64	30	PASS
n78(3700-3800)	30	70	DFT-16QAM	M	Inner_1RB_Left	24.57	-0.64	23.93	30	PASS
n78(3700-3800)	30	70	DFT-16QAM	M	Inner_1RB_Right	24.57	-0.64	23.93	30	PASS
n78(3700-3800)	30	70	DFT-16QAM	M	Inner_Full	24.46	-0.64	23.82	30	PASS
n78(3700-3800)	30	70	DFT-16QAM	M	Outer_Full	23.58	-0.64	22.94	30	PASS
n78(3700-3800)	30	70	DFT-64QAM	M	Inner_1RB_Left	22.89	-0.64	22.25	30	PASS

n78(3700-3800)	30	70	DFT-64QAM	M	Inner_1RB_Right	23.19	-0.64	22.55	30	PASS
n78(3700-3800)	30	70	DFT-64QAM	M	Inner_Full	23.01	-0.64	22.37	30	PASS
n78(3700-3800)	30	70	DFT-64QAM	M	Outer_Full	23.17	-0.64	22.53	30	PASS
n78(3700-3800)	30	70	DFT-256QAM	M	Inner_1RB_Left	20.91	-0.64	20.27	30	PASS
n78(3700-3800)	30	70	DFT-256QAM	M	Inner_1RB_Right	21.02	-0.64	20.38	30	PASS
n78(3700-3800)	30	70	DFT-256QAM	M	Inner_Full	21.02	-0.64	20.38	30	PASS
n78(3700-3800)	30	70	DFT-256QAM	M	Outer_Full	20.98	-0.64	20.34	30	PASS
n78(3700-3800)	30	70	DFT-BPSK	H	Inner_1RB_Left	25.66	-0.64	25.02	30	PASS
n78(3700-3800)	30	70	DFT-BPSK	H	Inner_1RB_Right	25.52	-0.64	24.88	30	PASS
n78(3700-3800)	30	70	DFT-BPSK	H	Inner_Full	25.52	-0.64	24.88	30	PASS
n78(3700-3800)	30	70	DFT-BPSK	H	Outer_Full	25.09	-0.64	24.45	30	PASS
n78(3700-3800)	30	70	DFT-QPSK	H	Inner_1RB_Left	25.58	-0.64	24.94	30	PASS
n78(3700-3800)	30	70	DFT-QPSK	H	Inner_1RB_Right	25.54	-0.64	24.9	30	PASS
n78(3700-3800)	30	70	DFT-QPSK	H	Inner_Full	25.48	-0.64	24.84	30	PASS
n78(3700-3800)	30	70	DFT-QPSK	H	Outer_Full	25.23	-0.64	24.59	30	PASS
n78(3700-3800)	30	70	DFT-16QAM	H	Inner_1RB_Left	24.57	-0.64	23.93	30	PASS
n78(3700-3800)	30	70	DFT-16QAM	H	Inner_1RB_Right	24.71	-0.64	24.07	30	PASS
n78(3700-3800)	30	70	DFT-16QAM	H	Inner_Full	24.56	-0.64	23.92	30	PASS
n78(3700-3800)	30	70	DFT-16QAM	H	Outer_Full	23.53	-0.64	22.89	30	PASS
n78(3700-3800)	30	70	DFT-64QAM	H	Inner_1RB_Left	23.21	-0.64	22.57	30	PASS
n78(3700-3800)	30	70	DFT-64QAM	H	Inner_1RB_Right	23.04	-0.64	22.4	30	PASS

n78(3700-3800)	30	70	DFT-64QAM	H	Inner_Full	23.05	-0.64	22.41	30	PASS
n78(3700-3800)	30	70	DFT-64QAM	H	Outer_Full	23.24	-0.64	22.6	30	PASS
n78(3700-3800)	30	70	DFT-256QAM	H	Inner_1RB_Left	20.99	-0.64	20.35	30	PASS
n78(3700-3800)	30	70	DFT-256QAM	H	Inner_1RB_Right	21.21	-0.64	20.57	30	PASS
n78(3700-3800)	30	70	DFT-256QAM	H	Inner_Full	20.99	-0.64	20.35	30	PASS
n78(3700-3800)	30	70	DFT-256QAM	H	Outer_Full	21.04	-0.64	20.4	30	PASS
n78(3700-3800)	30	80	DFT-BPSK	L	Inner_1RB_Left	25.53	-0.64	24.89	30	PASS
n78(3700-3800)	30	80	DFT-BPSK	L	Inner_1RB_Right	25.51	-0.64	24.87	30	PASS
n78(3700-3800)	30	80	DFT-BPSK	L	Inner_Full	25.54	-0.64	24.9	30	PASS
n78(3700-3800)	30	80	DFT-BPSK	L	Outer_Full	25.22	-0.64	24.58	30	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Inner_1RB_Left	25.6	-0.64	24.96	30	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Inner_1RB_Right	25.53	-0.64	24.89	30	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Inner_Full	25.52	-0.64	24.88	30	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Outer_Full	25.23	-0.64	24.59	30	PASS
n78(3700-3800)	30	80	DFT-16QAM	L	Inner_1RB_Left	24.71	-0.64	24.07	30	PASS
n78(3700-3800)	30	80	DFT-16QAM	L	Inner_1RB_Right	24.54	-0.64	23.9	30	PASS
n78(3700-3800)	30	80	DFT-16QAM	L	Inner_Full	24.52	-0.64	23.88	30	PASS
n78(3700-3800)	30	80	DFT-16QAM	L	Outer_Full	23.58	-0.64	22.94	30	PASS
n78(3700-3800)	30	80	DFT-64QAM	L	Inner_1RB_Left	23.43	-0.64	22.79	30	PASS
n78(3700-3800)	30	80	DFT-64QAM	L	Inner_1RB_Right	22.93	-0.64	22.29	30	PASS
n78(3700-3800)	30	80	DFT-64QAM	L	Inner_Full	23.09	-0.64	22.45	30	PASS

n78(3700-3800)	30	80	DFT-64QAM	L	Outer_Full	23.21	-0.64	22.57	30	PASS
n78(3700-3800)	30	80	DFT-256QAM	L	Inner_1RB_Left	20.98	-0.64	20.34	30	PASS
n78(3700-3800)	30	80	DFT-256QAM	L	Inner_1RB_Right	21.1	-0.64	20.46	30	PASS
n78(3700-3800)	30	80	DFT-256QAM	L	Inner_Full	21.11	-0.64	20.47	30	PASS
n78(3700-3800)	30	80	DFT-256QAM	L	Outer_Full	21.04	-0.64	20.4	30	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Inner_1RB_Left	25.45	-0.64	24.81	30	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Inner_1RB_Right	25.65	-0.64	25.01	30	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Inner_Full	25.52	-0.64	24.88	30	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Outer_Full	25.25	-0.64	24.61	30	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Inner_1RB_Left	25.37	-0.64	24.73	30	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Inner_1RB_Right	25.53	-0.64	24.89	30	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Inner_Full	25.55	-0.64	24.91	30	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Outer_Full	25.26	-0.64	24.62	30	PASS
n78(3700-3800)	30	80	DFT-16QAM	M	Inner_1RB_Left	24.57	-0.64	23.93	30	PASS
n78(3700-3800)	30	80	DFT-16QAM	M	Inner_1RB_Right	24.71	-0.64	24.07	30	PASS
n78(3700-3800)	30	80	DFT-16QAM	M	Inner_Full	24.61	-0.64	23.97	30	PASS
n78(3700-3800)	30	80	DFT-16QAM	M	Outer_Full	23.58	-0.64	22.94	30	PASS
n78(3700-3800)	30	80	DFT-64QAM	M	Inner_1RB_Left	22.98	-0.64	22.34	30	PASS
n78(3700-3800)	30	80	DFT-64QAM	M	Inner_1RB_Right	23.35	-0.64	22.71	30	PASS
n78(3700-3800)	30	80	DFT-64QAM	M	Inner_Full	23.06	-0.64	22.42	30	PASS
n78(3700-3800)	30	80	DFT-64QAM	M	Outer_Full	23	-0.64	22.36	30	PASS

n78(3700-3800)	30	80	DFT-256QAM	M	Inner_1RB_Left	20.69	-0.64	20.05	30	PASS
n78(3700-3800)	30	80	DFT-256QAM	M	Inner_1RB_Right	21.2	-0.64	20.56	30	PASS
n78(3700-3800)	30	80	DFT-256QAM	M	Inner_Full	20.95	-0.64	20.31	30	PASS
n78(3700-3800)	30	80	DFT-256QAM	M	Outer_Full	21.13	-0.64	20.49	30	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Inner_1RB_Left	25.57	-0.64	24.93	30	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Inner_1RB_Right	25.66	-0.64	25.02	30	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Inner_Full	25.6	-0.64	24.96	30	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Outer_Full	25.08	-0.64	24.44	30	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Inner_1RB_Left	25.4	-0.64	24.76	30	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Inner_1RB_Right	25.65	-0.64	25.01	30	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Inner_Full	25.46	-0.64	24.82	30	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Outer_Full	25.28	-0.64	24.64	30	PASS
n78(3700-3800)	30	80	DFT-16QAM	H	Inner_1RB_Left	24.45	-0.64	23.81	30	PASS
n78(3700-3800)	30	80	DFT-16QAM	H	Inner_1RB_Right	24.84	-0.64	24.2	30	PASS
n78(3700-3800)	30	80	DFT-16QAM	H	Inner_Full	24.56	-0.64	23.92	30	PASS
n78(3700-3800)	30	80	DFT-16QAM	H	Outer_Full	23.48	-0.64	22.84	30	PASS
n78(3700-3800)	30	80	DFT-64QAM	H	Inner_1RB_Left	23.05	-0.64	22.41	30	PASS
n78(3700-3800)	30	80	DFT-64QAM	H	Inner_1RB_Right	23.22	-0.64	22.58	30	PASS
n78(3700-3800)	30	80	DFT-64QAM	H	Inner_Full	22.95	-0.64	22.31	30	PASS
n78(3700-3800)	30	80	DFT-64QAM	H	Outer_Full	23.1	-0.64	22.46	30	PASS
n78(3700-3800)	30	80	DFT-256QAM	M	Inner_1RB_Left	21.14	-0.64	20.5	30	PASS

n78(3700-3800)	30	80	DFT-256QAM	H	Inner_1RB_Right	21.31	-0.64	20.67	30	PASS
n78(3700-3800)	30	80	DFT-256QAM	H	Inner_Full	20.96	-0.64	20.32	30	PASS
n78(3700-3800)	30	80	DFT-256QAM	H	Outer_Full	21.13	-0.64	20.49	30	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Inner_1RB_Left	25.5	-0.64	24.86	30	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Inner_1RB_Right	25.56	-0.64	24.92	30	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Inner_Full	25.51	-0.64	24.87	30	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Outer_Full	25.07	-0.64	24.43	30	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Inner_1RB_Left	25.64	-0.64	25	30	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Inner_1RB_Right	25.65	-0.64	25.01	30	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Inner_Full	25.53	-0.64	24.89	30	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Outer_Full	25.25	-0.64	24.61	30	PASS
n78(3700-3800)	30	90	DFT-16QAM	L	Inner_1RB_Left	24.54	-0.64	23.9	30	PASS
n78(3700-3800)	30	90	DFT-16QAM	L	Inner_1RB_Right	24.6	-0.64	23.96	30	PASS
n78(3700-3800)	30	90	DFT-16QAM	L	Inner_Full	24.58	-0.64	23.94	30	PASS
n78(3700-3800)	30	90	DFT-16QAM	L	Outer_Full	23.64	-0.64	23	30	PASS
n78(3700-3800)	30	90	DFT-64QAM	L	Inner_1RB_Left	22.96	-0.64	22.32	30	PASS
n78(3700-3800)	30	90	DFT-64QAM	L	Inner_1RB_Right	23.28	-0.64	22.64	30	PASS
n78(3700-3800)	30	90	DFT-64QAM	L	Inner_Full	23.04	-0.64	22.4	30	PASS
n78(3700-3800)	30	90	DFT-64QAM	L	Outer_Full	23.04	-0.64	22.4	30	PASS
n78(3700-3800)	30	90	DFT-256QAM	L	Inner_1RB_Left	21.12	-0.64	20.48	30	PASS
n78(3700-3800)	30	90	DFT-256QAM	L	Inner_1RB_Right	21.06	-0.64	20.42	30	PASS

n78(3700-3800)	30	90	DFT-256QAM	L	Inner_Full	20.96	-0.64	20.32	30	PASS
n78(3700-3800)	30	90	DFT-256QAM	L	Outer_Full	21.08	-0.64	20.44	30	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Inner_1RB_Left	25.6	-0.64	24.96	30	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Inner_1RB_Right	25.7	-0.64	25.06	30	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Inner_Full	25.67	-0.64	25.03	30	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Outer_Full	25.04	-0.64	24.4	30	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Inner_1RB_Left	25.45	-0.64	24.81	30	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Inner_1RB_Right	25.68	-0.64	25.04	30	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Inner_Full	25.58	-0.64	24.94	30	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Outer_Full	25.22	-0.64	24.58	30	PASS
n78(3700-3800)	30	90	DFT-16QAM	M	Inner_1RB_Left	24.69	-0.64	24.05	30	PASS
n78(3700-3800)	30	90	DFT-16QAM	M	Inner_1RB_Right	24.65	-0.64	24.01	30	PASS
n78(3700-3800)	30	90	DFT-16QAM	M	Inner_Full	24.53	-0.64	23.89	30	PASS
n78(3700-3800)	30	90	DFT-16QAM	M	Outer_Full	23.6	-0.64	22.96	30	PASS
n78(3700-3800)	30	90	DFT-64QAM	M	Inner_1RB_Left	23.06	-0.64	22.42	30	PASS
n78(3700-3800)	30	90	DFT-64QAM	M	Inner_1RB_Right	23.24	-0.64	22.6	30	PASS
n78(3700-3800)	30	90	DFT-64QAM	M	Inner_Full	23.02	-0.64	22.38	30	PASS
n78(3700-3800)	30	90	DFT-64QAM	M	Outer_Full	23.1	-0.64	22.46	30	PASS
n78(3700-3800)	30	90	DFT-256QAM	M	Inner_1RB_Left	21.2	-0.64	20.56	30	PASS
n78(3700-3800)	30	90	DFT-256QAM	M	Inner_1RB_Right	21.23	-0.64	20.59	30	PASS
n78(3700-3800)	30	90	DFT-256QAM	M	Inner_Full	21.13	-0.64	20.49	30	PASS

n78(3700-3800)	30	90	DFT-256QAM	M	Outer_Full	21.05	-0.64	20.41	30	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Inner_1RB_Left	25.43	-0.64	24.79	30	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Inner_1RB_Right	25.71	-0.64	25.07	30	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Inner_Full	25.55	-0.64	24.91	30	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Outer_Full	25.01	-0.64	24.37	30	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Inner_1RB_Left	25.4	-0.64	24.76	30	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Inner_1RB_Right	25.73	-0.64	25.09	30	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Inner_Full	25.51	-0.64	24.87	30	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Outer_Full	25.22	-0.64	24.58	30	PASS
n78(3700-3800)	30	90	DFT-16QAM	H	Inner_1RB_Left	24.53	-0.64	23.89	30	PASS
n78(3700-3800)	30	90	DFT-16QAM	H	Inner_1RB_Right	24.7	-0.64	24.06	30	PASS
n78(3700-3800)	30	90	DFT-16QAM	H	Inner_Full	24.55	-0.64	23.91	30	PASS
n78(3700-3800)	30	90	DFT-16QAM	H	Outer_Full	23.61	-0.64	22.97	30	PASS
n78(3700-3800)	30	90	DFT-64QAM	H	Inner_1RB_Left	22.97	-0.64	22.33	30	PASS
n78(3700-3800)	30	90	DFT-64QAM	H	Inner_1RB_Right	23.3	-0.64	22.66	30	PASS
n78(3700-3800)	30	90	DFT-64QAM	H	Inner_Full	23	-0.64	22.36	30	PASS
n78(3700-3800)	30	90	DFT-64QAM	H	Outer_Full	23.1	-0.64	22.46	30	PASS
n78(3700-3800)	30	90	DFT-256QAM	H	Inner_1RB_Left	20.72	-0.64	20.08	30	PASS
n78(3700-3800)	30	90	DFT-256QAM	H	Inner_1RB_Right	21.22	-0.64	20.58	30	PASS
n78(3700-3800)	30	90	DFT-256QAM	H	Inner_Full	21.03	-0.64	20.39	30	PASS
n78(3700-3800)	30	90	DFT-256QAM	H	Outer_Full	21.24	-0.64	20.6	30	PASS

n78(3700-3800)	30	100	DFT-BPSK	L	Inner_1RB_Left	25.52	-0.64	24.88	30	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Inner_1RB_Right	25.74	-0.64	25.1	30	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Inner_Full	25.48	-0.64	24.84	30	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Outer_Full	25.02	-0.64	24.38	30	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Inner_1RB_Left	25.53	-0.64	24.89	30	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Inner_1RB_Right	25.81	-0.64	25.17	30	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Inner_Full	25.57	-0.64	24.93	30	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Outer_Full	25.22	-0.64	24.58	30	PASS
n78(3700-3800)	30	100	DFT-16QAM	L	Inner_1RB_Left	24.48	-0.64	23.84	30	PASS
n78(3700-3800)	30	100	DFT-16QAM	L	Inner_1RB_Right	24.68	-0.64	24.04	30	PASS
n78(3700-3800)	30	100	DFT-16QAM	L	Inner_Full	24.55	-0.64	23.91	30	PASS
n78(3700-3800)	30	100	DFT-16QAM	L	Outer_Full	23.54	-0.64	22.9	30	PASS
n78(3700-3800)	30	100	DFT-64QAM	L	Inner_1RB_Left	22.88	-0.64	22.24	30	PASS
n78(3700-3800)	30	100	DFT-64QAM	L	Inner_1RB_Right	23.15	-0.64	22.51	30	PASS
n78(3700-3800)	30	100	DFT-64QAM	L	Inner_Full	23.04	-0.64	22.4	30	PASS
n78(3700-3800)	30	100	DFT-64QAM	L	Outer_Full	23.04	-0.64	22.4	30	PASS
n78(3700-3800)	30	100	DFT-256QAM	L	Inner_1RB_Left	20.97	-0.64	20.33	30	PASS
n78(3700-3800)	30	100	DFT-256QAM	L	Inner_1RB_Right	21.4	-0.64	20.76	30	PASS
n78(3700-3800)	30	100	DFT-256QAM	L	Inner_Full	21.17	-0.64	20.53	30	PASS
n78(3700-3800)	30	100	DFT-256QAM	L	Outer_Full	21.15	-0.64	20.51	30	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Inner_1RB_Left	25.52	-0.64	24.88	30	PASS

n78(3700-3800)	30	100	DFT-BPSK	M	Inner_1RB_Right	25.82	-0.64	25.18	30	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Inner_Full	25.49	-0.64	24.85	30	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Outer_Full	25.02	-0.64	24.38	30	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Inner_1RB_Left	25.47	-0.64	24.83	30	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Inner_1RB_Right	25.7	-0.64	25.06	30	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Inner_Full	25.59	-0.64	24.95	30	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Outer_Full	25.22	-0.64	24.58	30	PASS
n78(3700-3800)	30	100	DFT-16QAM	M	Inner_1RB_Left	24.71	-0.64	24.07	30	PASS
n78(3700-3800)	30	100	DFT-16QAM	M	Inner_1RB_Right	24.81	-0.64	24.17	30	PASS
n78(3700-3800)	30	100	DFT-16QAM	M	Inner_Full	24.47	-0.64	23.83	30	PASS
n78(3700-3800)	30	100	DFT-16QAM	M	Outer_Full	23.64	-0.64	23	30	PASS
n78(3700-3800)	30	100	DFT-64QAM	M	Inner_1RB_Left	23.01	-0.64	22.37	30	PASS
n78(3700-3800)	30	100	DFT-64QAM	M	Inner_1RB_Right	23.51	-0.64	22.87	30	PASS
n78(3700-3800)	30	100	DFT-64QAM	M	Inner_Full	23.05	-0.64	22.41	30	PASS
n78(3700-3800)	30	100	DFT-64QAM	M	Outer_Full	23.14	-0.64	22.5	30	PASS
n78(3700-3800)	30	100	DFT-256QAM	M	Inner_1RB_Left	20.95	-0.64	20.31	30	PASS
n78(3700-3800)	30	100	DFT-256QAM	M	Inner_1RB_Right	21.28	-0.64	20.64	30	PASS
n78(3700-3800)	30	100	DFT-256QAM	M	Inner_Full	21.15	-0.64	20.51	30	PASS
n78(3700-3800)	30	100	DFT-256QAM	M	Outer_Full	21.15	-0.64	20.51	30	PASS

Peak-to-Average Ratio for SA









Peak-to-Average Ratio(CCDF)


Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result(dB)	Limit(dB)	Verdict
n78(3700-3800)	30	20	DFT-BPSK	M	Outer_Full	4.22	≤13	PASS
n78(3700-3800)	30	20	DFT-QPSK	M	Outer_Full	5	≤13	PASS
n78(3700-3800)	30	20	DFT-16QAM	M	Outer_Full	5.98	≤13	PASS
n78(3700-3800)	30	20	DFT-64QAM	M	Outer_Full	6.2	≤13	PASS
n78(3700-3800)	30	20	DFT-256QAM	M	Outer_Full	6.4	≤13	PASS
n78(3700-3800)	30	30	DFT-BPSK	M	Outer_Full	4.02	≤13	PASS
n78(3700-3800)	30	30	DFT-QPSK	M	Outer_Full	4.7	≤13	PASS
n78(3700-3800)	30	30	DFT-16QAM	M	Outer_Full	5.64	≤13	PASS
n78(3700-3800)	30	30	DFT-64QAM	M	Outer_Full	6.12	≤13	PASS
n78(3700-3800)	30	30	DFT-256QAM	M	Outer_Full	6.44	≤13	PASS
n78(3700-3800)	30	40	DFT-BPSK	M	Outer_Full	4.08	≤13	PASS
n78(3700-3800)	30	40	DFT-QPSK	M	Outer_Full	4.8	≤13	PASS
n78(3700-3800)	30	40	DFT-16QAM	M	Outer_Full	5.72	≤13	PASS
n78(3700-3800)	30	40	DFT-64QAM	M	Outer_Full	6.2	≤13	PASS
n78(3700-3800)	30	40	DFT-256QAM	M	Outer_Full	6.5	≤13	PASS
n78(3700-3800)	30	50	DFT-BPSK	M	Outer_Full	4.2	≤13	PASS
n78(3700-3800)	30	50	DFT-QPSK	M	Outer_Full	4.68	≤13	PASS
n78(3700-3800)	30	50	DFT-16QAM	M	Outer_Full	5.66	≤13	PASS
n78(3700-3800)	30	50	DFT-64QAM	M	Outer_Full	6.02	≤13	PASS
n78(3700-3800)	30	50	DFT-256QAM	M	Outer_Full	6.4	≤13	PASS
n78(3700-3800)	30	60	DFT-BPSK	M	Outer_Full	4.08	≤13	PASS
n78(3700-3800)	30	60	DFT-QPSK	M	Outer_Full	4.72	≤13	PASS
n78(3700-3800)	30	60	DFT-16QAM	M	Outer_Full	5.7	≤13	PASS
n78(3700-3800)	30	60	DFT-64QAM	M	Outer_Full	6.2	≤13	PASS
n78(3700-3800)	30	60	DFT-256QAM	M	Outer_Full	6.4	≤13	PASS
n78(3700-3800)	30	70	DFT-BPSK	M	Outer_Full	4.38	≤13	PASS
n78(3700-3800)	30	70	DFT-QPSK	M	Outer_Full	5.02	≤13	PASS
n78(3700-3800)	30	70	DFT-16QAM	M	Outer_Full	5.88	≤13	PASS
n78(3700-3800)	30	70	DFT-64QAM	M	Outer_Full	6.26	≤13	PASS
n78(3700-3800)	30	70	DFT-256QAM	M	Outer_Full	6.36	≤13	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Outer_Full	4.66	≤13	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Outer_Full	5.14	≤13	PASS
n78(3700-3800)	30	80	DFT-16QAM	M	Outer_Full	6	≤13	PASS
n78(3700-3800)	30	80	DFT-64QAM	M	Outer_Full	6.3	≤13	PASS
n78(3700-3800)	30	80	DFT-256QAM	M	Outer_Full	6.52	≤13	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Outer_Full	4.22	≤13	PASS


n78(3700-3800)	30	90	DFT-QPSK	M	Outer_Full	5.02	≤13	PASS
n78(3700-3800)	30	90	DFT-16QAM	M	Outer_Full	5.92	≤13	PASS
n78(3700-3800)	30	90	DFT-64QAM	M	Outer_Full	6.3	≤13	PASS
n78(3700-3800)	30	90	DFT-256QAM	M	Outer_Full	6.52	≤13	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Outer_Full	4.56	≤13	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Outer_Full	5.06	≤13	PASS
n78(3700-3800)	30	100	DFT-16QAM	M	Outer_Full	5.98	≤13	PASS
n78(3700-3800)	30	100	DFT-64QAM	M	Outer_Full	6.22	≤13	PASS
n78(3700-3800)	30	100	DFT-256QAM	M	Outer_Full	6.56	≤13	PASS

Test Graphs







NTNV-n78(3700-3800)-PC2-30-30-M-DFT-64QAM-Outer_Full-PA
SS




NTNV-n78(3700-3800)-PC2-30-30-M-DFT-256QAM-Outer_Full-PA
ASS




NTNV-n78(3700-3800)-PC2-30-40-M-DFT-BPSK-Outer_Full-PAS
S




NTNV-n78(3700-3800)-PC2-30-40-M-DFT-QPSK-Outer_Full-PAS
S




NTNV-n78(3700-3800)-PC2-30-40-M-DFT-16QAM-Outer_Full-PA
SS




NTNV-n78(3700-3800)-PC2-30-40-M-DFT-64QAM-Outer_Full-PA
SS



NTNV-n78(3700-3800)-PC2-30-40-M-DFT-256QAM-Outer_Full-PA
SS




NTNV-n78(3700-3800)-PC2-30-50-M-DFT-BPSK-Outer_Full-PAS
S




NTNV-n78(3700-3800)-PC2-30-50-M-DFT-QPSK-Outter_Full-PAS

S




NTNV-n78(3700-3800)-PC2-30-50-M-DFT-16QAM-Outter_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-50-M-DFT-64QAM-Outter_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-50-M-DFT-256QAM-Outter_Full-P

ASS




NTNV-n78(3700-3800)-PC2-30-60-M-DFT-BPSK-Outter_Full-PAS

S




NTNV-n78(3700-3800)-PC2-30-60-M-DFT-QPSK-Outter_Full-PAS

S











NTNV-n78(3700-3800)-PC2-30-60-M-DFT-16QAM-Outter_Full-PA


SS




NTNV-n78(3700-3800)-PC2-30-60-M-DFT-64QAM-Outter_Full-PA

SS



NTNV-n78(3700-3800)-PC2-30-60-M-DFT-256QAM-Outer_Full-PA
SS

NTNV-n78(3700-3800)-PC2-30-70-M-DFT-BPSK-Outer_Full-PAS
S

NTNV-n78(3700-3800)-PC2-30-70-M-DFT-QPSK-Outer_Full-PAS
S

NTNV-n78(3700-3800)-PC2-30-70-M-DFT-16QAM-Outer_Full-PA
SS

NTNV-n78(3700-3800)-PC2-30-70-M-DFT-64QAM-Outer_Full-PA
SS

NTNV-n78(3700-3800)-PC2-30-70-M-DFT-256QAM-Outer_Full-P
ASS

NTNV-n78(3700-3800)-PC2-30-80-M-DFT-BPSK-Outer_Full-PAS
S

NTNV-n78(3700-3800)-PC2-30-80-M-DFT-QPSK-Outer_Full-PAS
S




NTNV-n78(3700-3800)-PC2-30-80-M-DFT-16QAM-Outer_Full-PA
SS




NTNV-n78(3700-3800)-PC2-30-80-M-DFT-64QAM-Outer_Full-PA
SS




NTNV-n78(3700-3800)-PC2-30-80-M-DFT-256QAM-Outer_Full-PA
SS




NTNV-n78(3700-3800)-PC2-30-90-M-DFT-BPSK-Outer_Full-PAS
S




NTNV-n78(3700-3800)-PC2-30-90-M-DFT-QPSK-Outer_Full-PAS
S








NTNV-n78(3700-3800)-PC2-30-90-M-DFT-16QAM-Outer_Full-PA
SS



NTNV-n78(3700-3800)-PC2-30-90-M-DFT-64QAM-Outer_Full-PA
SS



NTNV-n78(3700-3800)-PC2-30-90-M-DFT-256QAM-Outer_Full-P
ASS


NTNV-n78(3700-3800)-PC2-30-100-M-DFT-BPSK-Outer_Full-PAS
S

NTNV-n78(3700-3800)-PC2-30-100-M-DFT-QPSK-Outer_Full-PA
SS

NTNV-n78(3700-3800)-PC2-30-100-M-DFT-16QAM-Outer_Full-PA
SS

NTNV-n78(3700-3800)-PC2-30-100-M-DFT-64QAM-Outer_Full-P
ASS

NTNV-n78(3700-3800)-PC2-30-100-M-DFT-256QAM-Outer_Full-P
ASS

26dB Bandwidth and Occupied Bandwidth for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
n78(3700-3800)	30	20	CP-QPSK	M	Outer_Full	18.489	19.39	PASS
n78(3700-3800)	30	20	CP-16QAM	M	Outer_Full	18.484	19.26	PASS
n78(3700-3800)	30	20	CP-64QAM	M	Outer_Full	18.467	19.30	PASS
n78(3700-3800)	30	20	CP-256QAM	M	Outer_Full	18.452	19.27	PASS
n78(3700-3800)	30	30	CP-QPSK	M	Outer_Full	28.267	29.35	PASS
n78(3700-3800)	30	30	CP-16QAM	M	Outer_Full	28.251	29.36	PASS
n78(3700-3800)	30	30	CP-64QAM	M	Outer_Full	28.266	29.39	PASS
n78(3700-3800)	30	30	CP-256QAM	M	Outer_Full	28.183	29.22	PASS
n78(3700-3800)	30	40	CP-QPSK	M	Outer_Full	38.282	39.77	PASS
n78(3700-3800)	30	40	CP-16QAM	M	Outer_Full	38.439	39.83	PASS
n78(3700-3800)	30	40	CP-64QAM	M	Outer_Full	38.394	39.72	PASS
n78(3700-3800)	30	40	CP-256QAM	M	Outer_Full	38.395	39.65	PASS
n78(3700-3800)	30	50	CP-QPSK	M	Outer_Full	48.104	49.65	PASS
n78(3700-3800)	30	50	CP-16QAM	M	Outer_Full	48.065	49.66	PASS
n78(3700-3800)	30	50	CP-64QAM	M	Outer_Full	48.046	49.63	PASS
n78(3700-3800)	30	50	CP-256QAM	M	Outer_Full	48.080	49.54	PASS
n78(3700-3800)	30	60	CP-QPSK	M	Outer_Full	58.515	60.41	PASS
n78(3700-3800)	30	60	CP-16QAM	M	Outer_Full	58.587	60.41	PASS
n78(3700-3800)	30	60	CP-64QAM	M	Outer_Full	58.595	60.35	PASS
n78(3700-3800)	30	60	CP-256QAM	M	Outer_Full	58.523	60.21	PASS
n78(3700-3800)	30	70	CP-QPSK	M	Outer_Full	68.480	70.50	PASS
n78(3700-3800)	30	70	CP-16QAM	M	Outer_Full	68.431	70.50	PASS
n78(3700-3800)	30	70	CP-64QAM	M	Outer_Full	68.494	70.47	PASS
n78(3700-3800)	30	70	CP-256QAM	M	Outer_Full	68.408	70.38	PASS
n78(3700-3800)	30	80	CP-QPSK	M	Outer_Full	78.390	80.80	PASS
n78(3700-3800)	30	80	CP-16QAM	M	Outer_Full	78.431	80.75	PASS
n78(3700-3800)	30	80	CP-64QAM	M	Outer_Full	78.527	80.86	PASS
n78(3700-3800)	30	80	CP-256QAM	M	Outer_Full	78.291	80.62	PASS
n78(3700-3800)	30	90	CP-QPSK	M	Outer_Full	88.506	91.11	PASS
n78(3700-3800)	30	90	CP-16QAM	M	Outer_Full	88.645	90.99	PASS
n78(3700-3800)	30	90	CP-64QAM	M	Outer_Full	88.693	91.12	PASS
n78(3700-3800)	30	90	CP-256QAM	M	Outer_Full	88.785	90.81	PASS
n78(3700-3800)	30	100	CP-QPSK	M	Outer_Full	98.633	101.5	PASS
n78(3700-3800)	30	100	CP-16QAM	M	Outer_Full	98.705	101.6	PASS
n78(3700-3800)	30	100	CP-64QAM	M	Outer_Full	98.648	101.5	PASS
n78(3700-3800)	30	100	CP-256QAM	M	Outer_Full	98.835	101.4	PASS

Test Graphs




NTNV-n78(3700-3800)-PC2-30-20-M-CP-QPSK-Outet_Full-Ant1-
PASS



NTNV-n78(3700-3800)-PC2-30-20-M-CP-16QAM-Outet_Full-Ant1
-PASS



NTNV-n78(3700-3800)-PC2-30-20-M-CP-64QAM-Outet_Full-Ant
1-PASS



NTNV-n78(3700-3800)-PC2-30-20-M-CP-256QAM-Outet_Full-Ant
1-PASS



NTNV-n78(3700-3800)-PC2-30-30-M-CP-QPSK-Outet_Full-Ant1-
PASS



NTNV-n78(3700-3800)-PC2-30-30-M-CP-16QAM-Outet_Full-Ant1
-PASS



NTNV-n78(3700-3800)-PC2-30-30-M-CP-64QAM-Outet_Full-Ant
1-PASS




NTNV-n78(3700-3800)-PC2-30-30-M-CP-256QAM-Outet_Full-Ant
1-PASS




NTNV-n78(3700-3800)-PC2-30-40-M-CP-QPSK-Outet_Full-Ant1-
PASS



NTNV-n78(3700-3800)-PC2-30-40-M-CP-16QAM-Outet_Full-Ant1-
-PASS




NTNV-n78(3700-3800)-PC2-30-40-M-CP-64QAM-Outet_Full-Ant1-
1-PASS



NTNV-n78(3700-3800)-PC2-30-40-M-CP-256QAM-Outet_Full-Ant1-
1-PASS



NTNV-n78(3700-3800)-PC2-30-50-M-CP-QPSK-Outet_Full-Ant1-
PASS



NTNV-n78(3700-3800)-PC2-30-50-M-CP-16QAM-Outet_Full-Ant1-
-PASS



NTNV-n78(3700-3800)-PC2-30-50-M-CP-64QAM-Outet_Full-Ant1-
1-PASS




NTNV-n78(3700-3800)-PC2-30-50-M-CP-256QAM-Outet_Full-Ant1-
1-PASS




NTNV-n78(3700-3800)-PC2-30-60-M-CP-QPSK-Outet_Full-Ant1-
PASS



NTNV-n78(3700-3800)-PC2-30-60-M-CP-16QAM-Outet_Full-Ant1-
-PASS



NTNV-n78(3700-3800)-PC2-30-60-M-CP-64QAM-Outet_Full-Ant1-
1-PASS



NTNV-n78(3700-3800)-PC2-30-60-M-CP-256QAM-Outet_Full-Ant1-
1-PASS



NTNV-n78(3700-3800)-PC2-30-70-M-CP-QPSK-Outet_Full-Ant1-
PASS



NTNV-n78(3700-3800)-PC2-30-70-M-CP-16QAM-Outet_Full-Ant1-
-PASS




NTNV-n78(3700-3800)-PC2-30-70-M-CP-64QAM-Outet_Full-Ant1-
1-PASS




NTNV-n78(3700-3800)-PC2-30-70-M-CP-256QAM-Outet_Full-Ant1-
1-PASS



NTNV-n78(3700-3800)-PC2-30-80-M-CP-QPSK-Outet_Full-Ant1-
PASS



NTNV-n78(3700-3800)-PC2-30-80-M-CP-16QAM-Outet_Full-Ant1-
-PASS




NTNV-n78(3700-3800)-PC2-30-80-M-CP-64QAM-Outet_Full-Ant1-
1-PASS



NTNV-n78(3700-3800)-PC2-30-80-M-CP-256QAM-Outet_Full-Ant1-
1-PASS



NTNV-n78(3700-3800)-PC2-30-90-M-CP-QPSK-Outet_Full-Ant1-
PASS



NTNV-n78(3700-3800)-PC2-30-90-M-CP-16QAM-Outet_Full-Ant1-
-PASS



NTNV-n78(3700-3800)-PC2-30-90-M-CP-64QAM-Outet_Full-Ant1-
1-PASS




NTNV-n78(3700-3800)-PC2-30-90-M-CP-256QAM-Outet_Full-Ant1-
1-PASS




NTNV-n78(3700-3800)-PC2-30-100-M-CP-QPSK-Outet_Full-Ant
1-PASS



NTNV-n78(3700-3800)-PC2-30-100-M-CP-16QAM-Outet_Full-Ant
1-PASS









NTNV-n78(3700-3800)-PC2-30-100-M-CP-64QAM-Outet_Full-Ant
t1-PASS




NTNV-n78(3700-3800)-PC2-30-100-M-CP-256QAM-Outet_Full-Ant
t1-PASS


Band Edge for SA

Test Graphs


NTVN-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Edge_1RB_Left-PA
SSNTVN-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Outer_Full-PA
SSNTVN-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Edge_1RB_Left-PA
SSNTVN-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Outer_Full-PA
ASSNTVN-n78(3700-3800)-PC2-30-20-H-DFT-BPSK-Edge_1RB_Right-P
ASSNTVN-n78(3700-3800)-PC2-30-20-H-DFT-BPSK-Outer_Full-P
ASSNTVN-n78(3700-3800)-PC2-30-20-H-DFT-QPSK-Edge_1RB_Right-
PASSNTVN-n78(3700-3800)-PC2-30-20-H-DFT-QPSK-Outer_Full-P
ASS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-BPSK-Edge_1RB_Left-PA
SS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-BPSK-Outer_Full-PA
SS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-QPSK-Edge_1RB_Left-PA
SS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-QPSK-Outer_Full-P
ASS



NTNV-n78(3700-3800)-PC2-30-30-H-DFT-BPSK-Edge_1RB_Right-P
ASS







NTNV-n78(3700-3800)-PC2-30-30-H-DFT-BPSK-Outer_Full-P
ASS




NTNV-n78(3700-3800)-PC2-30-30-H-DFT-QPSK-Edge_1RB_Right-
PASS








NTNV-n78(3700-3800)-PC2-30-30-H-DFT-QPSK-Outer_Full-P
ASS


NTNV-n78(3700-3800)-PC2-30-40-L-DFT-BPSK-Edge_1RB_Left-PA
SSNTNV-n78(3700-3800)-PC2-30-40-L-DFT-BPSK-Outer_Full-PA
SSNTNV-n78(3700-3800)-PC2-30-40-L-DFT-QPSK-Edge_1RB_Left-PA
SSNTNV-n78(3700-3800)-PC2-30-40-L-DFT-QPSK-Outer_Full-P
ASSNTNV-n78(3700-3800)-PC2-30-40-H-DFT-BPSK-Edge_1RB_Right-P
ASSNTNV-n78(3700-3800)-PC2-30-40-H-DFT-BPSK-Outer_Full-P
ASS





NTNV-n78(3700-3800)-PC2-30-40-H-DFT-QPSK-Edge_1RB_Right-
PASS

NTNV-n78(3700-3800)-PC2-30-40-H-DFT-QPSK-Outer_Full-P
ASS



NTNV-n78(3700-3800)-PC2-30-50-L-DFT-BPSK-Edge_1RB_Left-PA
SS

NTNV-n78(3700-3800)-PC2-30-50-L-DFT-BPSK-Outer_Full-PA
SS

NTNV-n78(3700-3800)-PC2-30-50-L-DFT-QPSK-Edge_1RB_Left-PA
SS

NTNV-n78(3700-3800)-PC2-30-50-L-DFT-QPSK-Outer_Full-P
ASS





NTNV-n78(3700-3800)-PC2-30-50-H-DFT-BPSK-Edge_1RB_Right-P
ASS

NTNV-n78(3700-3800)-PC2-30-50-H-DFT-BPSK-Outer_Full-P
ASS

NTNV-n78(3700-3800)-PC2-30-50-H-DFT-QPSK-Edge_1RB_Right-
PASS

NTNV-n78(3700-3800)-PC2-30-50-H-DFT-QPSK-Outer_Full-P
ASS


NTNV-n78(3700-3800)-PC2-30-60-L-DFT-BPSK-Edge_1RB_Left-PA
SSNTNV-n78(3700-3800)-PC2-30-60-L-DFT-BPSK-Outer_Full-PA
SSNTNV-n78(3700-3800)-PC2-30-60-L-DFT-QPSK-Edge_1RB_Left-PA
SSNTNV-n78(3700-3800)-PC2-30-60-L-DFT-QPSK-Outer_Full-P
ASSNTNV-n78(3700-3800)-PC2-30-60-H-DFT-BPSK-Edge_1RB_Right-P
ASSNTNV-n78(3700-3800)-PC2-30-60-H-DFT-BPSK-Outer_Full-P
ASS

NTNV-n78(3700-3800)-PC2-30-60-H-DFT-QPSK-Edge_1RB_Right-
PASS


NTNV-n78(3700-3800)-PC2-30-60-H-DFT-QPSK-Outer_Full-P
ASS







NTNV-n78(3700-3800)-PC2-30-70-L-DFT-BPSK-Edge_1RB_Left-PA
SSNTNV-n78(3700-3800)-PC2-30-70-L-DFT-BPSK-Outer_Full-PA
SSNTNV-n78(3700-3800)-PC2-30-70-L-DFT-QPSK-Edge_1RB_Left-PA
SSNTNV-n78(3700-3800)-PC2-30-70-L-DFT-QPSK-Outer_Full-P
ASS


NTNV-n78(3700-3800)-PC2-30-70-H-DFT-BPSK-Edge_1RB_Right-PASS


NTNV-n78(3700-3800)-PC2-30-70-H-DFT-BPSK-Outer_Full-P
ASS

NTNV-n78(3700-3800)-PC2-30-70-H-DFT-QPSK-Edge_1RB_Right-
PASS


NTNV-n78(3700-3800)-PC2-30-70-H-DFT-QPSK-Outer_Full-P
ASS


NTNV-n78(3700-3800)-PC2-30-80-L-DFT-BPSK-Edge_1RB_Left-PA
SS

NTNV-n78(3700-3800)-PC2-30-80-L-DFT-BPSK-Outer_Full-PA
SS

NTNV-n78(3700-3800)-PC2-30-80-L-DFT-QPSK-Edge_1RB_Left-PA
SS

NTNV-n78(3700-3800)-PC2-30-80-L-DFT-QPSK-Outer_Full-P
ASS

NTNV-n78(3700-3800)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Right-P
ASS

NTNV-n78(3700-3800)-PC2-30-80-H-DFT-BPSK-Outer_Full-P
ASS


NTNV-n78(3700-3800)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Right-
PASS

NTNV-n78(3700-3800)-PC2-30-80-H-DFT-QPSK-Outer_Full-P
ASS




NTNV-n78(3700-3800)-PC2-30-100-L-DFT-BPSK-Edge_1RB_Left-P
ASS



NTNV-n78(3700-3800)-PC2-30-100-L-DFT-BPSK-Outer_Full-P
ASS




NTNV-n78(3700-3800)-PC2-30-100-L-DFT-QPSK-Edge_1RB_Left-P
ASS




NTNV-n78(3700-3800)-PC2-30-100-L-DFT-QPSK-Outer_Full-P
ASS

Conducted Spurious Emission for SA

Test Graphs



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Inner_1RB_Left-
0.009-0.15-PASS



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Inner_1RB_Left-
0.15-30-PASS



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Inner_1RB_Left-
30-1000-PASS



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Inner_1RB_Left-
1000-3000-PASS




NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Inner_1RB_Left-
3000-6000-PASS





NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Inner_1RB_Left-
6000-26000-PASS



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Inner_1RB_Left-
26000-40000-PASS





NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Inner_1RB_Right
-0.009-0.15-PASS



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Inner_1RB_Rig
ht-0.15-30-PASS

NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Inner_1RB_Right
-30-1000-PASS

NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Inner_1RB_Rig
ht-1000-3000-PASS

NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Inner_1RB_Right
-3000-6000-PASS

NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Inner_1RB_Rig
ht-6000-26000-PASS

NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Inner_1RB_Right
-26000-40000-PASS

NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Inner_1RB_Left
-0.009-0.15-PASS

NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Inner_1RB_Left
0.15-30-PASS



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Inner_1RB_Left
-30-1000-PASS



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Inner_1RB_Left-
1000-3000-PASS




NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Inner_1RB_Left
-3000-6000-PASS



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Inner_1RB_Left-
6000-26000-PASS



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Inner_1RB_Left
-26000-40000-PASS



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Inner_1RB_Right
-0.009-0.15-PASS



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Inner_1RB_Rig
ht-0.15-30-PASS



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Inner_1RB_Right
-30-1000-PASS



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Inner_1RB_Rig
ht-1000-3000-PASS




NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Inner_1RB_Right
-3000-6000-PASS




NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Inner_1RB_Rig
ht-6000-26000-PASS



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Inner_1RB_Right
-26000-40000-PASS



NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Inner_1RB_Left
-0.009-0.15-PASS



NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Inner_1RB_Left
0.15-30-PASS






NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Inner_1RB_Left
-30-1000-PASS



NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Inner_1RB_Left
1000-3000-PASS


NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Inner_1RB_Left
-3000-6000-PASS

NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Inner_1RB_Left
6000-26000-PASS

NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Inner_1RB_Left
-26000-40000-PASS

NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Inner_1RB_Right
t-0.009-0.15-PASS

NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Inner_1RB_Rig
ht-0.15-30-PASS

NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Inner_1RB_Right
t-30-1000-PASS

NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Inner_1RB_Rig
ht-1000-3000-PASS

NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Inner_1RB_Right
t-3000-6000-PASS