


Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	60
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9010.53	36.46	2.52	38.98	54.00	15.02	Horizontal	PASS
2	12249.81	35.01	5.37	40.38	54.00	13.62	Horizontal	PASS
3	17850.50	32.25	13.98	46.23	54.00	7.77	Horizontal	PASS
4	6407.41	36.10	16.61	52.71	68.20	15.49	Horizontal	PASS
5	14390.03	40.96	8.53	49.49	68.20	18.71	Horizontal	PASS
6	17990.03	39.22	13.65	52.87	74.00	21.13	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	60
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5296.19	35.93	14.46	50.39	-	-	Vertical	NA
2	8100.85	36.96	0.52	37.48	54.00	16.52	Vertical	PASS
3	12059.29	35.58	5.39	40.97	54.00	13.03	Vertical	PASS
4	17979.68	32.58	13.50	46.08	54.00	7.92	Vertical	PASS
5	5296.74	41.98	14.47	56.45	-	-	Vertical	NA
6	7066.97	49.74	-1.53	48.21	68.20	19.99	Vertical	PASS
7	13683.52	41.04	9.30	50.34	68.20	17.86	Vertical	PASS
8	17870.05	39.75	13.73	53.48	74.00	20.52	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5322.04	32.39	14.55	46.94	-	-	Horizontal	NA
2	8070.19	37.85	0.44	38.29	54.00	15.71	Horizontal	PASS
3	12079.60	35.50	5.29	40.79	54.00	13.21	Horizontal	PASS
4	17848.96	31.95	13.95	45.90	54.00	8.10	Horizontal	PASS
5	5320.94	38.02	14.55	52.57	-	-	Horizontal	NA
6	6318.68	35.49	16.97	52.46	68.20	15.74	Horizontal	PASS
7	15251.41	40.74	9.91	50.65	68.20	17.55	Horizontal	PASS
8	17996.55	39.69	13.74	53.43	74.00	20.57	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.49	42.08	14.55	56.63	-	-	Vertical	NA
2	9145.47	36.42	3.25	39.67	54.00	14.33	Vertical	PASS
3	12254.03	35.68	5.34	41.02	54.00	12.98	Vertical	PASS
4	17975.47	32.49	13.43	45.92	54.00	8.08	Vertical	PASS
5	5321.86	46.57	14.55	61.12	-	-	Vertical	NA
6	7093.42	47.62	-1.52	46.10	68.20	22.10	Vertical	PASS
7	13773.61	42.37	7.20	49.57	68.20	18.63	Vertical	PASS
8	17885.76	38.98	13.52	52.50	74.00	21.50	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5500.62	30.44	14.68	45.12	-	-	Horizontal	NA
2	8065.97	37.07	0.43	37.50	54.00	16.50	Horizontal	PASS
3	11603.10	35.05	5.65	40.70	54.00	13.30	Horizontal	PASS
4	17888.45	32.36	13.49	45.85	54.00	8.15	Horizontal	PASS
5	5503.00	37.53	14.67	52.20	68.20	16.00	Horizontal	PASS
6	6365.61	35.03	16.99	52.02	68.20	16.18	Horizontal	PASS
7	15080.82	41.65	9.10	50.75	68.20	17.45	Horizontal	PASS
8	17892.28	39.71	13.44	53.15	74.00	20.85	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.35	37.86	14.68	52.54	-	-	Vertical	NA
2	9178.44	36.37	3.08	39.45	54.00	14.55	Vertical	PASS
3	11427.91	35.62	5.21	40.83	54.00	13.17	Vertical	PASS
4	17865.83	32.25	13.78	46.03	54.00	7.97	Vertical	PASS
5	5500.62	43.00	14.68	57.68	-	-	Vertical	NA
6	6353.51	34.51	17.17	51.68	68.20	16.52	Vertical	PASS
7	15065.49	41.38	9.16	50.54	68.20	17.66	Vertical	PASS
8	17346.39	41.23	12.13	53.36	68.20	14.84	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	116
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9172.31	35.75	3.15	38.90	54.00	15.10	Horizontal	PASS
2	11433.28	36.03	5.18	41.21	54.00	12.79	Horizontal	PASS
3	17863.53	32.44	13.82	46.26	54.00	7.74	Horizontal	PASS
4	6349.66	34.97	17.23	52.20	68.20	16.00	Horizontal	PASS
5	14349.39	40.99	9.01	50.00	68.20	18.20	Horizontal	PASS
6	17846.66	38.87	13.84	52.71	74.00	21.29	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	116
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5582.20	31.49	14.69	46.18	-	-	Vertical	NA
2	9146.62	35.98	3.29	39.27	54.00	14.73	Vertical	PASS
3	11434.43	35.38	5.17	40.55	54.00	13.45	Vertical	PASS
4	17867.75	32.49	13.76	46.25	54.00	7.75	Vertical	PASS
5	5586.60	37.80	14.70	52.50	-	-	Vertical	NA
6	6339.76	35.51	17.12	52.63	68.20	15.57	Vertical	PASS
7	13677.77	41.33	9.26	50.59	68.20	17.61	Vertical	PASS
8	17881.16	39.75	13.58	53.33	74.00	20.67	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8110.05	37.25	0.58	37.83	54.00	16.17	Horizontal	PASS
2	10927.65	37.03	4.97	42.00	54.00	12.00	Horizontal	PASS
3	17845.51	32.34	13.80	46.14	54.00	7.86	Horizontal	PASS
4	6344.34	35.25	17.17	52.42	68.20	15.78	Horizontal	PASS
5	13959.53	41.52	8.05	49.57	68.20	18.63	Horizontal	PASS
6	17860.85	39.28	13.85	53.13	74.00	20.87	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5704.86	37.87	14.90	52.77	-	-	Vertical	NA
2	9149.69	35.99	3.36	39.35	54.00	14.65	Vertical	PASS
3	11456.67	35.91	5.03	40.94	54.00	13.06	Vertical	PASS
4	17985.82	32.35	13.58	45.93	54.00	8.07	Vertical	PASS
5	5705.04	44.01	14.90	58.91	-	-	Vertical	NA
6	6384.13	35.34	16.70	52.04	68.20	16.16	Vertical	PASS
7	13694.26	40.80	9.37	50.17	68.20	18.03	Vertical	PASS
8	17893.43	39.84	13.43	53.27	74.00	20.73	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.77	63.69	14.91	78.60	-	-	Horizontal	NA
2	8365.75	36.58	1.04	37.62	54.00	16.38	Horizontal	PASS
3	11463.18	35.86	5.00	40.86	54.00	13.14	Horizontal	PASS
4	17819.44	33.14	12.69	45.83	54.00	8.17	Horizontal	PASS
5	5727.59	69.19	14.91	84.10	-	-	Horizontal	NA
6	6468.10	34.70	16.92	51.62	68.20	16.58	Horizontal	PASS
7	15251.41	40.10	9.91	50.01	68.20	18.19	Horizontal	PASS
8	17819.06	40.39	12.67	53.06	74.00	20.94	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	71.90	14.91	86.81	-	-	Vertical	NA
2	8144.17	37.67	0.79	38.46	54.00	15.54	Vertical	PASS
3	11541.77	35.93	4.87	40.80	54.00	13.20	Vertical	PASS
4	17999.62	32.34	13.79	46.13	54.00	7.87	Vertical	PASS
5	5727.59	76.97	14.91	91.88	-	-	Vertical	NA
6	6485.33	34.65	17.09	51.74	68.20	16.46	Vertical	PASS
7	12402.00	42.06	6.22	48.28	74.00	25.72	Vertical	PASS
8	17987.73	39.59	13.61	53.20	74.00	20.80	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20Mhz	Channel	165
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9164.64	36.22	3.22	39.44	54.00	14.56	Horizontal	PASS
2	12384.75	34.64	5.95	40.59	54.00	13.41	Horizontal	PASS
3	17894.58	32.92	13.41	46.33	54.00	7.67	Horizontal	PASS
4	6465.17	35.20	17.01	52.21	68.20	15.99	Horizontal	PASS
5	15068.55	40.53	9.15	49.68	68.20	18.52	Horizontal	PASS
6	17992.72	39.08	13.68	52.76	74.00	21.24	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20Mhz	Channel	149
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5714.02	33.93	15.76	49.69	-	-	Vertical	NA
2	9029.32	36.68	2.41	39.09	54.00	14.91	Vertical	PASS
3	10945.28	36.11	5.10	41.21	54.00	12.79	Vertical	PASS
4	17986.58	32.44	13.60	46.04	54.00	7.96	Vertical	PASS
5	5712.56	42.53	15.77	58.30	68.20	9.90	Vertical	PASS
6	6288.06	35.41	16.39	51.80	68.20	16.40	Vertical	PASS
7	10922.66	43.09	4.94	48.03	74.00	25.97	Vertical	PASS
8	17886.91	39.08	13.51	52.59	74.00	21.41	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20Mhz	Channel	157
SN:	D1CD1C25AM1T00006425AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	8055.62	37.35	0.40	37.75	54.00	16.25	Horizontal	PASS
2	12390.88	34.32	6.07	40.39	54.00	13.61	Horizontal	PASS
3	17856.63	32.01	13.90	45.91	54.00	8.09	Horizontal	PASS
4	6465.53	34.93	17.01	51.94	68.20	16.26	Horizontal	PASS
5	13690.81	40.54	9.35	49.89	68.20	18.31	Horizontal	PASS
6	17845.89	38.91	13.81	52.72	74.00	21.28	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20Mhz	Channel	157
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5790.11	34.78	15.68	50.46	-	-	Vertical	NA
2	9143.17	35.81	3.19	39.00	54.00	15.00	Vertical	PASS
3	12632.00	35.19	5.77	40.96	54.00	13.04	Vertical	PASS
4	17850.88	32.64	13.98	46.62	54.00	7.38	Vertical	PASS
5	5787.36	40.44	15.68	56.12	-	-	Vertical	NA
6	6364.88	34.86	16.95	51.81	68.20	16.39	Vertical	PASS
7	13701.92	40.83	9.32	50.15	68.20	18.05	Vertical	PASS
8	17850.50	39.43	13.98	53.41	74.00	20.59	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20Mhz	Channel	165
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8103.92	37.80	0.55	38.35	54.00	15.65	Horizontal	PASS
2	9483.20	36.55	2.52	39.07	54.00	14.93	Horizontal	PASS
3	12216.84	35.71	5.30	41.01	54.00	12.99	Horizontal	PASS
4	17871.58	32.74	13.71	46.45	54.00	7.55	Horizontal	PASS
5	6325.83	35.51	16.83	52.34	68.20	15.86	Horizontal	PASS
6	15070.85	40.79	9.14	49.93	68.20	18.27	Horizontal	PASS
7	17837.46	39.94	13.45	53.39	74.00	20.61	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20Mhz	Channel	165
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5821.09	37.00	15.66	52.66	-	-	Vertical	NA
2	7400.86	36.68	-0.29	36.39	54.00	17.61	Vertical	PASS
3	11529.50	35.50	4.86	40.36	54.00	13.64	Vertical	PASS
4	17858.16	31.99	13.89	45.88	54.00	8.12	Vertical	PASS
5	5820.36	43.01	15.66	58.67	-	-	Vertical	NA
6	6360.48	35.44	17.00	52.44	68.20	15.76	Vertical	PASS
7	11529.12	43.31	4.86	48.17	74.00	25.83	Vertical	PASS
8	17860.46	39.33	13.85	53.18	74.00	20.82	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5139.27	32.13	12.41	44.54	54.00	9.46	Horizontal	PASS
2	5145.26	32.20	12.45	44.65	54.00	9.35	Horizontal	PASS
3	5149.58	32.32	12.48	44.80	54.00	9.20	Horizontal	PASS
4	5139.08	42.76	12.41	55.17	74.00	18.83	Horizontal	PASS
5	5145.16	42.88	12.45	55.33	74.00	18.67	Horizontal	PASS
6	5149.52	42.87	12.48	55.35	74.00	18.65	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.45	33.08	12.41	45.49	54.00	8.51	Vertical	PASS
2	5145.00	33.65	12.44	46.09	54.00	7.91	Vertical	PASS
3	5149.35	34.03	12.48	46.51	54.00	7.49	Vertical	PASS
4	5140.48	44.17	12.41	56.58	74.00	17.42	Vertical	PASS
5	5144.67	44.92	12.44	57.36	74.00	16.64	Vertical	PASS
6	5149.26	44.75	12.48	57.23	74.00	16.77	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5130.27	32.30	12.34	44.64	54.00	9.36	Horizontal	PASS
2	5139.14	32.32	12.41	44.73	54.00	9.27	Horizontal	PASS
3	5147.37	32.23	12.46	44.69	54.00	9.31	Horizontal	PASS
4	5130.14	42.10	12.34	54.44	74.00	19.56	Horizontal	PASS
5	5139.50	42.56	12.41	54.97	74.00	19.03	Horizontal	PASS
6	5147.40	42.84	12.46	55.30	74.00	18.70	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5129.03	32.78	12.34	45.12	54.00	8.88	Vertical	PASS
2	5137.94	33.41	12.39	45.80	54.00	8.20	Vertical	PASS
3	5147.40	34.21	12.46	46.67	54.00	7.33	Vertical	PASS
4	5128.97	43.78	12.34	56.12	74.00	17.88	Vertical	PASS
5	5138.01	44.44	12.39	56.83	74.00	17.17	Vertical	PASS
6	5147.14	45.02	12.46	57.48	74.00	16.52	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40Mhz	Channel	38
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.31	28.76	12.41	41.17	54.00	12.83	Horizontal	PASS
2	5146.30	30.09	12.46	42.55	54.00	11.45	Horizontal	PASS
3	5149.66	30.66	12.48	43.14	54.00	10.86	Horizontal	PASS
4	5139.41	39.09	12.41	51.50	74.00	22.50	Horizontal	PASS
5	5145.58	40.55	12.45	53.00	74.00	21.00	Horizontal	PASS
6	5148.64	40.39	12.47	52.86	74.00	21.14	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40Mhz	Channel	38
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.22	36.13	12.44	48.57	54.00	5.43	Vertical	PASS
2	5147.75	37.91	12.46	50.37	54.00	3.63	Vertical	PASS
3	5149.92	38.14	12.48	50.62	54.00	3.38	Vertical	PASS
4	5143.45	46.47	12.43	58.90	74.00	15.10	Vertical	PASS
5	5148.51	48.13	12.47	60.60	74.00	13.40	Vertical	PASS
6	5149.75	48.27	12.48	60.75	74.00	13.25	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80Mhz	Channel	42
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.07	34.57	12.41	46.98	54.00	7.02	Horizontal	PASS
2	5144.57	35.03	12.44	47.47	54.00	6.53	Horizontal	PASS
3	5149.64	35.28	12.48	47.76	54.00	6.24	Horizontal	PASS
4	5140.88	46.53	12.41	58.94	74.00	15.06	Horizontal	PASS
5	5144.20	44.58	12.44	57.02	74.00	16.98	Horizontal	PASS
6	5149.01	47.82	12.48	60.30	74.00	13.70	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80Mhz	Channel	42
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.44	36.20	12.37	48.57	54.00	5.43	Vertical	PASS
2	5141.88	37.08	12.43	49.51	54.00	4.49	Vertical	PASS
3	5147.20	36.82	12.46	49.28	54.00	4.72	Vertical	PASS
4	5133.38	46.65	12.36	59.01	74.00	14.99	Vertical	PASS
5	5144.88	50.37	12.44	62.81	74.00	11.19	Vertical	PASS
6	5148.45	51.01	12.47	63.48	74.00	10.52	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5351.00	29.07	12.69	41.76	54.00	12.24	Horizontal	PASS
2	5362.12	28.50	12.75	41.25	54.00	12.75	Horizontal	PASS
3	5370.16	28.59	12.80	41.39	54.00	12.61	Horizontal	PASS
4	5351.30	40.07	12.69	52.76	74.00	21.24	Horizontal	PASS
5	5362.29	39.49	12.76	52.25	74.00	21.75	Horizontal	PASS
6	5369.96	39.54	12.80	52.34	74.00	21.66	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.26	35.16	12.68	47.84	54.00	6.16	Vertical	PASS
2	5365.51	30.73	12.77	43.50	54.00	10.50	Vertical	PASS
3	5374.38	30.38	12.82	43.20	54.00	10.80	Vertical	PASS
4	5350.55	45.91	12.68	58.59	74.00	15.41	Vertical	PASS
5	5365.02	41.09	12.77	53.86	74.00	20.14	Vertical	PASS
6	5374.67	39.87	12.82	52.69	74.00	21.31	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5351.07	29.04	12.69	41.73	54.00	12.27	Horizontal	PASS
2	5363.23	28.47	12.75	41.22	54.00	12.78	Horizontal	PASS
3	5371.23	28.41	12.81	41.22	54.00	12.78	Horizontal	PASS
4	5350.71	39.40	12.69	52.09	74.00	21.91	Horizontal	PASS
5	5363.42	39.07	12.75	51.82	74.00	22.18	Horizontal	PASS
6	5370.97	39.03	12.80	51.83	74.00	22.17	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.91	34.82	12.69	47.51	54.00	6.49	Vertical	PASS
2	5358.74	31.97	12.73	44.70	54.00	9.30	Vertical	PASS
3	5365.05	30.81	12.77	43.58	54.00	10.42	Vertical	PASS
4	5351.04	46.31	12.69	59.00	74.00	15.00	Vertical	PASS
5	5359.00	43.25	12.73	55.98	74.00	18.02	Vertical	PASS
6	5365.02	40.91	12.77	53.68	74.00	20.32	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40Mhz	Channel	62
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	29.36	12.68	42.04	54.00	11.96	Horizontal	PASS
2	5358.88	28.83	12.73	41.56	54.00	12.44	Horizontal	PASS
3	5363.43	28.56	12.75	41.31	54.00	12.69	Horizontal	PASS
4	5350.85	39.75	12.69	52.44	74.00	21.56	Horizontal	PASS
5	5358.67	39.10	12.73	51.83	74.00	22.17	Horizontal	PASS
6	5364.50	39.22	12.76	51.98	74.00	22.02	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40Mhz	Channel	62
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 13.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.64	37.44	12.68	50.12	54.00	3.88	Vertical	PASS
2	5353.53	36.07	12.70	48.77	54.00	5.23	Vertical	PASS
3	5359.90	33.06	12.74	45.80	54.00	8.20	Vertical	PASS
4	5350.68	47.66	12.69	60.35	74.00	13.65	Vertical	PASS
5	5354.08	47.79	12.70	60.49	74.00	13.51	Vertical	PASS
6	5361.27	43.28	12.75	56.03	74.00	17.97	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80Mhz	Channel	58
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.18	30.19	12.69	42.88	54.00	11.12	Horizontal	PASS
2	5353.43	30.21	12.70	42.91	54.00	11.09	Horizontal	PASS
3	5358.24	29.93	12.72	42.65	54.00	11.35	Horizontal	PASS
4	5351.61	41.97	12.69	54.66	74.00	19.34	Horizontal	PASS
5	5355.18	43.13	12.71	55.84	74.00	18.16	Horizontal	PASS
6	5359.24	40.70	12.73	53.43	74.00	20.57	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80Mhz	Channel	58
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.36	37.29	12.68	49.97	54.00	4.03	Vertical	PASS
2	5352.99	37.16	12.69	49.85	54.00	4.15	Vertical	PASS
3	5361.56	36.73	12.75	49.48	54.00	4.52	Vertical	PASS
4	5350.43	49.74	12.68	62.42	74.00	11.58	Vertical	PASS
5	5353.49	50.57	12.70	63.27	74.00	10.73	Vertical	PASS
6	5362.49	48.00	12.76	60.76	74.00	13.24	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.58	28.23	12.69	40.92	54.00	13.08	Horizontal	PASS
2	5455.58	28.34	12.73	41.07	54.00	12.93	Horizontal	PASS
3	5459.57	28.70	12.80	41.50	54.00	12.50	Horizontal	PASS
4	5452.22	38.90	12.67	51.57	74.00	22.43	Horizontal	PASS
5	5460.42	38.60	12.81	51.41	68.20	16.79	Horizontal	PASS
6	5469.69	39.81	12.96	52.77	68.20	15.43	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.17	29.28	12.66	41.94	54.00	12.06	Vertical	PASS
2	5455.82	29.80	12.73	42.53	54.00	11.47	Vertical	PASS
3	5459.81	29.98	12.80	42.78	54.00	11.22	Vertical	PASS
4	5451.38	39.69	12.66	52.35	74.00	21.65	Vertical	PASS
5	5459.45	41.32	12.80	54.12	74.00	19.88	Vertical	PASS
6	5469.51	45.23	12.96	58.19	68.20	10.01	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20Mhz	Channel	140
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.39	44.85	13.36	58.21	68.20	9.99	Horizontal	PASS
2	5732.71	40.78	13.24	54.02	68.20	14.18	Horizontal	PASS
3	5741.51	39.81	13.10	52.91	68.20	15.29	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20Mhz	Channel	140
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5725.24	48.91	13.37	62.28	68.20	5.92	Vertical	PASS
2	5732.35	46.46	13.25	59.71	68.20	8.49	Vertical	PASS
3	5742.26	45.01	13.09	58.10	68.20	10.10	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5856.29	39.13	13.30	52.43	68.20	15.77	Horizontal	PASS
2	5929.22	38.79	13.94	52.73	68.20	15.47	Horizontal	PASS
3	5983.25	38.87	13.74	52.61	68.20	15.59	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5855.21	39.54	13.29	52.83	68.20	15.37	Vertical	PASS
2	5916.26	39.10	13.84	52.94	68.20	15.26	Vertical	PASS
3	5964.88	38.93	13.93	52.86	68.20	15.34	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20Mhz	Channel	100
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.65	28.20	12.67	40.87	54.00	13.13	Horizontal	PASS
2	5455.58	28.40	12.73	41.13	54.00	12.87	Horizontal	PASS
3	5459.39	28.24	12.80	41.04	54.00	12.96	Horizontal	PASS
4	5451.71	38.68	12.67	51.35	74.00	22.65	Horizontal	PASS
5	5459.33	38.61	12.80	51.41	74.00	22.59	Horizontal	PASS
6	5469.87	40.06	12.96	53.02	68.20	15.18	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20Mhz	Channel	100
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.74	29.53	12.67	42.20	54.00	11.80	Vertical	PASS
2	5455.61	29.87	12.73	42.60	54.00	11.40	Vertical	PASS
3	5459.54	30.38	12.80	43.18	54.00	10.82	Vertical	PASS
4	5451.44	40.32	12.66	52.98	74.00	21.02	Vertical	PASS
5	5459.36	40.69	12.80	53.49	74.00	20.51	Vertical	PASS
6	5468.64	48.12	12.94	61.06	68.20	7.14	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20Mhz	Channel	140
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.18	42.69	13.37	56.06	68.20	12.14	Horizontal	PASS
2	5735.26	40.75	13.20	53.95	68.20	14.25	Horizontal	PASS
3	5747.51	39.89	13.00	52.89	68.20	15.31	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20Mhz	Channel	140
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.06	48.02	13.37	61.39	68.20	6.81	Vertical	PASS
2	5733.79	42.99	13.23	56.22	68.20	11.98	Vertical	PASS
3	5743.64	41.79	13.06	54.85	68.20	13.35	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20Mhz	Channel	144
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.99	39.02	13.33	52.35	68.20	15.85	Horizontal	PASS
2	5928.95	38.57	13.94	52.51	68.20	15.69	Horizontal	PASS
3	5974.07	38.77	13.83	52.60	68.20	15.60	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20Mhz	Channel	144
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5854.40	39.17	13.28	52.45	68.20	15.75	Vertical	PASS
2	5923.28	38.40	13.90	52.30	68.20	15.90	Vertical	PASS
3	5990.01	39.09	13.67	52.76	68.20	15.44	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40Mhz	Channel	102
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.12	28.29	12.67	40.96	54.00	13.04	Horizontal	PASS
2	5456.64	28.32	12.75	41.07	54.00	12.93	Horizontal	PASS
3	5460.01	28.75	12.80	41.55	-	-	Horizontal	NA
4	5456.36	39.08	12.74	51.82	74.00	22.18	Horizontal	PASS
5	5460.53	38.84	12.81	51.65	68.20	16.55	Horizontal	PASS
6	5469.25	42.13	12.96	55.09	68.20	13.11	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40Mhz	Channel	102
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.96	31.02	12.70	43.72	54.00	10.28	Vertical	PASS
2	5457.68	32.57	12.77	45.34	54.00	8.66	Vertical	PASS
3	5459.96	33.43	12.80	46.23	54.00	7.77	Vertical	PASS
4	5454.48	41.75	12.72	54.47	74.00	19.53	Vertical	PASS
5	5459.08	44.27	12.78	57.05	74.00	16.95	Vertical	PASS
6	5469.89	49.70	12.96	62.66	68.20	5.54	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40Mhz	Channel	134
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.89	39.65	13.36	53.01	68.20	15.19	Horizontal	PASS
2	5736.44	40.30	13.18	53.48	68.20	14.72	Horizontal	PASS
3	5746.60	39.51	13.02	52.53	68.20	15.67	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40Mhz	Channel	134
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.64	42.32	13.36	55.68	68.20	12.52	Vertical	PASS
2	5737.89	40.64	13.16	53.80	68.20	14.40	Vertical	PASS
3	5744.70	41.36	13.05	54.41	68.20	13.79	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80Mhz	Channel	138
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:12		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5862.77	39.37	13.37	52.74	68.20	15.46	Horizontal	PASS
2	5899.78	38.67	13.73	52.40	68.20	15.80	Horizontal	PASS
3	5963.26	38.79	13.95	52.74	68.20	15.46	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80Mhz	Channel	138
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:12		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.99	39.52	13.33	52.85	68.20	15.35	Vertical	PASS
2	5912.75	38.64	13.83	52.47	68.20	15.73	Vertical	PASS
3	5964.34	38.60	13.94	52.54	68.20	15.66	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80Mhz	Channel	106
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power: 13		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.64	30.22	12.69	42.91	54.00	11.09	Horizontal	PASS
2	5456.54	30.35	12.75	43.10	54.00	10.90	Horizontal	PASS
3	5459.60	30.78	12.80	43.58	54.00	10.42	Horizontal	PASS
4	5453.36	40.64	12.69	53.33	74.00	20.67	Horizontal	PASS
5	5459.78	41.56	12.80	54.36	74.00	19.64	Horizontal	PASS
6	5468.31	41.01	12.94	53.95	68.20	14.25	Horizontal	PASS