


Appendix-B Field Strength of Spurious Radiation

For LTE:

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1272.20	34.03	-85.80	-51.77	-13.00	38.77	Horizontal	PASS
2	1871.00	103.02	-84.97	18.05	-	-	Horizontal	NA
3	2673.20	35.98	-81.50	-45.52	-13.00	32.52	Horizontal	PASS
4	2990.00	36.03	-80.15	-44.12	-13.00	31.12	Horizontal	PASS
5	6312.50	37.89	-98.79	-60.90	-13.00	47.90	Horizontal	PASS
6	15114.50	33.62	-86.40	-52.78	-13.00	39.78	Horizontal	PASS
7	17848.00	32.25	-82.49	-50.24	-13.00	37.24	Horizontal	PASS

Project Information

Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1360.60	34.03	-85.66	-51.63	-13.00	38.63	Vertical	PASS
2	1871.00	108.00	-84.97	23.03	-	-	Vertical	NA
3	2965.20	36.02	-79.94	-43.92	-13.00	30.92	Vertical	PASS
4	3742.50	43.69	-107.43	-63.74	-13.00	50.74	Vertical	PASS
5	9644.00	36.33	-92.42	-56.09	-13.00	43.09	Vertical	PASS
6	13823.00	34.03	-86.96	-52.93	-13.00	39.93	Vertical	PASS
7	17360.50	33.12	-82.81	-49.69	-13.00	36.69	Vertical	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1322.00	33.94	-85.39	-51.45	-13.00	38.45	Horizontal	PASS
2	1723.60	105.54	-85.28	20.26	-	-	Horizontal	NA
3	2980.20	35.64	-79.99	-44.35	-13.00	31.35	Horizontal	PASS
4	3447.00	47.88	-107.30	-59.42	-13.00	46.42	Horizontal	PASS
5	9038.00	37.89	-93.01	-55.12	-13.00	42.12	Horizontal	PASS
6	14364.50	36.71	-86.21	-49.50	-13.00	36.50	Horizontal	PASS
7	17839.00	38.84	-82.62	-43.78	-13.00	30.78	Horizontal	PASS

Project Information

Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1227.60	34.15	-86.05	-51.90	-13.00	38.90	Vertical	PASS
2	1723.60	109.04	-85.28	23.76	-	-	Vertical	NA
3	2728.40	35.93	-81.35	-45.42	-13.00	32.42	Vertical	PASS
4	2970.40	35.80	-79.92	-44.12	-13.00	31.12	Vertical	PASS
5	3447.00	52.38	-107.30	-54.92	-13.00	41.92	Vertical	PASS
6	13455.00	37.00	-88.34	-51.34	-13.00	38.34	Vertical	PASS
7	17854.00	38.09	-82.51	-44.42	-13.00	31.42	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	55.47	-114.12	-58.65	-13.00	45.65	Horizontal	PASS
2	2496.40	44.74	-111.37	-66.63	-13.00	53.63	Horizontal	PASS
3	3316.40	40.89	-108.24	-67.35	-13.00	54.35	Horizontal	PASS
4	3885.60	39.25	-106.16	-66.91	-13.00	53.91	Horizontal	PASS
5	6208.80	37.76	-99.35	-61.59	-13.00	48.59	Horizontal	PASS
6	8874.00	35.80	-93.02	-57.22	-13.00	44.22	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	56.13	-114.12	-57.99	-13.00	44.99	Vertical	PASS
2	2496.40	55.76	-111.37	-55.61	-13.00	42.61	Vertical	PASS
3	3424.40	40.21	-107.47	-67.26	-13.00	54.26	Vertical	PASS
4	4567.60	39.38	-104.12	-64.74	-13.00	51.74	Vertical	PASS
5	7410.00	36.93	-96.60	-59.67	-13.00	46.67	Vertical	PASS
6	8910.40	36.97	-93.36	-56.39	-13.00	43.39	Vertical	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1230.30	38.13	-86.03	-47.90	-25.00	22.90	Horizontal	PASS
2	1963.90	38.81	-84.81	-46.00	-25.00	21.00	Horizontal	PASS
3	2526.10	94.57	-83.04	11.53	-	-	Horizontal	NA
4	2977.20	40.24	-79.94	-39.70	-25.00	14.70	Horizontal	PASS
5	6341.00	38.51	-98.75	-60.24	-25.00	35.24	Horizontal	PASS
6	12847.00	37.25	-89.39	-52.14	-25.00	27.14	Horizontal	PASS
7	17865.50	38.21	-82.64	-44.43	-25.00	19.43	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1326.10	38.13	-85.41	-47.28	-25.00	22.28	Vertical	PASS
2	1774.20	38.36	-84.87	-46.51	-25.00	21.51	Vertical	PASS
3	2526.10	106.54	-83.04	23.50	-	-	Vertical	NA
4	2987.60	40.40	-80.11	-39.71	-25.00	14.71	Vertical	PASS
5	6207.50	38.62	-99.54	-60.92	-25.00	35.92	Vertical	PASS
6	12823.50	37.59	-89.36	-51.77	-25.00	26.77	Vertical	PASS
7	17839.50	38.23	-82.61	-44.38	-25.00	19.38	Vertical	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	63.56	-114.33	-50.77	-13.00	37.77	Horizontal	PASS
2	1992.60	43.10	-113.40	-70.30	-13.00	57.30	Horizontal	PASS
3	3105.95	42.09	-108.61	-66.52	-13.00	53.52	Horizontal	PASS
4	4544.80	39.82	-104.26	-64.44	-13.00	51.44	Horizontal	PASS
5	5526.55	40.24	-100.71	-60.47	-13.00	47.47	Horizontal	PASS
6	7214.25	38.84	-96.74	-57.90	-13.00	44.90	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.35	63.87	-114.33	-50.46	-13.00	37.46	Vertical	PASS
2	1885.85	43.36	-113.69	-70.33	-13.00	57.33	Vertical	PASS
3	2316.00	42.88	-112.29	-69.41	-13.00	56.41	Vertical	PASS
4	4623.20	39.66	-103.80	-64.14	-13.00	51.14	Vertical	PASS
5	6292.35	40.36	-98.93	-58.57	-13.00	45.57	Vertical	PASS
6	7396.95	39.43	-96.52	-57.09	-13.00	44.09	Vertical	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1230.53	44.30	-114.30	-70.00	-13.00	57.00	Horizontal	PASS
2	1849.33	43.51	-113.92	-70.41	-13.00	57.41	Horizontal	PASS
3	2843.10	42.67	-109.53	-66.86	-13.00	53.86	Horizontal	PASS
4	3695.00	41.30	-107.46	-66.16	-13.00	53.16	Horizontal	PASS
5	4755.27	39.48	-103.12	-63.64	-13.00	50.64	Horizontal	PASS
6	6810.23	38.92	-98.01	-59.09	-13.00	46.09	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1280.23	43.99	-114.40	-70.41	-13.00	57.41	Vertical	PASS
2	1554.87	45.43	-114.07	-68.64	-13.00	55.64	Vertical	PASS
3	2332.57	46.81	-112.39	-65.58	-13.00	52.58	Vertical	PASS
4	3562.70	41.27	-107.60	-66.33	-13.00	53.33	Vertical	PASS
5	5560.27	38.99	-100.45	-61.46	-13.00	48.46	Vertical	PASS
6	6225.73	39.03	-99.36	-60.33	-13.00	47.33	Vertical	PASS

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1425.37	44.12	-114.39	-70.27	-13.00	57.27	Horizontal	PASS
2	1577.27	45.35	-114.18	-68.83	-40.00	28.83	Horizontal	PASS
3	1997.73	43.28	-113.39	-70.11	-13.00	57.11	Horizontal	PASS
4	3478.00	41.29	-107.40	-66.11	-13.00	53.11	Horizontal	PASS
5	5562.13	38.90	-100.46	-61.56	-13.00	48.56	Horizontal	PASS
6	7948.90	37.57	-95.46	-57.89	-13.00	44.89	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1483.93	44.19	-114.30	-70.11	-13.00	57.11	Vertical	PASS
2	2365.93	47.23	-112.42	-65.19	-13.00	52.19	Vertical	PASS
3	2972.60	42.50	-109.19	-66.69	-13.00	53.69	Vertical	PASS
4	4314.97	39.60	-104.33	-64.73	-13.00	51.73	Vertical	PASS
5	5591.30	39.67	-100.52	-60.85	-13.00	47.85	Vertical	PASS
6	7951.70	39.12	-95.47	-56.35	-13.00	43.35	Vertical	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	60.13	-114.35	-54.22	-13.00	41.22	Horizontal	PASS
2	1859.60	43.34	-113.86	-70.52	-13.00	57.52	Horizontal	PASS
3	2857.45	42.50	-109.38	-66.88	-13.00	53.88	Horizontal	PASS
4	4280.55	40.11	-104.63	-64.52	-13.00	51.52	Horizontal	PASS
5	5051.60	40.43	-102.20	-61.77	-13.00	48.77	Horizontal	PASS
6	7284.25	38.84	-96.21	-57.37	-13.00	44.37	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	60.52	-114.35	-53.83	-13.00	40.83	Vertical	PASS
2	2470.35	42.21	-111.23	-69.02	-13.00	56.02	Vertical	PASS
3	3189.60	42.13	-108.20	-66.07	-13.00	53.07	Vertical	PASS
4	3821.00	41.03	-106.52	-65.49	-13.00	52.49	Vertical	PASS
5	5586.40	39.71	-100.51	-60.80	-13.00	47.80	Vertical	PASS
6	6324.20	39.84	-98.98	-59.14	-13.00	46.14	Vertical	PASS

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1323.00	33.91	-85.39	-51.48	-13.00	38.48	Horizontal	PASS
2	1873.60	102.73	-84.97	17.76	-	-	Horizontal	NA
3	2419.40	34.95	-83.23	-48.28	-13.00	35.28	Horizontal	PASS
4	2964.20	35.56	-79.95	-44.39	-13.00	31.39	Horizontal	PASS
5	6498.00	37.65	-98.39	-60.74	-13.00	47.74	Horizontal	PASS
6	12788.50	34.94	-89.37	-54.43	-13.00	41.43	Horizontal	PASS
7	17325.00	33.76	-83.54	-49.78	-13.00	36.78	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1304.60	33.87	-85.39	-51.52	-13.00	38.52	Vertical	PASS
2	1873.60	108.44	-84.97	23.47	-	-	Vertical	NA
3	2635.00	36.35	-82.21	-45.86	-13.00	32.86	Vertical	PASS
4	2969.80	35.48	-79.92	-44.44	-13.00	31.44	Vertical	PASS
5	3747.00	44.60	-107.43	-62.83	-13.00	49.83	Vertical	PASS
6	9510.00	36.83	-92.62	-55.79	-13.00	42.79	Vertical	PASS
7	17349.50	33.05	-82.42	-49.37	-13.00	36.37	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	54.36	-114.17	-59.81	-13.00	46.81	Horizontal	PASS
2	2487.20	41.65	-111.32	-69.67	-13.00	56.67	Horizontal	PASS
3	3279.60	41.50	-108.31	-66.81	-13.00	53.81	Horizontal	PASS
4	4998.40	38.25	-102.91	-64.66	-13.00	51.66	Horizontal	PASS
5	6300.80	37.84	-98.86	-61.02	-13.00	48.02	Horizontal	PASS
6	8896.80	36.28	-93.15	-56.87	-13.00	43.87	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	55.74	-114.17	-58.43	-13.00	45.43	Vertical	PASS
2	2177.60	42.38	-113.23	-70.85	-13.00	57.85	Vertical	PASS
3	2560.80	42.89	-111.06	-68.17	-13.00	55.17	Vertical	PASS
4	3411.60	40.44	-107.49	-67.05	-13.00	54.05	Vertical	PASS
5	5164.00	38.15	-101.96	-63.81	-13.00	50.81	Vertical	PASS
6	8833.20	36.17	-93.16	-56.99	-13.00	43.99	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1345.60	43.39	-114.20	-70.81	-13.00	57.81	Horizontal	PASS
2	1659.60	55.49	-114.11	-58.62	-13.00	45.62	Horizontal	PASS
3	2489.60	43.43	-111.34	-67.91	-13.00	54.91	Horizontal	PASS
4	4794.80	38.10	-102.92	-64.82	-13.00	51.82	Horizontal	PASS
5	5660.00	38.24	-100.58	-62.34	-13.00	49.34	Horizontal	PASS
6	8121.60	36.71	-95.09	-58.38	-13.00	45.38	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.60	56.78	-114.11	-57.33	-13.00	44.33	Vertical	PASS
2	2489.60	53.38	-111.34	-57.96	-13.00	44.96	Vertical	PASS
3	3627.20	39.99	-107.15	-67.16	-13.00	54.16	Vertical	PASS
4	4790.80	38.45	-102.94	-64.49	-13.00	51.49	Vertical	PASS
5	7882.80	36.72	-95.73	-59.01	-13.00	46.01	Vertical	PASS
6	8998.00	36.61	-93.49	-56.88	-13.00	43.88	Vertical	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1327.30	38.27	-85.43	-47.16	-25.00	22.16	Horizontal	PASS
2	2071.80	39.23	-84.61	-45.38	-25.00	20.38	Horizontal	PASS
3	2584.10	92.64	-82.40	10.24	-	-	Horizontal	NA
4	2977.50	40.21	-79.94	-39.73	-25.00	14.73	Horizontal	PASS
5	6029.50	38.16	-99.95	-61.79	-25.00	36.79	Horizontal	PASS
6	8064.00	37.67	-95.20	-57.53	-25.00	32.53	Horizontal	PASS
7	17988.50	38.14	-82.59	-44.45	-25.00	19.45	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1309.30	38.45	-85.39	-46.94	-25.00	21.94	Vertical	PASS
2	2101.60	39.08	-84.23	-45.15	-25.00	20.15	Vertical	PASS
3	2584.10	106.47	-82.40	24.07	-	-	Vertical	NA
4	2974.40	40.37	-79.90	-39.53	-25.00	14.53	Vertical	PASS
5	5505.50	38.73	-101.20	-62.47	-25.00	37.47	Vertical	PASS
6	9517.00	38.22	-92.64	-54.42	-25.00	29.42	Vertical	PASS
7	17352.00	38.38	-82.48	-44.10	-25.00	19.10	Vertical	PASS

Project Information

Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1322.40	34.11	-85.39	-51.28	-13.00	38.28	Horizontal	PASS
2	1736.20	105.87	-85.18	20.69	-	-	Horizontal	NA
3	2680.00	35.94	-81.56	-45.62	-13.00	32.62	Horizontal	PASS
4	2970.40	35.64	-79.92	-44.28	-13.00	31.28	Horizontal	PASS
5	3472.00	47.84	-107.15	-59.31	-13.00	46.31	Horizontal	PASS
6	10731.00	37.31	-91.28	-53.97	-13.00	40.97	Horizontal	PASS
7	17921.00	38.34	-83.08	-44.74	-13.00	31.74	Horizontal	PASS

Project Information

Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1490.20	34.29	-85.67	-51.38	-13.00	38.38	Vertical	PASS
2	1736.00	107.90	-85.18	22.72	-	-	Vertical	NA
3	2140.20	35.70	-84.59	-48.89	-13.00	35.89	Vertical	PASS
4	2974.00	35.70	-79.90	-44.20	-13.00	31.20	Vertical	PASS
5	3472.00	53.25	-107.15	-53.90	-13.00	40.90	Vertical	PASS
6	8414.00	37.46	-94.67	-57.21	-13.00	44.21	Vertical	PASS
7	17964.50	39.01	-82.90	-43.89	-13.00	30.89	Vertical	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.35	61.98	-114.21	-52.23	-13.00	39.23	Horizontal	PASS
2	2014.65	45.97	-113.51	-67.54	-13.00	54.54	Horizontal	PASS
3	3022.65	42.06	-108.95	-66.89	-13.00	53.89	Horizontal	PASS
4	4753.05	39.22	-103.13	-63.91	-13.00	50.91	Horizontal	PASS
5	6200.30	40.01	-99.35	-59.34	-13.00	46.34	Horizontal	PASS
6	7939.10	38.82	-95.51	-56.69	-13.00	43.69	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.00	64.37	-114.21	-49.84	-13.00	36.84	Vertical	PASS
2	2014.65	51.96	-113.51	-61.55	-13.00	48.55	Vertical	PASS
3	2686.30	46.53	-110.49	-63.96	-13.00	50.96	Vertical	PASS
4	4032.40	40.04	-106.14	-66.10	-13.00	53.10	Vertical	PASS
5	5957.75	39.65	-99.83	-60.18	-13.00	47.18	Vertical	PASS
6	7957.30	38.86	-95.48	-56.62	-13.00	43.62	Vertical	PASS

~The End~