




Test Graphs







NTVN-11a-Ant0-5500




NTVN-11a-Ant0-5580




NTVN-11a-Ant0-5700




NTVN-11a-Ant0-5745




NTVN-11a-Ant0-5785




NTVN-11a-Ant0-5825




NTNV-11n20SISO-Ant0-5180




NTNV-11n20SISO-Ant0-5200




NTNV-11n20SISO-Ant0-5240




NTNV-11n20SISO-Ant0-5260




NTNV-11n20SISO-Ant0-5300




NTNV-11n20SISO-Ant0-5320




NTNV-11n20SISO-Ant0-5500




NTNV-11n20SISO-Ant0-5580




NTNV-11n20SISO-Ant0-5700




NTNV-11n20SISO-Ant0-5745




NTNV-11n20SISO-Ant0-5785




NTNV-11n20SISO-Ant0-5825




NTNV-11n40SISO-Ant0-5190




NTNV-11n40SISO-Ant0-5230




NTNV-11n40SISO-Ant0-5270




NTNV-11n40SISO-Ant0-5310




NTNV-11n40SISO-Ant0-5510




NTNV-11n40SISO-Ant0-5590




NTNV-11n40SISO-Ant0-5670




NTNV-11n40SISO-Ant0-5755




NTNV-11n40SISO-Ant0-5795




NTNV-11ac20SISO-Ant0-5180




NTNV-11ac20SISO-Ant0-5200




NTNV-11ac20SISO-Ant0-5240




NTNV-11ac20SISO-Ant0-5260




NTNV-11ac20SISO-Ant0-5300




NTNV-11ac20SISO-Ant0-5320




NTNV-11ac20SISO-Ant0-5300




NTNV-11ac20SISO-Ant0-5580




NTNV-11ac20SISO-Ant0-5700




NTNV-11ac20SISO-Ant0-5745




NTNV-11ac20SISO-Ant0-5785




NTNV-11ac20SISO-Ant0-5825




NTNV-11ac40SISO-Ant0-5190




NTNV-11ac40SISO-Ant0-5230




NTNV-11ac40SISO-Ant0-5270




NTNV-11ac40SISO-Ant0-5310




NTNV-11ac40SISO-Ant0-5510




NTNV-11ac40SISO-Ant0-5590




NTNV-11ac40SISO-Ant0-5670




NTNV-11ac40SISO-Ant0-5755




NTNV-11ac40SISO-Ant0-5795




NTNV-11ac80SISO-Ant0-5210




NTNV-11ac80SISO-Ant0-5290



NTNV-11ac80SISO-Ant0-5530



NTNV-11ac80SISO-Ant0-5610



NTNV-11ac80SISO-Ant0-5775

**Maximum conducted output power
Test Result**

Test Mode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5180	16.47	≤23.98	PASS
11a	Ant0	5200	16.40	≤23.98	PASS
11a	Ant0	5240	16.67	≤23.98	PASS
11n20SISO	Ant0	5180	16.31	≤23.98	PASS
11n20SISO	Ant0	5200	16.25	≤23.98	PASS
11n20SISO	Ant0	5240	16.35	≤23.98	PASS
11n40SISO	Ant0	5190	16.33	≤23.98	PASS
11n40SISO	Ant0	5230	16.22	≤23.98	PASS
11ac20SISO	Ant0	5180	15.35	≤23.98	PASS
11ac20SISO	Ant0	5200	15.42	≤23.98	PASS
11ac20SISO	Ant0	5240	15.48	≤23.98	PASS
11ac40SISO	Ant0	5190	14.11	≤23.98	PASS
11ac40SISO	Ant0	5230	14.04	≤23.98	PASS
11ac80SISO	Ant0	5210	13.67	≤23.98	PASS

Test Mode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5260	16.65	≤23.98	PASS
11a	Ant0	5300	16.59	≤23.98	PASS
11a	Ant0	5320	16.53	≤23.98	PASS
11n20SISO	Ant0	5260	16.46	≤23.98	PASS
11n20SISO	Ant0	5300	16.42	≤23.98	PASS
11n20SISO	Ant0	5320	16.45	≤23.98	PASS
11n40SISO	Ant0	5270	16.02	≤23.98	PASS
11n40SISO	Ant0	5310	16.34	≤23.98	PASS
11ac20SISO	Ant0	5260	15.51	≤23.98	PASS
11ac20SISO	Ant0	5300	15.44	≤23.98	PASS
11ac20SISO	Ant0	5320	15.51	≤23.98	PASS
11ac40SISO	Ant0	5270	13.96	≤23.98	PASS
11ac40SISO	Ant0	5310	14.17	≤23.98	PASS
11ac80SISO	Ant0	5290	13.98	≤23.98	PASS

Test Mode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5500	16.64	≤23.98	PASS
11a	Ant0	5580	16.01	≤23.98	PASS
11a	Ant0	5700	15.87	≤23.98	PASS
11n20SISO	Ant0	5500	16.41	≤23.98	PASS
11n20SISO	Ant0	5580	15.81	≤23.98	PASS
11n20SISO	Ant0	5700	15.69	≤23.98	PASS
11n40SISO	Ant0	5510	15.43	≤23.98	PASS
11n40SISO	Ant0	5590	15.77	≤23.98	PASS
11n40SISO	Ant0	5670	15.39	≤23.98	PASS
11ac20SISO	Ant0	5500	15.64	≤23.98	PASS
11ac20SISO	Ant0	5580	14.92	≤23.98	PASS
11ac20SISO	Ant0	5700	14.63	≤23.98	PASS
11ac40SISO	Ant0	5510	13.47	≤23.98	PASS
11ac40SISO	Ant0	5590	13.66	≤23.98	PASS
11ac40SISO	Ant0	5670	13.27	≤23.98	PASS
11ac80SISO	Ant0	5530	13.29	≤23.98	PASS
11ac80SISO	Ant0	5610	13.01	≤23.98	PASS


Test Mode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5745	15.72	≤30.00	PASS
11a	Ant0	5785	15.77	≤30.00	PASS
11a	Ant0	5825	15.83	≤30.00	PASS
11n20SISO	Ant0	5745	15.56	≤30.00	PASS
11n20SISO	Ant0	5785	15.62	≤30.00	PASS
11n20SISO	Ant0	5825	15.76	≤30.00	PASS
11n40SISO	Ant0	5755	15.30	≤30.00	PASS
11n40SISO	Ant0	5795	15.54	≤30.00	PASS
11ac20SISO	Ant0	5745	14.55	≤30.00	PASS
11ac20SISO	Ant0	5785	14.61	≤30.00	PASS
11ac20SISO	Ant0	5825	14.78	≤30.00	PASS
11ac40SISO	Ant0	5755	13.25	≤30.00	PASS
11ac40SISO	Ant0	5795	13.63	≤30.00	PASS
11ac80SISO	Ant0	5775	13.23	≤30.00	PASS

**Maximum power spectral density
Test Result**

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11a	Ant0	5180	4.77	≤11.00	PASS
11a	Ant0	5200	4.95	≤11.00	PASS
11a	Ant0	5240	5.17	≤11.00	PASS
11a	Ant0	5260	5.08	≤11.00	PASS
11a	Ant0	5300	4.95	≤11.00	PASS
11a	Ant0	5320	4.87	≤11.00	PASS
11a	Ant0	5500	5.15	≤11.00	PASS
11a	Ant0	5580	4.50	≤11.00	PASS
11a	Ant0	5700	4.53	≤11.00	PASS
11a	Ant0	5745	1.03	≤30.00	PASS
11a	Ant0	5785	1.24	≤30.00	PASS
11a	Ant0	5825	1.62	≤30.00	PASS
11n20SISO	Ant0	5180	4.35	≤11.00	PASS
11n20SISO	Ant0	5200	4.48	≤11.00	PASS
11n20SISO	Ant0	5240	4.83	≤11.00	PASS
11n20SISO	Ant0	5260	4.65	≤11.00	PASS
11n20SISO	Ant0	5300	4.42	≤11.00	PASS
11n20SISO	Ant0	5320	4.43	≤11.00	PASS
11n20SISO	Ant0	5500	4.89	≤11.00	PASS
11n20SISO	Ant0	5580	4.28	≤11.00	PASS
11n20SISO	Ant0	5700	3.96	≤11.00	PASS
11n20SISO	Ant0	5745	0.70	≤30.00	PASS
11n20SISO	Ant0	5785	1.15	≤30.00	PASS
11n20SISO	Ant0	5825	0.03	≤30.00	PASS
11n40SISO	Ant0	5190	1.41	≤11.00	PASS
11n40SISO	Ant0	5230	1.40	≤11.00	PASS
11n40SISO	Ant0	5270	1.25	≤11.00	PASS
11n40SISO	Ant0	5310	1.55	≤11.00	PASS
11n40SISO	Ant0	5510	0.79	≤11.00	PASS
11n40SISO	Ant0	5590	1.07	≤11.00	PASS
11n40SISO	Ant0	5670	0.73	≤11.00	PASS
11n40SISO	Ant0	5755	-2.52	≤30.00	PASS
11n40SISO	Ant0	5795	-2.14	≤30.00	PASS
11ac20SISO	Ant0	5180	3.64	≤11.00	PASS
11ac20SISO	Ant0	5200	3.45	≤11.00	PASS
11ac20SISO	Ant0	5240	3.55	≤11.00	PASS
11ac20SISO	Ant0	5260	3.97	≤11.00	PASS
11ac20SISO	Ant0	5300	3.74	≤11.00	PASS
11ac20SISO	Ant0	5320	3.72	≤11.00	PASS
11ac20SISO	Ant0	5500	4.09	≤11.00	PASS
11ac20SISO	Ant0	5580	3.19	≤11.00	PASS
11ac20SISO	Ant0	5700	3.03	≤11.00	PASS
11ac20SISO	Ant0	5745	-0.24	≤30.00	PASS
11ac20SISO	Ant0	5785	0.32	≤30.00	PASS
11ac20SISO	Ant0	5825	0.27	≤30.00	PASS
11ac40SISO	Ant0	5190	-0.59	≤11.00	PASS
11ac40SISO	Ant0	5230	-0.78	≤11.00	PASS
11ac40SISO	Ant0	5270	-0.67	≤11.00	PASS
11ac40SISO	Ant0	5310	-0.63	≤11.00	PASS
11ac40SISO	Ant0	5510	-1.31	≤11.00	PASS
11ac40SISO	Ant0	5590	-0.90	≤11.00	PASS
11ac40SISO	Ant0	5670	-1.07	≤11.00	PASS
11ac40SISO	Ant0	5755	-4.22	≤30.00	PASS
11ac40SISO	Ant0	5795	-3.88	≤30.00	PASS
11ac80SISO	Ant0	5210	-4.22	≤11.00	PASS
11ac80SISO	Ant0	5290	-3.94	≤11.00	PASS
11ac80SISO	Ant0	5530	-3.95	≤11.00	PASS
11ac80SISO	Ant0	5610	-4.96	≤11.00	PASS
11ac80SISO	Ant0	5775	-7.65	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs





11a-Ant0-5500-PASS




11a-Ant0-5580-PASS




11a-Ant0-5700-PASS



11a-Ant0-5745-PASS



11a-Ant0-5785-PASS




11a-Ant0-5825-PASS



11n20SISO-Ant0-5180-PASS



11n20SISO-Ant0-5200-PASS



11n20SISO-Ant0-5240-PASS



11n20SISO-Ant0-5260-PASS



11n20SISO-Ant0-5300-PASS



11n20SISO-Ant0-5320-PASS



11n20SISO-Ant0-5500-PASS




11n20SISO-Ant0-5580-PASS



11n20SISO-Ant0-5700-PASS




11n20SISO-Ant0-5745-PASS



11n20SISO-Ant0-5785-PASS



11n20SISO-Ant0-5825-PASS




11n40SISO-Ant0-5190-PASS



11n40SISO-Ant0-5230-PASS




11n40SISO-Ant0-5270-PASS



11n40SISO-Ant0-5310-PASS



11n40SISO-Ant0-5510-PASS



11n40SISO-Ant0-5590-PASS



11n40SISO-Ant0-5670-PASS




11n40SISO-Ant0-5755-PASS



11n40SISO-Ant0-5795-PASS



11ac20SISO-Ant0-5180-PASS



11ac20SISO-Ant0-5200-PASS




11ac20SISO-Ant0-5240-PASS



11ac20SISO-Ant0-5260-PASS




11ac20SISO-Ant0-5300-PASS



11ac20SISO-Ant0-5320-PASS




11ac20SISO-Ant0-5500-PASS



11ac20SISO-Ant0-5580-PASS



11ac20SISO-Ant0-5700-PASS



11ac20SISO-Ant0-5745-PASS



11ac20SISO-Ant0-5785-PASS



11ac20SISO-Ant0-5825-PASS



11ac40SISO-Ant0-5190-PASS



11ac40SISO-Ant0-5230-PASS



11ac40SISO-Ant0-5270-PASS



11ac40SISO-Ant0-5310-PASS




11ac40SISO-Ant0-5510-PASS



11ac40SISO-Ant0-5590-PASS



11ac40SISO-Ant0-5670-PASS



11ac40SISO-Ant0-5755-PASS



11ac40SISO-Ant0-5795-PASS




11ac80ISO-Ant0-5210-PASS



11ac80ISO-Ant0-5290-PASS



11ac80ISO-Ant0-5530-PASS



11ac80ISO-Ant0-5610-PASS




11ac80ISO-Ant0-5775-PASS

Radiated Spurious Emissions

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5175.19	44.26	13.90	58.16	-	-	Vertical	NA
2	9134.35	35.98	2.97	38.95	54.00	15.05	Vertical	PASS
3	11364.66	35.35	5.14	40.49	54.00	13.51	Vertical	PASS
4	17859.70	32.34	13.86	46.20	54.00	7.80	Vertical	PASS
5	5176.66	50.57	13.91	64.48	-	-	Vertical	NA
6	6906.73	49.44	-1.76	47.68	68.20	20.52	Vertical	PASS
7	15245.27	40.14	9.79	49.93	68.20	18.27	Vertical	PASS
8	17990.42	39.17	13.65	52.82	74.00	21.18	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	40
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9461.73	37.08	2.23	39.31	54.00	14.69	Horizontal	PASS
2	12646.19	35.00	6.10	41.10	54.00	12.90	Horizontal	PASS
3	17878.86	32.28	13.62	45.90	54.00	8.10	Horizontal	PASS
4	6325.46	35.28	17.04	52.32	68.20	15.88	Horizontal	PASS
5	13455.05	42.95	7.29	50.24	68.20	17.96	Horizontal	PASS
6	17998.47	39.18	13.76	52.94	74.00	21.06	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	40
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5192.24	34.83	13.92	48.75	-	-	Vertical	NA
2	8072.49	37.25	0.45	37.70	54.00	16.30	Vertical	PASS
3	11431.75	35.38	5.19	40.57	54.00	13.43	Vertical	PASS
4	17852.03	32.61	13.96	46.57	54.00	7.43	Vertical	PASS
5	5192.24	40.87	13.92	54.79	-	-	Vertical	NA
6	6933.56	50.11	-2.03	48.08	68.20	20.12	Vertical	PASS
7	13671.64	40.36	9.21	49.57	68.20	18.63	Vertical	PASS
8	17858.93	39.85	13.88	53.73	74.00	20.27	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	48
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8111.59	37.10	0.59	37.69	54.00	16.31	Horizontal	PASS
2	11451.68	35.44	5.06	40.50	54.00	13.50	Horizontal	PASS
3	17858.93	32.12	13.88	46.00	54.00	8.00	Horizontal	PASS
4	6337.19	34.99	17.16	52.15	68.20	16.05	Horizontal	PASS
5	13690.81	41.48	9.35	50.83	68.20	17.37	Horizontal	PASS
6	17862.38	38.91	13.82	52.73	74.00	21.27	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	48
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8079.77	37.46	0.47	37.93	54.00	16.07	Vertical	PASS
2	11978.40	35.48	5.12	40.60	54.00	13.40	Vertical	PASS
3	17894.96	32.76	13.41	46.17	54.00	7.83	Vertical	PASS
4	6986.47	50.23	-1.84	48.39	68.20	19.81	Vertical	PASS
5	13673.94	41.17	9.23	50.40	68.20	17.80	Vertical	PASS
6	17987.73	39.20	13.61	52.81	74.00	21.19	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8081.69	37.08	0.47	37.55	54.00	16.45	Horizontal	PASS
2	12381.30	35.37	5.87	41.24	54.00	12.76	Horizontal	PASS
3	17850.11	32.08	13.99	46.07	54.00	7.93	Horizontal	PASS
4	6356.63	34.94	17.19	52.13	68.20	16.07	Horizontal	PASS
5	14349.78	41.25	9.01	50.26	68.20	17.94	Horizontal	PASS
6	17933.68	39.79	13.15	52.94	74.00	21.06	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5266.86	35.02	14.27	49.29	-	-	Vertical	NA
2	9046.57	36.88	2.31	39.19	54.00	14.81	Vertical	PASS
3	11442.48	35.69	5.12	40.81	54.00	13.19	Vertical	PASS
4	17882.70	32.91	13.57	46.48	54.00	7.52	Vertical	PASS
5	5266.86	41.91	14.27	56.18	-	-	Vertical	NA
6	7013.30	50.87	-1.65	49.22	68.20	18.98	Vertical	PASS
7	13665.51	40.57	9.18	49.75	68.20	18.45	Vertical	PASS
8	17842.06	38.94	13.65	52.59	74.00	21.41	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	56
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9028.17	36.80	2.42	39.22	54.00	14.78	Horizontal	PASS
2	11350.86	35.64	5.04	40.68	54.00	13.32	Horizontal	PASS
3	17846.28	32.63	13.83	46.46	54.00	7.54	Horizontal	PASS
4	9581.72	43.94	2.86	46.80	68.20	21.40	Horizontal	PASS
5	15067.40	40.76	9.16	49.92	68.20	18.28	Horizontal	PASS
6	17376.30	40.95	12.15	53.10	68.20	15.10	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	56
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5296.56	34.56	14.47	49.03	-	-	Vertical	NA
2	9479.75	37.61	2.48	40.09	54.00	13.91	Vertical	PASS
3	11475.83	35.66	4.93	40.59	54.00	13.41	Vertical	PASS
4	17996.55	32.12	13.74	45.86	54.00	8.14	Vertical	PASS
5	5296.01	41.10	14.46	55.56	-	-	Vertical	NA
6	7066.59	48.06	-1.53	46.53	68.20	21.67	Vertical	PASS
7	14331.76	41.49	8.88	50.37	68.20	17.83	Vertical	PASS
8	17337.58	40.94	11.85	52.79	68.20	15.41	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.68	32.71	14.55	47.26	-	-	Horizontal	NA
2	8356.16	36.68	1.08	37.76	54.00	16.24	Horizontal	PASS
3	12185.41	35.38	5.12	40.50	54.00	13.50	Horizontal	PASS
4	17966.65	32.98	13.31	46.29	54.00	7.71	Horizontal	PASS
5	5320.76	38.58	14.55	53.13	-	-	Horizontal	NA
6	6488.82	35.42	17.37	52.79	68.20	15.41	Horizontal	PASS
7	15257.16	40.47	9.71	50.18	68.20	18.02	Horizontal	PASS
8	17399.68	40.87	12.07	52.94	68.20	15.26	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5321.49	42.51	14.55	57.06	-	-	Vertical	NA
2	9161.57	36.24	3.26	39.50	54.00	14.50	Vertical	PASS
3	11598.12	34.78	5.72	40.50	54.00	13.50	Vertical	PASS
4	17853.95	32.16	13.94	46.10	54.00	7.90	Vertical	PASS
5	5321.13	47.72	14.55	62.27	-	-	Vertical	NA
6	6448.85	35.32	16.87	52.19	68.20	16.01	Vertical	PASS
7	13693.49	41.16	9.37	50.53	68.20	17.67	Vertical	PASS
8	17842.44	39.35	13.66	53.01	74.00	20.99	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8113.50	36.89	0.60	37.49	54.00	16.51	Horizontal	PASS
2	12431.13	35.29	5.62	40.91	54.00	13.09	Horizontal	PASS
3	17962.05	32.56	13.25	45.81	54.00	8.19	Horizontal	PASS
4	6336.64	34.84	17.09	51.93	68.20	16.27	Horizontal	PASS
5	13579.25	43.11	7.03	50.14	68.20	18.06	Horizontal	PASS
6	17873.88	39.67	13.68	53.35	74.00	20.65	Horizontal	PASS