


Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5501.35	38.38	14.68	53.06	-	-	Vertical	NA
2	9177.29	36.07	3.10	39.17	54.00	14.83	Vertical	PASS
3	12066.57	35.58	5.35	40.93	54.00	13.07	Vertical	PASS
4	17850.88	31.87	13.98	45.85	54.00	8.15	Vertical	PASS
5	5498.97	43.34	14.67	58.01	-	-	Vertical	NA
6	6138.45	36.40	15.96	52.36	68.20	15.84	Vertical	PASS
7	14368.18	41.52	8.79	50.31	68.20	17.89	Vertical	PASS
8	17979.30	39.43	13.49	52.92	74.00	21.08	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	120
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9486.65	36.34	2.57	38.91	54.00	15.09	Horizontal	PASS
2	12397.78	34.45	6.22	40.67	54.00	13.33	Horizontal	PASS
3	17843.21	32.64	13.70	46.34	54.00	7.66	Horizontal	PASS
4	6365.25	34.76	16.99	51.75	68.20	16.45	Horizontal	PASS
5	13655.54	40.97	9.10	50.07	68.20	18.13	Horizontal	PASS
6	17882.70	39.15	13.57	52.72	74.00	21.28	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	120
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5599.25	35.23	14.74	49.97	-	-	Vertical	NA
2	7467.18	40.59	-1.49	39.10	54.00	14.90	Vertical	PASS
3	12043.57	35.44	5.40	40.84	54.00	13.16	Vertical	PASS
4	17850.88	32.23	13.98	46.21	54.00	7.79	Vertical	PASS
5	5598.34	41.29	14.74	56.03	-	-	Vertical	NA
6	6453.07	35.21	16.77	51.98	68.20	16.22	Vertical	PASS
7	15257.54	40.77	9.70	50.47	68.20	17.73	Vertical	PASS
8	17850.50	39.15	13.98	53.13	74.00	20.87	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8073.64	37.54	0.45	37.99	54.00	16.01	Horizontal	PASS
2	12073.85	35.79	5.31	41.10	54.00	12.90	Horizontal	PASS
3	17854.33	33.25	13.94	47.19	54.00	6.81	Horizontal	PASS
4	6325.64	35.30	16.97	52.27	68.20	15.93	Horizontal	PASS
5	15066.64	41.07	9.16	50.23	68.20	17.97	Horizontal	PASS
6	17867.75	39.20	13.76	52.96	74.00	21.04	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5706.69	38.47	14.90	53.37	-	-	Vertical	NA
2	7600.20	38.98	-0.92	38.06	54.00	15.94	Vertical	PASS
3	11462.80	35.64	5.01	40.65	54.00	13.35	Vertical	PASS
4	17880.40	32.53	13.59	46.12	54.00	7.88	Vertical	PASS
5	5702.84	44.49	14.89	59.38	-	-	Vertical	NA
6	6298.51	35.49	16.68	52.17	68.20	16.03	Vertical	PASS
7	14398.46	42.06	8.43	50.49	68.20	17.71	Vertical	PASS
8	17847.04	39.24	13.86	53.10	74.00	20.90	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	149
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8102.77	37.10	0.54	37.64	54.00	16.36	Horizontal	PASS
2	11530.65	36.25	4.86	41.11	54.00	12.89	Horizontal	PASS
3	17847.43	32.85	13.88	46.73	54.00	7.27	Horizontal	PASS
4	6131.85	35.64	16.09	51.73	68.20	16.47	Horizontal	PASS
5	15071.62	41.62	9.14	50.76	68.20	17.44	Horizontal	PASS
6	17863.91	38.54	13.81	52.35	74.00	21.65	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	149
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5741.52	33.10	15.68	48.78	-	-	Vertical	NA
2	9143.94	35.98	3.22	39.20	54.00	14.80	Vertical	PASS
3	12078.84	35.43	5.29	40.72	54.00	13.28	Vertical	PASS
4	17965.50	32.96	13.29	46.25	54.00	7.75	Vertical	PASS
5	5741.52	38.75	15.68	54.43	-	-	Vertical	NA
6	6379.18	35.76	16.77	52.53	68.20	15.67	Vertical	PASS
7	13705.76	40.71	9.13	49.84	68.20	18.36	Vertical	PASS
8	17878.86	39.98	13.62	53.60	74.00	20.40	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8091.65	37.35	0.50	37.85	54.00	16.15	Horizontal	PASS
2	11352.01	36.07	5.05	41.12	54.00	12.88	Horizontal	PASS
3	17888.45	32.41	13.49	45.90	54.00	8.10	Horizontal	PASS
4	6349.48	34.93	17.13	52.06	68.20	16.14	Horizontal	PASS
5	15039.03	41.36	8.65	50.01	68.20	18.19	Horizontal	PASS
6	17988.88	39.38	13.63	53.01	74.00	20.99	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5788.46	35.91	15.67	51.58	-	-	Vertical	NA
2	9043.88	36.52	2.33	38.85	54.00	15.15	Vertical	PASS
3	10959.85	35.59	5.11	40.70	54.00	13.30	Vertical	PASS
4	17998.08	32.26	13.76	46.02	54.00	7.98	Vertical	PASS
5	5788.09	42.05	15.67	57.72	-	-	Vertical	NA
6	6349.48	35.44	17.13	52.57	68.20	15.63	Vertical	PASS
7	13672.02	40.52	9.22	49.74	68.20	18.46	Vertical	PASS
8	17984.67	40.29	13.57	53.86	74.00	20.14	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5819.81	31.40	15.66	47.06	-	-	Horizontal	NA
2	9000.57	36.05	2.58	38.63	54.00	15.37	Horizontal	PASS
3	11411.81	34.58	5.32	39.90	54.00	14.10	Horizontal	PASS
4	17841.68	31.95	13.63	45.58	54.00	8.42	Horizontal	PASS
5	5820.54	37.82	15.66	53.48	-	-	Horizontal	NA
6	6492.30	34.65	17.36	52.01	68.20	16.19	Horizontal	PASS
7	13677.77	40.68	9.26	49.94	68.20	18.26	Horizontal	PASS
8	17870.81	38.93	13.72	52.65	74.00	21.35	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5820.18	38.67	15.66	54.33	-	-	Vertical	NA
2	9012.83	36.87	2.51	39.38	54.00	14.62	Vertical	PASS
3	12106.44	35.31	5.13	40.44	54.00	13.56	Vertical	PASS
4	17850.11	31.95	13.99	45.94	54.00	8.06	Vertical	PASS
5	5821.46	43.66	15.66	59.32	-	-	Vertical	NA
6	6316.11	36.28	16.71	52.99	68.20	15.21	Vertical	PASS
7	15237.99	40.12	9.54	49.66	68.20	18.54	Vertical	PASS
8	17849.73	38.97	13.98	52.95	74.00	21.05	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.77	32.43	12.36	44.79	54.00	9.21	Horizontal	PASS
2	5142.69	32.69	12.43	45.12	54.00	8.88	Horizontal	PASS
3	5149.74	32.56	12.48	45.04	54.00	8.96	Horizontal	PASS
4	5132.38	43.50	12.36	55.86	74.00	18.14	Horizontal	PASS
5	5142.20	43.45	12.43	55.88	74.00	18.12	Horizontal	PASS
6	5149.16	43.07	12.48	55.55	74.00	18.45	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5137.42	33.35	12.39	45.74	54.00	8.26	Vertical	PASS
2	5141.71	33.58	12.43	46.01	54.00	7.99	Vertical	PASS
3	5147.11	33.62	12.46	46.08	54.00	7.92	Vertical	PASS
4	5136.58	44.22	12.39	56.61	74.00	17.39	Vertical	PASS
5	5140.12	44.50	12.41	56.91	74.00	17.09	Vertical	PASS
6	5148.38	44.38	12.47	56.85	74.00	17.15	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5128.09	32.41	12.32	44.73	54.00	9.27	Horizontal	PASS
2	5137.45	32.92	12.39	45.31	54.00	8.69	Horizontal	PASS
3	5147.76	32.42	12.46	44.88	54.00	9.12	Horizontal	PASS
4	5128.19	42.83	12.32	55.15	74.00	18.85	Horizontal	PASS
5	5137.75	42.99	12.39	55.38	74.00	18.62	Horizontal	PASS
6	5147.66	43.19	12.46	55.65	74.00	18.35	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5126.37	33.05	12.32	45.37	54.00	8.63	Vertical	PASS
2	5137.10	33.39	12.39	45.78	54.00	8.22	Vertical	PASS
3	5144.28	33.44	12.44	45.88	54.00	8.12	Vertical	PASS
4	5126.50	44.01	12.32	56.33	74.00	17.67	Vertical	PASS
5	5137.10	43.72	12.39	56.11	74.00	17.89	Vertical	PASS
6	5144.80	44.22	12.44	56.66	74.00	17.34	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5127.51	28.20	12.32	40.52	54.00	13.48	Horizontal	PASS
2	5137.37	28.57	12.39	40.96	54.00	13.04	Horizontal	PASS
3	5145.37	28.46	12.45	40.91	54.00	13.09	Horizontal	PASS
4	5127.21	38.39	12.32	50.71	74.00	23.29	Horizontal	PASS
5	5137.16	38.77	12.39	51.16	74.00	22.84	Horizontal	PASS
6	5145.84	39.30	12.45	51.75	74.00	22.25	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.02	30.35	12.34	42.69	54.00	11.31	Vertical	PASS
2	5137.29	31.04	12.39	43.43	54.00	10.57	Vertical	PASS
3	5146.52	32.42	12.46	44.88	54.00	9.12	Vertical	PASS
4	5129.85	41.32	12.34	53.66	74.00	20.34	Vertical	PASS
5	5137.16	41.62	12.39	54.01	74.00	19.99	Vertical	PASS
6	5146.26	42.85	12.46	55.31	74.00	18.69	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5127.56	28.18	12.32	40.50	54.00	13.50	Horizontal	PASS
2	5134.88	28.41	12.37	40.78	54.00	13.22	Horizontal	PASS
3	5142.82	28.60	12.43	41.03	54.00	12.97	Horizontal	PASS
4	5126.56	38.75	12.32	51.07	74.00	22.93	Horizontal	PASS
5	5135.01	41.33	12.38	53.71	74.00	20.29	Horizontal	PASS
6	5143.32	42.28	12.43	54.71	74.00	19.29	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5135.88	30.57	12.38	42.95	54.00	11.05	Vertical	PASS
2	5143.13	31.54	12.43	43.97	54.00	10.03	Vertical	PASS
3	5147.82	31.97	12.46	44.43	54.00	9.57	Vertical	PASS
4	5136.44	46.81	12.39	59.20	74.00	14.80	Vertical	PASS
5	5143.45	48.83	12.43	61.26	74.00	12.74	Vertical	PASS
6	5149.07	49.56	12.48	62.04	74.00	11.96	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.00	29.06	12.69	41.75	54.00	12.25	Horizontal	PASS
2	5360.63	29.02	12.74	41.76	54.00	12.24	Horizontal	PASS
3	5368.89	28.92	12.79	41.71	54.00	12.29	Horizontal	PASS
4	5350.78	39.38	12.69	52.07	74.00	21.93	Horizontal	PASS
5	5360.50	39.58	12.74	52.32	74.00	21.68	Horizontal	PASS
6	5368.92	40.07	12.79	52.86	74.00	21.14	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.23	31.58	12.69	44.27	54.00	9.73	Vertical	PASS
2	5362.61	31.35	12.75	44.10	54.00	9.90	Vertical	PASS
3	5371.59	31.06	12.81	43.87	54.00	10.13	Vertical	PASS
4	5351.46	42.06	12.69	54.75	74.00	19.25	Vertical	PASS
5	5362.12	41.40	12.75	54.15	74.00	19.85	Vertical	PASS
6	5371.81	41.33	12.81	54.14	74.00	19.86	Vertical	PASS

Project Information

Mode:	802.11n	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5351.13	29.24	12.69	41.93	54.00	12.07	Horizontal	PASS
2	5361.34	29.06	12.75	41.81	54.00	12.19	Horizontal	PASS
3	5369.31	28.89	12.79	41.68	54.00	12.32	Horizontal	PASS
4	5350.16	40.17	12.68	52.85	74.00	21.15	Horizontal	PASS
5	5361.51	40.40	12.75	53.15	74.00	20.85	Horizontal	PASS
6	5369.44	39.24	12.79	52.03	74.00	21.97	Horizontal	PASS

Project Information			
Mode:	802.11n	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.26	31.63	12.68	44.31	54.00	9.69	Vertical	PASS
2	5357.83	31.50	12.72	44.22	54.00	9.78	Vertical	PASS
3	5363.75	31.39	12.76	44.15	54.00	9.85	Vertical	PASS
4	5350.78	42.15	12.69	54.84	74.00	19.16	Vertical	PASS
5	5357.93	41.79	12.72	54.51	74.00	19.49	Vertical	PASS
6	5364.07	42.35	12.76	55.11	74.00	18.89	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.19	30.14	12.69	42.83	54.00	11.17	Horizontal	PASS
2	5359.31	29.30	12.73	42.03	54.00	11.97	Horizontal	PASS
3	5364.75	29.23	12.77	42.00	54.00	12.00	Horizontal	PASS
4	5351.32	40.47	12.69	53.16	74.00	20.84	Horizontal	PASS
5	5359.10	40.19	12.73	52.92	74.00	21.08	Horizontal	PASS
6	5365.18	39.44	12.77	52.21	74.00	21.79	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.30	37.00	12.68	49.68	54.00	4.32	Vertical	PASS
2	5353.27	36.04	12.70	48.74	54.00	5.26	Vertical	PASS
3	5364.45	31.33	12.76	44.09	54.00	9.91	Vertical	PASS
4	5350.34	47.09	12.68	59.77	74.00	14.23	Vertical	PASS
5	5353.87	46.73	12.70	59.43	74.00	14.57	Vertical	PASS
6	5365.01	44.39	12.77	57.16	74.00	16.84	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 13		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5353.18	29.60	12.69	42.29	54.00	11.71	Horizontal	PASS
2	5355.05	29.48	12.71	42.19	54.00	11.81	Horizontal	PASS
3	5363.74	29.61	12.76	42.37	54.00	11.63	Horizontal	PASS
4	5352.11	43.88	12.70	56.58	74.00	17.42	Horizontal	PASS
5	5355.30	44.11	12.71	56.82	74.00	17.18	Horizontal	PASS
6	5362.06	41.77	12.75	54.52	74.00	19.48	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.11	36.61	12.69	49.30	54.00	4.70	Vertical	PASS
2	5355.87	35.81	12.72	48.53	54.00	5.47	Vertical	PASS
3	5363.43	34.91	12.75	47.66	54.00	6.34	Vertical	PASS
4	5351.05	57.23	12.69	69.92	74.00	4.08	Vertical	PASS
5	5358.49	55.89	12.73	68.62	74.00	5.38	Vertical	PASS
6	5364.06	54.07	12.76	66.83	74.00	7.17	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.89	28.62	12.67	41.29	54.00	12.71	Horizontal	PASS
2	5454.89	28.68	12.72	41.40	54.00	12.60	Horizontal	PASS
3	5459.48	28.84	12.80	41.64	54.00	12.36	Horizontal	PASS
4	5454.35	39.74	12.71	52.45	74.00	21.55	Horizontal	PASS
5	5463.48	40.06	12.86	52.92	68.20	15.28	Horizontal	PASS
6	5469.66	39.58	12.96	52.54	68.20	15.66	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.74	29.50	12.67	42.17	54.00	11.83	Vertical	PASS
2	5455.88	29.39	12.74	42.13	54.00	11.87	Vertical	PASS
3	5459.48	29.54	12.80	42.34	54.00	11.66	Vertical	PASS
4	5455.46	39.78	12.73	52.51	74.00	21.49	Vertical	PASS
5	5461.68	40.73	12.83	53.56	68.20	14.64	Vertical	PASS
6	5469.42	40.32	12.96	53.28	68.20	14.92	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.69	39.13	13.36	52.49	68.20	15.71	Horizontal	PASS
2	5736.19	39.79	13.19	52.98	68.20	15.22	Horizontal	PASS
3	5746.10	39.45	13.02	52.47	68.20	15.73	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.57	41.53	13.36	54.89	68.20	13.31	Vertical	PASS
2	5734.54	41.92	13.21	55.13	68.20	13.07	Vertical	PASS
3	5741.24	42.38	13.10	55.48	68.20	12.72	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.44	28.71	12.66	41.37	54.00	12.63	Horizontal	PASS
2	5454.23	28.59	12.71	41.30	54.00	12.70	Horizontal	PASS
3	5459.03	28.75	12.78	41.53	54.00	12.47	Horizontal	PASS
4	5454.29	41.03	12.71	53.74	74.00	20.26	Horizontal	PASS
5	5459.72	39.32	12.80	52.12	74.00	21.88	Horizontal	PASS
6	5469.21	39.41	12.96	52.37	68.20	15.83	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.28	29.50	12.67	42.17	54.00	11.83	Vertical	PASS
2	5455.40	29.53	12.73	42.26	54.00	11.74	Vertical	PASS
3	5459.24	29.67	12.79	42.46	54.00	11.54	Vertical	PASS
4	5453.15	40.50	12.69	53.19	74.00	20.81	Vertical	PASS
5	5459.51	41.04	12.80	53.84	74.00	20.16	Vertical	PASS
6	5469.63	41.28	12.96	54.24	68.20	13.96	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.63	39.63	13.36	52.99	68.20	15.21	Horizontal	PASS
2	5736.70	39.91	13.18	53.09	68.20	15.11	Horizontal	PASS
3	5743.76	40.59	13.06	53.65	68.20	14.55	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.09	42.49	13.37	55.86	68.20	12.34	Vertical	PASS
2	5733.64	41.85	13.23	55.08	68.20	13.12	Vertical	PASS
3	5741.21	41.35	13.10	54.45	68.20	13.75	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.92	28.73	12.67	41.40	54.00	12.60	Horizontal	PASS
2	5454.28	28.57	12.71	41.28	54.00	12.72	Horizontal	PASS
3	5459.00	28.48	12.78	41.26	54.00	12.74	Horizontal	PASS
4	5454.96	39.60	12.72	52.32	74.00	21.68	Horizontal	PASS
5	5458.64	39.95	12.78	52.73	74.00	21.27	Horizontal	PASS
6	5468.73	39.32	12.94	52.26	68.20	15.94	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.64	29.42	12.69	42.11	54.00	11.89	Vertical	PASS
2	5455.32	29.21	12.72	41.93	54.00	12.07	Vertical	PASS
3	5459.76	29.47	12.80	42.27	54.00	11.73	Vertical	PASS
4	5455.28	40.70	12.72	53.42	74.00	20.58	Vertical	PASS
5	5459.68	39.74	12.80	52.54	74.00	21.46	Vertical	PASS
6	5469.29	40.97	12.96	53.93	68.20	14.27	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.99	39.05	13.35	52.40	68.20	15.80	Horizontal	PASS
2	5734.04	38.96	13.22	52.18	68.20	16.02	Horizontal	PASS
3	5741.90	39.76	13.09	52.85	68.20	15.35	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.19	41.65	13.37	55.02	68.20	13.18	Vertical	PASS
2	5735.69	41.16	13.19	54.35	68.20	13.85	Vertical	PASS
3	5743.05	40.42	13.07	53.49	68.20	14.71	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.34	28.64	12.67	41.31	54.00	12.69	Horizontal	PASS
2	5456.00	28.65	12.74	41.39	54.00	12.61	Horizontal	PASS
3	5458.70	28.78	12.78	41.56	54.00	12.44	Horizontal	PASS
4	5455.22	39.88	12.72	52.60	74.00	21.40	Horizontal	PASS
5	5460.15	40.87	12.80	53.67	68.20	14.53	Horizontal	PASS
6	5469.75	42.86	12.96	55.82	68.20	12.38	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.94	29.85	12.69	42.54	54.00	11.46	Vertical	PASS
2	5454.86	29.87	12.72	42.59	54.00	11.41	Vertical	PASS
3	5459.48	30.12	12.80	42.92	54.00	11.08	Vertical	PASS
4	5454.80	47.01	12.72	59.73	74.00	14.27	Vertical	PASS
5	5459.48	47.16	12.80	59.96	74.00	14.04	Vertical	PASS
6	5468.91	48.66	12.94	61.60	68.20	6.60	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.58	39.59	13.33	52.92	68.20	15.28	Horizontal	PASS
2	5733.52	39.66	13.23	52.89	68.20	15.31	Horizontal	PASS
3	5743.52	40.15	13.07	53.22	68.20	14.98	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5725.87	40.11	13.36	53.47	68.20	14.73	Vertical	PASS
2	5739.73	39.41	13.13	52.54	68.20	15.66	Vertical	PASS
3	5748.92	39.49	12.98	52.47	68.20	15.73	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Project Information			
Mode:	802.11n	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Project Information			
Mode:	802.11n	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Project Information			
Mode:	802.11n	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Project Information			
Mode:	802.11n	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph




Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph




Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph




Project Information			
Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 15		

Test Graph


Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 13		

Test Graph



Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	P1C24EQ0D000020	Engineer:	Ou Shuyan
Remark:	Power: 13		

Test Graph



~The End~