


Appendix-B Field Strength of Spurious Radiation

For LTE:

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	101.99	-84.97	17.02	-	-	Horizontal	NA
2	1967.40	45.27	-84.83	-39.56	-	-	Horizontal	NA
3	3742.00	42.55	-107.43	-64.88	-13.00	51.88	Horizontal	PASS
4	14372.00	33.99	-86.37	-52.38	-13.00	39.38	Horizontal	PASS
5	17368.50	34.46	-83.12	-48.66	-13.00	35.66	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	110.81	-84.97	25.84	-	-	Vertical	NA
2	3742.00	45.89	-107.43	-61.54	-13.00	48.54	Vertical	PASS
3	5613.50	40.67	-101.19	-60.52	-13.00	47.52	Vertical	PASS
4	11226.50	37.39	-90.64	-53.25	-13.00	40.25	Vertical	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	105.45	-85.28	20.17	-	-	Horizontal	NA
2	2129.20	45.77	-84.48	-38.71	-	-	Horizontal	NA
3	3447.00	49.35	-107.30	-57.95	-13.00	44.95	Horizontal	PASS
4	15079.00	33.66	-86.27	-52.61	-13.00	39.61	Horizontal	PASS
5	17334.50	33.56	-83.11	-49.55	-13.00	36.55	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	107.11	-85.28	21.83	-	-	Vertical	NA
2	3447.00	52.87	-107.30	-54.43	-13.00	41.43	Vertical	PASS
3	15084.00	33.76	-86.25	-52.49	-13.00	39.49	Vertical	PASS
4	17353.00	32.49	-82.52	-50.03	-13.00	37.03	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.40	63.99	-114.12	-50.13	-13.00	37.13	Horizontal	PASS
2	2496.40	46.86	-111.37	-64.51	-13.00	51.51	Horizontal	PASS
3	8916.80	36.89	-93.48	-56.59	-13.00	43.59	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	65.26	-114.12	-48.86	-13.00	35.86	Vertical	PASS
2	2496.40	57.30	-111.37	-54.07	-13.00	41.07	Vertical	PASS
3	8917.60	36.67	-93.50	-56.83	-13.00	43.83	Vertical	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.00	95.05	-83.04	12.01	-	-	Horizontal	NA
2	2661.50	43.55	-81.85	-38.30	-	-	Horizontal	NA
3	2924.50	40.45	-80.31	-39.86	-25.00	14.86	Horizontal	PASS
4	15114.00	37.08	-86.39	-49.31	-25.00	24.31	Horizontal	PASS
5	17858.50	38.17	-82.56	-44.39	-25.00	19.39	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.00	107.98	-83.04	24.94	-	-	Vertical	NA
2	5052.00	40.61	-102.82	-62.21	-25.00	37.21	Vertical	PASS
3	5665.00	40.23	-100.75	-60.52	-25.00	35.52	Vertical	PASS
4	17843.50	38.24	-82.55	-44.31	-25.00	19.31	Vertical	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.35	61.65	-114.33	-52.68	-13.00	39.68	Horizontal	PASS
2	2109.15	53.93	-113.21	-59.28	-13.00	46.28	Horizontal	PASS
3	3515.45	50.59	-107.50	-56.91	-13.00	43.91	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	64.72	-114.33	-49.61	-13.00	36.61	Vertical	PASS
2	2109.15	57.09	-113.21	-56.12	-13.00	43.12	Vertical	PASS
3	3515.45	57.98	-107.50	-49.52	-13.00	36.52	Vertical	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.33	63.32	-114.07	-50.75	-13.00	37.75	Horizontal	PASS
2	2332.57	44.75	-112.39	-67.64	-13.00	54.64	Horizontal	PASS
3	7967.80	37.49	-95.50	-58.01	-13.00	45.01	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.33	61.25	-114.07	-52.82	-13.00	39.82	Vertical	PASS
2	2332.57	52.61	-112.39	-59.78	-13.00	46.78	Vertical	PASS
3	7947.27	37.45	-95.48	-58.03	-13.00	45.03	Vertical	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	5MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.77	61.72	-114.09	-52.37	-40.00	12.37	Horizontal	PASS
2	4797.50	39.09	-102.90	-63.81	-13.00	50.81	Horizontal	PASS
3	6908.47	39.32	-97.68	-58.36	-13.00	45.36	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	5MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.77	58.89	-114.09	-55.20	-40.00	15.20	Vertical	PASS
2	2339.57	50.73	-112.43	-61.70	-13.00	48.70	Vertical	PASS
3	3119.13	43.36	-108.53	-65.17	-13.00	52.17	Vertical	PASS

Project Information

Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.03	60.91	-114.18	-53.27	-40.00	13.27	Horizontal	PASS
2	2365.70	44.77	-112.42	-67.65	-13.00	54.65	Horizontal	PASS
3	7948.43	38.08	-95.46	-57.38	-13.00	44.38	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.03	60.15	-114.18	-54.03	-40.00	14.03	Vertical	PASS
2	2365.70	50.66	-112.42	-61.76	-13.00	48.76	Vertical	PASS
3	3154.37	43.87	-108.34	-64.47	-13.00	51.47	Vertical	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	58.91	-114.35	-55.44	-13.00	42.44	Horizontal	PASS
2	2116.85	55.80	-113.21	-57.41	-13.00	44.41	Horizontal	PASS
3	3528.05	54.95	-107.60	-52.65	-13.00	39.65	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	58.42	-114.35	-55.93	-13.00	42.93	Vertical	PASS
2	2822.45	58.57	-109.72	-51.15	-13.00	38.15	Vertical	PASS
3	3528.05	61.71	-107.60	-45.89	-13.00	32.89	Vertical	PASS

Project Information

Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	102.07	-84.97	17.10	-	-	Horizontal	NA
2	1966.00	44.58	-84.82	-40.24	-	-	Horizontal	NA
3	3747.00	41.39	-107.43	-66.04	-13.00	53.04	Horizontal	PASS
4	15112.50	37.23	-86.38	-49.15	-13.00	36.15	Horizontal	PASS
5	17355.00	38.62	-82.59	-43.97	-13.00	30.97	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	110.51	-84.97	25.54	-	-	Vertical	NA
2	3747.00	43.09	-107.43	-64.34	-13.00	51.34	Vertical	PASS
3	5620.50	41.14	-101.10	-59.96	-13.00	46.96	Vertical	PASS
4	11241.50	38.70	-90.57	-51.87	-13.00	38.87	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	67.13	-114.17	-47.04	-13.00	34.04	Horizontal	PASS
2	2443.60	46.34	-111.26	-64.92	-13.00	51.92	Horizontal	PASS
3	8932.40	36.65	-93.76	-57.11	-13.00	44.11	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	67.39	-114.17	-46.78	-13.00	33.78	Vertical	PASS
2	2444.00	54.24	-111.24	-57.00	-13.00	44.00	Vertical	PASS
3	8907.60	36.38	-93.31	-56.93	-13.00	43.93	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.60	64.43	-114.11	-49.68	-13.00	36.68	Horizontal	PASS
2	2489.60	48.64	-111.34	-62.70	-13.00	49.70	Horizontal	PASS
3	8992.40	36.86	-93.57	-56.71	-13.00	43.71	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.60	64.45	-114.11	-49.66	-13.00	36.66	Vertical	PASS
2	2489.60	56.15	-111.34	-55.19	-13.00	42.19	Vertical	PASS
3	8989.60	36.77	-93.60	-56.83	-13.00	43.83	Vertical	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.20	95.41	-82.41	13.00	-	-	Horizontal	NA
2	2991.50	40.29	-80.18	-39.89	-25.00	14.89	Horizontal	PASS
3	14827.50	37.55	-86.69	-49.14	-25.00	24.14	Horizontal	PASS
4	17881.00	38.71	-82.83	-44.12	-25.00	19.12	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	108.30	-82.40	25.90	-	-	Vertical	NA
2	2963.20	40.43	-79.95	-39.52	-25.00	14.52	Vertical	PASS
3	15083.00	37.08	-86.26	-49.18	-25.00	24.18	Vertical	PASS
4	17869.00	39.01	-82.68	-43.67	-25.00	18.67	Vertical	PASS

Project Information

Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	104.63	-85.18	19.45	-	-	Horizontal	NA
2	2137.40	45.09	-84.56	-39.47	-	-	Horizontal	NA
3	2976.20	35.19	-79.92	-44.73	-13.00	31.73	Horizontal	PASS
4	3472.00	51.33	-107.15	-55.82	-13.00	42.82	Horizontal	PASS
5	17356.00	33.99	-82.63	-48.64	-13.00	35.64	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	106.70	-85.18	21.52	-	-	Vertical	NA
2	3472.00	57.39	-107.15	-49.76	-13.00	36.76	Vertical	PASS
3	5208.50	39.87	-102.19	-62.32	-13.00	49.32	Vertical	PASS
4	17349.50	33.27	-82.42	-49.15	-13.00	36.15	Vertical	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.00	60.43	-114.21	-53.78	-13.00	40.78	Horizontal	PASS
2	2014.65	61.24	-113.51	-52.27	-13.00	39.27	Horizontal	PASS
3	7960.10	38.87	-95.48	-56.61	-13.00	43.61	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.35	66.05	-114.21	-48.16	-13.00	35.16	Vertical	PASS
2	2015.00	67.02	-113.51	-46.49	-13.00	33.49	Vertical	PASS
3	2686.30	45.21	-110.49	-65.28	-13.00	52.28	Vertical	PASS

~The End~