




	5870.758333	29.33	50.46	21.13	54.00	3.54	V	AV
11AC80_80M_5690	5447.5	41.78	61.61	19.83	74.00	12.39	V	PK
	5463.966667	41.67	61.05	19.38	68.20	7.15	V	PK
	5867.725	41.26	62.46	21.20	68.20	5.74	V	PK
	5444.9	29.30	49.15	19.85	54.00	4.85	H	AV
	5465.266667	29.29	48.74	19.45	54.00	5.26	H	AV
	5867.291667	29.24	50.45	21.21	54.00	3.55	V	AV
11AC80_80M_5775	5636.133333	41.05	60.82	19.77	68.20	7.38	V	PK
	5660.2	41.20	61.34	20.14	75.77	14.43	V	PK
	5709	53.21	73.34	20.13	107.72	34.38	V	PK
	5723.333333	54.25	74.43	20.18	118.40	43.97	V	PK
	5853	49.93	70.50	20.57	115.36	44.86	V	PK
	5866.066667	48.72	69.96	21.24	107.70	37.74	V	PK
	5897.733333	42.53	63.49	20.96	88.34	24.85	V	PK
	5943.866667	41.14	62.47	21.33	68.20	5.73	V	PK

Test Graphs_Band Edges







11A_20M_5720




11A_20M_5745




11A_20M_5825




11N20_20M_5180




11N20_20M_5320




11N20_20M_5500




11N20_20M_5700




11N20_20M_5720




11N20_20M_5745




11N20_20M_5825




11N40_40M_5190




11N40_40M_5310




11N40_40M_5510




11N40_40M_5670




11N40_40M_5710




11N40_40M_5755




11N40_40M_5795




11AC80_80M_5210




11AC80_80M_5290




11AC80_80M_5530




11AC80_80M_5610




11AC80_80M_5690



11AC80_80M_5775



/



/

Test Result_Spurious Emission

Note1: Test result Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier the Emissions in the frequency band 9kHz-30MHz and 18GHz-40GHz are more than 20dB below the limit are not reported.

Note2: Both vertical and horizontal polarities have been evaluated, and the test data only shows the worst-case. Level=Reading+Factor; Margin=Limit-Level; V=Vertical , H=Horizontal.

Data List								
Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11A_20M_5180	10360	35.50	50.91	15.41	68.20	17.29	V	PK
	15540	33.76	53.74	19.98	74.00	20.26	H	PK
	10360	24.27	39.68	15.41	--	--	H	AV
	15540	22.65	42.63	19.98	54.00	11.37	H	AV
11A_20M_5220	10440	34.93	50.47	15.54	68.20	17.73	H	PK
	15660	33.65	53.78	20.13	74.00	20.22	V	PK
	10440	24.12	39.66	15.54	--	--	V	AV
	15660	22.44	42.57	20.13	54.00	11.43	H	AV
11A_20M_5240	10480	35.31	51.03	15.72	68.20	17.17	H	PK
	15720	33.50	53.85	20.35	74.00	20.15	H	PK
	10480	24.18	39.90	15.72	--	--	H	AV
	15720	22.55	42.90	20.35	54.00	11.10	V	AV
11A_20M_5260	10520	34.38	50.24	15.86	68.20	17.96	V	PK
	15780	33.66	54.41	20.75	74.00	19.59	H	PK
	10520	24.40	40.26	15.86	--	--	V	AV
	15780	23.03	43.78	20.75	54.00	10.22	V	AV
11A_20M_5300	10600	34.70	50.69	15.99	68.20	17.51	H	PK
	15900	33.63	54.55	20.92	74.00	19.45	H	PK
	10600	24.27	40.26	15.99	--	--	V	AV
	15900	22.73	43.65	20.92	54.00	10.35	V	AV
11A_20M_5320	10640	35.25	50.98	15.73	74.00	23.02	V	PK
	15960	33.52	54.58	21.06	74.00	19.42	V	PK
	10640	24.24	39.97	15.73	54.00	14.03	H	AV

	15960	22.94	44.00	21.06	54.00	10.00	V	AV
11A_20M_5500	11000	35.46	50.87	15.41	74.00	23.13	H	PK
	16500	33.53	55.57	22.04	68.20	12.63	H	PK
	11000	25.24	40.65	15.41	54.00	13.35	V	AV
	16500	23.10	45.14	22.04	--	--	H	AV
11A_20M_5580	11160	36.61	51.97	15.36	74.00	22.03	V	PK
	16740	33.45	56.33	22.88	68.20	11.87	H	PK
	11160	24.45	39.81	15.36	54.00	14.19	V	AV
	16740	23.15	46.03	22.88	--	--	V	AV
11A_20M_5700	11400	36.05	52.01	15.96	74.00	21.99	V	PK
	17100	32.50	56.96	24.46	68.20	11.24	V	PK
	11400	24.84	40.80	15.96	54.00	13.20	V	AV
	17100	21.61	46.07	24.46	--	--	V	AV
11A_20M_5720	11440	35.23	50.92	15.69	74.00	23.08	V	PK
	17160	32.97	57.00	24.03	68.20	11.20	V	PK
	11440	24.75	40.44	15.69	54.00	13.56	V	AV
	17160	22.12	46.15	24.03	--	--	V	AV
11A_20M_5745	11490	35.76	51.13	15.37	74.00	22.87	V	PK
	17235	33.57	57.58	24.01	68.20	10.62	H	PK
	11490	24.34	39.71	15.37	54.00	14.29	V	AV
	17235	22.35	46.36	24.01	--	--	H	AV
11A_20M_5785	11570	34.69	50.13	15.44	74.00	23.87	V	PK
	17355	32.75	57.52	24.77	68.20	10.68	V	PK
	11570	24.25	39.69	15.44	54.00	14.31	H	AV
	17355	22.11	46.88	24.77	--	--	H	AV
11A_20M_5825	11650	36.10	51.64	15.54	74.00	22.36	V	PK
	17475	34.13	59.01	24.88	68.20	9.19	V	PK
	11650	24.55	40.09	15.54	54.00	13.91	V	AV
	17475	22.82	47.70	24.88	--	--	V	AV

11N20_20M_5180	10360	34.73	50.14	15.41	68.20	18.06	V	PK
	15540	32.99	52.97	19.98	74.00	21.03	H	PK
	10360	24.37	39.78	15.41	--	--	V	AV
	15540	22.93	42.91	19.98	54.00	11.09	V	AV
11N20_20M_5220	10440	34.36	49.90	15.54	68.20	18.30	H	PK
	15660	33.28	53.41	20.13	74.00	20.59	H	PK
	10440	24.42	39.96	15.54	--	--	V	AV
	15660	22.42	42.55	20.13	54.00	11.45	V	AV
11N20_20M_5240	10480	35.10	50.82	15.72	68.20	17.38	H	PK
	15720	32.92	53.27	20.35	74.00	20.73	V	PK
	10480	24.46	40.18	15.72	--	--	H	AV
	15720	22.56	42.91	20.35	54.00	11.09	H	AV
11N20_20M_5260	10520	34.95	50.81	15.86	68.20	17.39	H	PK
	15780	33.79	54.54	20.75	74.00	19.46	V	PK
	10520	24.26	40.12	15.86	--	--	V	AV
	15780	23.12	43.87	20.75	54.00	10.13	V	AV
11N20_20M_5300	10600	35.32	51.31	15.99	68.20	16.89	H	PK
	15900	33.71	54.63	20.92	74.00	19.37	V	PK
	10600	23.86	39.85	15.99	--	--	H	AV
	15900	22.70	43.62	20.92	54.00	10.38	H	AV
11N20_20M_5320	10640	34.90	50.63	15.73	74.00	23.37	V	PK
	15960	33.36	54.42	21.06	74.00	19.58	H	PK
	10640	24.22	39.95	15.73	54.00	14.05	H	AV
	15960	22.71	43.77	21.06	54.00	10.23	H	AV
11N20_20M_5500	11000	35.38	50.79	15.41	74.00	23.21	V	PK
	16500	35.00	57.04	22.04	68.20	11.16	H	PK
	11000	24.94	40.35	15.41	54.00	13.65	V	AV
	16500	22.80	44.84	22.04	--	--	V	AV
11N20_20M_5580	11160	34.81	50.17	15.36	74.00	23.83	V	PK

	16740	33.13	56.01	22.88	68.20	12.19	V	PK
	11160	24.48	39.84	15.36	54.00	14.16	V	AV
	16740	22.76	45.64	22.88	--	--	V	AV
11N20_20M_5700	11400	34.80	50.76	15.96	74.00	23.24	H	PK
	17100	33.00	57.46	24.46	68.20	10.74	V	PK
	11400	24.76	40.72	15.96	54.00	13.28	V	AV
	17100	22.17	46.63	24.46	--	--	V	AV
11N20_20M_5720	11440	35.80	51.49	15.69	74.00	22.51	V	PK
	17160	32.67	56.70	24.03	68.20	11.50	V	PK
	11440	24.63	40.32	15.69	54.00	13.68	V	AV
	17160	22.22	46.25	24.03	--	--	H	AV
11N20_20M_5745	11490	35.30	50.67	15.37	74.00	23.33	V	PK
	17235	33.19	57.20	24.01	68.20	11.00	V	PK
	11490	24.31	39.68	15.37	54.00	14.32	V	AV
	17235	22.48	46.49	24.01	--	--	H	AV
11N20_20M_5785	11570	35.88	51.32	15.44	74.00	22.68	H	PK
	17355	33.05	57.82	24.77	68.20	10.38	H	PK
	11570	23.91	39.35	15.44	54.00	14.65	V	AV
	17355	22.10	46.87	24.77	--	--	H	AV
11N20_20M_5825	11650	34.21	49.75	15.54	74.00	24.25	V	PK
	17475	33.19	58.07	24.88	68.20	10.13	V	PK
	11650	23.71	39.25	15.54	54.00	14.75	V	AV
	17475	22.28	47.16	24.88	--	--	V	AV
11N40_40M_5190	10380	35.15	50.53	15.38	68.20	17.67	V	PK
	15570	33.94	53.94	20.00	74.00	20.06	H	PK
	10380	23.95	39.33	15.38	--	--	V	AV
	15570	22.66	42.66	20.00	54.00	11.34	V	AV
11N40_40M_5230	10460	34.49	50.12	15.63	68.20	18.08	V	PK
	15690	33.68	53.87	20.19	74.00	20.13	H	PK


	10460	23.83	39.46	15.63	--	--	H	AV
	15690	22.78	42.97	20.19	54.00	11.03	H	AV
11N40_40M_5270	10540	34.45	50.34	15.89	68.20	17.86	H	PK
	15810	33.53	54.42	20.89	74.00	19.58	H	PK
	10540	23.86	39.75	15.89	--	--	V	AV
	15810	23.09	43.98	20.89	54.00	10.02	V	AV
11N40_40M_5310	10620	34.81	50.67	15.86	74.00	23.33	V	PK
	15930	34.24	55.24	21.00	74.00	18.76	H	PK
	10620	24.06	39.92	15.86	54.00	14.08	V	AV
	15930	22.82	43.82	21.00	54.00	10.18	H	AV
11N40_40M_5510	11020	35.01	50.51	15.50	74.00	23.49	H	PK
	16530	33.21	55.39	22.18	68.20	12.81	H	PK
	11020	24.38	39.88	15.50	54.00	14.12	V	AV
	16530	22.68	44.86	22.18	--	--	H	AV
11N40_40M_5550	11340	35.49	51.00	15.51	74.00	23.00	H	PK
	17010	31.70	56.42	24.72	68.20	11.78	V	PK
	11340	23.93	39.44	15.51	54.00	14.56	V	AV
	17010	21.34	46.06	24.72	--	--	H	AV
11N40_20M_5670	11340	34.79	50.30	15.51	74.00	23.70	V	PK
	17010	32.27	56.99	24.72	68.20	11.21	V	PK
	11340	24.28	39.79	15.51	54.00	14.21	V	AV
	17010	21.64	46.36	24.72	--	--	H	AV
11N40_40M_5710	11420	35.53	51.36	15.83	74.00	22.64	H	PK
	17130	33.15	57.40	24.25	68.20	10.80	V	PK
	11420	24.06	39.89	15.83	54.00	14.11	V	AV
	17130	21.94	46.19	24.25	--	--	V	AV
11N40_40M_5775	11510	35.37	50.70	15.33	74.00	23.30	V	PK
	17265	32.85	57.03	24.18	68.20	11.17	H	PK
	11510	24.28	39.61	15.33	54.00	14.39	V	AV


	17265	22.14	46.32	24.18	--	--	V	AV
11N40_40M_5795	11590	34.42	49.89	15.47	74.00	24.11	H	PK
	17385	32.69	57.69	25.00	68.20	10.51	H	PK
	11590	24.09	39.56	15.47	54.00	14.44	H	AV
	17385	21.96	46.96	25.00	--	--	V	AV
11AC80_80M_5210	10420	35.05	50.50	15.45	68.20	17.70	V	PK
	15630	34.05	54.12	20.07	74.00	19.88	V	PK
	10420	23.77	39.22	15.45	--	--	V	AV
	15630	22.39	42.46	20.07	54.00	11.54	V	AV
11AC80_80M_5290	10580	34.95	50.90	15.95	68.20	17.30	H	PK
	15870	33.26	54.16	20.90	74.00	19.84	H	PK
	10580	24.09	40.04	15.95	--	--	H	AV
	15870	22.42	43.32	20.90	54.00	10.68	H	AV
11AC80_80M_5530	11060	35.22	50.91	15.69	74.00	23.09	H	PK
	16590	33.73	56.21	22.48	68.20	11.99	V	PK
	11060	24.63	40.32	15.69	54.00	13.68	V	AV
	16590	23.30	45.78	22.48	--	--	H	AV
11AC80_80M_5610	11220	34.37	49.44	15.07	74.00	24.56	V	PK
	16830	33.50	56.89	23.39	68.20	11.31	V	PK
	11220	24.35	39.42	15.07	54.00	14.58	V	AV
	16830	22.70	46.09	23.39	--	--	V	AV
11AC80_80M_5690	11380	34.71	50.52	15.81	74.00	23.48	V	PK
	17070	32.47	57.02	24.55	68.20	11.18	V	PK
	11380	24.37	40.18	15.81	54.00	13.82	V	AV
	17070	21.71	46.26	24.55	--	--	V	AV
11AC80_80M_5775	11550	35.43	50.83	15.40	74.00	23.17	V	PK
	17325	33.02	57.57	24.55	68.20	10.63	V	PK
	11550	24.30	39.70	15.40	54.00	14.30	H	AV
	17325	22.29	46.84	24.55	--	--	V	AV

Data List


Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11A_20M_5580	44.248971	44.15	28.80	-15.35	40.00	11.20	V	QP
	55.301848	39.77	24.28	-15.49	40.00	15.72	V	QP
	64.887428	35.15	17.50	-17.65	40.00	22.50	V	QP
	138.638877	41.00	20.87	-20.13	43.50	22.63	V	QP
	488.282355	25.30	15.11	-10.19	46.00	30.89	V	QP
	929.952645	23.05	20.56	-2.49	46.00	25.44	V	QP

Test Graphs_Spurious Emission







11A_20M_5700




11A_20M_5720




11A_20M_5745




11A_20M_5785




11A_20M_5825




11N20_20M_5180




11N20_20M_5220




11N20_20M_5240




11N20_20M_5260




11N20_20M_5300




11N20_20M_5320




11N20_20M_5500




11N20_20M_5580




11N20_20M_5700




11N20_20M_5720




11N20_20M_5745




11N20_20M_5785




11N20_20M_5825




11N40_40M_5190




11N40_40M_5230




11N40_40M_5270




11N40_40M_5310




11N40_40M_5510




11N40_40M_5550




11N40_20M_5670




11N40_40M_5710




11N40_40M_5775




11N40_40M_5795




11AC80_80M_5210



11AC80_80M_5290





/

ANNEX C: The EUT Appearance

The EUT Appearance (internal and external photographs) are submitted separately.

ANNEX D: Test Setup Photograph

The Test Setup Photographs are submitted separately.