


DC Control Instruction manual

Transmitter diagram




Learning Process:

Immediately after power on, press and hold the "ALL ON/OFF" button for 3 seconds, until you hear twice beep, indicating success. (Note: Do not accept learning after 30 seconds power on)

Tips: The remote control has completed the learning pairing procedure before leaving the factory. After installation, it can be used directly.

The receiver wiring diagram



1. When the transmitter is unable to remotely control the receiver, please check whether the switch batteries are in good control. whether they are fixed properly and whether they run out of use.
2. When the transmitter is unable to remotely control the receiver, please check whether there is other remote control products around the space and check whether the keys are pressed down,because same nature of remote control product may caused interference with each other resulting in poor receiving effect. Taking away such articles will normalize the remote control function.
3. Please use this product under applicable voltage. Too low voltage will lead to failure of the remote controller to work(please refer to the product label for the voltage range and related Parameters)
4. Please take out the batteries if you don't use this product for a long time.

FCC Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE 1: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE 2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.