



























































Maximum Power Spectral Density Level

Condi tion	Mod e	Frequen cy (MHz)	Anten na	Conducted PSD (dBm/MHz)	Duty Fact or (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdi ct
NVNT	a	5180	Ant1	-4.27	1.19	-3.08	17	Pass
NVNT	a	5200	Ant1	-4.3	1.19	-3.11	17	Pass
NVNT	a	5240	Ant1	-5.79	1.2	-4.59	17	Pass
NVNT	a	5260	Ant1	-4.61	1.19	-3.42	11	Pass
NVNT	a	5300	Ant1	-5.06	1.19	-3.87	11	Pass
NVNT	a	5320	Ant1	-5.65	1.19	-4.46	11	Pass
NVNT	a	5500	Ant1	-4.75	1.19	-3.56	11	Pass
NVNT	a	5580	Ant1	-8.5	1.19	-7.31	11	Pass
NVNT	a	5700	Ant1	-7.52	1.19	-6.33	11	Pass
NVNT	a	5180	Ant2	-3.86	1.19	-2.67	17	Pass
NVNT	a	5200	Ant2	-2.95	1.19	-1.76	17	Pass
NVNT	a	5240	Ant2	-7.88	1.2	-6.68	17	Pass
NVNT	a	5260	Ant2	-7.17	1.19	-5.98	11	Pass
NVNT	a	5300	Ant2	-7.21	1.19	-6.02	11	Pass
NVNT	a	5320	Ant2	-6.51	1.19	-5.32	11	Pass
NVNT	a	5500	Ant2	-5.91	1.19	-4.72	11	Pass
NVNT	a	5580	Ant2	-6.2	1.19	-5.01	11	Pass
NVNT	a	5700	Ant2	-4.71	1.19	-3.52	11	Pass
NVNT	n20	5180	Ant1	-9.56	1.27	-8.29	17	Pass
NVNT	n20	5200	Ant1	-6.47	1.27	-5.2	17	Pass
NVNT	n20	5240	Ant1	-8.22	1.29	-6.93	17	Pass
NVNT	n20	5260	Ant1	-8.24	1.27	-6.97	11	Pass
NVNT	n20	5300	Ant1	-8.28	1.27	-7.01	11	Pass
NVNT	n20	5320	Ant1	-6.35	1.27	-5.08	11	Pass
NVNT	n20	5500	Ant1	-6.58	1.27	-5.31	11	Pass
NVNT	n20	5580	Ant1	-7.26	1.27	-5.99	11	Pass
NVNT	n20	5700	Ant1	-8.01	1.27	-6.74	11	Pass
NVNT	n20	5180	Ant2	-7.15	1.27	-5.88	17	Pass
NVNT	n20	5200	Ant2	-7.18	1.27	-5.91	17	Pass
NVNT	n20	5240	Ant2	-7.3	1.28	-6.02	17	Pass
NVNT	n20	5260	Ant2	-7	1.27	-5.73	11	Pass
NVNT	n20	5300	Ant2	-7.72	1.27	-6.45	11	Pass
NVNT	n20	5320	Ant2	-5.49	1.27	-4.22	11	Pass
NVNT	n20	5500	Ant2	-7.99	1.27	-6.72	11	Pass
NVNT	n20	5580	Ant2	-8.02	1.27	-6.75	11	Pass
NVNT	n20	5700	Ant2	-8.82	1.27	-7.55	11	Pass
NVNT	n20	5180	Ant1	0.72	0.35	1.07	17	Pass
NVNT	n20	5180	Ant2	-0.22	0.35	0.13	17	Pass
NVNT	n20	5180	Sum	3.29	0.35	3.64	17	Pass
NVNT	n20	5200	Ant1	0.74	0.35	1.09	17	Pass
NVNT	n20	5200	Ant2	-0.44	0.35	-0.09	17	Pass
NVNT	n20	5200	Sum	3.2	0.35	3.55	17	Pass
NVNT	n20	5240	Ant1	0.91	0.35	1.26	17	Pass
NVNT	n20	5240	Ant2	0.18	0.35	0.53	17	Pass
NVNT	n20	5240	Sum	3.57	0.35	3.92	17	Pass
NVNT	n20	5260	Ant1	0.74	0.35	1.09	11	Pass
NVNT	n20	5260	Ant2	0.95	0.35	1.3	11	Pass
NVNT	n20	5260	Sum	3.86	0.35	4.21	11	Pass
NVNT	n20	5300	Ant1	1.2	0.35	1.55	11	Pass
NVNT	n20	5300	Ant2	0.04	0.35	0.39	11	Pass



NVNT	n20	5300	Sum	3.67	0.35	4.02	11	Pass
NVNT	n20	5320	Ant1	0.77	0.35	1.12	11	Pass
NVNT	n20	5320	Ant2	1.1	0.35	1.45	11	Pass
NVNT	n20	5320	Sum	3.95	0.35	4.3	11	Pass
NVNT	n20	5500	Ant1	-0.98	0.35	-0.63	11	Pass
NVNT	n20	5500	Ant2	-1.23	0.35	-0.88	11	Pass
NVNT	n20	5500	Sum	1.91	0.35	2.26	11	Pass
NVNT	n20	5580	Ant1	-0.81	0.35	-0.46	11	Pass
NVNT	n20	5580	Ant2	-1.14	0.35	-0.79	11	Pass
NVNT	n20	5580	Sum	2.04	0.35	2.39	11	Pass
NVNT	n20	5700	Ant1	-1	0.35	-0.65	11	Pass
NVNT	n20	5700	Ant2	-0.46	0.35	-0.11	11	Pass
NVNT	n20	5700	Sum	2.29	0.35	2.64	11	Pass
NVNT	n40	5190	Ant1	-15.9	1.89	-14.01	17	Pass
NVNT	n40	5230	Ant1	-14.89	1.89	-13	17	Pass
NVNT	n40	5270	Ant1	-13.28	1.89	-11.39	11	Pass
NVNT	n40	5310	Ant1	-15.5	1.89	-13.61	11	Pass
NVNT	n40	5510	Ant1	-15.06	1.89	-13.17	11	Pass
NVNT	n40	5550	Ant1	-16.5	1.89	-14.61	11	Pass
NVNT	n40	5670	Ant1	-16.66	1.89	-14.77	11	Pass
NVNT	n40	5190	Ant2	-17.65	1.89	-15.76	17	Pass
NVNT	n40	5230	Ant2	-15.82	1.89	-13.93	17	Pass
NVNT	n40	5270	Ant2	-15.96	1.89	-14.07	11	Pass
NVNT	n40	5310	Ant2	-16.67	1.89	-14.78	11	Pass
NVNT	n40	5510	Ant2	-16.7	1.89	-14.81	11	Pass
NVNT	n40	5550	Ant2	-19.09	1.89	-17.2	11	Pass
NVNT	n40	5670	Ant2	-14.66	1.89	-12.77	11	Pass
NVNT	n40	5190	Ant1	-3.04	0.64	-2.4	17	Pass
NVNT	n40	5190	Ant2	-4.3	0.64	-3.66	17	Pass
NVNT	n40	5190	Sum	-0.61	0.64	0.03	17	Pass
NVNT	n40	5230	Ant1	-4.33	0.64	-3.69	17	Pass
NVNT	n40	5230	Ant2	-4.25	0.64	-3.61	17	Pass
NVNT	n40	5230	Sum	-1.28	0.64	-0.64	17	Pass
NVNT	n40	5270	Ant1	-4.73	0.64	-4.09	11	Pass
NVNT	n40	5270	Ant2	-2.95	0.64	-2.31	11	Pass
NVNT	n40	5270	Sum	-0.74	0.64	-0.1	11	Pass
NVNT	n40	5310	Ant1	-5.27	0.64	-4.63	11	Pass
NVNT	n40	5310	Ant2	-5.84	0.64	-5.2	11	Pass
NVNT	n40	5310	Sum	-2.54	0.64	-1.9	11	Pass
NVNT	n40	5510	Ant1	-4.39	0.64	-3.75	11	Pass
NVNT	n40	5510	Ant2	-3.81	0.64	-3.17	11	Pass
NVNT	n40	5510	Sum	-1.08	0.64	-0.44	11	Pass
NVNT	n40	5550	Ant1	-6.34	0.64	-5.7	11	Pass
NVNT	n40	5550	Ant2	-4.52	0.64	-3.88	11	Pass
NVNT	n40	5550	Sum	-2.33	0.64	-1.69	11	Pass
NVNT	n40	5670	Ant1	-5.07	0.64	-4.43	11	Pass
NVNT	n40	5670	Ant2	-5.7	0.64	-5.06	11	Pass
NVNT	n40	5670	Sum	-2.36	0.64	-1.72	11	Pass
NVNT	ac20	5180	Ant1	-8.14	1.23	-6.91	17	Pass
NVNT	ac20	5200	Ant1	-9.87	1.23	-8.64	17	Pass
NVNT	ac20	5240	Ant1	-9.55	1.23	-8.32	17	Pass
NVNT	ac20	5260	Ant1	-7.98	1.23	-6.75	11	Pass
NVNT	ac20	5300	Ant1	-8.94	1.23	-7.71	11	Pass
NVNT	ac20	5320	Ant1	-8.84	1.23	-7.61	11	Pass
NVNT	ac20	5500	Ant1	-5.95	1.22	-4.73	11	Pass
NVNT	ac20	5580	Ant1	-9.02	1.22	-7.8	11	Pass



NVNT	ac20	5700	Ant1	-8.36	1.22	-7.14	11	Pass
NVNT	ac20	5180	Ant2	-7.03	1.22	-5.81	17	Pass
NVNT	ac20	5200	Ant2	-8.39	1.22	-7.17	17	Pass
NVNT	ac20	5240	Ant2	-9.24	1.23	-8.01	17	Pass
NVNT	ac20	5260	Ant2	-7.26	1.22	-6.04	11	Pass
NVNT	ac20	5300	Ant2	-10.02	1.22	-8.8	11	Pass
NVNT	ac20	5320	Ant2	-9.38	1.22	-8.16	11	Pass
NVNT	ac20	5500	Ant2	-9.07	1.22	-7.85	11	Pass
NVNT	ac20	5580	Ant2	-9.12	1.22	-7.9	11	Pass
NVNT	ac20	5700	Ant2	-7.88	1.22	-6.66	11	Pass
NVNT	ac20	5180	Ant1	-0.4	0.34	-0.06	17	Pass
NVNT	ac20	5180	Ant2	0.4	0.34	0.74	17	Pass
NVNT	ac20	5180	Sum	3.03	0.34	3.37	17	Pass
NVNT	ac20	5200	Ant1	0.46	0.34	0.8	17	Pass
NVNT	ac20	5200	Ant2	-0.06	0.34	0.28	17	Pass
NVNT	ac20	5200	Sum	3.22	0.34	3.56	17	Pass
NVNT	ac20	5240	Ant1	-0.25	0.34	0.09	17	Pass
NVNT	ac20	5240	Ant2	-0.9	0.34	-0.56	17	Pass
NVNT	ac20	5240	Sum	2.45	0.34	2.79	17	Pass
NVNT	ac20	5260	Ant1	0.86	0.34	1.2	11	Pass
NVNT	ac20	5260	Ant2	-0.63	0.34	-0.29	11	Pass
NVNT	ac20	5260	Sum	3.19	0.34	3.53	11	Pass
NVNT	ac20	5300	Ant1	0.22	0.34	0.56	11	Pass
NVNT	ac20	5300	Ant2	-0.58	0.34	-0.24	11	Pass
NVNT	ac20	5300	Sum	2.85	0.34	3.19	11	Pass
NVNT	ac20	5320	Ant1	-0.81	0.34	-0.47	11	Pass
NVNT	ac20	5320	Ant2	-0.48	0.34	-0.14	11	Pass
NVNT	ac20	5320	Sum	2.37	0.34	2.71	11	Pass
NVNT	ac20	5500	Ant1	-1.5	0.34	-1.16	11	Pass
NVNT	ac20	5500	Ant2	-1.38	0.34	-1.04	11	Pass
NVNT	ac20	5500	Sum	1.57	0.34	1.91	11	Pass
NVNT	ac20	5580	Ant1	-2.38	0.34	-2.04	11	Pass
NVNT	ac20	5580	Ant2	-2	0.34	-1.66	11	Pass
NVNT	ac20	5580	Sum	0.82	0.34	1.16	11	Pass
NVNT	ac20	5700	Ant1	-0.53	0.34	-0.19	11	Pass
NVNT	ac20	5700	Ant2	-1.05	0.34	-0.71	11	Pass
NVNT	ac20	5700	Sum	2.23	0.34	2.57	11	Pass
NVNT	ac40	5190	Ant1	-17.96	1.79	-16.17	17	Pass
NVNT	ac40	5230	Ant1	-16.43	1.79	-14.64	17	Pass
NVNT	ac40	5270	Ant1	-16.38	1.78	-14.6	11	Pass
NVNT	ac40	5310	Ant1	-17.5	1.78	-15.72	11	Pass
NVNT	ac40	5510	Ant1	-16.08	1.79	-14.29	11	Pass
NVNT	ac40	5550	Ant1	-15.1	1.78	-13.32	11	Pass
NVNT	ac40	5670	Ant1	-13.74	1.78	-11.96	11	Pass
NVNT	ac40	5190	Ant2	-15.61	1.78	-13.83	17	Pass
NVNT	ac40	5230	Ant2	-17.39	1.78	-15.61	17	Pass
NVNT	ac40	5270	Ant2	-17.09	1.78	-15.31	11	Pass
NVNT	ac40	5310	Ant2	-15.69	1.78	-13.91	11	Pass
NVNT	ac40	5510	Ant2	-15.68	1.78	-13.9	11	Pass
NVNT	ac40	5550	Ant2	-16.53	1.78	-14.75	11	Pass
NVNT	ac40	5670	Ant2	-16.22	1.78	-14.44	11	Pass
NVNT	ac40	5190	Ant1	-6.9	0.63	-6.27	17	Pass
NVNT	ac40	5190	Ant2	-3.62	0.63	-2.99	17	Pass
NVNT	ac40	5190	Sum	-1.95	0.63	-1.32	17	Pass
NVNT	ac40	5230	Ant1	-4.88	0.63	-4.25	17	Pass
NVNT	ac40	5230	Ant2	-6.34	0.63	-5.71	17	Pass



NVNT	ac40	5230	Sum	-2.54	0.63	-1.91	17	Pass
NVNT	ac40	5270	Ant1	-5.7	0.63	-5.07	11	Pass
NVNT	ac40	5270	Ant2	-6.82	0.63	-6.19	11	Pass
NVNT	ac40	5270	Sum	-3.21	0.63	-2.58	11	Pass
NVNT	ac40	5310	Ant1	-5.85	0.63	-5.22	11	Pass
NVNT	ac40	5310	Ant2	-4.7	0.63	-4.07	11	Pass
NVNT	ac40	5310	Sum	-2.23	0.63	-1.6	11	Pass
NVNT	ac40	5510	Ant1	-5.57	0.63	-4.94	11	Pass
NVNT	ac40	5510	Ant2	-5.76	0.63	-5.13	11	Pass
NVNT	ac40	5510	Sum	-2.65	0.63	-2.02	11	Pass
NVNT	ac40	5550	Ant1	-7.51	0.63	-6.88	11	Pass
NVNT	ac40	5550	Ant2	-6.77	0.63	-6.14	11	Pass
NVNT	ac40	5550	Sum	-4.11	0.63	-3.48	11	Pass
NVNT	ac40	5670	Ant1	-6.25	0.63	-5.62	11	Pass
NVNT	ac40	5670	Ant2	-4.79	0.63	-4.16	11	Pass
NVNT	ac40	5670	Sum	-2.45	0.63	-1.82	11	Pass
NVNT	ac80	5210	Ant1	-23.98	2.46	-21.52	17	Pass
NVNT	ac80	5290	Ant1	-22.33	2.46	-19.87	11	Pass
NVNT	ac80	5530	Ant1	-23.82	2.46	-21.36	11	Pass
NVNT	ac80	5610	Ant1	-23.07	2.44	-20.63	11	Pass
NVNT	ac80	5210	Ant2	-24.5	2.44	-22.06	17	Pass
NVNT	ac80	5290	Ant2	-23.38	2.44	-20.94	11	Pass
NVNT	ac80	5530	Ant2	-24.29	2.44	-21.85	11	Pass
NVNT	ac80	5610	Ant2	-23.92	2.44	-21.48	11	Pass
NVNT	ac80	5210	Ant1	-12.28	1.12	-11.16	17	Pass
NVNT	ac80	5210	Ant2	-13.66	1.12	-12.54	17	Pass
NVNT	ac80	5210	Sum	-9.91	1.12	-8.79	17	Pass
NVNT	ac80	5290	Ant1	-11.96	1.12	-10.84	11	Pass
NVNT	ac80	5290	Ant2	-11.68	1.12	-10.56	11	Pass
NVNT	ac80	5290	Sum	-8.81	1.12	-7.69	11	Pass
NVNT	ac80	5530	Ant1	-13.19	1.12	-12.07	11	Pass
NVNT	ac80	5530	Ant2	-13.2	1.12	-12.08	11	Pass
NVNT	ac80	5530	Sum	-10.18	1.12	-9.06	11	Pass
NVNT	ac80	5610	Ant1	-10.65	1.12	-9.53	11	Pass
NVNT	ac80	5610	Ant2	-13.32	1.12	-12.2	11	Pass
NVNT	ac80	5610	Sum	-8.77	1.12	-7.65	11	Pass
NVNT	ac16 0	5250	Ant1	-32	3.09	-28.91	17	Pass
NVNT	ac16 0	5570	Ant1	-31.97	3.09	-28.88	11	Pass
NVNT	ac16 0	5250	Ant2	-28.87	3.15	-25.72	17	Pass
NVNT	ac16 0	5570	Ant2	-32.96	3.13	-29.83	11	Pass
NVNT	ac16 0	5250	Ant1	-20.9	1.69	-19.21	17	Pass
NVNT	ac16 0	5250	Ant2	-22.71	1.69	-21.02	17	Pass
NVNT	ac16 0	5250	Sum	-18.7	1.69	-17.01	17	Pass
NVNT	ac16 0	5570	Ant1	-22.21	1.69	-20.52	11	Pass
NVNT	ac16 0	5570	Ant2	-21.16	1.69	-19.47	11	Pass
NVNT	ac16 0	5570	Sum	-18.64	1.69	-16.95	11	Pass



NVNT	ax20	5180	Ant1	-11.57	1.32	-10.25	17	Pass
NVNT	ax20	5200	Ant1	-13.41	1.32	-12.09	17	Pass
NVNT	ax20	5240	Ant1	-11.34	1.32	-10.02	17	Pass
NVNT	ax20	5260	Ant1	-12	1.32	-10.68	11	Pass
NVNT	ax20	5300	Ant1	-9.49	1.32	-8.17	11	Pass
NVNT	ax20	5320	Ant1	-11.6	1.32	-10.28	11	Pass
NVNT	ax20	5500	Ant1	-9.55	1.32	-8.23	11	Pass
NVNT	ax20	5580	Ant1	-12.75	1.32	-11.43	11	Pass
NVNT	ax20	5700	Ant1	-14.45	1.32	-13.13	11	Pass
NVNT	ax20	5180	Ant2	-12.55	1.32	-11.23	17	Pass
NVNT	ax20	5200	Ant2	-12.82	1.32	-11.5	17	Pass
NVNT	ax20	5240	Ant2	-12.7	1.32	-11.38	17	Pass
NVNT	ax20	5260	Ant2	-12.46	1.32	-11.14	11	Pass
NVNT	ax20	5300	Ant2	-12.39	1.32	-11.07	11	Pass
NVNT	ax20	5320	Ant2	-11.69	1.32	-10.37	11	Pass
NVNT	ax20	5500	Ant2	-12.28	1.32	-10.96	11	Pass
NVNT	ax20	5580	Ant2	-14.81	1.32	-13.49	11	Pass
NVNT	ax20	5700	Ant2	-12.73	1.32	-11.41	11	Pass
NVNT	ax20	5180	Ant1	-1.52	0.43	-1.09	17	Pass
NVNT	ax20	5180	Ant2	-0.39	0.43	0.04	17	Pass
NVNT	ax20	5180	Sum	2.09	0.43	2.52	17	Pass
NVNT	ax20	5200	Ant1	0.56	0.43	0.99	17	Pass
NVNT	ax20	5200	Ant2	-1.18	0.43	-0.75	17	Pass
NVNT	ax20	5200	Sum	2.79	0.43	3.22	17	Pass
NVNT	ax20	5240	Ant1	0.93	0.43	1.36	17	Pass
NVNT	ax20	5240	Ant2	-1.28	0.43	-0.85	17	Pass
NVNT	ax20	5240	Sum	2.97	0.43	3.4	17	Pass
NVNT	ax20	5260	Ant1	-1.77	0.43	-1.34	11	Pass
NVNT	ax20	5260	Ant2	-0.54	0.43	-0.11	11	Pass
NVNT	ax20	5260	Sum	1.9	0.43	2.33	11	Pass
NVNT	ax20	5300	Ant1	-0.36	0.43	0.07	11	Pass
NVNT	ax20	5300	Ant2	-0.85	0.43	-0.42	11	Pass
NVNT	ax20	5300	Sum	2.41	0.43	2.84	11	Pass
NVNT	ax20	5320	Ant1	-1.25	0.43	-0.82	11	Pass
NVNT	ax20	5320	Ant2	-1.32	0.43	-0.89	11	Pass
NVNT	ax20	5320	Sum	1.73	0.43	2.16	11	Pass
NVNT	ax20	5500	Ant1	-1.62	0.43	-1.19	11	Pass
NVNT	ax20	5500	Ant2	-2.75	0.43	-2.32	11	Pass
NVNT	ax20	5500	Sum	0.86	0.43	1.29	11	Pass
NVNT	ax20	5580	Ant1	-2.52	0.43	-2.09	11	Pass
NVNT	ax20	5580	Ant2	-1.68	0.43	-1.25	11	Pass
NVNT	ax20	5580	Sum	0.93	0.43	1.36	11	Pass
NVNT	ax20	5700	Ant1	-3.01	0.43	-2.58	11	Pass
NVNT	ax20	5700	Ant2	-1.4	0.43	-0.97	11	Pass
NVNT	ax20	5700	Sum	0.88	0.43	1.31	11	Pass
NVNT	ax40	5190	Ant1	-17.81	1.8	-16.01	17	Pass
NVNT	ax40	5230	Ant1	-16.5	1.82	-14.68	17	Pass
NVNT	ax40	5270	Ant1	-17.93	1.8	-16.13	11	Pass
NVNT	ax40	5310	Ant1	-20.47	1.81	-18.66	11	Pass
NVNT	ax40	5510	Ant1	-20.43	1.82	-18.61	11	Pass
NVNT	ax40	5550	Ant1	-17.33	1.82	-15.51	11	Pass
NVNT	ax40	5670	Ant1	-20.58	1.8	-18.78	11	Pass
NVNT	ax40	5190	Ant2	-18.36	1.82	-16.54	17	Pass
NVNT	ax40	5230	Ant2	-17.38	1.82	-15.56	17	Pass
NVNT	ax40	5270	Ant2	-19.17	1.82	-17.35	11	Pass
NVNT	ax40	5310	Ant2	-20.81	1.82	-18.99	11	Pass



NVNT	ax40	5510	Ant2	-17.93	1.82	-16.11	11	Pass
NVNT	ax40	5550	Ant2	-19.81	1.82	-17.99	11	Pass
NVNT	ax40	5670	Ant2	-17.79	1.82	-15.97	11	Pass
NVNT	ax40	5190	Ant1	-5.61	0.73	-4.88	17	Pass
NVNT	ax40	5190	Ant2	-6.02	0.73	-5.29	17	Pass
NVNT	ax40	5190	Sum	-2.8	0.73	-2.07	17	Pass
NVNT	ax40	5230	Ant1	-4.03	0.74	-3.29	17	Pass
NVNT	ax40	5230	Ant2	-5.45	0.74	-4.71	17	Pass
NVNT	ax40	5230	Sum	-1.67	0.74	-0.93	17	Pass
NVNT	ax40	5270	Ant1	-6.19	0.73	-5.46	11	Pass
NVNT	ax40	5270	Ant2	-5.61	0.73	-4.88	11	Pass
NVNT	ax40	5270	Sum	-2.88	0.73	-2.15	11	Pass
NVNT	ax40	5310	Ant1	-6.38	0.73	-5.65	11	Pass
NVNT	ax40	5310	Ant2	-7.63	0.73	-6.9	11	Pass
NVNT	ax40	5310	Sum	-3.95	0.73	-3.22	11	Pass
NVNT	ax40	5510	Ant1	-7	0.73	-6.27	11	Pass
NVNT	ax40	5510	Ant2	-7.85	0.73	-7.12	11	Pass
NVNT	ax40	5510	Sum	-4.39	0.73	-3.66	11	Pass
NVNT	ax40	5550	Ant1	-6.83	0.73	-6.1	11	Pass
NVNT	ax40	5550	Ant2	-8.32	0.73	-7.59	11	Pass
NVNT	ax40	5550	Sum	-4.5	0.73	-3.77	11	Pass
NVNT	ax40	5670	Ant1	-5.97	0.73	-5.24	11	Pass
NVNT	ax40	5670	Ant2	-6.56	0.73	-5.83	11	Pass
NVNT	ax40	5670	Sum	-3.24	0.73	-2.51	11	Pass
NVNT	ax80	5210	Ant1	-22.44	2.21	-20.23	17	Pass
NVNT	ax80	5290	Ant1	-23.67	2.18	-21.49	11	Pass
NVNT	ax80	5530	Ant1	-21.66	2.19	-19.47	11	Pass
NVNT	ax80	5610	Ant1	-24.11	2.19	-21.92	11	Pass
NVNT	ax80	5210	Ant2	-24.48	2.18	-22.3	17	Pass
NVNT	ax80	5290	Ant2	-24.39	2.18	-22.21	11	Pass
NVNT	ax80	5530	Ant2	-24.12	2.19	-21.93	11	Pass
NVNT	ax80	5610	Ant2	-24.16	2.19	-21.97	11	Pass
NVNT	ax80	5210	Ant1	-12.6	1.2	-11.4	17	Pass
NVNT	ax80	5210	Ant2	-13.26	1.2	-12.06	17	Pass
NVNT	ax80	5210	Sum	-9.91	1.2	-8.71	17	Pass
NVNT	ax80	5290	Ant1	-13.11	1.19	-11.92	11	Pass
NVNT	ax80	5290	Ant2	-14.51	1.19	-13.32	11	Pass
NVNT	ax80	5290	Sum	-10.74	1.19	-9.55	11	Pass
NVNT	ax80	5530	Ant1	-12.24	1.19	-11.05	11	Pass
NVNT	ax80	5530	Ant2	-11.8	1.19	-10.61	11	Pass
NVNT	ax80	5530	Sum	-9	1.19	-7.81	11	Pass
NVNT	ax80	5610	Ant1	-13.57	1.19	-12.38	11	Pass
NVNT	ax80	5610	Ant2	-13.26	1.19	-12.07	11	Pass
NVNT	ax80	5610	Sum	-10.4	1.19	-9.21	11	Pass
NVNT	ax16 0	5250	Ant1	-29.08	2.54	-26.54	17	Pass
NVNT	ax16 0	5570	Ant1	-26.19	2.53	-23.66	11	Pass
NVNT	ax16 0	5250	Ant2	-28.28	2.54	-25.74	17	Pass
NVNT	ax16 0	5570	Ant2	-28.37	2.54	-25.83	11	Pass
NVNT	ax16 0	5250	Ant1	-18.6	1.69	-16.91	17	Pass
NVNT	ax16 0	5250	Ant2	-19.43	1.69	-17.74	17	Pass



NVNT	ax16 0	5250	Sum	-15.98	1.69	-14.29	17	Pass
NVNT	ax16 0	5570	Ant1	-19.59	1.69	-17.9	11	Pass
NVNT	ax16 0	5570	Ant2	-20.57	1.69	-18.88	11	Pass
NVNT	ax16 0	5570	Sum	-17.04	1.69	-15.35	11	Pass
Condi tion	Mod e	Frequen cy (MHz)	Anten na	Conducted PSD (dBm/500k Hz)	Duty Fact or (dB)	Total PSD (dBm/500k Hz)	Limit (dBm/500k Hz)	Verdi ct
NVNT	a	5745	Ant1	-9.19	1.19	-8	30	Pass
NVNT	a	5785	Ant1	-9.73	1.19	-8.54	30	Pass
NVNT	a	5825	Ant1	-9.82	1.19	-8.63	30	Pass
NVNT	a	5745	Ant2	-9.19	1.19	-8	30	Pass
NVNT	a	5785	Ant2	-8.45	1.19	-7.26	30	Pass
NVNT	a	5825	Ant2	-6.65	1.19	-5.46	30	Pass
NVNT	n20	5745	Ant1	-11.36	1.27	-10.09	30	Pass
NVNT	n20	5785	Ant1	-10.59	1.27	-9.32	30	Pass
NVNT	n20	5825	Ant1	-13.04	1.27	-11.77	30	Pass
NVNT	n20	5745	Ant2	-9.31	1.27	-8.04	30	Pass
NVNT	n20	5785	Ant2	-11.92	1.27	-10.65	30	Pass
NVNT	n20	5825	Ant2	-9.99	1.27	-8.72	30	Pass
NVNT	n20	5745	Ant1	-4.58	0.35	-4.23	30	Pass
NVNT	n20	5745	Ant2	-3.25	0.35	-2.9	30	Pass
NVNT	n20	5745	Sum	-0.85	0.35	-0.5	30	Pass
NVNT	n20	5785	Ant1	-3.17	0.35	-2.82	30	Pass
NVNT	n20	5785	Ant2	-2.53	0.35	-2.18	30	Pass
NVNT	n20	5785	Sum	0.17	0.35	0.52	30	Pass
NVNT	n20	5825	Ant1	-4.91	0.35	-4.56	30	Pass
NVNT	n20	5825	Ant2	-2.16	0.35	-1.81	30	Pass
NVNT	n20	5825	Sum	-0.31	0.35	0.04	30	Pass
NVNT	n40	5755	Ant1	-21.31	1.89	-19.42	30	Pass
NVNT	n40	5795	Ant1	-19.53	1.89	-17.64	30	Pass
NVNT	n40	5755	Ant2	-19.21	1.89	-17.32	30	Pass
NVNT	n40	5795	Ant2	-16.89	1.89	-15	30	Pass
NVNT	n40	5755	Ant1	-8.49	0.64	-7.85	30	Pass
NVNT	n40	5755	Ant2	-8.6	0.64	-7.96	30	Pass
NVNT	n40	5755	Sum	-5.53	0.64	-4.89	30	Pass
NVNT	n40	5795	Ant1	-7.9	0.64	-7.26	30	Pass
NVNT	n40	5795	Ant2	-5.78	0.64	-5.14	30	Pass
NVNT	n40	5795	Sum	-3.7	0.64	-3.06	30	Pass
NVNT	ac20	5745	Ant1	-11.55	1.23	-10.32	30	Pass
NVNT	ac20	5785	Ant1	-12.02	1.22	-10.8	30	Pass
NVNT	ac20	5825	Ant1	-11.88	1.22	-10.66	30	Pass
NVNT	ac20	5745	Ant2	-10.63	1.22	-9.41	30	Pass
NVNT	ac20	5785	Ant2	-12.17	1.22	-10.95	30	Pass
NVNT	ac20	5825	Ant2	-12.31	1.22	-11.09	30	Pass
NVNT	ac20	5745	Ant1	-3.96	0.34	-3.62	30	Pass
NVNT	ac20	5745	Ant2	-2.06	0.34	-1.72	30	Pass
NVNT	ac20	5745	Sum	0.1	0.34	0.44	30	Pass
NVNT	ac20	5785	Ant1	-5.46	0.34	-5.12	30	Pass
NVNT	ac20	5785	Ant2	-2.84	0.34	-2.5	30	Pass
NVNT	ac20	5785	Sum	-0.95	0.34	-0.61	30	Pass
NVNT	ac20	5825	Ant1	-3.03	0.34	-2.69	30	Pass



NVNT	ac20	5825	Ant2	-2.69	0.34	-2.35	30	Pass
NVNT	ac20	5825	Sum	0.15	0.34	0.49	30	Pass
NVNT	ac40	5755	Ant1	-16.88	1.78	-15.1	30	Pass
NVNT	ac40	5795	Ant1	-19.37	1.78	-17.59	30	Pass
NVNT	ac40	5755	Ant2	-19.81	1.79	-18.02	30	Pass
NVNT	ac40	5795	Ant2	-19.45	1.78	-17.67	30	Pass
NVNT	ac40	5755	Ant1	-8.57	0.63	-7.94	30	Pass
NVNT	ac40	5755	Ant2	-8.54	0.63	-7.91	30	Pass
NVNT	ac40	5755	Sum	-5.54	0.63	-4.91	30	Pass
NVNT	ac40	5795	Ant1	-10.26	0.63	-9.63	30	Pass
NVNT	ac40	5795	Ant2	-8.74	0.63	-8.11	30	Pass
NVNT	ac40	5795	Sum	-6.42	0.63	-5.79	30	Pass
NVNT	ac80	5775	Ant1	-26.38	2.46	-23.92	30	Pass
NVNT	ac80	5775	Ant2	-26.84	2.44	-24.4	30	Pass
NVNT	ac80	5775	Ant1	-18.02	1.12	-16.9	30	Pass
NVNT	ac80	5775	Ant2	-14.56	1.12	-13.44	30	Pass
NVNT	ac80	5775	Sum	-12.94	1.12	-11.82	30	Pass
NVNT	ax20	5745	Ant1	-15.9	1.32	-14.58	30	Pass
NVNT	ax20	5785	Ant1	-15.17	1.32	-13.85	30	Pass
NVNT	ax20	5825	Ant1	-14.26	1.32	-12.94	30	Pass
NVNT	ax20	5745	Ant2	-16.16	1.32	-14.84	30	Pass
NVNT	ax20	5785	Ant2	-13.49	1.32	-12.17	30	Pass
NVNT	ax20	5825	Ant2	-14.58	1.32	-13.26	30	Pass
NVNT	ax20	5745	Ant1	-5.08	0.43	-4.65	30	Pass
NVNT	ax20	5745	Ant2	-4.76	0.43	-4.33	30	Pass
NVNT	ax20	5745	Sum	-1.91	0.43	-1.48	30	Pass
NVNT	ax20	5785	Ant1	-4.73	0.43	-4.3	30	Pass
NVNT	ax20	5785	Ant2	-3.23	0.43	-2.8	30	Pass
NVNT	ax20	5785	Sum	-0.91	0.43	-0.48	30	Pass
NVNT	ax20	5825	Ant1	-4.53	0.43	-4.1	30	Pass
NVNT	ax20	5825	Ant2	-3.25	0.43	-2.82	30	Pass
NVNT	ax20	5825	Sum	-0.83	0.43	-0.4	30	Pass
NVNT	ax40	5755	Ant1	-22.1	1.81	-20.29	30	Pass
NVNT	ax40	5795	Ant1	-23.26	1.82	-21.44	30	Pass
NVNT	ax40	5755	Ant2	-20.62	1.82	-18.8	30	Pass
NVNT	ax40	5795	Ant2	-21.17	1.82	-19.35	30	Pass
NVNT	ax40	5755	Ant1	-10.71	0.73	-9.98	30	Pass
NVNT	ax40	5755	Ant2	-9.27	0.73	-8.54	30	Pass
NVNT	ax40	5755	Sum	-6.92	0.73	-6.19	30	Pass
NVNT	ax40	5795	Ant1	-9.25	0.73	-8.52	30	Pass
NVNT	ax40	5795	Ant2	-9.04	0.73	-8.31	30	Pass
NVNT	ax40	5795	Sum	-6.13	0.73	-5.4	30	Pass
NVNT	ax80	5775	Ant1	-28.07	2.18	-25.89	30	Pass
NVNT	ax80	5775	Ant2	-27.49	2.19	-25.3	30	Pass
NVNT	ax80	5775	Ant1	-17.88	1.19	-16.69	30	Pass
NVNT	ax80	5775	Ant2	-15.42	1.19	-14.23	30	Pass
NVNT	ax80	5775	Sum	-13.47	1.19	-12.28	30	Pass

