
























































For Occupied Bandwidth Part:

Test Mode	Test Channel	Verdict
11a	5180	PASS
		

Test Mode	Test Channel	Verdict
11a	5200	PASS
		

Test Mode	Test Channel	Verdict
11a	5240	PASS
		

Test Mode	Test Channel	Verdict
11a	5260	PASS
		

Test Mode	Test Channel	Verdict
11a	5280	PASS
Spectrum Analyzer 1 Occupied BW KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.280000000 GHz Avg/Hold: 100/100 Radio Std: None 1 Graph Scale/Div: 10.0 dB Log Ref Lvl Offset: 10.19 dB Ref Value: 20.00 dBm Mkr1: 5.2848 GHz 4.37 dBm Center: 5.28 GHz #Res BW: 430.00 kHz #Video BW: 1.3000 MHz Sweep Time: 1.33 ms (10001 pts) Span: 40 MHz 2 Metrics Occupied Bandwidth 17.074 MHz Total Power 17.8 dBm Transmit Freq Error -21.582 kHz % of OBW Power 99.00 % x dB Bandwidth 27.52 MHz x dB -26.00 dB Frequency Settings Center Frequency 5.280000000 GHz Span 40.000 MHz CF Step 4.0000000 MHz Auto Man Freq Offset 0 Hz Nov 17, 2024 3:46:30 PM		

Test Mode	Test Channel	Verdict
11a	5320	PASS
Spectrum Analyzer 1 Occupied BW KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.32000000 GHz Avg/Hold: 100/100 Radio Std: None 1 Graph Scale/Div: 10.0 dB Log Ref Lvl Offset: 10.19 dB Ref Value: 20.00 dBm Mkr1: 5.3154 GHz 5.14 dBm Center: 5.32 GHz #Res BW: 430.00 kHz #Video BW: 1.3000 MHz Sweep Time: 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth 17.163 MHz Transmit Freq Error -3.527 kHz x dB Bandwidth 27.95 MHz Total Power 18.3 dBm % of OBW Power 99.00 % x dB -26.00 dB Frequency Settings Center Frequency 5.320000000 GHz Span 40.000 MHz CF Step 4.0000000 MHz Auto Man Freq Offset 0 Hz Nov 17, 2024 3:55:57 PM		

Test Mode	Test Channel	Verdict
11a	5500	PASS
Spectrum Analyzer 1 Occupied BW KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.500000000 GHz Avg/Hold: 100/100 Radio Std: None 1 Graph Scale/Div: 10.0 dB Log Ref Lvl Offset: 10.64 dB Ref Value: 20.00 dBm Mkr1: 5.4959 GHz 4.19 dBm Center 5.5 GHz #Res BW 430.00 kHz #Video BW 1.3000 MHz Span 40 MHz Sweep Time 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth 17.027 MHz Transmit Freq Error -15.429 kHz x dB Bandwidth 21.35 MHz Total Power 16.6 dBm % of OBW Power 99.00 % x dB -26.00 dB Frequency Settings Center Frequency 5.500000000 GHz Span 40.000 MHz CF Step 4.0000000 MHz Auto Man Freq Offset 0 Hz Nov 17, 2024 4:18:14 PM		

Test Mode	Test Channel	Verdict
11a	5580	PASS

Spectrum Analyzer 1
Occupied BW

KEYSIGHT

Input: RF
Coupling: DC
Align: Auto

Input Z: 50 Ω
Corrections: Off
Freq Ref: Int (S)

Atten: 30 dB
Preamp: Off

Trig: Free Run
Gate: Off
#IF Gain: Low

Center Freq: 5.580000000 GHz
Avg/Hold: 100/100
Radio Std: None

1 Graph

Scale/Div 10.0 dB

Log

Ref Lvl Offset 10.64 dB
Ref Value 20.00 dBm

Mkr1 5.5734 GHz
5.04 dBm

Center 5.58 GHz
#Res BW 430.00 kHz

#Video BW 1.3000 MHz

Sweep Time 1.33 ms (10001 pts)

Span 40 MHz

2 Metrics

Occupied Bandwidth
17.102 MHz

Total Power
16.9 dBm

Transmit Freq Error
-11.735 kHz

% of OBIW Power
99.00 %

x dB Bandwidth
23.56 MHz

x dB
-26.00 dB

Frequency

Settings

Center Frequency
5.580000000 GHz


Span
40.000 MHz


CF Step
4.0000000 MHz


Auto
Man


Freq Offset
0 Hz


Nov 17, 2024
4:10:42 PM


Test Mode	Test Channel	Verdict
11a	5700	PASS
 Spectrum Analyzer 1 KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Center Freq: 5.70000000 GHz R/L → Coupling: DC Corrections: Off Preamp: Off Gate: Off Avg/Hold: 100/100 Align: Auto Freq Ref: Int (S) #IF Gain: Low Radio Std: None 1 Graph Scale/Div: 10.0 dB Log Ref Lvl Offset: 10.53 dB Ref Value: 20.00 dBm Mkr1: 5.7041 GHz 4.00 dBm Center: 5.7 GHz #Video BW: 1.3000 MHz Span: 40 MHz #Res BW: 430.00 kHz Sweep Time: 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth: 17.077 MHz Total Power: 16.7 dBm Transmit Freq Error: -17.231 kHz % of OBIW Power: 99.00 % x dB Bandwidth: 28.96 MHz x dB: -26.00 dB Nov 17, 2024 4:20:16 PM		



Test Mode	Test Channel	Verdict
11a	5720	PASS
 Spectrum Analyzer 1 KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Center Freq: 5.72000000 GHz R/L → Coupling: DC Corrections: Off Preamp: Off Gate: Off Avg/Hold: 100/100 Align: Auto Freq Ref: Int (S) #IF Gain: Low Radio Std: None 1 Graph Scale/Div: 10.0 dB Log Ref Lvl Offset: 10.27 dB Ref Value: 20.00 dBm Mkr1: 5.7127 GHz 3.24 dBm Center: 5.72 GHz #Video BW: 1.3000 MHz Span: 40 MHz #Res BW: 430.00 kHz Sweep Time: 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth: 17.098 MHz Total Power: 16.0 dBm Transmit Freq Error: -762 Hz % of OBIW Power: 99.00 % x dB Bandwidth: 24.47 MHz x dB: -26.00 dB Nov 17, 2024 4:24:29 PM		

Test Mode	Test Channel	Verdict
11a	5745	PASS
 Spectrum Analyzer 1 KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Center Freq: 5.74500000 GHz R/L → Coupling: DC Corrections: Off Preamp: Off Gate: Off Avg/Hold: 100/100 Align: Auto Freq Ref: Int (S) #IF Gain: Low Radio Std: None 1 Graph Ref Lvl Offset 10.27 dB Mkr1 5.7493 GHz 2.77 dBm Scale/Div 10.0 dB Ref Value 20.00 dBm Center 5.745 GHz #Video BW 1.3000 MHz Span 40 MHz #Res BW 430.00 kHz Sweep Time 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth: 17.041 MHz Total Power: 15.7 dBm Transmit Freq Error: 22.734 kHz % of OBIW Power: 99.00 % x dB Bandwidth: 26.20 MHz x dB: -26.00 dB		


Test Mode	Test Channel	Verdict
11a	5785	PASS
 Spectrum Analyzer 1 KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Center Freq: 5.78500000 GHz R/L → Coupling: DC Corrections: Off Preamp: Off Gate: Off Avg/Hold: 100/100 Align: Auto Freq Ref: Int (S) #IF Gain: Low Radio Std: None 1 Graph Ref Lvl Offset 10.27 dB Mkr1 5.7842 GHz 3.45 dBm Scale/Div 10.0 dB Ref Value 20.00 dBm Center 5.785 GHz #Video BW 1.3000 MHz Span 40 MHz #Res BW 430.00 kHz Sweep Time 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth: 17.089 MHz Total Power: 16.7 dBm Transmit Freq Error: 26.688 kHz % of OBIW Power: 99.00 % x dB Bandwidth: 26.11 MHz x dB: -26.00 dB		

Test Mode	Test Channel	Verdict
11a	5825	PASS
 Spectrum Analyzer 1 KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Center Freq: 5.82500000 GHz R/L → Coupling: DC Corrections: Off Preamp: Off Gate: Off Avg/Hold: 100/100 Radio Std: None Align: Auto Freq Ref: Int (S) #IF Gain: Low 1 Graph Scale/Div: 10.0 dB Log Ref Lvl Offset: 10.36 dB Ref Value: 20.00 dBm Mkr1: 5.8206 GHz 3.30 dBm Center: 5.825 GHz #Video BW: 1.3000 MHz Span: 40 MHz #Res BW: 430.00 kHz Sweep Time: 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth: 17.111 MHz Total Power: 16.6 dBm Transmit Freq Error: -15.978 kHz % of OBIW Power: 99.00 % x dB Bandwidth: 29.53 MHz x dB: -26.00 dB Nov 17, 2024 4:40:45 PM		

Test Mode	Test Channel	Verdict
11ac VHT20	5180	PASS
 Spectrum Analyzer 1 KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Center Freq: 5.18000000 GHz R/L → Coupling: DC Corrections: Off Preamp: Off Gate: Off Avg/Hold: 100/100 Radio Std: None Align: Auto Freq Ref: Int (S) #IF Gain: Low 1 Graph Scale/Div: 10.0 dB Log Ref Lvl Offset: 10.42 dB Ref Value: 20.00 dBm Mkr1: 5.1734 GHz 5.18 dBm Center: 5.18 GHz #Video BW: 1.3000 MHz Span: 40 MHz #Res BW: 430.00 kHz Sweep Time: 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth: 18.030 MHz Total Power: 18.2 dBm Transmit Freq Error: 5.576 kHz % of OBIW Power: 99.00 % x dB Bandwidth: 27.08 MHz x dB: -26.00 dB Nov 17, 2024 4:43:21 PM		



Test Mode	Test Channel	Verdict
11ac VHT20	5260	PASS



Spectrum Analyzer 1
Occupied BW

KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Center Freq: 5.26000000 GHz
 R/L → Coupling: DC Corrections: Off Freq Ref: Int (S) Preamp: Off Gate: Off Avg/Hold: 100/100
 Align: Auto #IF Gain: Low Radio Std: None

1 Graph Ref Lvl Offset 10.12 dB Mkr1 5.2561 GHz
 Scale/Div 10.0 dB Ref Value 20.00 dBm 4.74 dBm

Log 10.0
 -10.0
 -20.0
 -30.0
 -40.0
 -50.0
 -60.0
 -70.0


Center 5.26 GHz #Video BW 1.3000 MHz Span 40 MHz
 #Res BW 430.00 kHz Sweep Time 1.33 ms (10001 pts)

2 Metrics

Occupied Bandwidth	18.023 MHz	Total Power	18.1 dBm
Transmit Freq Error	23.954 kHz	% of OBIW Power	99.00 %
x dB Bandwidth	31.20 MHz	x dB	-26.00 dB

Nov 17, 2024 4:51:05 PM

Test Mode	Test Channel	Verdict
11ac VHT20	5280	PASS



Spectrum Analyzer 1
Occupied BW

KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Center Freq: 5.28000000 GHz
 R/L → Coupling: DC Corrections: Off Freq Ref: Int (S) Preamp: Off Gate: Off Avg/Hold: 100/100
 Align: Auto #IF Gain: Low Radio Std: None

1 Graph Ref Lvl Offset 10.19 dB Mkr1 5.2794 GHz
 Scale/Div 10.0 dB Ref Value 20.00 dBm 4.61 dBm

Log 10.0
 -10.0
 -20.0
 -30.0
 -40.0
 -50.0
 -60.0
 -70.0

Center 5.28 GHz #Video BW 1.3000 MHz Span 40 MHz
 #Res BW 430.00 kHz Sweep Time 1.33 ms (10001 pts)

2 Metrics

Occupied Bandwidth	18.024 MHz	Total Power	17.9 dBm
Transmit Freq Error	-11.975 kHz	% of OBIW Power	99.00 %
x dB Bandwidth	26.76 MHz	x dB	-26.00 dB

Nov 17, 2024 4:53:28 PM

Test Mode	Test Channel	Verdict
11ac VHT20	5320	PASS
Spectrum Analyzer 1 Occupied BW KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.320000000 GHz Avg/Hold: 100/100 Radio Std: None 1 Graph Scale/Div: 10.0 dB Log Ref Lvl Offset: 10.19 dB Ref Value: 20.00 dBm Mkr1: 5.3140 GHz 5.73 dBm Center: 5.32 GHz #Res BW: 430.00 kHz #Video BW: 1.3000 MHz Span: 40 MHz Sweep Time: 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth 18.030 MHz Total Power 18.3 dBm Transmit Freq Error 6.501 kHz % of OBW Power 99.00 % x dB Bandwidth 27.92 MHz x dB -26.00 dB Frequency Settings Center Frequency 5.320000000 GHz Span 40.000 MHz CF Step 4.0000000 MHz Auto Man Freq Offset 0 Hz Nov 17, 2024 4:56:25 PM		

Test Mode	Test Channel	Verdict
11ac VHT20	5500	PASS

Spectrum Analyzer 1
Occupied BW

KEYSIGHT

Input: RF
Coupling: DC
Align: Auto

Input Z: 50 Ω
Corrections: Off
Freq Ref: Int (S)

Atten: 30 dB
Preamp: Off

Trig: Free Run
Gate: Off
#F Gain: Low

Center Freq: 5.500000000 GHz
Avg/Hold: 100/100
Radio Std: None

1 Graph

Scale/Div 10.0 dB

Log

Ref Lvl Offset 10.64 dB
Ref Value 20.00 dBm

Mkr1 5.4921 GHz
3.39 dBm

Center 5.5 GHz
#Res BW 430.00 kHz

#Video BW 1.3000 MHz

Sweep Time 1.33 ms (10001 pts)

Span 40 MHz

2 Metrics

Occupied Bandwidth
17.994 MHz

Total Power
16.6 dBm

Transmit Freq Error
-11.112 kHz

% of OBIW Power
99.00 %

x dB Bandwidth
26.54 MHz

x dB
-26.00 dB

Frequency

Settings

Center Frequency
5.500000000 GHz

Span
40.000 MHz

CF Step
4.0000000 MHz

Auto
Man


Freq Offset
0 Hz

Nov 17, 2024
4:59:09 PM

Test Mode	Test Channel	Verdict
11ac VHT20	5580	PASS
Spectrum Analyzer 1 Occupied BW KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.580000000 GHz Avg/Hold: 100/100 Radio Std: None 1 Graph Scale/Div: 10.0 dB Log Ref Lvl Offset: 10.64 dB Ref Value: 20.00 dBm Mkr1: 5.5757 GHz 3.78 dBm Center: 5.58 GHz #Res BW: 430.00 kHz #Video BW: 1.3000 MHz Sweep Time: 1.33 ms (10001 pts) Span: 40 MHz 2 Metrics Occupied Bandwidth 18.006 MHz Total Power 17.0 dBm Transmit Freq Error -21.488 kHz % of OBIW Power 99.00 % x dB Bandwidth 32.11 MHz x dB -26.00 dB Frequency Settings Center Frequency 5.580000000 GHz Span 40.000 MHz CF Step 4.0000000 MHz Auto Man Freq Offset 0 Hz Nov 17, 2024 5:01:21 PM		

Test Mode	Test Channel	Verdict
11ac VHT20	5700	PASS
Spectrum Analyzer 1 Occupied BW KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #IF Gain: Low Center Freq: 5.700000000 GHz Avg/Hold: 100/100 Radio Std: None 1 Graph Scale/Div: 10.0 dB Log Ref Lvl Offset: 10.53 dB Ref Value: 20.00 dBm Mkr1: 5.6952 GHz 3.94 dBm Center: 5.7 GHz #Res BW: 430.00 kHz #Video BW: 1.3000 MHz Span: 40 MHz Sweep Time: 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth 18.004 MHz Total Power 16.7 dBm Transmit Freq Error -10.548 kHz % of OBIW Power 99.00 % x dB Bandwidth 27.79 MHz x dB -26.00 dB Frequency Settings Center Frequency 5.700000000 GHz Span 40.000 MHz CF Step 4.0000000 MHz Auto Man Freq Offset 0 Hz Nov 17, 2024 5:03:51 PM		

Test Mode	Test Channel	Verdict
11ac VHT20	5720	PASS



Spectrum Analyzer 1
Occupied BW

KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Center Freq: 5.72000000 GHz
 R/L → Coupling: DC Corrections: Off Preamp: Off Gate: Off Avg/Hold: 100/100
 Align: Auto Freq Ref: Int (S) #IF Gain: Low Radio Std: None

1 Graph Scale/Div: 10.0 dB Log Ref Lvl Offset: 10.27 dB Mkr1: 5.7158 GHz 2.62 dBm
 Ref Value: 20.00 dBm


Center: 5.72 GHz #Video BW: 1.3000 MHz Span: 40 MHz
 #Res BW: 430.00 kHz Sweep Time: 1.33 ms (10001 pts)

2 Metrics

Occupied Bandwidth	18.027 MHz	Total Power	16.0 dBm
Transmit Freq Error	-6.352 kHz	% of OBIW Power	99.00 %
x dB Bandwidth	32.96 MHz	x dB	-26.00 dB

Nov 17, 2024 5:07:15 PM

Test Mode	Test Channel	Verdict
11ac VHT20	5745	PASS



Spectrum Analyzer 1
Occupied BW

KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Center Freq: 5.74500000 GHz
 R/L → Coupling: DC Corrections: Off Preamp: Off Gate: Off Avg/Hold: 100/100
 Align: Auto Freq Ref: Int (S) #IF Gain: Low Radio Std: None

1 Graph Scale/Div: 10.0 dB Log Ref Lvl Offset: 10.27 dB Mkr1: 5.7402 GHz 2.84 dBm
 Ref Value: 20.00 dBm

Center: 5.745 GHz #Video BW: 1.3000 MHz Span: 40 MHz
 #Res BW: 430.00 kHz Sweep Time: 1.33 ms (10001 pts)

2 Metrics

Occupied Bandwidth	17.940 MHz	Total Power	15.7 dBm
Transmit Freq Error	13.064 kHz	% of OBIW Power	99.00 %
x dB Bandwidth	26.12 MHz	x dB	-26.00 dB

Nov 17, 2024 5:10:55 PM

Test Mode	Test Channel	Verdict
11ac VHT20	5785	PASS
Spectrum Analyzer 1 Occupied BW KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #F Gain: Low Center Freq: 5.785000000 GHz Avg/Hold: 100/100 Radio Std: None 1 Graph Scale/Div: 10.0 dB Log Ref Lvl Offset: 10.27 dB Ref Value: 20.00 dBm Mkr1: 5.7866 GHz 3.64 dBm Center: 5.785 GHz #Res BW: 430.00 kHz #Video BW: 1.3000 MHz Span: 40 MHz Sweep Time: 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth 17.988 MHz Total Power 16.8 dBm Transmit Freq Error 17.628 kHz % of OBIW Power 99.00 % x dB Bandwidth 30.19 MHz x dB -26.00 dB Frequency Settings Center Frequency 5.785000000 GHz Span 40.000 MHz CF Step 4.0000000 MHz Auto Man Freq Offset 0 Hz Nov 17, 2024 5:13:38 PM		

Test Mode	Test Channel	Verdict
11ac VHT20	5825	PASS
Spectrum Analyzer 1 Occupied BW KEYSIGHT Input: RF Coupling: DC Align: Auto Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) Atten: 30 dB Preamp: Off Trig: Free Run Gate: Off #F Gain: Low Center Freq: 5.825000000 GHz Avg/Hold: 100/100 Radio Std: None 1 Graph Scale/Div 10.0 dB Log 10.0 0.0 -10.0 -20.0 -30.0 -40.0 -50.0 -60.0 -70.0 Center 5.825 GHz #Res BW 430.00 kHz #Video BW 1.3000 MHz Sweep Time 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth 18.057 MHz Transmit Freq Error 4.599 kHz x dB Bandwidth 29.26 MHz Total Power 16.7 dBm % of OBW Power 99.00 % x dB -26.00 dB Frequency Settings Center Frequency 5.825000000 GHz Span 40.000 MHz CF Step 4.0000000 MHz Auto Man Freq Offset 0 Hz Ref Lvl Offset 10.36 dB Ref Value 20.00 dBm Mkr1 5.8177 GHz 3.43 dBm Nov 17, 2024 5:16:26 PM Windows Taskbar Icons		