


| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5180    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1256.0840          | 46.82                   | -1.18                    | 45.64              | 74.00             | -28.36         | Vertical |
| 2   | 1395.4328          | 44.75                   | -0.99                    | 43.76              | 74.00             | -30.24         | Vertical |
| 3   | 1535.3928          | 53.34                   | -0.58                    | 52.76              | 74.00             | -21.24         | Vertical |
| 4   | 5056.3952          | 36.87                   | 16.21                    | 53.08              | 74.00             | -20.92         | Vertical |
| 5   | 5874.7639          | 36.01                   | 17.36                    | 53.37              | 74.00             | -20.63         | Vertical |
| 6   | 6302.5892          | 35.03                   | 18.70                    | 53.73              | 74.00             | -20.27         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5200    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1256.0840          | 47.12                   | -1.18                    | 45.94              | 74.00             | -28.06         | Horizontal |
| 2   | 1535.3928          | 53.20                   | -0.58                    | 52.62              | 74.00             | -21.38         | Horizontal |
| 3   | 4826.5918          | 37.76                   | 15.20                    | 52.96              | 74.00             | -21.04         | Horizontal |
| 4   | 5161.5179          | 35.80                   | 16.35                    | 52.15              | 74.00             | -21.85         | Horizontal |
| 5   | 5879.0421          | 36.04                   | 17.31                    | 53.35              | 74.00             | -20.65         | Horizontal |
| 6   | 6183.4093          | 35.05                   | 18.29                    | 53.34              | 74.00             | -20.66         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5200    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1185.7984          | 46.15                   | -2.08                    | 44.07              | 74.00             | -29.93         | Vertical |
| 2   | 1256.0840          | 46.19                   | -1.18                    | 45.01              | 74.00             | -28.99         | Vertical |
| 3   | 1535.3928          | 53.33                   | -0.58                    | 52.75              | 74.00             | -21.25         | Vertical |
| 4   | 4418.9354          | 37.38                   | 14.11                    | 51.49              | 74.00             | -22.51         | Vertical |
| 5   | 5061.2846          | 36.83                   | 16.29                    | 53.12              | 74.00             | -20.88         | Vertical |
| 6   | 6143.0715          | 35.45                   | 18.32                    | 53.77              | 74.00             | -20.23         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5240    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1255.4728          | 44.67                   | -1.16                    | 43.51              | 74.00             | -30.49         | Horizontal |
| 2   | 1535.3928          | 52.49                   | -0.58                    | 51.91              | 74.00             | -22.09         | Horizontal |
| 3   | 3071.2857          | 38.16                   | 9.13                     | 47.29              | 74.00             | -26.71         | Horizontal |
| 4   | 4391.4324          | 37.49                   | 14.21                    | 51.70              | 74.00             | -22.30         | Horizontal |
| 5   | 5116.2907          | 36.24                   | 16.55                    | 52.79              | 74.00             | -21.21         | Horizontal |
| 6   | 6222.5247          | 35.01                   | 18.54                    | 53.55              | 74.00             | -20.45         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5240    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1186.4096          | 44.82                   | -2.08                    | 42.74              | 74.00             | -31.26         | Vertical |
| 2   | 1255.4728          | 46.32                   | -1.16                    | 45.16              | 74.00             | -28.84         | Vertical |
| 3   | 1395.4328          | 45.78                   | -0.99                    | 44.79              | 74.00             | -29.21         | Vertical |
| 4   | 1535.3928          | 53.76                   | -0.58                    | 53.18              | 74.00             | -20.82         | Vertical |
| 5   | 5113.8460          | 36.55                   | 16.57                    | 53.12              | 74.00             | -20.88         | Vertical |
| 6   | 6128.4032          | 35.45                   | 18.47                    | 53.92              | 74.00             | -20.08         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5260    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1256.0840          | 45.50                   | -1.18                    | 44.32              | 74.00             | -29.68         | Horizontal |
| 2   | 1535.3928          | 52.63                   | -0.58                    | 52.05              | 74.00             | -21.95         | Horizontal |
| 3   | 4189.7433          | 37.25                   | 13.57                    | 50.82              | 74.00             | -23.18         | Horizontal |
| 4   | 5112.0124          | 36.15                   | 16.58                    | 52.73              | 74.00             | -21.27         | Horizontal |
| 5   | 5666.3518          | 36.53                   | 16.52                    | 53.05              | 74.00             | -20.95         | Horizontal |
| 6   | 6218.2465          | 34.96                   | 18.52                    | 53.48              | 74.00             | -20.52         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5260    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1186.4096          | 44.94                   | -2.08                    | 42.86              | 74.00             | -31.14         | Vertical |
| 2   | 1256.0840          | 47.78                   | -1.18                    | 46.60              | 74.00             | -27.40         | Vertical |
| 3   | 1535.3928          | 53.66                   | -0.58                    | 53.08              | 74.00             | -20.92         | Vertical |
| 4   | 4430.5478          | 37.05                   | 14.20                    | 51.25              | 74.00             | -22.75         | Vertical |
| 5   | 5078.3976          | 36.48                   | 16.33                    | 52.81              | 74.00             | -21.19         | Vertical |
| 6   | 6232.3036          | 34.58                   | 18.69                    | 53.27              | 74.00             | -20.73         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5280    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1256.0840          | 47.00                   | -1.18                    | 45.82              | 74.00             | -28.18         | Horizontal |
| 2   | 1535.3928          | 52.71                   | -0.58                    | 52.13              | 74.00             | -21.87         | Horizontal |
| 3   | 3181.9091          | 37.70                   | 9.33                     | 47.03              | 74.00             | -26.97         | Horizontal |
| 4   | 5102.2336          | 36.55                   | 16.63                    | 53.18              | 74.00             | -20.82         | Horizontal |
| 5   | 5398.6554          | 36.03                   | 16.97                    | 53.00              | 74.00             | -21.00         | Horizontal |
| 6   | 6030.6145          | 35.49                   | 17.73                    | 53.22              | 74.00             | -20.78         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5280    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1186.4096          | 45.06                   | -2.08                    | 42.98              | 74.00             | -31.02         | Vertical |
| 2   | 1256.0840          | 47.59                   | -1.18                    | 46.41              | 74.00             | -27.59         | Vertical |
| 3   | 1395.4328          | 43.56                   | -0.99                    | 42.57              | 74.00             | -31.43         | Vertical |
| 4   | 1535.3928          | 53.05                   | -0.58                    | 52.47              | 74.00             | -21.53         | Vertical |
| 5   | 5066.7852          | 36.59                   | 16.41                    | 53.00              | 74.00             | -21.00         | Vertical |
| 6   | 6042.8381          | 35.88                   | 17.65                    | 53.53              | 74.00             | -20.47         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5320    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1256.0840          | 45.41                   | -1.18                    | 44.23              | 74.00             | -29.77         | Horizontal |
| 2   | 1535.3928          | 51.85                   | -0.58                    | 51.27              | 74.00             | -22.73         | Horizontal |
| 3   | 3071.2857          | 38.20                   | 9.13                     | 47.33              | 74.00             | -26.67         | Horizontal |
| 4   | 5075.9529          | 36.46                   | 16.37                    | 52.83              | 74.00             | -21.17         | Horizontal |
| 5   | 5554.5061          | 36.31                   | 16.93                    | 53.24              | 74.00             | -20.76         | Horizontal |
| 6   | 5883.3204          | 35.31                   | 17.56                    | 52.87              | 74.00             | -21.13         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5320    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading<br>Level<br>[dBuV] | Correct<br>Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|----------------------------|-----------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1186.4096          | 45.05                      | -2.08                       | 42.97              | 74.00             | -31.03         | Vertical |
| 2   | 1256.0840          | 48.81                      | -1.18                       | 47.63              | 74.00             | -26.37         | Vertical |
| 3   | 1535.3928          | 52.85                      | -0.58                       | 52.27              | 74.00             | -21.73         | Vertical |
| 4   | 5385.8206          | 36.75                      | 16.93                       | 53.68              | 74.00             | -20.32         | Vertical |
| 5   | 5859.4844          | 36.39                      | 17.16                       | 53.55              | 74.00             | -20.45         | Vertical |
| 6   | 6263.4737          | 34.40                      | 18.68                       | 53.08              | 74.00             | -20.92         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5500    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1256.0840          | 46.84                   | -1.49                    | 45.35              | 74.00             | -28.65         | Horizontal |
| 2   | 1535.3928          | 53.10                   | -0.72                    | 52.38              | 74.00             | -21.62         | Horizontal |
| 3   | 3978.8865          | 37.41                   | 13.05                    | 50.46              | 74.00             | -23.54         | Horizontal |
| 4   | 4463.5515          | 36.96                   | 14.77                    | 51.73              | 74.00             | -22.27         | Horizontal |
| 5   | 5336.3151          | 37.13                   | 16.16                    | 53.29              | 74.00             | -20.71         | Horizontal |
| 6   | 6166.9074          | 35.69                   | 18.29                    | 53.98              | 74.00             | -20.02         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5500    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1255.4728          | 47.23                   | -1.48                    | 45.75              | 74.00             | -28.25         | Vertical |
| 2   | 1395.4328          | 43.99                   | -1.15                    | 42.84              | 74.00             | -31.16         | Vertical |
| 3   | 1535.3928          | 52.53                   | -0.72                    | 51.81              | 74.00             | -22.19         | Vertical |
| 4   | 4929.8811          | 37.68                   | 15.12                    | 52.80              | 74.00             | -21.20         | Vertical |
| 5   | 5375.4306          | 36.61                   | 16.54                    | 53.15              | 74.00             | -20.85         | Vertical |
| 6   | 6057.5064          | 35.95                   | 17.85                    | 53.80              | 74.00             | -20.20         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5580    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1256.0840          | 45.81                   | -1.49                    | 44.32              | 74.00             | -29.68         | Horizontal |
| 2   | 1535.3928          | 53.71                   | -0.72                    | 52.99              | 74.00             | -21.01         | Horizontal |
| 3   | 4432.3814          | 37.01                   | 14.45                    | 51.46              | 74.00             | -22.54         | Horizontal |
| 4   | 5433.4926          | 34.87                   | 17.90                    | 52.77              | 74.00             | -21.23         | Horizontal |
| 5   | 5855.2061          | 35.36                   | 18.04                    | 53.40              | 74.00             | -20.60         | Horizontal |
| 6   | 6322.1469          | 34.27                   | 18.94                    | 53.21              | 74.00             | -20.79         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5580    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1186.4096          | 43.94                   | -1.93                    | 42.01              | 74.00             | -31.99         | Vertical |
| 2   | 1256.0840          | 48.02                   | -1.49                    | 46.53              | 74.00             | -27.47         | Vertical |
| 3   | 1535.3928          | 53.07                   | -0.72                    | 52.35              | 74.00             | -21.65         | Vertical |
| 4   | 4875.4862          | 37.06                   | 15.28                    | 52.34              | 74.00             | -21.66         | Vertical |
| 5   | 5621.7357          | 35.33                   | 17.71                    | 53.04              | 74.00             | -20.96         | Vertical |
| 6   | 6270.8079          | 35.14                   | 18.57                    | 53.71              | 74.00             | -20.29         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5700    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1256.0840          | 45.42                   | -1.49                    | 43.93              | 74.00             | -30.07         | Horizontal |
| 2   | 1535.3928          | 52.75                   | -0.72                    | 52.03              | 74.00             | -21.97         | Horizontal |
| 3   | 4468.4409          | 36.13                   | 15.12                    | 51.25              | 74.00             | -22.75         | Horizontal |
| 4   | 5388.2654          | 36.91                   | 16.59                    | 53.50              | 74.00             | -20.50         | Horizontal |
| 5   | 5778.8088          | 36.73                   | 17.00                    | 53.73              | 74.00             | -20.27         | Horizontal |
| 6   | 6028.1698          | 36.01                   | 17.77                    | 53.78              | 74.00             | -20.22         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5700    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1256.0840          | 47.94                   | -1.49                    | 46.45              | 74.00             | -27.55         | Vertical |
| 2   | 1535.3928          | 52.76                   | -0.72                    | 52.04              | 74.00             | -21.96         | Vertical |
| 3   | 5028.2809          | 36.87                   | 15.87                    | 52.74              | 74.00             | -21.26         | Vertical |
| 4   | 5423.1026          | 36.10                   | 17.50                    | 53.60              | 74.00             | -20.40         | Vertical |
| 5   | 5860.0956          | 35.06                   | 18.38                    | 53.44              | 74.00             | -20.56         | Vertical |
| 6   | 6202.9670          | 35.04                   | 18.58                    | 53.62              | 74.00             | -20.38         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5720    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1256.0840          | 45.62                   | -1.49                    | 44.13              | 74.00             | -29.87         | Horizontal |
| 2   | 1535.3928          | 52.98                   | -0.72                    | 52.26              | 74.00             | -21.74         | Horizontal |
| 3   | 3071.2857          | 37.53                   | 9.36                     | 46.89              | 74.00             | -27.11         | Horizontal |
| 4   | 4865.7073          | 37.46                   | 15.30                    | 52.76              | 74.00             | -21.24         | Horizontal |
| 5   | 5459.7733          | 35.47                   | 17.87                    | 53.34              | 74.00             | -20.66         | Horizontal |
| 6   | 5990.2767          | 35.90                   | 17.68                    | 53.58              | 74.00             | -20.42         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5720    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1186.4096          | 44.21                   | -1.93                    | 42.28              | 74.00             | -31.72         | Vertical |
| 2   | 1256.0840          | 48.11                   | -1.49                    | 46.62              | 74.00             | -27.38         | Vertical |
| 3   | 1395.4328          | 44.16                   | -1.15                    | 43.01              | 74.00             | -30.99         | Vertical |
| 4   | 1535.3928          | 52.82                   | -0.72                    | 52.10              | 74.00             | -21.90         | Vertical |
| 5   | 5434.1038          | 35.43                   | 17.90                    | 53.33              | 74.00             | -20.67         | Vertical |
| 6   | 5965.8295          | 35.89                   | 17.62                    | 53.51              | 74.00             | -20.49         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5745    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1256.0840          | 45.87                   | -1.59                    | 44.28              | 74.00             | -29.72         | Horizontal |
| 2   | 1535.3928          | 52.89                   | -0.38                    | 52.51              | 74.00             | -21.49         | Horizontal |
| 3   | 4469.0521          | 36.69                   | 14.71                    | 51.40              | 74.00             | -22.60         | Horizontal |
| 4   | 5282.5314          | 37.09                   | 15.16                    | 52.25              | 74.00             | -21.75         | Horizontal |
| 5   | 5561.2290          | 37.02                   | 16.35                    | 53.37              | 74.00             | -20.63         | Horizontal |
| 6   | 5983.5537          | 36.15                   | 17.32                    | 53.47              | 74.00             | -20.53         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5745    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1185.7984          | 43.98                   | -1.89                    | 42.09              | 74.00             | -31.91         | Vertical |
| 2   | 1256.0840          | 48.23                   | -1.59                    | 46.64              | 74.00             | -27.36         | Vertical |
| 3   | 1395.4328          | 42.74                   | -1.14                    | 41.60              | 74.00             | -32.40         | Vertical |
| 4   | 1535.3928          | 52.78                   | -0.38                    | 52.40              | 74.00             | -21.60         | Vertical |
| 5   | 5677.3530          | 36.87                   | 16.66                    | 53.53              | 74.00             | -20.47         | Vertical |
| 6   | 6045.2828          | 35.29                   | 17.73                    | 53.02              | 74.00             | -20.98         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5785    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading<br>Level<br>[dBuV] | Correct<br>Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|----------------------------|-----------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1255.4728          | 46.35                      | -1.59                       | 44.76              | 74.00             | -29.24         | Horizontal |
| 2   | 1535.3928          | 52.99                      | -0.38                       | 52.61              | 74.00             | -21.39         | Horizontal |
| 3   | 4794.8105          | 36.87                      | 14.92                       | 51.79              | 74.00             | -22.21         | Horizontal |
| 4   | 5459.1621          | 36.79                      | 16.27                       | 53.06              | 74.00             | -20.94         | Horizontal |
| 5   | 6021.4468          | 35.59                      | 17.34                       | 52.93              | 74.00             | -21.07         | Horizontal |
| 6   | 6271.4190          | 34.79                      | 18.29                       | 53.08              | 74.00             | -20.92         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5785    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1185.7984          | 43.23                   | -1.89                    | 41.34              | 74.00             | -32.66         | Vertical |
| 2   | 1256.0840          | 48.16                   | -1.59                    | 46.57              | 74.00             | -27.43         | Vertical |
| 3   | 1535.3928          | 52.64                   | -0.38                    | 52.26              | 74.00             | -21.74         | Vertical |
| 4   | 1928.3809          | 45.13                   | 2.49                     | 47.62              | 74.00             | -26.38         | Vertical |
| 5   | 5665.1295          | 36.13                   | 16.64                    | 52.77              | 74.00             | -21.23         | Vertical |
| 6   | 6025.1139          | 35.23                   | 17.52                    | 52.75              | 74.00             | -21.25         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5825    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1256.0840          | 46.72                   | -1.59                    | 45.13              | 74.00             | -28.87         | Horizontal |
| 2   | 1535.3928          | 53.09                   | -0.38                    | 52.71              | 74.00             | -21.29         | Horizontal |
| 3   | 4813.1459          | 36.15                   | 14.97                    | 51.12              | 74.00             | -22.88         | Horizontal |
| 4   | 5025.2250          | 36.50                   | 15.12                    | 51.62              | 74.00             | -22.38         | Horizontal |
| 5   | 5671.8524          | 36.76                   | 16.67                    | 53.43              | 74.00             | -20.57         | Horizontal |
| 6   | 6142.4603          | 35.80                   | 17.69                    | 53.49              | 74.00             | -20.51         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



| Test Mode | Channel | Polarization | Verdict |
|-----------|---------|--------------|---------|
| 11a       | 5825    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1186.4096          | 43.46                   | -1.87                    | 41.59              | 74.00             | -32.41         | Vertical |
| 2   | 1256.0840          | 49.08                   | -1.59                    | 47.49              | 74.00             | -26.51         | Vertical |
| 3   | 1535.3928          | 52.93                   | -0.38                    | 52.55              | 74.00             | -21.45         | Vertical |
| 4   | 3071.2857          | 38.89                   | 8.80                     | 47.69              | 74.00             | -26.31         | Vertical |
| 5   | 5646.1829          | 35.64                   | 16.80                    | 52.44              | 74.00             | -21.56         | Vertical |
| 6   | 5897.9887          | 35.93                   | 17.16                    | 53.09              | 74.00             | -20.91         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5180    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1256.0840          | 45.72                   | -1.18                    | 44.54              | 74.00             | -29.46         | Horizontal |
| 2   | 1535.3928          | 52.69                   | -0.58                    | 52.11              | 74.00             | -21.89         | Horizontal |
| 3   | 3889.6544          | 37.55                   | 12.45                    | 50.00              | 74.00             | -24.00         | Horizontal |
| 4   | 5077.1752          | 36.16                   | 16.36                    | 52.52              | 74.00             | -21.48         | Horizontal |
| 5   | 5539.2266          | 35.82                   | 17.04                    | 52.86              | 74.00             | -21.14         | Horizontal |
| 6   | 6163.2404          | 35.66                   | 18.17                    | 53.83              | 74.00             | -20.17         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5180    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1186.4096          | 44.18                   | -2.08                    | 42.10              | 74.00             | -31.90         | Vertical |
| 2   | 1256.0840          | 47.44                   | -1.18                    | 46.26              | 74.00             | -27.74         | Vertical |
| 3   | 1395.4328          | 43.51                   | -0.99                    | 42.52              | 74.00             | -31.48         | Vertical |
| 4   | 1535.3928          | 53.35                   | -0.58                    | 52.77              | 74.00             | -21.23         | Vertical |
| 5   | 5082.6759          | 36.50                   | 16.39                    | 52.89              | 74.00             | -21.11         | Vertical |
| 6   | 6008.0009          | 35.23                   | 17.69                    | 52.92              | 74.00             | -21.08         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5200    | Horizontal   | PASS    |




PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1255.4728          | 45.34                   | -1.16                    | 44.18              | 74.00             | -29.82         | Horizontal |
| 2   | 1535.3928          | 52.86                   | -0.58                    | 52.28              | 74.00             | -21.72         | Horizontal |
| 3   | 4439.1043          | 37.80                   | 14.23                    | 52.03              | 74.00             | -21.97         | Horizontal |
| 4   | 5053.3393          | 36.70                   | 16.15                    | 52.85              | 74.00             | -21.15         | Horizontal |
| 5   | 5377.2641          | 35.80                   | 16.91                    | 52.71              | 74.00             | -21.29         | Horizontal |
| 6   | 6295.2550          | 34.51                   | 18.73                    | 53.24              | 74.00             | -20.76         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5200    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1185.7984          | 44.27                   | -2.08                    | 42.19              | 74.00             | -31.81         | Vertical |
| 2   | 1256.0840          | 49.21                   | -1.18                    | 48.03              | 74.00             | -25.97         | Vertical |
| 3   | 1395.4328          | 43.16                   | -0.99                    | 42.17              | 74.00             | -31.83         | Vertical |
| 4   | 1535.3928          | 52.78                   | -0.58                    | 52.20              | 74.00             | -21.80         | Vertical |
| 5   | 5099.1777          | 36.17                   | 16.64                    | 52.81              | 74.00             | -21.19         | Vertical |
| 6   | 5994.5550          | 35.01                   | 17.76                    | 52.77              | 74.00             | -21.23         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5240    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1256.0840          | 44.94                   | -1.18                    | 43.76              | 74.00             | -30.24         | Horizontal |
| 2   | 1535.3928          | 52.78                   | -0.58                    | 52.20              | 74.00             | -21.80         | Horizontal |
| 3   | 4579.0643          | 37.46                   | 13.99                    | 51.45              | 74.00             | -22.55         | Horizontal |
| 4   | 5052.1169          | 37.05                   | 16.14                    | 53.19              | 74.00             | -20.81         | Horizontal |
| 5   | 6023.8915          | 36.18                   | 17.61                    | 53.79              | 74.00             | -20.21         | Horizontal |
| 6   | 6184.6316          | 35.49                   | 18.28                    | 53.77              | 74.00             | -20.23         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5240    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1185.7984          | 43.67                   | -2.08                    | 41.59              | 74.00             | -32.41         | Vertical |
| 2   | 1256.0840          | 47.36                   | -1.18                    | 46.18              | 74.00             | -27.82         | Vertical |
| 3   | 1395.4328          | 43.79                   | -0.99                    | 42.80              | 74.00             | -31.20         | Vertical |
| 4   | 1535.3928          | 53.15                   | -0.58                    | 52.57              | 74.00             | -21.43         | Vertical |
| 5   | 5121.7913          | 36.94                   | 16.52                    | 53.46              | 74.00             | -20.54         | Vertical |
| 6   | 6013.5015          | 35.10                   | 17.63                    | 52.73              | 74.00             | -21.27         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5260    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1255.4728          | 45.10                   | -1.16                    | 43.94              | 74.00             | -30.06         | Horizontal |
| 2   | 1535.3928          | 52.62                   | -0.58                    | 52.04              | 74.00             | -21.96         | Horizontal |
| 3   | 4497.7775          | 37.78                   | 14.08                    | 51.86              | 74.00             | -22.14         | Horizontal |
| 4   | 5097.9553          | 36.82                   | 16.64                    | 53.46              | 74.00             | -20.54         | Horizontal |
| 5   | 5377.2641          | 36.16                   | 16.91                    | 53.07              | 74.00             | -20.93         | Horizontal |
| 6   | 5997.6108          | 35.75                   | 17.74                    | 53.49              | 74.00             | -20.51         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5260    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1185.1872          | 45.30                   | -2.06                    | 43.24              | 74.00             | -30.76         | Vertical |
| 2   | 1255.4728          | 49.79                   | -1.16                    | 48.63              | 74.00             | -25.37         | Vertical |
| 3   | 1535.3928          | 52.50                   | -0.58                    | 51.92              | 74.00             | -22.08         | Vertical |
| 4   | 5118.7354          | 36.83                   | 16.54                    | 53.37              | 74.00             | -20.63         | Vertical |
| 5   | 5871.7080          | 36.09                   | 17.39                    | 53.48              | 74.00             | -20.52         | Vertical |
| 6   | 6144.9050          | 35.24                   | 18.30                    | 53.54              | 74.00             | -20.46         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5280    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1254.8617          | 45.13                   | -1.15                    | 43.98              | 74.00             | -30.02         | Horizontal |
| 2   | 1535.3928          | 53.12                   | -0.58                    | 52.54              | 74.00             | -21.46         | Horizontal |
| 3   | 5115.0683          | 36.51                   | 16.56                    | 53.07              | 74.00             | -20.93         | Horizontal |
| 4   | 5377.2641          | 36.41                   | 16.91                    | 53.32              | 74.00             | -20.68         | Horizontal |
| 5   | 5989.6655          | 35.93                   | 17.79                    | 53.72              | 74.00             | -20.28         | Horizontal |
| 6   | 6199.9111          | 34.96                   | 18.30                    | 53.26              | 74.00             | -20.74         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5280    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1255.4728          | 49.68                   | -1.16                    | 48.52              | 74.00             | -25.48         | Vertical |
| 2   | 1394.8216          | 45.35                   | -0.98                    | 44.37              | 74.00             | -29.63         | Vertical |
| 3   | 1535.3928          | 52.42                   | -0.58                    | 51.84              | 74.00             | -22.16         | Vertical |
| 4   | 5083.2870          | 35.99                   | 16.41                    | 52.40              | 74.00             | -21.60         | Vertical |
| 5   | 6005.5562          | 36.20                   | 17.70                    | 53.90              | 74.00             | -20.10         | Vertical |
| 6   | 6340.4823          | 35.12                   | 18.43                    | 53.55              | 74.00             | -20.45         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5320    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1254.8617          | 45.03                   | -1.15                    | 43.88              | 74.00             | -30.12         | Horizontal |
| 2   | 1535.3928          | 52.81                   | -0.58                    | 52.23              | 74.00             | -21.77         | Horizontal |
| 3   | 3081.6757          | 37.82                   | 10.16                    | 47.98              | 74.00             | -26.02         | Horizontal |
| 4   | 5083.8982          | 36.54                   | 16.44                    | 52.98              | 74.00             | -21.02         | Horizontal |
| 5   | 5416.9908          | 36.06                   | 16.89                    | 52.95              | 74.00             | -21.05         | Horizontal |
| 6   | 6026.9474          | 35.95                   | 17.68                    | 53.63              | 74.00             | -20.37         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5320    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading<br>Level<br>[dBuV] | Correct<br>Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|----------------------------|-----------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1254.8617          | 47.11                      | -1.15                       | 45.96              | 74.00             | -28.04         | Vertical |
| 2   | 1535.3928          | 53.03                      | -0.58                       | 52.45              | 74.00             | -21.55         | Vertical |
| 3   | 4123.7360          | 37.33                      | 13.08                       | 50.41              | 74.00             | -23.59         | Vertical |
| 4   | 4834.5372          | 36.81                      | 15.22                       | 52.03              | 74.00             | -21.97         | Vertical |
| 5   | 5412.1013          | 36.57                      | 16.94                       | 53.51              | 74.00             | -20.49         | Vertical |
| 6   | 6353.3170          | 34.68                      | 18.65                       | 53.33              | 74.00             | -20.67         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5500    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1254.8617          | 45.12                   | -1.47                    | 43.65              | 74.00             | -30.35         | Horizontal |
| 2   | 1535.3928          | 53.01                   | -0.72                    | 52.29              | 74.00             | -21.71         | Horizontal |
| 3   | 4463.5515          | 37.44                   | 14.77                    | 52.21              | 74.00             | -21.79         | Horizontal |
| 4   | 4845.5384          | 37.43                   | 15.40                    | 52.83              | 74.00             | -21.17         | Horizontal |
| 5   | 5341.8158          | 36.92                   | 16.22                    | 53.14              | 74.00             | -20.86         | Horizontal |
| 6   | 6128.4032          | 35.34                   | 18.20                    | 53.54              | 74.00             | -20.46         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5500    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1185.1872          | 44.61                   | -1.91                    | 42.70              | 74.00             | -31.30         | Vertical |
| 2   | 1254.8617          | 47.67                   | -1.47                    | 46.20              | 74.00             | -27.80         | Vertical |
| 3   | 1535.3928          | 52.59                   | -0.72                    | 51.87              | 74.00             | -22.13         | Vertical |
| 4   | 5437.7709          | 35.76                   | 17.89                    | 53.65              | 74.00             | -20.35         | Vertical |
| 5   | 5595.4551          | 35.85                   | 17.77                    | 53.62              | 74.00             | -20.38         | Vertical |
| 6   | 6090.5101          | 34.99                   | 18.29                    | 53.28              | 74.00             | -20.72         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5580    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1254.8617          | 44.95                   | -1.47                    | 43.48              | 74.00             | -30.52         | Horizontal |
| 2   | 1535.3928          | 53.53                   | -0.72                    | 52.81              | 74.00             | -21.19         | Horizontal |
| 3   | 3071.8969          | 38.90                   | 9.39                     | 48.29              | 74.00             | -25.71         | Horizontal |
| 4   | 4468.4409          | 36.35                   | 15.12                    | 51.47              | 74.00             | -22.53         | Horizontal |
| 5   | 5418.2131          | 36.09                   | 17.23                    | 53.32              | 74.00             | -20.68         | Horizontal |
| 6   | 6186.4652          | 35.20                   | 18.47                    | 53.67              | 74.00             | -20.33         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5580    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1185.1872          | 43.83                   | -1.91                    | 41.92              | 74.00             | -32.08         | Vertical |
| 2   | 1254.8617          | 47.70                   | -1.47                    | 46.23              | 74.00             | -27.77         | Vertical |
| 3   | 1535.3928          | 52.50                   | -0.72                    | 51.78              | 74.00             | -22.22         | Vertical |
| 4   | 5427.9920          | 36.11                   | 17.79                    | 53.90              | 74.00             | -20.10         | Vertical |
| 5   | 5940.1600          | 36.06                   | 17.93                    | 53.99              | 74.00             | -20.01         | Vertical |
| 6   | 6319.7022          | 34.94                   | 18.98                    | 53.92              | 74.00             | -20.08         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5700    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1254.8617          | 45.65                   | -1.47                    | 44.18              | 74.00             | -29.82         | Horizontal |
| 2   | 1535.3928          | 52.98                   | -0.72                    | 52.26              | 74.00             | -21.74         | Horizontal |
| 3   | 4214.1905          | 36.80                   | 13.58                    | 50.38              | 74.00             | -23.62         | Horizontal |
| 4   | 4829.0366          | 36.32                   | 15.40                    | 51.72              | 74.00             | -22.28         | Horizontal |
| 5   | 5431.0479          | 35.82                   | 17.91                    | 53.73              | 74.00             | -20.27         | Horizontal |
| 6   | 6085.0094          | 35.40                   | 18.16                    | 53.56              | 74.00             | -20.44         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5700    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1185.1872          | 43.27                   | -1.91                    | 41.36              | 74.00             | -32.64         | Vertical |
| 2   | 1254.8617          | 48.71                   | -1.47                    | 47.24              | 74.00             | -26.76         | Vertical |
| 3   | 1394.2105          | 43.34                   | -1.13                    | 42.21              | 74.00             | -31.79         | Vertical |
| 4   | 1535.3928          | 52.95                   | -0.72                    | 52.23              | 74.00             | -21.77         | Vertical |
| 5   | 5451.2168          | 35.30                   | 17.88                    | 53.18              | 74.00             | -20.82         | Vertical |
| 6   | 6298.9221          | 34.53                   | 18.91                    | 53.44              | 74.00             | -20.56         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5720    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1255.4728          | 46.37                   | -1.48                    | 44.89              | 74.00             | -29.11         | Horizontal |
| 2   | 1535.3928          | 52.98                   | -0.72                    | 52.26              | 74.00             | -21.74         | Horizontal |
| 3   | 4360.8734          | 37.88                   | 13.65                    | 51.53              | 74.00             | -22.47         | Horizontal |
| 4   | 5446.9385          | 35.13                   | 17.88                    | 53.01              | 74.00             | -20.99         | Horizontal |
| 5   | 5883.9315          | 35.92                   | 17.83                    | 53.75              | 74.00             | -20.25         | Horizontal |
| 6   | 6220.6912          | 35.18                   | 18.58                    | 53.76              | 74.00             | -20.24         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5720    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1254.8617          | 48.23                   | -1.47                    | 46.76              | 74.00             | -27.24         | Vertical |
| 2   | 1535.3928          | 52.53                   | -0.72                    | 51.81              | 74.00             | -22.19         | Vertical |
| 3   | 4684.1871          | 37.63                   | 14.40                    | 52.03              | 74.00             | -21.97         | Vertical |
| 4   | 5475.0528          | 36.27                   | 17.85                    | 54.12              | 74.00             | -19.88         | Vertical |
| 5   | 5800.8112          | 36.88                   | 16.90                    | 53.78              | 74.00             | -20.22         | Vertical |
| 6   | 6126.5696          | 35.54                   | 18.22                    | 53.76              | 74.00             | -20.24         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5745    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1254.8617          | 46.27                   | -1.60                    | 44.67              | 74.00             | -29.33         | Horizontal |
| 2   | 1535.3928          | 52.65                   | -0.38                    | 52.27              | 74.00             | -21.73         | Horizontal |
| 3   | 3071.2857          | 38.68                   | 8.80                     | 47.48              | 74.00             | -26.52         | Horizontal |
| 4   | 5036.8374          | 36.57                   | 15.18                    | 51.75              | 74.00             | -22.25         | Horizontal |
| 5   | 5567.3408          | 35.98                   | 16.58                    | 52.56              | 74.00             | -21.44         | Horizontal |
| 6   | 6025.7251          | 35.50                   | 17.55                    | 53.05              | 74.00             | -20.95         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5745    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1254.8617          | 46.28                   | -1.60                    | 44.68              | 74.00             | -29.32         | Vertical |
| 2   | 1394.8216          | 43.03                   | -1.15                    | 41.88              | 74.00             | -32.12         | Vertical |
| 3   | 1535.3928          | 52.60                   | -0.38                    | 52.22              | 74.00             | -21.78         | Vertical |
| 4   | 5687.1319          | 36.96                   | 16.62                    | 53.58              | 74.00             | -20.42         | Vertical |
| 5   | 6032.4480          | 35.82                   | 17.71                    | 53.53              | 74.00             | -20.47         | Vertical |
| 6   | 6424.2138          | 35.09                   | 18.63                    | 53.72              | 74.00             | -20.28         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5785    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1255.4728          | 46.68                   | -1.59                    | 45.09              | 74.00             | -28.91         | Horizontal |
| 2   | 1535.3928          | 52.18                   | -0.38                    | 51.80              | 74.00             | -22.20         | Horizontal |
| 3   | 4010.6679          | 36.55                   | 13.17                    | 49.72              | 74.00             | -24.28         | Horizontal |
| 4   | 5650.4612          | 36.69                   | 16.90                    | 53.59              | 74.00             | -20.41         | Horizontal |
| 5   | 6156.5174          | 35.16                   | 17.82                    | 52.98              | 74.00             | -21.02         | Horizontal |
| 6   | 6408.9343          | 35.46                   | 18.31                    | 53.77              | 74.00             | -20.23         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5785    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1185.7984          | 44.29                   | -1.89                    | 42.40              | 74.00             | -31.60         | Vertical |
| 2   | 1255.4728          | 48.15                   | -1.59                    | 46.56              | 74.00             | -27.44         | Vertical |
| 3   | 1535.3928          | 52.42                   | -0.38                    | 52.04              | 74.00             | -21.96         | Vertical |
| 4   | 5682.8536          | 36.49                   | 16.63                    | 53.12              | 74.00             | -20.88         | Vertical |
| 5   | 5896.1551          | 35.84                   | 17.15                    | 52.99              | 74.00             | -21.01         | Vertical |
| 6   | 6187.6875          | 34.67                   | 18.25                    | 52.92              | 74.00             | -21.08         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5825    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1254.8617          | 47.01                   | -1.60                    | 45.41              | 74.00             | -28.59         | Horizontal |
| 2   | 1535.3928          | 52.75                   | -0.38                    | 52.37              | 74.00             | -21.63         | Horizontal |
| 3   | 3628.6810          | 38.15                   | 10.96                    | 49.11              | 74.00             | -24.89         | Horizontal |
| 4   | 4804.5894          | 36.12                   | 15.06                    | 51.18              | 74.00             | -22.82         | Horizontal |
| 5   | 5692.6325          | 36.74                   | 16.58                    | 53.32              | 74.00             | -20.68         | Horizontal |
| 6   | 6011.0568          | 35.92                   | 17.32                    | 53.24              | 74.00             | -20.76         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT20 | 5825    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1185.1872          | 44.52                   | -1.91                    | 42.61              | 74.00             | -31.39         | Vertical |
| 2   | 1254.8617          | 48.73                   | -1.60                    | 47.13              | 74.00             | -26.87         | Vertical |
| 3   | 1535.3928          | 52.36                   | -0.38                    | 51.98              | 74.00             | -22.02         | Vertical |
| 4   | 5261.1401          | 37.02                   | 15.02                    | 52.04              | 74.00             | -21.96         | Vertical |
| 5   | 5892.4881          | 36.28                   | 17.11                    | 53.39              | 74.00             | -20.61         | Vertical |
| 6   | 6261.0290          | 35.07                   | 18.11                    | 53.18              | 74.00             | -20.82         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT40 | 5190    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading<br>Level<br>[dBuV] | Correct<br>Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|----------------------------|-----------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1254.8617          | 47.61                      | -1.15                       | 46.46              | 74.00             | -27.54         | Horizontal |
| 2   | 1535.3928          | 52.69                      | -0.58                       | 52.11              | 74.00             | -21.89         | Horizontal |
| 3   | 3188.0209          | 37.99                      | 9.64                        | 47.63              | 74.00             | -26.37         | Horizontal |
| 4   | 5191.4657          | 35.84                      | 16.30                       | 52.14              | 74.00             | -21.86         | Horizontal |
| 5   | 5501.3335          | 36.07                      | 16.65                       | 52.72              | 74.00             | -21.28         | Horizontal |
| 6   | 6129.6255          | 35.04                      | 18.49                       | 53.53              | 74.00             | -20.47         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT40 | 5190    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading<br>Level<br>[dBuV] | Correct<br>Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|----------------------------|-----------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1185.1872          | 43.61                      | -2.06                       | 41.55              | 74.00             | -32.45         | Vertical |
| 2   | 1255.4728          | 47.04                      | -1.16                       | 45.88              | 74.00             | -28.12         | Vertical |
| 3   | 1394.8216          | 43.52                      | -0.98                       | 42.54              | 74.00             | -31.46         | Vertical |
| 4   | 1535.3928          | 52.66                      | -0.58                       | 52.08              | 74.00             | -21.92         | Vertical |
| 5   | 5108.3454          | 36.83                      | 16.60                       | 53.43              | 74.00             | -20.57         | Vertical |
| 6   | 6033.6704          | 35.46                      | 17.69                       | 53.15              | 74.00             | -20.85         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT40 | 5230    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1255.4728          | 45.56                   | -1.16                    | 44.40              | 74.00             | -29.60         | Horizontal |
| 2   | 1535.3928          | 52.89                   | -0.58                    | 52.31              | 74.00             | -21.69         | Horizontal |
| 3   | 4167.1297          | 37.23                   | 13.32                    | 50.55              | 74.00             | -23.45         | Horizontal |
| 4   | 5105.2895          | 36.65                   | 16.62                    | 53.27              | 74.00             | -20.73         | Horizontal |
| 5   | 6028.7810          | 36.09                   | 17.71                    | 53.80              | 74.00             | -20.20         | Horizontal |
| 6   | 6127.1808          | 35.24                   | 18.45                    | 53.69              | 74.00             | -20.31         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT40 | 5230    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1254.8617          | 48.06                   | -1.15                    | 46.91              | 74.00             | -27.09         | Vertical |
| 2   | 1394.8216          | 43.50                   | -0.98                    | 42.52              | 74.00             | -31.48         | Vertical |
| 3   | 1535.3928          | 52.75                   | -0.58                    | 52.17              | 74.00             | -21.83         | Vertical |
| 4   | 4934.1594          | 36.57                   | 15.71                    | 52.28              | 74.00             | -21.72         | Vertical |
| 5   | 5214.6905          | 36.33                   | 16.28                    | 52.61              | 74.00             | -21.39         | Vertical |
| 6   | 6131.4591          | 34.69                   | 18.48                    | 53.17              | 74.00             | -20.83         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT40 | 5270    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading<br>Level<br>[dBuV] | Correct<br>Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|----------------------------|-----------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1255.4728          | 44.51                      | -1.16                       | 43.35              | 74.00             | -30.65         | Horizontal |
| 2   | 1535.3928          | 53.15                      | -0.58                       | 52.57              | 74.00             | -21.43         | Horizontal |
| 3   | 4386.5429          | 37.28                      | 14.12                       | 51.40              | 74.00             | -22.60         | Horizontal |
| 4   | 4822.3136          | 37.11                      | 15.16                       | 52.27              | 74.00             | -21.73         | Horizontal |
| 5   | 5102.2336          | 36.31                      | 16.63                       | 52.94              | 74.00             | -21.06         | Horizontal |
| 6   | 5379.0977          | 36.09                      | 16.92                       | 53.01              | 74.00             | -20.99         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT40 | 5270    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1255.4728          | 47.04                   | -1.16                    | 45.88              | 74.00             | -28.12         | Vertical |
| 2   | 1394.8216          | 43.53                   | -0.98                    | 42.55              | 74.00             | -31.45         | Vertical |
| 3   | 1535.3928          | 52.48                   | -0.58                    | 51.90              | 74.00             | -22.10         | Vertical |
| 4   | 4248.4165          | 36.73                   | 13.88                    | 50.61              | 74.00             | -23.39         | Vertical |
| 5   | 5118.7354          | 36.45                   | 16.54                    | 52.99              | 74.00             | -21.01         | Vertical |
| 6   | 6121.0690          | 35.21                   | 18.35                    | 53.56              | 74.00             | -20.44         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT40 | 5310    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1254.8617          | 44.84                   | -1.15                    | 43.69              | 74.00             | -30.31         | Horizontal |
| 2   | 1394.8216          | 40.96                   | -0.98                    | 39.98              | 74.00             | -34.02         | Horizontal |
| 3   | 1535.3928          | 52.87                   | -0.58                    | 52.29              | 74.00             | -21.71         | Horizontal |
| 4   | 5094.8994          | 36.54                   | 16.65                    | 53.19              | 74.00             | -20.81         | Horizontal |
| 5   | 5412.1013          | 36.22                   | 16.94                    | 53.16              | 74.00             | -20.84         | Horizontal |
| 6   | 6208.4676          | 35.28                   | 18.61                    | 53.89              | 74.00             | -20.11         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT40 | 5310    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1185.7984          | 45.49                   | -2.08                    | 43.41              | 74.00             | -30.59         | Vertical |
| 2   | 1255.4728          | 46.62                   | -1.16                    | 45.46              | 74.00             | -28.54         | Vertical |
| 3   | 1394.8216          | 44.03                   | -0.98                    | 43.05              | 74.00             | -30.95         | Vertical |
| 4   | 1535.3928          | 52.33                   | -0.58                    | 51.75              | 74.00             | -22.25         | Vertical |
| 5   | 5388.2654          | 35.99                   | 16.94                    | 52.93              | 74.00             | -21.07         | Vertical |
| 6   | 6121.6802          | 34.98                   | 18.36                    | 53.34              | 74.00             | -20.66         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT40 | 5510    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1255.4728          | 46.69                   | -1.48                    | 45.21              | 74.00             | -28.79         | Horizontal |
| 2   | 1535.3928          | 53.82                   | -0.72                    | 53.10              | 74.00             | -20.90         | Horizontal |
| 3   | 4197.6886          | 37.95                   | 13.36                    | 51.31              | 74.00             | -22.69         | Horizontal |
| 4   | 5363.8182          | 36.67                   | 16.45                    | 53.12              | 74.00             | -20.88         | Horizontal |
| 5   | 6053.8393          | 35.54                   | 17.83                    | 53.37              | 74.00             | -20.13         | Horizontal |
| 6   | 6429.7144          | 34.10                   | 19.25                    | 53.35              | 74.00             | -20.65         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT40 | 5510    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1185.1872          | 44.87                   | -1.91                    | 42.96              | 74.00             | -31.04         | Vertical |
| 2   | 1255.4728          | 47.68                   | -1.48                    | 46.20              | 74.00             | -27.80         | Vertical |
| 3   | 1535.3928          | 52.47                   | -0.72                    | 51.75              | 74.00             | -22.25         | Vertical |
| 4   | 4865.7073          | 37.14                   | 15.30                    | 52.44              | 74.00             | -21.56         | Vertical |
| 5   | 5414.5461          | 36.32                   | 17.08                    | 53.40              | 74.00             | -20.60         | Vertical |
| 6   | 6190.7434          | 35.40                   | 18.46                    | 53.86              | 74.00             | -20.14         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT40 | 5550    | Horizontal   | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1254.8617          | 45.80                   | -1.47                    | 44.33              | 74.00             | -29.67         | Horizontal |
| 2   | 1535.3928          | 52.96                   | -0.72                    | 52.24              | 74.00             | -21.76         | Horizontal |
| 3   | 4502.6670          | 37.44                   | 14.18                    | 51.62              | 74.00             | -22.38         | Horizontal |
| 4   | 4904.2116          | 36.56                   | 15.31                    | 51.87              | 74.00             | -22.13         | Horizontal |
| 5   | 5407.8231          | 36.36                   | 16.89                    | 53.25              | 74.00             | -20.75         | Horizontal |
| 6   | 6034.2816          | 36.11                   | 17.72                    | 53.83              | 74.00             | -20.17         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT40 | 5550    | Vertical     | PASS    |




#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark   |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|----------|
| 1   | 1185.1872          | 44.16                   | -1.91                    | 42.25              | 74.00             | -31.75         | Vertical |
| 2   | 1254.8617          | 48.22                   | -1.47                    | 46.75              | 74.00             | -27.25         | Vertical |
| 3   | 1535.3928          | 52.40                   | -0.72                    | 51.68              | 74.00             | -22.32         | Vertical |
| 4   | 5438.3820          | 36.14                   | 17.89                    | 54.03              | 74.00             | -19.97         | Vertical |
| 5   | 5917.5464          | 35.63                   | 17.91                    | 53.54              | 74.00             | -20.46         | Vertical |
| 6   | 6130.2367          | 35.39                   | 18.18                    | 53.57              | 74.00             | -20.43         | Vertical |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

| Test Mode  | Channel | Polarization | Verdict |
|------------|---------|--------------|---------|
| 11ac VHT40 | 5670    | Horizontal   | PASS    |



#### PK Result:

| No. | Frequency<br>[MHz] | Reading Level<br>[dBuV] | Correct Factor<br>[dB/m] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Margin<br>[dB] | Remark     |
|-----|--------------------|-------------------------|--------------------------|--------------------|-------------------|----------------|------------|
| 1   | 1255.4728          | 45.01                   | -1.48                    | 43.53              | 74.00             | -30.47         | Horizontal |
| 2   | 1394.8216          | 40.85                   | -1.14                    | 39.71              | 74.00             | -34.29         | Horizontal |
| 3   | 1535.3928          | 53.44                   | -0.72                    | 52.72              | 74.00             | -21.28         | Horizontal |
| 4   | 4472.1080          | 36.98                   | 15.08                    | 52.06              | 74.00             | -21.94         | Horizontal |
| 5   | 5042.9492          | 37.45                   | 16.01                    | 53.46              | 74.00             | -20.54         | Horizontal |
| 6   | 6205.4117          | 35.16                   | 18.55                    | 53.71              | 74.00             | -20.29         | Horizontal |

- Remark: 1. Measurement = Reading Level + Correct Factor.  
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.  
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.  
4. Peak: Peak detector.  
5. AVG: VBW refer to section 6.2.  
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.  
The proper operation of the transmitter prior to adding the filter to the measurement chain.  
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.