



petgugu

Contents

CE & FCC

1

Safety Information

4

Battery Installation

6

Bind The Product

7

Basic Parameters

8

After-Sales Service

9

Battery Installation

To install or replace the battery:

1. Place the product with the battery cover facing upwards in the palm of your hand, align the rear cover tab with the groove on the battery cover, then rotate counterclockwise and release after rotation. (Hold with both palms and rotate counterclockwise, then release after rotation is complete.)
2. Remove the back cover.
3. Insert the CR2032 battery into the device with the positive side (+) facing up.
4. Place the battery back cover on the product.

5. Place the product with the battery cover facing upwards in the palm of your hand, align the rear cover tab with the groove on the battery cover, then rotate clockwise until the rotation is complete. (Hold with both palms and rotate clockwise until the rotation is complete.)

Note: Please use the correct model of battery. Replacing with an incorrect battery may pose a risk of fire and electric shock.

Scannen Sie den QR-Code, um das Online-Handbuch auf Deutsch zu erhalten.

Scannez le QR code pour obtenir le manuel en ligne en français.

Scansiona il codice QR per ottenere il manuale online in italiano.

Escanee el código QR para obtener el manual en línea en español.

コードをスキャンして、日本語のオンラインマニュアルを取得します。

扫描二维码获取在线中文说明书。

CE & FCC

CE & FCC regulatory conformance:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

— 1 —

CE & FCC

CE & FCC regulatory conformance:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

— 2 —

Safety Information

Before using the device, please read the following precautions to ensure optimal performance and prevent potential hazards.

NOTE: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

RF Exposure

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

EU regulatory conformance:

RF exposure information: The EIRP power of the device at maximal case is below the exempt condition, 20mW specified in EN62479: 2010. RF exposure assessment has been performed to prove that this unit will not generate the harmful EM emission above the reference level as specified in EC Council Recommendation (1999/519/EC).

CE DOC

Hereby, Shenzhen USEER Robotics Co.,Ltd declares that the radio equipment type PF5 is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: www.petgugu.com

— 3 —

Manufacturer information

Company name: Shenzhen USEER Robotics Co.,Ltd

Address: Building 2, Fashion Brand Industrial Park, E'Bu Town, Shenzhen-Shanwei

Special Cooperation Zone, Shenzhen, Guangdong, China

Operation temperature: 0~40°C

Operation frequency (Max power)

Bluetooth: 2402-2480 (*dbm)

Safety Information

- 7. Place batteries out of the reach of children and avoid swallowing them. If a battery is ingested or inserted into the body, seek medical attention immediately. Ingesting a battery may cause severe chemical burns within two hours, leading to serious injury or death.

- 8. In very dry environments, the product is more prone to static electricity. To minimize the risk of static discharge, avoid using the device in extremely dry conditions. Touch grounded, unpainted metal objects before use.

- 9. When it is necessary to discard or dispose of the device, follow local regulations for proper disposal of the device, batteries, and other accessories. Do not treat them as household waste, as improper disposal may result in battery explosions.

- 4. Avoid intentionally submerging, soaking, or exposing the device and its accessories to prolonged water, rain, or moisture to prevent device malfunctions.

- 5. Keep the device and its batteries away from heat sources, high temperatures, and direct sunlight. Do not throw the device or batteries into fire, crush or modify the device, insert foreign objects into it, or immerse it in hot water or other liquids to prevent battery leakage, overheating, fire, or explosion.

- 6. Do not modify the device or replace its accessories without authorization. When replacing the battery, use the same model (CR2032) and capacity, and observe the correct polarity. Using the wrong battery type may pose a risk of fire or electric shock.

— 4 —

After-Sales Service

Scenarios That Are Not Covered By Warranty:

1. Damage caused by improper use, maintenance, or storage by the consumer.
2. Damage resulting from self-disassembly or disassembly by unauthorized personnel.
3. Damage caused by force majeure such as natural disasters.
4. Product malfunctions or damage due to accidents or human factors. (unauthorized modifications, liquid intrusion, scratches, collisions, compression, etc.)

Service Policy Notes:

1. If a purchased product exhibits quality issues upon unboxing, please contact the seller.
2. We provide lifetime maintenance services, but products that are beyond the warranty coverage period would require payment of corresponding fees based on the service or parts rendered.
3. For products with valid quality issues, the shipping costs will be borne by the manufacturer. If the problems are non-quality-related, then the buyer will be responsible for the shipping costs.
4. When sending the machine for replacement or repair, please kindly send the machine together with the receipt attached. If gifts or invoices were provided, do include them in the return shipment.

Service And Support

Email: service@petgugu.com

Website: www.petgugu.com



AAA-YYYYYY

Maintenance Records

Maintenance Center Name _____

Maintenance Center Phone Number _____

Date on Which The Device Was Sent in For Repair _____

Cause of Malfunction _____

Description of Malfunction During Initial Repair Request _____

Proof of Refund _____

Signature of Maintenance Personnel _____

Seal/Stamp of Maintenance Center _____

— 5 —

PF5 Identity Recognizer User Manual

0.16mm

平面印刷品基本技术要求

深圳云视机器人有限公司

设计: 日期: 2024.04.16

尺寸: 106*106mm 材质: 10g 双面纸光油

页数: 4p 印刷颜色: CMYK

比例: 1:1 装订方式: 正反印刷/风琴折/角

物料名称: PF5 说明书 (英文)

产品型号: PF5

物料编号: 版次

变更记录: 版本: V02 (2024.04.16)

此页为预览以及基本信息及印刷要求, 不印刷。

106mm

106mm

106mm


106mm

106mm

106mm

106mm

742mm



petgugu

PF5 Identity Recognizer User Manual

Please read this manual carefully and keep it properly before using the product.

Contents

CE & FCC

Safety Information

Battery Installation

Bind The Product

Basic Parameters

After-Sales Service

1

4

6

7

8

9

CE & FCC

FCC regulatory conformance:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

Battery Installation



To install or replace the battery:

1. Place the product with the battery cover facing upwards in the palm of your hand, align the rear cover tab with the groove on the battery cover, then rotate counterclockwise and release after rotating. (Hold with both palms and rotate counterclockwise, then release after rotation is complete.)

2. Remove the back cover.

3. Insert the CR2032 battery into the device with the positive side (+) facing up.

4. Place the battery back cover on the product.

5. Place the product with the battery cover facing upwards in the palm of your hand, align the rear cover tab with the groove on the battery cover, then rotate clockwise until the rotation is complete. (Hold with both palms and rotate clockwise until the rotation is complete.)

Note:

Please use the correct model of battery.

Replacing with an incorrect battery may pose

a risk of fire and electric shock.

Scannen Sie den QR-Code, um das Online-Handbuch auf Deutsch zu erhalten.

Scannez le QR code pour obtenir le manuel en ligne en français.

Scansiona il codice QR per ottenere il manuale online in italiano.

Escanee el código QR para obtener el manual en línea en español.

コードをスキャンして、日本語のオンラインマニュアルを取得します。

扫描二维码获取在线中文说明书。

Bind The Product

Attention:

1. This product only supports binding with petgugu water dispensers or feeders version V1.1 and above. Please confirm the version of the water dispenser or feeder before binding.
2. If there are multiple water dispensers or feeders under the same APP account, it is only necessary to bind one of the devices.
3. Any one of the following binding methods can be chosen for binding.

After-Sales Service

Purchase Information

User Name _____

User Contact Number _____

User Mailing Address and Postal Code _____

Date of Purchase _____

Scenarios That Are Not Covered by Warranty:

1. Damage caused by improper use, maintenance, or storage by the consumer.

2. Damage resulting from self-disassembly or disassembly by unauthorized personnel.

3. Damage caused by force majeure such as natural disasters.

4. Product malfunctions or damage due to accidents or human factors (unauthorized modifications, liquid intrusion, scratches, collisions, compression, etc.).

Service Policy Notes:

Maintenance Records

Maintenance Center Name _____

Maintenance Center Phone Number _____

Date on Which The Device Was Sent in for Repair _____

Cause of Malfunction _____

Description of Malfunction During Initial Repair Request _____

Main Materials: ABS, Zinc Alloy

Proof of Refund _____

Signature of Maintenance Person _____

Seal/Stamp of Maintenance Center _____

Service and Support

E-mail: service@petgugu.com

Website: www.petgugu.com

Basic Parameters

Product Name: Pet Identity Recognizer

Product Model: PF5

Battery Model: CR2032 Button Battery

Battery Life: 3 Months

Description of Malfunction During Initial Repair Request _____

Main Materials: ABS, Zinc Alloy

Proof of Refund _____

Signature of Maintenance Person _____

Seal/Stamp of Maintenance Center _____

Operating Temperature: 0°C ~ 40°C

Operating Humidity: 10% ~ 90%RH

Net Weight: 13.5g / 20g

Product Size: 30x30x10mm / 30x30x15mm

Product Dimensions

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x 15mm

Dimensions: 30mm x 30mm x 10mm

Dimensions: 30mm x 30mm x