

Table of Contents


1. -20dB Bandwidth	2
2. 99% Occupied Bandwidth	7
3. Peak Output Power	12
4. Spurious Emissions	17
5. Bandedge	26
6. Carrier Frequencies Separation (Hopping)	39
7. Number of Hopping Channel (Hopping)	44
8. Dwell Time (Hopping)	46

FCC ID EDR


FCC_BT (Part15.247) Test Data

1. -20dB Bandwidth


Condition	Antenna	Modulation	Frequency (MHz)	-20dB BW(MHz)	if larger than CFS
NVNT	ANT1	1-DH1	2402.00	0.876	No
NVNT	ANT1	1-DH1	2441.00	0.980	No
NVNT	ANT1	1-DH1	2480.00	0.925	No
NVNT	ANT1	2-DH1	2402.00	1.271	Yes
NVNT	ANT1	2-DH1	2441.00	1.278	Yes
NVNT	ANT1	2-DH1	2480.00	1.274	Yes
NVNT	ANT1	3-DH1	2402.00	1.224	Yes
NVNT	ANT1	3-DH1	2441.00	1.227	Yes
NVNT	ANT1	3-DH1	2480.00	1.254	Yes




-20dB_Bandwidth_NVNT_ANT1_1-DH1_2441




-20dB Bandwidth_NVNT_ANT1_1-DH1_2480




-20dB Bandwidth_NVNT_ANT1_2-DH1_2402




-20dB Bandwidth_NVNT_ANT1_2-DH1_2441




-20dB Bandwidth_NVNT_ANT1_2-DH1_2480




-20dB Bandwidth_NVNT_ANT1_3-DH1_2402



-20dB Bandwidth_NVNT_ANT1_3-DH1_2441




-20dB Bandwidth NVNT_ANT1 3-DH1 2480



2. 99% Occupied Bandwidth


Condition	Antenna	Modulation	Frequency (MHz)	99%%BW(MHz)
NVNT	ANT1	1-DH1	2402.00	0.837
NVNT	ANT1	1-DH1	2441.00	0.851
NVNT	ANT1	1-DH1	2480.00	0.857
NVNT	ANT1	2-DH1	2402.00	1.173
NVNT	ANT1	2-DH1	2441.00	1.174
NVNT	ANT1	2-DH1	2480.00	1.175
NVNT	ANT1	3-DH1	2402.00	1.151
NVNT	ANT1	3-DH1	2441.00	1.155
NVNT	ANT1	3-DH1	2480.00	1.157




99% Occupied Bandwidth NVNT_ANT1_1-DH1_2480



99% Occupied Bandwidth NVNT_ANT1_2-DH1_2402




99% Occupied Bandwidth NVNT_ANT1_2-DH1_2441




99% Occupied Bandwidth NVNT_ANT1_2-DH1_2480




99% Occupied Bandwidth NVNT_ANT1_3-DH1_2402



99% Occupied Bandwidth NVNT_ANT1_3-DH1_2441




99% Occupied Bandwidth NVNT_ANT1_3-DH1_2480



3. Peak Output Power


Modulation	Frequency (MHz)	Max. Conducted Power(dBm)	Max. Conducted Power Limit (dBm)	Ant Gain (dBi)	EIRP	EIRP Limit(dBm)	Result
1-DH1	2402.00	-1.42	30	3.49	2.07	36	Pass
1-DH1	2441.00	-2.29	30	3.49	1.20	36	Pass
1-DH1	2480.00	-2.47	30	3.49	1.02	36	Pass
2-DH1	2402.00	-0.63	21	3.49	2.86	36	Pass
2-DH1	2441.00	-1.49	21	3.49	2.00	36	Pass
2-DH1	2480.00	-1.73	21	3.49	1.76	36	Pass
3-DH1	2402.00	0.03	21	3.49	3.52	36	Pass
3-DH1	2441.00	-0.67	21	3.49	2.82	36	Pass
3-DH1	2480.00	-1.01	21	3.49	2.48	36	Pass



Peak_Output_Power_NVNT_ANT1_1-DH1_2441




Peak_Output_Power_NVNT_ANT1_1-DH1_2480



Peak_Output_Power_NVNT_ANT1_2-DH1_2402




Peak_Output_Power_NVNT_ANT1_2-DH1_2441



Peak_Output_Power_NVNT_ANT1_2-DH1_2480




Peak_Output_Power_NVNT_ANT1_3-DH1_2402



Peak_Output_Power_NVNT_ANT1_3-DH1_2441



Peak Output Power_NVNT_ANT1_3-DH1_2480




4. Spurious Emissions

Condition	Antenna	Modulation	TX Mode	Spurious MAX.Value(dBm)	Limit	Result
NVNT	ANT1	1-DH1	2402.00	-48.957	-21.585	Pass
NVNT	ANT1	1-DH1	2441.00	-49.860	-22.397	Pass
NVNT	ANT1	1-DH1	2480.00	-47.652	-22.648	Pass
NVNT	ANT1	2-DH1	2402.00	-49.383	-21.603	Pass
NVNT	ANT1	2-DH1	2441.00	-46.461	-22.376	Pass
NVNT	ANT1	2-DH1	2480.00	-46.903	-22.655	Pass
NVNT	ANT1	3-DH1	2402.00	-50.578	-21.444	Pass
NVNT	ANT1	3-DH1	2441.00	-48.217	-22.357	Pass
NVNT	ANT1	3-DH1	2480.00	-48.536	-22.694	Pass


1 Reference Level NVNT ANT1 1-DH1 2402




2 Spurious Emissions NVNT ANT1 1-DH1 2402



1 Reference Level NVNT ANT1 1-DH1 2441



2_Spurious_Emissions_NVNT_ANT1_1-DH1_2441



1_Reference_Level_NVNT_ANT1_1-DH1_2480