







Band71 QPSK BW=5MHz Channel=133147 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133297 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133447 RB Size=25 Position=#0



RADIATED SPURIOUS EMISSION

Note:

(1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequency below 1000MHz.

(2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.42	-25.75	7.00	12.93	-31.68	-13.00	-18.68	H
5552.16	-27.06	8.40	17.11	-35.77	-13.00	-22.77	H
7402.82	-25.76	8.10	22.20	-39.86	-13.00	-26.86	H
3701.42	-25.06	7.00	12.93	-30.99	-13.00	-17.99	V
5552.16	-26.84	8.40	17.11	-35.55	-13.00	-22.55	V
7402.82	-25.22	8.10	22.20	-39.32	-13.00	-26.32	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.78	-28.76	7.00	12.93	-34.69	-13.00	-21.69	H
5640.12	-24.84	8.40	17.11	-33.55	-13.00	-20.55	H
7519.98	-23.19	8.10	22.20	-37.29	-13.00	-24.29	H
3759.78	-28.43	7.00	12.93	-34.36	-13.00	-21.36	V
5640.12	-26.07	8.40	17.11	-34.78	-13.00	-21.78	V
7519.98	-27.70	8.10	22.20	-41.80	-13.00	-28.80	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.58	-24.85	7.00	12.93	-30.78	-13.00	-17.78	H
5727.54	-27.18	8.40	17.11	-35.89	-13.00	-22.89	H
7636.86	-26.04	8.10	22.20	-40.14	-13.00	-27.14	H
3818.58	-27.34	7.00	12.93	-33.27	-13.00	-20.27	V
5727.54	-27.23	8.40	17.11	-35.94	-13.00	-22.94	V
7636.86	-24.70	8.10	22.20	-38.80	-13.00	-25.80	V

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3702.97	-28.13	7.00	12.93	-34.06	-13.00	-21.06	H
5554.32	-25.77	8.40	17.11	-34.48	-13.00	-21.48	H
7405.96	-23.61	8.10	22.20	-37.71	-13.00	-24.71	H
3702.97	-27.56	7.00	12.93	-33.49	-13.00	-20.49	V
5554.32	-24.51	8.40	17.11	-33.22	-13.00	-20.22	V
7405.96	-24.97	8.10	22.20	-39.07	-13.00	-26.07	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.93	-25.81	7.00	12.93	-31.74	-13.00	-18.74	H
5640.17	-25.72	8.40	17.11	-34.43	-13.00	-21.43	H
7520.23	-26.26	8.10	22.20	-40.36	-13.00	-27.36	H
3759.93	-26.34	7.00	12.93	-32.27	-13.00	-19.27	V
5640.17	-27.55	8.40	17.11	-36.26	-13.00	-23.26	V
7520.23	-27.84	8.10	22.20	-41.94	-13.00	-28.94	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3817.04	-25.04	7.00	12.93	-30.97	-13.00	-17.97	H
5725.21	-27.13	8.40	17.11	-35.84	-13.00	-22.84	H
7634.31	-27.33	8.10	22.20	-41.43	-13.00	-28.43	H
3817.04	-26.02	7.00	12.93	-31.95	-13.00	-18.95	V
5725.21	-28.51	8.40	17.11	-37.22	-13.00	-24.22	V
7634.31	-25.01	8.10	22.20	-39.11	-13.00	-26.11	V

LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.49	-24.43	7.00	12.93	-30.36	-13.00	-17.36	H
5557.20	-24.96	8.40	17.11	-33.67	-13.00	-20.67	H
7410.15	-24.86	8.10	22.20	-38.96	-13.00	-25.96	H
3705.49	-26.92	7.00	12.93	-32.85	-13.00	-19.85	V
5557.20	-27.81	8.40	17.11	-36.52	-13.00	-23.52	V
7410.15	-24.67	8.10	22.20	-38.77	-13.00	-25.77	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.16	-25.44	7.00	12.93	-31.37	-13.00	-18.37	H
5640.17	-26.71	8.40	17.11	-35.42	-13.00	-22.42	H
7520.29	-27.61	8.10	22.20	-41.71	-13.00	-28.71	H
3760.16	-27.94	7.00	12.93	-33.87	-13.00	-20.87	V
5640.17	-28.42	8.40	17.11	-37.13	-13.00	-24.13	V
7520.29	-27.84	8.10	22.20	-41.94	-13.00	-28.94	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.36	-27.03	7.00	12.93	-32.96	-13.00	-19.96	H
5722.23	-26.62	8.40	17.11	-35.33	-13.00	-22.33	H
7629.98	-27.25	8.10	22.20	-41.35	-13.00	-28.35	H
3815.36	-26.36	7.00	12.93	-32.29	-13.00	-19.29	V
5722.23	-28.04	8.40	17.11	-36.75	-13.00	-23.75	V
7629.98	-25.34	8.10	22.20	-39.44	-13.00	-26.44	V

LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.04	-27.82	7.00	12.93	-33.75	-13.00	-20.75	H
5565.47	-25.30	8.40	17.11	-34.01	-13.00	-21.01	H
7419.87	-27.21	8.10	22.20	-41.31	-13.00	-28.31	H
3710.04	-26.38	7.00	12.93	-32.31	-13.00	-19.31	V
5565.47	-26.04	8.40	17.11	-34.75	-13.00	-21.75	V
7419.87	-27.33	8.10	22.20	-41.43	-13.00	-28.43	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.26	-28.06	7.00	12.93	-33.99	-13.00	-20.99	H
5639.91	-29.45	8.40	17.11	-38.16	-13.00	-25.16	H
7520.26	-22.92	8.10	22.20	-37.02	-13.00	-24.02	H
3760.26	-27.94	7.00	12.93	-33.87	-13.00	-20.87	V
5639.91	-28.57	8.40	17.11	-37.28	-13.00	-24.28	V
7520.26	-27.34	8.10	22.20	-41.44	-13.00	-28.44	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.09	-24.98	7.00	12.93	-30.91	-13.00	-17.91	H
5715.03	-25.15	8.40	17.11	-33.86	-13.00	-20.86	H
7619.94	-26.26	8.10	22.20	-40.36	-13.00	-27.36	H
3810.09	-26.01	7.00	12.93	-31.94	-13.00	-18.94	V
5715.03	-26.13	8.40	17.11	-34.84	-13.00	-21.84	V
7619.94	-27.21	8.10	22.20	-41.31	-13.00	-28.31	V

LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3714.87	-28.34	7.00	12.93	-34.27	-13.00	-21.27	H
5572.44	-27.82	8.40	17.11	-36.53	-13.00	-23.53	H
7430.64	-23.88	8.10	22.20	-37.98	-13.00	-24.98	H
3714.87	-26.54	7.00	12.93	-32.47	-13.00	-19.47	V
5572.44	-28.42	8.40	17.11	-37.13	-13.00	-24.13	V
7430.64	-23.93	8.10	22.20	-38.03	-13.00	-25.03	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.23	-28.18	7.00	12.93	-34.11	-13.00	-21.11	H
5640.17	-29.48	8.40	17.11	-38.19	-13.00	-25.19	H
7519.85	-25.92	8.10	22.20	-40.02	-13.00	-27.02	H
3760.23	-28.33	7.00	12.93	-34.26	-13.00	-21.26	V
5640.17	-24.50	8.40	17.11	-33.21	-13.00	-20.21	V
7519.85	-27.99	8.10	22.20	-42.09	-13.00	-29.09	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.31	-25.76	7.00	12.93	-31.69	-13.00	-18.69	H
5707.59	-28.23	8.40	17.11	-36.94	-13.00	-23.94	H
7610.15	-25.53	8.10	22.20	-39.63	-13.00	-26.63	H
3805.31	-26.92	7.00	12.93	-32.85	-13.00	-19.85	V
5707.59	-24.85	8.40	17.11	-33.56	-13.00	-20.56	V
7610.15	-25.58	8.10	22.20	-39.68	-13.00	-26.68	V

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.21	-24.83	7.00	12.93	-30.76	-13.00	-17.76	H
5580.44	-28.30	8.40	17.11	-37.01	-13.00	-24.01	H
7440.02	-26.00	8.10	22.20	-40.10	-13.00	-27.10	H
3720.21	-28.47	7.00	12.93	-34.40	-13.00	-21.40	V
5580.44	-26.87	8.40	17.11	-35.58	-13.00	-22.58	V
7440.02	-26.39	8.10	22.20	-40.49	-13.00	-27.49	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.95	-27.40	7.00	12.93	-33.33	-13.00	-20.33	H
5640.24	-26.49	8.40	17.11	-35.20	-13.00	-22.20	H
7519.98	-25.79	8.10	22.20	-39.89	-13.00	-26.89	H
3759.95	-25.87	7.00	12.93	-31.80	-13.00	-18.80	V
5640.24	-26.40	8.40	17.11	-35.11	-13.00	-22.11	V
7519.98	-27.67	8.10	22.20	-41.77	-13.00	-28.77	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.22	-28.27	7.00	12.93	-34.20	-13.00	-21.20	H
5700.18	-26.44	8.40	17.11	-35.15	-13.00	-22.15	H
7600.19	-24.21	8.10	22.20	-38.31	-13.00	-25.31	H
3800.22	-28.66	7.00	12.93	-34.59	-13.00	-21.59	V
5700.18	-25.97	8.40	17.11	-34.68	-13.00	-21.68	V
7600.19	-25.56	8.10	22.20	-39.66	-13.00	-26.66	V

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.24	-28.46	7.20	12.56	-33.82	-13.00	-20.82	H
5131.85	-27.11	8.10	16.32	-35.33	-13.00	-22.33	H
6842.76	-23.82	8.30	21.13	-36.65	-13.00	-23.65	H
3421.24	-27.86	7.20	12.56	-33.22	-13.00	-20.22	V
5131.85	-26.46	8.10	16.32	-34.68	-13.00	-21.68	V
6842.76	-26.08	8.30	21.13	-38.91	-13.00	-25.91	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.77	-26.68	7.20	12.56	-32.04	-13.00	-19.04	H
5196.74	-28.12	8.10	16.32	-36.34	-13.00	-23.34	H
6930.01	-22.73	8.30	21.13	-35.56	-13.00	-22.56	H
3464.77	-25.15	7.20	12.56	-30.51	-13.00	-17.51	V
5196.74	-26.20	8.10	16.32	-34.42	-13.00	-21.42	V
6930.01	-28.18	8.30	21.13	-41.01	-13.00	-28.01	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3508.50	-28.56	7.20	12.56	-33.92	-13.00	-20.92	H
5262.53	-25.17	8.10	16.32	-33.39	-13.00	-20.39	H
7015.70	-24.47	8.30	21.13	-37.30	-13.00	-24.30	H
3508.50	-29.89	7.20	12.56	-35.25	-13.00	-22.25	V
5262.53	-26.77	8.10	16.32	-34.99	-13.00	-21.99	V
7015.70	-27.70	8.30	21.13	-40.53	-13.00	-27.53	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.75	-25.68	7.20	12.56	-31.04	-13.00	-18.04	H
5136.10	-28.45	8.10	16.32	-36.67	-13.00	-23.67	H
6848.62	-27.26	8.30	21.13	-40.09	-13.00	-27.09	H
3423.75	-27.90	7.20	12.56	-33.26	-13.00	-20.26	V
5136.10	-25.85	8.10	16.32	-34.07	-13.00	-21.07	V
6848.62	-24.91	8.30	21.13	-37.74	-13.00	-24.74	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.50	-25.57	7.20	12.56	-30.93	-13.00	-17.93	H
5196.58	-25.85	8.10	16.32	-34.07	-13.00	-21.07	H
6929.84	-23.45	8.30	21.13	-36.28	-13.00	-23.28	H
3464.50	-29.95	7.20	12.56	-35.31	-13.00	-22.31	V
5196.58	-28.88	8.10	16.32	-37.10	-13.00	-24.10	V
6929.84	-27.18	8.30	21.13	-40.01	-13.00	-27.01	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3506.36	-27.92	7.20	12.56	-33.28	-13.00	-20.28	H
5261.72	-26.74	8.10	16.32	-34.96	-13.00	-21.96	H
7012.49	-26.18	8.30	21.13	-39.01	-13.00	-26.01	H
3506.36	-27.46	7.20	12.56	-32.82	-13.00	-19.82	V
5261.72	-26.46	8.10	16.32	-34.68	-13.00	-21.68	V
7012.49	-27.36	8.30	21.13	-40.19	-13.00	-27.19	V

LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.87	-25.53	7.20	12.56	-30.89	-13.00	-17.89	H
5137.18	-29.32	8.10	16.32	-37.54	-13.00	-24.54	H
6849.88	-22.95	8.30	21.13	-35.78	-13.00	-22.78	H
3424.87	-28.13	7.20	12.56	-33.49	-13.00	-20.49	V
5137.18	-26.98	8.10	16.32	-35.20	-13.00	-22.20	V
6849.88	-26.59	8.30	21.13	-39.42	-13.00	-26.42	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.51	-27.19	7.20	12.56	-32.55	-13.00	-19.55	H
5196.60	-27.97	8.10	16.32	-36.19	-13.00	-23.19	H
6929.66	-25.53	8.30	21.13	-38.36	-13.00	-25.36	H
3464.51	-28.12	7.20	12.56	-33.48	-13.00	-20.48	V
5196.60	-26.41	8.10	16.32	-34.63	-13.00	-21.63	V
6929.66	-26.92	8.30	21.13	-39.75	-13.00	-26.75	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3505.33	-27.65	7.20	12.56	-33.01	-13.00	-20.01	H
5257.06	-28.07	8.10	16.32	-36.29	-13.00	-23.29	H
7009.73	-26.71	8.30	21.13	-39.54	-13.00	-26.54	H
3505.33	-28.65	7.20	12.56	-34.01	-13.00	-21.01	V
5257.06	-26.52	8.10	16.32	-34.74	-13.00	-21.74	V
7009.73	-26.35	8.30	21.13	-39.18	-13.00	-26.18	V

LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3430.11	-28.91	7.20	12.56	-34.27	-13.00	-21.27	H
5145.18	-25.73	8.10	16.32	-33.95	-13.00	-20.95	H
6860.42	-24.48	8.30	21.13	-37.31	-13.00	-24.31	H
3430.11	-26.94	7.20	12.56	-32.30	-13.00	-19.30	V
5145.18	-27.70	8.10	16.32	-35.92	-13.00	-22.92	V
6860.42	-27.74	8.30	21.13	-40.57	-13.00	-27.57	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.77	-27.32	7.20	12.56	-32.68	-13.00	-19.68	H
5196.57	-25.79	8.10	16.32	-34.01	-13.00	-21.01	H
6929.42	-23.91	8.30	21.13	-36.74	-13.00	-23.74	H
3464.77	-26.89	7.20	12.56	-32.25	-13.00	-19.25	V
5196.57	-24.96	8.10	16.32	-33.18	-13.00	-20.18	V
6929.42	-27.61	8.30	21.13	-40.44	-13.00	-27.44	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3500.39	-28.16	7.20	12.56	-33.52	-13.00	-20.52	H
5250.42	-28.34	8.10	16.32	-36.56	-13.00	-23.56	H
7000.08	-23.98	8.30	21.13	-36.81	-13.00	-23.81	H
3500.39	-27.78	7.20	12.56	-33.14	-13.00	-20.14	V
5250.42	-28.79	8.10	16.32	-37.01	-13.00	-24.01	V
7000.08	-26.99	8.30	21.13	-39.82	-13.00	-26.82	V

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3435.07	-26.05	7.20	12.56	-31.41	-13.00	-18.41	H
5152.43	-28.23	8.10	16.32	-36.45	-13.00	-23.45	H
6870.62	-26.79	8.30	21.13	-39.62	-13.00	-26.62	H
3435.07	-26.80	7.20	12.56	-32.16	-13.00	-19.16	V
5152.43	-25.72	8.10	16.32	-33.94	-13.00	-20.94	V
6870.62	-27.94	8.30	21.13	-40.77	-13.00	-27.77	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.89	-26.63	7.20	12.56	-31.99	-13.00	-18.99	H
5196.77	-26.38	8.10	16.32	-34.60	-13.00	-21.60	H
6929.94	-24.49	8.30	21.13	-37.32	-13.00	-24.32	H
3464.89	-25.85	7.20	12.56	-31.21	-13.00	-18.21	V
5196.77	-28.87	8.10	16.32	-37.09	-13.00	-24.09	V
6929.94	-24.02	8.30	21.13	-36.85	-13.00	-23.85	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3495.57	-24.78	7.20	12.56	-30.14	-13.00	-17.14	H
5242.18	-29.22	8.10	16.32	-37.44	-13.00	-24.44	H
6990.20	-23.79	8.30	21.13	-36.62	-13.00	-23.62	H
3495.57	-27.91	7.20	12.56	-33.27	-13.00	-20.27	V
5242.18	-24.34	8.10	16.32	-32.56	-13.00	-19.56	V
6990.20	-27.47	8.30	21.13	-40.30	-13.00	-27.30	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.23	-24.71	7.20	12.56	-30.07	-13.00	-17.07	H
5160.01	-28.57	8.10	16.32	-36.79	-13.00	-23.79	H
6880.82	-27.33	8.30	21.13	-40.16	-13.00	-27.16	H
3440.23	-26.43	7.20	12.56	-31.79	-13.00	-18.79	V
5160.01	-28.18	8.10	16.32	-36.40	-13.00	-23.40	V
6880.82	-27.06	8.30	21.13	-39.89	-13.00	-26.89	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.89	-27.13	7.20	12.56	-32.49	-13.00	-19.49	H
5196.77	-27.99	8.10	16.32	-36.21	-13.00	-23.21	H
6929.53	-23.37	8.30	21.13	-36.20	-13.00	-23.20	H
3464.89	-25.75	7.20	12.56	-31.11	-13.00	-18.11	V
5196.77	-26.13	8.10	16.32	-34.35	-13.00	-21.35	V
6929.53	-28.10	8.30	21.13	-40.93	-13.00	-27.93	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.47	-24.69	7.20	12.56	-30.05	-13.00	-17.05	H
5235.11	-25.17	8.10	16.32	-33.39	-13.00	-20.39	H
6979.37	-24.91	8.30	21.13	-37.74	-13.00	-24.74	H
3490.47	-26.09	7.20	12.56	-31.45	-13.00	-18.45	V
5235.11	-24.45	8.10	16.32	-32.67	-13.00	-19.67	V
6979.37	-26.75	8.30	21.13	-39.58	-13.00	-26.58	V

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1648.45	-28.12	7.40	9.72	-30.44	-13.00	-17.44	H
2473.47	-26.88	8.30	10.86	-29.44	-13.00	-16.44	H
3298.39	-28.14	7.20	11.57	-32.51	-13.00	-19.51	H
1648.45	-26.83	7.40	9.72	-29.15	-13.00	-16.15	V
2473.47	-26.20	8.30	10.86	-28.76	-13.00	-15.76	V
3298.39	-28.48	7.20	11.57	-32.85	-13.00	-19.85	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.61	-29.70	7.40	9.72	-32.02	-13.00	-19.02	H
2508.93	-26.79	8.30	10.86	-29.35	-13.00	-16.35	H
3345.48	-25.25	7.20	11.57	-29.62	-13.00	-16.62	H
1672.61	-26.47	7.40	9.72	-28.79	-13.00	-15.79	V
2508.93	-25.28	8.30	10.86	-27.84	-13.00	-14.84	V
3345.48	-28.38	7.20	11.57	-32.75	-13.00	-19.75	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.02	-25.68	7.40	9.72	-28.00	-13.00	-15.00	H
2544.48	-26.70	8.30	10.86	-29.26	-13.00	-16.26	H
3392.69	-27.94	7.20	11.57	-32.31	-13.00	-19.31	H
1696.02	-29.22	7.40	9.72	-31.54	-13.00	-18.54	V
2544.48	-25.57	8.30	10.86	-28.13	-13.00	-15.13	V
3392.69	-26.38	7.20	11.57	-30.75	-13.00	-17.75	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.38	-28.89	7.40	9.72	-31.21	-13.00	-18.21	H
2475.97	-26.95	8.30	10.86	-29.51	-13.00	-16.51	H
3301.47	-28.02	7.20	11.57	-32.39	-13.00	-19.39	H
1650.38	-28.49	7.40	9.72	-30.81	-13.00	-17.81	V
2475.97	-25.78	8.30	10.86	-28.34	-13.00	-15.34	V
3301.47	-25.32	7.20	11.57	-29.69	-13.00	-16.69	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.52	-27.52	7.40	9.72	-29.84	-13.00	-16.84	H
2508.93	-28.66	8.30	10.86	-31.22	-13.00	-18.22	H
3345.62	-24.82	7.20	11.57	-29.19	-13.00	-16.19	H
1672.52	-27.68	7.40	9.72	-30.00	-13.00	-17.00	V
2508.93	-29.16	8.30	10.86	-31.72	-13.00	-18.72	V
3345.62	-25.00	7.20	11.57	-29.37	-13.00	-16.37	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.32	-28.40	7.40	9.72	-30.72	-13.00	-17.72	H
2541.79	-30.20	8.30	10.86	-32.76	-13.00	-19.76	H
3389.23	-24.79	7.20	11.57	-29.16	-13.00	-16.16	H
1694.32	-29.33	7.40	9.72	-31.65	-13.00	-18.65	V
2541.79	-27.02	8.30	10.86	-29.58	-13.00	-16.58	V
3389.23	-27.00	7.20	11.57	-31.37	-13.00	-18.37	V

LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.59	-25.64	7.40	9.72	-27.96	-13.00	-14.96	H
2478.58	-26.10	8.30	10.86	-28.66	-13.00	-15.66	H
3305.66	-27.63	7.20	11.57	-32.00	-13.00	-19.00	H
1652.59	-29.94	7.40	9.72	-32.26	-13.00	-19.26	V
2478.58	-27.07	8.30	10.86	-29.63	-13.00	-16.63	V
3305.66	-27.12	7.20	11.57	-31.49	-13.00	-18.49	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.26	-25.52	7.40	9.72	-27.84	-13.00	-14.84	H
2509.00	-26.09	8.30	10.86	-28.65	-13.00	-15.65	H
3345.66	-27.18	7.20	11.57	-31.55	-13.00	-18.55	H
1672.26	-28.78	7.40	9.72	-31.10	-13.00	-18.10	V
2509.00	-27.47	8.30	10.86	-30.03	-13.00	-17.03	V
3345.66	-28.93	7.20	11.57	-33.30	-13.00	-20.30	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.10	-29.69	7.40	9.72	-32.01	-13.00	-19.01	H
2538.79	-25.64	8.30	10.86	-28.20	-13.00	-15.20	H
3385.59	-23.78	7.20	11.57	-28.15	-13.00	-15.15	H
1692.10	-30.24	7.40	9.72	-32.56	-13.00	-19.56	V
2538.79	-25.26	8.30	10.86	-27.82	-13.00	-14.82	V
3385.59	-26.86	7.20	11.57	-31.23	-13.00	-18.23	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.55	-27.15	7.40	9.72	-29.47	-13.00	-16.47	H
2486.38	-26.98	8.30	10.86	-29.54	-13.00	-16.54	H
3315.38	-25.69	7.20	11.57	-30.06	-13.00	-17.06	H
1657.55	-27.33	7.40	9.72	-29.65	-13.00	-16.65	V
2486.38	-26.45	8.30	10.86	-29.01	-13.00	-16.01	V
3315.38	-26.90	7.20	11.57	-31.27	-13.00	-18.27	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.19	-28.08	7.40	9.72	-30.40	-13.00	-17.40	H
2508.80	-30.46	8.30	10.86	-33.02	-13.00	-20.02	H
3345.26	-25.09	7.20	11.57	-29.46	-13.00	-16.46	H
1672.19	-30.48	7.40	9.72	-32.80	-13.00	-19.80	V
2508.80	-27.04	8.30	10.86	-29.60	-13.00	-16.60	V
3345.26	-28.78	7.20	11.57	-33.15	-13.00	-20.15	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.35	-29.70	7.40	9.72	-32.02	-13.00	-19.02	H
2531.57	-28.00	8.30	10.86	-30.56	-13.00	-17.56	H
3375.53	-26.13	7.20	11.57	-30.50	-13.00	-17.50	H
1687.35	-29.46	7.40	9.72	-31.78	-13.00	-18.78	V
2531.57	-25.77	8.30	10.86	-28.33	-13.00	-15.33	V
3375.53	-25.76	7.20	11.57	-30.13	-13.00	-17.13	V

LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5004.99	-27.09	8.00	15.86	-34.95	-25.00	-9.95	H
7507.61	-28.13	8.30	19.28	-39.11	-25.00	-14.11	H
10010.57	-27.45	8.10	23.19	-42.54	-25.00	-17.54	H
5004.99	-28.46	8.00	15.86	-36.32	-25.00	-11.32	V
7507.61	-28.22	8.30	19.28	-39.20	-25.00	-14.20	V
10010.57	-26.68	8.10	23.19	-41.77	-25.00	-16.77	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.68	-29.61	8.00	15.86	-37.47	-25.00	-12.47	H
7604.99	-28.02	8.30	19.28	-39.00	-25.00	-14.00	H
10139.88	-25.52	8.10	23.19	-40.61	-25.00	-15.61	H
5069.68	-29.66	8.00	15.86	-37.52	-25.00	-12.52	V
7604.99	-27.91	8.30	19.28	-38.89	-25.00	-13.89	V
10139.88	-27.20	8.10	23.19	-42.29	-25.00	-17.29	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5133.71	-27.08	8.00	15.86	-34.94	-25.00	-9.94	H
7701.43	-27.55	8.30	19.28	-38.53	-25.00	-13.53	H
10268.19	-25.03	8.10	23.19	-40.12	-25.00	-15.12	H
5133.71	-27.03	8.00	15.86	-34.89	-25.00	-9.89	V
7701.43	-28.39	8.30	19.28	-39.37	-25.00	-14.37	V
10268.19	-27.10	8.10	23.19	-42.19	-25.00	-17.19	V

LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5010.46	-29.06	8.00	15.86	-36.92	-25.00	-11.92	H
7515.50	-30.02	8.30	19.28	-41.00	-25.00	-16.00	H
10020.55	-26.91	8.10	23.19	-42.00	-25.00	-17.00	H
5010.46	-30.40	8.00	15.86	-38.26	-25.00	-13.26	V
7515.50	-29.66	8.30	19.28	-40.64	-25.00	-15.64	V
10020.55	-27.12	8.10	23.19	-42.21	-25.00	-17.21	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.79	-26.79	8.00	15.86	-34.65	-25.00	-9.65	H
7604.80	-30.12	8.30	19.28	-41.10	-25.00	-16.10	H
10139.77	-24.84	8.10	23.19	-39.93	-25.00	-14.93	H
5069.79	-27.73	8.00	15.86	-35.59	-25.00	-10.59	V
7604.80	-26.83	8.30	19.28	-37.81	-25.00	-12.81	V
10139.77	-28.38	8.10	23.19	-43.47	-25.00	-18.47	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5129.34	-28.18	8.00	15.86	-36.04	-25.00	-11.04	H
7693.74	-25.72	8.30	19.28	-36.70	-25.00	-11.70	H
10258.70	-27.66	8.10	23.19	-42.75	-25.00	-17.75	H
5129.34	-27.37	8.00	15.86	-35.23	-25.00	-10.23	V
7693.74	-25.76	8.30	19.28	-36.74	-25.00	-11.74	V
10258.70	-27.11	8.10	23.19	-42.20	-25.00	-17.20	V

LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5015.53	-28.81	8.00	15.86	-36.67	-25.00	-11.67	H
7524.22	-25.75	8.30	19.28	-36.73	-25.00	-11.73	H
10031.98	-25.99	8.10	23.19	-41.08	-25.00	-16.08	H
5015.53	-30.82	8.00	15.86	-38.68	-25.00	-13.68	V
7524.22	-29.12	8.30	19.28	-40.10	-25.00	-15.10	V
10031.98	-24.43	8.10	23.19	-39.52	-25.00	-14.52	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.81	-28.64	8.00	15.86	-36.50	-25.00	-11.50	H
7605.15	-28.16	8.30	19.28	-39.14	-25.00	-14.14	H
10139.56	-24.59	8.10	23.19	-39.68	-25.00	-14.68	H
5069.81	-29.00	8.00	15.86	-36.86	-25.00	-11.86	V
7605.15	-28.56	8.30	19.28	-39.54	-25.00	-14.54	V
10139.56	-25.43	8.10	23.19	-40.52	-25.00	-15.52	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5123.31	-28.04	8.00	15.86	-35.90	-25.00	-10.90	H
7523.63	-29.79	8.30	19.28	-40.77	-25.00	-15.77	H
10032.09	-26.12	8.10	23.19	-41.21	-25.00	-16.21	H
5123.31	-28.62	8.00	15.86	-36.48	-25.00	-11.48	V
7523.63	-29.10	8.30	19.28	-40.08	-25.00	-15.08	V
10032.09	-24.42	8.10	23.19	-39.51	-25.00	-14.51	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5021.07	-27.89	8.00	15.86	-35.75	-25.00	-10.75	H
7531.20	-27.74	8.30	19.28	-38.72	-25.00	-13.72	H
10258.92	-27.14	8.10	23.19	-42.23	-25.00	-17.23	H
5021.07	-31.35	8.00	15.86	-39.21	-25.00	-14.21	V
7531.20	-28.05	8.30	19.28	-39.03	-25.00	-14.03	V
10258.92	-24.98	8.10	23.19	-40.07	-25.00	-15.07	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.80	-30.93	8.00	15.86	-38.79	-25.00	-13.79	H
7604.98	-28.42	8.30	19.28	-39.40	-25.00	-14.40	H
10139.57	-26.16	8.10	23.19	-41.25	-25.00	-16.25	H
5069.80	-31.32	8.00	15.86	-39.18	-25.00	-14.18	V
7604.98	-27.99	8.30	19.28	-38.97	-25.00	-13.97	V
10139.57	-27.22	8.10	23.19	-42.31	-25.00	-17.31	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.74	-29.38	8.00	15.86	-37.24	-25.00	-12.24	H
7678.19	-25.55	8.30	19.28	-36.53	-25.00	-11.53	H
10238.05	-28.50	8.10	23.19	-43.59	-25.00	-18.59	H
5118.74	-30.13	8.00	15.86	-37.99	-25.00	-12.99	V
7678.19	-29.28	8.30	19.28	-40.26	-25.00	-15.26	V
10238.05	-25.75	8.10	23.19	-40.84	-25.00	-15.84	V

LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1399.05	-28.18	6.70	9.34	-30.82	-13.00	-17.82	H
2098.73	-30.06	7.80	10.42	-32.68	-13.00	-19.68	H
2798.41	-27.08	8.00	11.12	-30.20	-13.00	-17.20	H
1399.05	-28.20	6.70	9.34	-30.84	-13.00	-17.84	V
2098.73	-26.99	7.80	10.42	-29.61	-13.00	-16.61	V
2798.41	-24.40	8.00	11.12	-27.52	-13.00	-14.52	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.92	-27.82	6.70	9.34	-30.46	-13.00	-17.46	H
2122.46	-25.52	7.80	10.42	-28.14	-13.00	-15.14	H
2829.72	-25.36	8.00	11.12	-28.48	-13.00	-15.48	H
1414.92	-28.91	6.70	9.34	-31.55	-13.00	-18.55	V
2122.46	-30.09	7.80	10.42	-32.71	-13.00	-19.71	V
2829.72	-26.29	8.00	11.12	-29.41	-13.00	-16.41	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1430.16	-26.61	6.70	9.34	-29.25	-13.00	-16.25	H
2145.74	-26.23	7.80	10.42	-28.85	-13.00	-15.85	H
2861.06	-24.95	8.00	11.12	-28.07	-13.00	-15.07	H
1430.16	-26.61	6.70	9.34	-29.25	-13.00	-16.25	V
2145.74	-28.32	7.80	10.42	-30.94	-13.00	-17.94	V
2861.06	-28.81	8.00	11.12	-31.93	-13.00	-18.93	V

LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1400.52	-27.83	6.70	9.34	-30.47	-13.00	-17.47	H
2101.43	-26.48	7.80	10.42	-29.10	-13.00	-16.10	H
2801.92	-25.63	8.00	11.12	-28.75	-13.00	-15.75	H
1400.52	-29.28	6.70	9.34	-31.92	-13.00	-18.92	V
2101.43	-26.64	7.80	10.42	-29.26	-13.00	-16.26	V
2801.92	-29.03	8.00	11.12	-32.15	-13.00	-19.15	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.94	-27.83	6.70	9.34	-30.47	-13.00	-17.47	H
2122.26	-28.33	7.80	10.42	-30.95	-13.00	-17.95	H
2829.61	-28.45	8.00	11.12	-31.57	-13.00	-18.57	H
1414.94	-29.57	6.70	9.34	-32.21	-13.00	-19.21	V
2122.26	-27.53	7.80	10.42	-30.15	-13.00	-17.15	V
2829.61	-25.42	8.00	11.12	-28.54	-13.00	-15.54	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1428.62	-25.27	6.70	9.34	-27.91	-13.00	-14.91	H
2143.47	-26.05	7.80	10.42	-28.67	-13.00	-15.67	H
2857.62	-28.17	8.00	11.12	-31.29	-13.00	-18.29	H
1428.62	-26.59	6.70	9.34	-29.23	-13.00	-16.23	V
2143.47	-28.54	7.80	10.42	-31.16	-13.00	-18.16	V
2857.62	-25.84	8.00	11.12	-28.96	-13.00	-15.96	V

LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1402.97	-24.99	6.70	9.34	-27.63	-13.00	-14.63	H
2104.44	-25.82	7.80	10.42	-28.44	-13.00	-15.44	H
2805.96	-28.07	8.00	11.12	-31.19	-13.00	-18.19	H
1402.97	-29.67	6.70	9.34	-32.31	-13.00	-19.31	V
2104.44	-25.38	7.80	10.42	-28.00	-13.00	-15.00	V
2805.96	-25.18	8.00	11.12	-28.30	-13.00	-15.30	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.80	-28.97	6.70	9.34	-31.61	-13.00	-18.61	H
2122.16	-25.94	7.80	10.42	-28.56	-13.00	-15.56	H
2829.75	-26.74	8.00	11.12	-29.86	-13.00	-16.86	H
1414.80	-29.18	6.70	9.34	-31.82	-13.00	-18.82	V
2122.16	-25.74	7.80	10.42	-28.36	-13.00	-15.36	V
2829.75	-24.88	8.00	11.12	-28.00	-13.00	-15.00	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.61	-26.65	6.70	9.34	-29.29	-13.00	-16.29	H
2140.16	-29.94	7.80	10.42	-32.56	-13.00	-19.56	H
2853.60	-27.47	8.00	11.12	-30.59	-13.00	-17.59	H
1426.61	-30.27	6.70	9.34	-32.91	-13.00	-19.91	V
2140.16	-26.18	7.80	10.42	-28.80	-13.00	-15.80	V
2853.60	-28.01	8.00	11.12	-31.13	-13.00	-18.13	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.55	-29.83	6.70	9.34	-32.47	-13.00	-19.47	H
2111.51	-26.60	7.80	10.42	-29.22	-13.00	-16.22	H
2815.83	-25.86	8.00	11.12	-28.98	-13.00	-15.98	H
1407.55	-27.53	6.70	9.34	-30.17	-13.00	-17.17	V
2111.51	-26.50	7.80	10.42	-29.12	-13.00	-16.12	V
2815.83	-25.41	8.00	11.12	-28.53	-13.00	-15.53	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.57	-29.16	6.70	9.34	-31.80	-13.00	-18.80	H
2122.33	-26.27	7.80	10.42	-28.89	-13.00	-15.89	H
2829.69	-25.49	8.00	11.12	-28.61	-13.00	-15.61	H
1414.57	-26.65	6.70	9.34	-29.29	-13.00	-16.29	V
2122.33	-29.57	7.80	10.42	-32.19	-13.00	-19.19	V
2829.69	-29.15	8.00	11.12	-32.27	-13.00	-19.27	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.91	-29.26	6.70	9.34	-31.90	-13.00	-18.90	H
2132.63	-29.02	7.80	10.42	-31.64	-13.00	-18.64	H
2843.54	-27.04	8.00	11.12	-30.16	-13.00	-17.16	H
1421.91	-30.35	6.70	9.34	-32.99	-13.00	-19.99	V
2132.63	-27.82	7.80	10.42	-30.44	-13.00	-17.44	V
2843.54	-26.17	8.00	11.12	-29.29	-13.00	-16.29	V

LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1413.01	-25.61	6.90	9.34	-28.05	-13.00	-15.05	H
2120.35	-27.74	8.00	10.42	-30.16	-13.00	-17.16	H
2826.79	-27.68	8.00	11.12	-30.80	-13.00	-17.80	H
1413.01	-26.21	6.90	9.34	-28.65	-13.00	-15.65	V
2120.35	-28.01	8.00	10.42	-30.43	-13.00	-17.43	V
2826.79	-25.51	8.00	11.12	-28.63	-13.00	-15.63	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.23	-25.72	6.90	9.34	-28.16	-13.00	-15.16	H
2129.83	-26.16	8.00	10.42	-28.58	-13.00	-15.58	H
2839.86	-28.40	8.00	11.12	-31.52	-13.00	-18.52	H
1420.23	-27.08	6.90	9.34	-29.52	-13.00	-16.52	V
2129.83	-27.14	8.00	10.42	-29.56	-13.00	-16.56	V
2839.86	-29.08	8.00	11.12	-32.20	-13.00	-19.20	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.16	-29.15	6.90	9.34	-31.59	-13.00	-18.59	H
2139.17	-25.98	8.00	10.42	-28.40	-13.00	-15.40	H
2852.69	-26.58	8.00	11.12	-29.70	-13.00	-16.70	H
1426.16	-30.42	6.90	9.34	-32.86	-13.00	-19.86	V
2139.17	-25.84	8.00	10.42	-28.26	-13.00	-15.26	V
2852.69	-27.60	8.00	11.12	-30.72	-13.00	-17.72	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.33	-29.94	6.90	9.34	-32.38	-13.00	-19.38	H
2127.59	-29.17	8.00	10.42	-31.59	-13.00	-18.59	H
2836.64	-28.46	8.00	11.12	-31.58	-13.00	-18.58	H
1418.33	-28.51	6.90	9.34	-30.95	-13.00	-17.95	V
2127.59	-26.34	8.00	10.42	-28.76	-13.00	-15.76	V
2836.64	-27.65	8.00	11.12	-30.77	-13.00	-17.77	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1419.85	-29.13	6.90	9.34	-31.57	-13.00	-18.57	H
2129.86	-25.57	8.00	10.42	-27.99	-13.00	-14.99	H
2839.88	-25.06	8.00	11.12	-28.18	-13.00	-15.18	H
1419.85	-26.90	6.90	9.34	-29.34	-13.00	-16.34	V
2129.86	-27.92	8.00	10.42	-30.34	-13.00	-17.34	V
2839.88	-29.13	8.00	11.12	-32.25	-13.00	-19.25	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.13	-28.67	6.90	9.34	-31.11	-13.00	-18.11	H
2132.00	-28.78	8.00	10.42	-31.20	-13.00	-18.20	H
2842.67	-28.15	8.00	11.12	-31.27	-13.00	-18.27	H
1421.13	-27.41	6.90	9.34	-29.85	-13.00	-16.85	V
2132.00	-28.17	8.00	10.42	-30.59	-13.00	-17.59	V
2842.67	-27.22	8.00	11.12	-30.34	-13.00	-17.34	V

LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.03	-27.23	7.00	12.93	-33.16	-13.00	-20.16	H
5552.03	-28.33	8.40	17.11	-37.04	-13.00	-24.04	H
7402.84	-24.05	8.10	22.20	-38.15	-13.00	-25.15	H
3701.03	-25.43	7.00	12.93	-31.36	-13.00	-18.36	V
5552.03	-25.39	8.40	17.11	-34.10	-13.00	-21.10	V
7402.84	-24.42	8.10	22.20	-38.52	-13.00	-25.52	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.18	-27.37	7.00	12.93	-33.30	-13.00	-20.30	H
5639.93	-25.47	8.40	17.11	-34.18	-13.00	-21.18	H
7520.27	-24.35	8.10	22.20	-38.45	-13.00	-25.45	H
3760.18	-26.83	7.00	12.93	-32.76	-13.00	-19.76	V
5639.93	-28.49	8.40	17.11	-37.20	-13.00	-24.20	V
7520.27	-27.45	8.10	22.20	-41.55	-13.00	-28.55	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.48	-27.69	7.00	12.93	-33.62	-13.00	-20.62	H
5727.58	-25.54	8.40	17.11	-34.25	-13.00	-21.25	H
7636.85	-23.87	8.10	22.20	-37.97	-13.00	-24.97	H
3818.48	-29.64	7.00	12.93	-35.57	-13.00	-22.57	V
5727.58	-29.20	8.40	17.11	-37.91	-13.00	-24.91	V
7636.85	-25.95	8.10	22.20	-40.05	-13.00	-27.05	V

LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3702.91	-26.33	7.00	12.93	-32.26	-13.00	-19.26	H
5554.44	-27.28	8.40	17.11	-35.99	-13.00	-22.99	H
7405.77	-23.68	8.10	22.20	-37.78	-13.00	-24.78	H
3702.91	-27.92	7.00	12.93	-33.85	-13.00	-20.85	V
5554.44	-27.12	8.40	17.11	-35.83	-13.00	-22.83	V
7405.77	-27.35	8.10	22.20	-41.45	-13.00	-28.45	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.11	-26.09	7.00	12.93	-32.02	-13.00	-19.02	H
5639.97	-26.24	8.40	17.11	-34.95	-13.00	-21.95	H
7520.23	-26.69	8.10	22.20	-40.79	-13.00	-27.79	H
3760.11	-25.54	7.00	12.93	-31.47	-13.00	-18.47	V
5639.97	-25.60	8.40	17.11	-34.31	-13.00	-21.31	V
7520.23	-23.62	8.10	22.20	-37.72	-13.00	-24.72	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3816.95	-28.57	7.00	12.93	-34.50	-13.00	-21.50	H
5725.25	-26.77	8.40	17.11	-35.48	-13.00	-22.48	H
7634.06	-26.27	8.10	22.20	-40.37	-13.00	-27.37	H
3816.95	-28.32	7.00	12.93	-34.25	-13.00	-21.25	V
5725.25	-28.45	8.40	17.11	-37.16	-13.00	-24.16	V
7634.06	-23.55	8.10	22.20	-37.65	-13.00	-24.65	V

LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.28	-24.88	7.00	12.93	-30.81	-13.00	-17.81	H
5557.52	-26.40	8.40	17.11	-35.11	-13.00	-22.11	H
7410.23	-24.34	8.10	22.20	-38.44	-13.00	-25.44	H
3705.28	-27.38	7.00	12.93	-33.31	-13.00	-20.31	V
5557.52	-25.82	8.40	17.11	-34.53	-13.00	-21.53	V
7410.23	-27.65	8.10	22.20	-41.75	-13.00	-28.75	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.06	-25.48	7.00	12.93	-31.41	-13.00	-18.41	H
5639.90	-25.54	8.40	17.11	-34.25	-13.00	-21.25	H
7520.14	-24.37	8.10	22.20	-38.47	-13.00	-25.47	H
3760.06	-25.08	7.00	12.93	-31.01	-13.00	-18.01	V
5639.90	-28.08	8.40	17.11	-36.79	-13.00	-23.79	V
7520.14	-27.56	8.10	22.20	-41.66	-13.00	-28.66	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.42	-28.73	7.00	12.93	-34.66	-13.00	-21.66	H
5722.12	-28.42	8.40	17.11	-37.13	-13.00	-24.13	H
7630.00	-26.69	8.10	22.20	-40.79	-13.00	-27.79	H
3815.42	-28.23	7.00	12.93	-34.16	-13.00	-21.16	V
5722.12	-27.76	8.40	17.11	-36.47	-13.00	-23.47	V
7630.00	-26.31	8.10	22.20	-40.41	-13.00	-27.41	V

LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.49	-27.63	7.00	12.93	-33.56	-13.00	-20.56	H
5565.29	-25.94	8.40	17.11	-34.65	-13.00	-21.65	H
7419.98	-27.15	8.10	22.20	-41.25	-13.00	-28.25	H
3710.49	-25.55	7.00	12.93	-31.48	-13.00	-18.48	V
5565.29	-26.04	8.40	17.11	-34.75	-13.00	-21.75	V
7419.98	-24.21	8.10	22.20	-38.31	-13.00	-25.31	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.81	-28.19	7.00	12.93	-34.12	-13.00	-21.12	H
5640.07	-29.22	8.40	17.11	-37.93	-13.00	-24.93	H
7520.13	-25.42	8.10	22.20	-39.52	-13.00	-26.52	H
3759.81	-29.39	7.00	12.93	-35.32	-13.00	-22.32	V
5640.07	-26.11	8.40	17.11	-34.82	-13.00	-21.82	V
7520.13	-24.03	8.10	22.20	-38.13	-13.00	-25.13	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.40	-25.10	7.00	12.93	-31.03	-13.00	-18.03	H
5714.89	-24.79	8.40	17.11	-33.50	-13.00	-20.50	H
7619.88	-24.23	8.10	22.20	-38.33	-13.00	-25.33	H
3810.40	-29.29	7.00	12.93	-35.22	-13.00	-22.22	V
5714.89	-27.50	8.40	17.11	-36.21	-13.00	-23.21	V
7619.88	-26.59	8.10	22.20	-40.69	-13.00	-27.69	V

LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3715.22	-25.43	7.00	12.93	-31.36	-13.00	-18.36	H
5572.23	-25.39	8.40	17.11	-34.10	-13.00	-21.10	H
7430.45	-23.27	8.10	22.20	-37.37	-13.00	-24.37	H
3715.22	-28.73	7.00	12.93	-34.66	-13.00	-21.66	V
5572.23	-25.69	8.40	17.11	-34.40	-13.00	-21.40	V
7430.45	-23.98	8.10	22.20	-38.08	-13.00	-25.08	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.22	-26.23	7.00	12.93	-32.16	-13.00	-19.16	H
5639.92	-25.85	8.40	17.11	-34.56	-13.00	-21.56	H
7520.09	-24.92	8.10	22.20	-39.02	-13.00	-26.02	H
3760.22	-25.64	7.00	12.93	-31.57	-13.00	-18.57	V
5639.92	-28.80	8.40	17.11	-37.51	-13.00	-24.51	V
7520.09	-28.16	8.10	22.20	-42.26	-13.00	-29.26	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.23	-26.48	7.00	12.93	-32.41	-13.00	-19.41	H
5707.57	-28.24	8.40	17.11	-36.95	-13.00	-23.95	H
7609.96	-23.87	8.10	22.20	-37.97	-13.00	-24.97	H
3805.23	-26.78	7.00	12.93	-32.71	-13.00	-19.71	V
5707.57	-26.42	8.40	17.11	-35.13	-13.00	-22.13	V
7609.96	-23.98	8.10	22.20	-38.08	-13.00	-25.08	V

LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.26	-26.80	7.00	12.93	-32.73	-13.00	-19.73	H
5580.33	-27.11	8.40	17.11	-35.82	-13.00	-22.82	H
7440.06	-25.46	8.10	22.20	-39.56	-13.00	-26.56	H
3720.26	-27.88	7.00	12.93	-33.81	-13.00	-20.81	V
5580.33	-28.89	8.40	17.11	-37.60	-13.00	-24.60	V
7440.06	-27.57	8.10	22.20	-41.67	-13.00	-28.67	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.94	-27.81	7.00	12.93	-33.74	-13.00	-20.74	H
5639.89	-27.72	8.40	17.11	-36.43	-13.00	-23.43	H
7520.18	-25.89	8.10	22.20	-39.99	-13.00	-26.99	H
3759.94	-28.33	7.00	12.93	-34.26	-13.00	-21.26	V
5639.89	-28.59	8.40	17.11	-37.30	-13.00	-24.30	V
7520.18	-24.22	8.10	22.20	-38.32	-13.00	-25.32	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3799.90	-24.74	7.00	12.93	-30.67	-13.00	-17.67	H
5700.08	-28.23	8.40	17.11	-36.94	-13.00	-23.94	H
7599.94	-26.69	8.10	22.20	-40.79	-13.00	-27.79	H
3799.90	-25.45	7.00	12.93	-31.38	-13.00	-18.38	V
5700.08	-28.81	8.40	17.11	-37.52	-13.00	-24.52	V
7599.94	-28.01	8.10	22.20	-42.11	-13.00	-29.11	V

LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1649.33	-28.20	7.40	9.72	-30.52	-13.00	-17.52	H
2473.66	-30.47	8.30	10.86	-33.03	-13.00	-20.03	H
3298.53	-25.14	7.20	11.57	-29.51	-13.00	-16.51	H
1649.33	-30.38	7.40	9.72	-32.70	-13.00	-19.70	V
2473.66	-30.84	8.30	10.86	-33.40	-13.00	-20.40	V
3298.53	-28.42	7.20	11.57	-32.79	-13.00	-19.79	V
LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.07	-28.44	7.40	9.72	-30.76	-13.00	-17.76	H
2509.06	-29.82	8.30	10.86	-32.38	-13.00	-19.38	H
3346.03	-27.88	7.20	11.57	-32.25	-13.00	-19.25	H
1673.07	-30.01	7.40	9.72	-32.33	-13.00	-19.33	V
2509.06	-26.53	8.30	10.86	-29.09	-13.00	-16.09	V
3346.03	-25.39	7.20	11.57	-29.76	-13.00	-16.76	V
LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.70	-26.09	7.40	9.72	-28.41	-13.00	-15.41	H
2544.52	-27.46	8.30	10.86	-30.02	-13.00	-17.02	H
3392.80	-26.85	7.20	11.57	-31.22	-13.00	-18.22	H
1696.70	-27.89	7.40	9.72	-30.21	-13.00	-17.21	V
2544.52	-29.82	8.30	10.86	-32.38	-13.00	-19.38	V
3392.80	-27.95	7.20	11.57	-32.32	-13.00	-19.32	V

LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1651.35	-30.42	7.40	9.72	-32.74	-13.00	-19.74	H
2476.58	-30.53	8.30	10.86	-33.09	-13.00	-20.09	H
3301.62	-28.49	7.20	11.57	-32.86	-13.00	-19.86	H
1651.35	-28.16	7.40	9.72	-30.48	-13.00	-17.48	V
2476.58	-29.95	8.30	10.86	-32.51	-13.00	-19.51	V
3301.62	-27.64	7.20	11.57	-32.01	-13.00	-19.01	V
LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.94	-29.84	7.40	9.72	-32.16	-13.00	-19.16	H
2508.94	-31.13	8.30	10.86	-33.69	-13.00	-20.69	H
3345.94	-25.66	7.20	11.57	-30.03	-13.00	-17.03	H
1672.94	-30.90	7.40	9.72	-33.22	-13.00	-20.22	V
2508.94	-30.57	8.30	10.86	-33.13	-13.00	-20.13	V
3345.94	-26.61	7.20	11.57	-30.98	-13.00	-17.98	V
LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1695.41	-27.67	7.40	9.72	-29.99	-13.00	-16.99	H
2542.46	-30.45	8.30	10.86	-33.01	-13.00	-20.01	H
3390.13	-28.72	7.20	11.57	-33.09	-13.00	-20.09	H
1695.41	-30.17	7.40	9.72	-32.49	-13.00	-19.49	V
2542.46	-30.84	8.30	10.86	-33.40	-13.00	-20.40	V
3390.13	-30.06	7.20	11.57	-34.43	-13.00	-21.43	V

LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.78	-26.08	7.40	9.72	-28.40	-13.00	-15.40	H
2479.28	-31.41	8.30	10.86	-33.97	-13.00	-20.97	H
3306.58	-28.99	7.20	11.57	-33.36	-13.00	-20.36	H
1652.78	-30.87	7.40	9.72	-33.19	-13.00	-20.19	V
2479.28	-28.38	8.30	10.86	-30.94	-13.00	-17.94	V
3306.58	-28.64	7.20	11.57	-33.01	-13.00	-20.01	V
LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.91	-29.45	7.40	9.72	-31.77	-13.00	-18.77	H
2509.14	-29.93	8.30	10.86	-32.49	-13.00	-19.49	H
3346.05	-24.68	7.20	11.57	-29.05	-13.00	-16.05	H
1672.91	-31.60	7.40	9.72	-33.92	-13.00	-20.92	V
2509.14	-28.26	8.30	10.86	-30.82	-13.00	-17.82	V
3346.05	-25.79	7.20	11.57	-30.16	-13.00	-17.16	V
LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1693.37	-29.25	7.40	9.72	-31.57	-13.00	-18.57	H
2539.32	-27.91	8.30	10.86	-30.47	-13.00	-17.47	H
3385.94	-29.54	7.20	11.57	-33.91	-13.00	-20.91	H
1693.37	-30.54	7.40	9.72	-32.86	-13.00	-19.86	V
2539.32	-29.04	8.30	10.86	-31.60	-13.00	-18.60	V
3385.94	-29.19	7.20	11.57	-33.56	-13.00	-20.56	V

LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1658.13	-28.57	7.40	9.72	-30.89	-13.00	-17.89	H
2486.50	-28.73	8.30	10.86	-31.29	-13.00	-18.29	H
3315.47	-27.80	7.20	11.57	-32.17	-13.00	-19.17	H
1658.13	-30.42	7.40	9.72	-32.74	-13.00	-19.74	V
2486.50	-28.32	8.30	10.86	-30.88	-13.00	-17.88	V
3315.47	-29.36	7.20	11.57	-33.73	-13.00	-20.73	V
LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.98	-26.03	7.40	9.72	-28.35	-13.00	-15.35	H
2509.21	-30.78	8.30	10.86	-33.34	-13.00	-20.34	H
3345.86	-29.43	7.20	11.57	-33.80	-13.00	-20.80	H
1672.98	-27.12	7.40	9.72	-29.44	-13.00	-16.44	V
2509.21	-28.24	8.30	10.86	-30.80	-13.00	-17.80	V
3345.86	-28.24	7.20	11.57	-32.61	-13.00	-19.61	V
LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1688.76	-30.13	7.40	9.72	-32.45	-13.00	-19.45	H
2532.29	-28.94	8.30	10.86	-31.50	-13.00	-18.50	H
3376.03	-26.59	7.20	11.57	-30.96	-13.00	-17.96	H
1688.76	-28.53	7.40	9.72	-30.85	-13.00	-17.85	V
2532.29	-30.49	8.30	10.86	-33.05	-13.00	-20.05	V
3376.03	-28.48	7.20	11.57	-32.85	-13.00	-19.85	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1663.41	-28.17	7.40	9.72	-30.49	-13.00	-17.49	H
2494.42	-31.12	8.30	10.86	-33.68	-13.00	-20.68	H
3325.54	-27.84	7.20	11.57	-32.21	-13.00	-19.21	H
1663.41	-27.03	7.40	9.72	-29.35	-13.00	-16.35	V
2494.42	-30.48	8.30	10.86	-33.04	-13.00	-20.04	V
3325.54	-27.11	7.20	11.57	-31.48	-13.00	-18.48	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.84	-27.59	7.40	9.72	-29.91	-13.00	-16.91	H
2509.03	-28.18	8.30	10.86	-30.74	-13.00	-17.74	H
3346.27	-29.04	7.20	11.57	-33.41	-13.00	-20.41	H
1672.84	-30.12	7.40	9.72	-32.44	-13.00	-19.44	V
2509.03	-30.74	8.30	10.86	-33.30	-13.00	-20.30	V
3346.27	-28.12	7.20	11.57	-32.49	-13.00	-19.49	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1683.82	-30.59	7.40	9.72	-32.91	-13.00	-19.91	H
2524.43	-27.27	8.30	10.86	-29.83	-13.00	-16.83	H
3366.65	-24.97	7.20	11.57	-29.34	-13.00	-16.34	H
1683.82	-29.42	7.40	9.72	-31.74	-13.00	-18.74	V
2524.43	-26.42	8.30	10.86	-28.98	-13.00	-15.98	V
3366.65	-28.96	7.20	11.57	-33.33	-13.00	-20.33	V

LTE Band 26(814-824MHz)/ 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1649.34	-27.07	7.40	9.72	-29.39	-13.00	-16.39	H
2473.54	-28.35	8.30	10.86	-30.91	-13.00	-17.91	H
3298.47	-28.79	7.20	11.57	-33.16	-13.00	-20.16	H
1649.34	-28.05	7.40	9.72	-30.37	-13.00	-17.37	V
2473.54	-26.88	8.30	10.86	-29.44	-13.00	-16.44	V
3298.47	-26.22	7.20	11.57	-30.59	-13.00	-17.59	V
LTE Band 26(814-824MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.20	-26.90	7.40	9.72	-29.22	-13.00	-16.22	H
2509.16	-26.53	8.30	10.86	-29.09	-13.00	-16.09	H
3345.95	-27.89	7.20	11.57	-32.26	-13.00	-19.26	H
1673.20	-28.21	7.40	9.72	-30.53	-13.00	-17.53	V
2509.16	-29.24	8.30	10.86	-31.80	-13.00	-18.80	V
3345.95	-25.72	7.20	11.57	-30.09	-13.00	-17.09	V
LTE Band 26(814-824MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.65	-29.62	7.40	9.72	-31.94	-13.00	-18.94	H
2544.87	-30.80	8.30	10.86	-33.36	-13.00	-20.36	H
3392.88	-25.69	7.20	11.57	-30.06	-13.00	-17.06	H
1696.65	-28.74	7.40	9.72	-31.06	-13.00	-18.06	V
2544.87	-28.84	8.30	10.86	-31.40	-13.00	-18.40	V
3392.88	-30.16	7.20	11.57	-34.53	-13.00	-21.53	V

LTE Band 26(814-824MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1651.36	-28.76	7.40	9.72	-31.08	-13.00	-18.08	H
2476.34	-29.82	8.30	10.86	-32.38	-13.00	-19.38	H
3301.58	-27.40	7.20	11.57	-31.77	-13.00	-18.77	H
1651.36	-28.95	7.40	9.72	-31.27	-13.00	-18.27	V
2476.34	-26.42	8.30	10.86	-28.98	-13.00	-15.98	V
3301.58	-26.52	7.20	11.57	-30.89	-13.00	-17.89	V
LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.03	-28.22	7.40	9.72	-30.54	-13.00	-17.54	H
2508.99	-30.97	8.30	10.86	-33.53	-13.00	-20.53	H
3345.90	-25.42	7.20	11.57	-29.79	-13.00	-16.79	H
1673.03	-28.58	7.40	9.72	-30.90	-13.00	-17.90	V
2508.99	-27.30	8.30	10.86	-29.86	-13.00	-16.86	V
3345.90	-28.30	7.20	11.57	-32.67	-13.00	-19.67	V
LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1695.60	-26.81	7.40	9.72	-29.13	-13.00	-16.13	H
2542.25	-27.40	8.30	10.86	-29.96	-13.00	-16.96	H
3390.30	-26.12	7.20	11.57	-30.49	-13.00	-17.49	H
1695.60	-28.37	7.40	9.72	-30.69	-13.00	-17.69	V
2542.25	-27.38	8.30	10.86	-29.94	-13.00	-16.94	V
3390.30	-29.33	7.20	11.57	-33.70	-13.00	-20.70	V

LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test RB32:I50results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1653.03	-30.78	7.40	9.72	-33.10	-13.00	-20.10	H
2479.22	-29.84	8.30	10.86	-32.40	-13.00	-19.40	H
3306.93	-29.27	7.20	11.57	-33.64	-13.00	-20.64	H
1653.03	-27.03	7.40	9.72	-29.35	-13.00	-16.35	V
2479.22	-29.31	8.30	10.86	-31.87	-13.00	-18.87	V
3306.93	-28.62	7.20	11.57	-32.99	-13.00	-19.99	V
LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.94	-26.86	7.40	9.72	-29.18	-13.00	-16.18	H
2509.07	-27.48	8.30	10.86	-30.04	-13.00	-17.04	H
3346.19	-28.99	7.20	11.57	-33.36	-13.00	-20.36	H
1672.94	-28.29	7.40	9.72	-30.61	-13.00	-17.61	V
2509.07	-26.80	8.30	10.86	-29.36	-13.00	-16.36	V
3346.19	-27.99	7.20	11.57	-32.36	-13.00	-19.36	V
LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1693.70	-27.91	7.40	9.72	-30.23	-13.00	-17.23	H
2539.11	-29.96	8.30	10.86	-32.52	-13.00	-19.52	H
3385.96	-29.33	7.20	11.57	-33.70	-13.00	-20.70	H
1693.70	-29.51	7.40	9.72	-31.83	-13.00	-18.83	V
2539.11	-30.56	8.30	10.86	-33.12	-13.00	-20.12	V
3385.96	-26.09	7.20	11.57	-30.46	-13.00	-17.46	V

LTE Band 26(814-824MHz)/ 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1673.25	-30.18	7.40	9.72	-32.50	-13.00	-19.50	H
2509.22	-26.91	8.30	10.86	-29.47	-13.00	-16.47	H
3346.07	-24.71	7.20	11.57	-29.08	-13.00	-16.08	H
1673.25	-27.38	7.40	9.72	-29.70	-13.00	-16.70	V
2509.22	-31.03	8.30	10.86	-33.59	-13.00	-20.59	V
3346.07	-28.04	7.20	11.57	-32.41	-13.00	-19.41	V

LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5115.17	-33.22	8.10	15.86	-40.98	-25.00	-15.98	H
7672.44	-34.00	9.00	19.28	-44.28	-25.00	-19.28	H
10229.95	-32.52	8.70	23.19	-47.01	-25.00	-22.01	H
4997.01	-32.48	8.10	15.86	-40.24	-25.00	-15.24	V
7495.78	-34.09	9.00	19.28	-44.37	-25.00	-19.37	V
9994.28	-28.99	8.70	23.19	-43.48	-25.00	-18.48	V
LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5209.79	-30.58	8.10	15.86	-38.34	-25.00	-13.34	H
7815.05	-31.63	9.00	19.28	-41.91	-25.00	-16.91	H
10420.17	-30.60	8.70	23.19	-45.09	-25.00	-20.09	H
5209.79	-31.70	8.10	15.86	-39.46	-25.00	-14.46	V
7815.05	-34.05	9.00	19.28	-44.33	-25.00	-19.33	V
10420.17	-28.94	8.70	23.19	-43.43	-25.00	-18.43	V
LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5305.09	-30.17	8.10	15.86	-37.93	-25.00	-12.93	H
7957.52	-32.03	9.00	19.28	-42.31	-25.00	-17.31	H
10610.00	-30.25	8.70	23.19	-44.74	-25.00	-19.74	H
5305.09	-32.99	8.10	15.86	-40.75	-25.00	-15.75	V
7957.52	-33.63	9.00	19.28	-43.91	-25.00	-18.91	V
10610.00	-29.36	8.70	23.19	-43.85	-25.00	-18.85	V

LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5120.06	-30.84	8.10	15.86	-38.60	-25.00	-13.60	H
7679.95	-30.93	9.00	19.28	-41.21	-25.00	-16.21	H
10240.02	-33.60	8.70	23.19	-48.09	-25.00	-23.09	H
5120.06	-33.22	8.10	15.86	-40.98	-25.00	-15.98	V
7679.95	-32.60	9.00	19.28	-42.88	-25.00	-17.88	V
10240.02	-30.78	8.70	23.19	-45.27	-25.00	-20.27	V
LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5210.06	-32.85	8.10	15.86	-40.61	-25.00	-15.61	H
7815.08	-30.77	9.00	19.28	-41.05	-25.00	-16.05	H
10420.11	-31.05	8.70	23.19	-45.54	-25.00	-20.54	H
5210.06	-33.36	8.10	15.86	-41.12	-25.00	-16.12	V
7815.08	-33.91	9.00	19.28	-44.19	-25.00	-19.19	V
10420.11	-32.86	8.70	23.19	-47.35	-25.00	-22.35	V
LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5300.27	-33.69	8.10	15.86	-41.45	-25.00	-16.45	H
7950.18	-33.79	9.00	19.28	-44.07	-25.00	-19.07	H
10600.22	-31.55	8.70	23.19	-46.04	-25.00	-21.04	H
5300.27	-34.93	8.10	15.86	-42.69	-25.00	-17.69	V
7950.18	-32.16	9.00	19.28	-42.44	-25.00	-17.44	V
10600.22	-30.64	8.70	23.19	-45.13	-25.00	-20.13	V

LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5124.99	-33.30	8.10	15.86	-41.06	-25.00	-16.06	H
7687.65	-33.78	9.00	19.28	-44.06	-25.00	-19.06	H
10250.37	-30.40	8.70	23.19	-44.89	-25.00	-19.89	H
5124.99	-35.70	8.10	15.86	-43.46	-25.00	-18.46	V
7687.65	-31.59	9.00	19.28	-41.87	-25.00	-16.87	V
10250.37	-31.09	8.70	23.19	-45.58	-25.00	-20.58	V
LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5210.27	-30.79	8.10	15.86	-38.55	-25.00	-13.55	H
7814.89	-33.45	9.00	19.28	-43.73	-25.00	-18.73	H
10420.16	-33.15	8.70	23.19	-47.64	-25.00	-22.64	H
5210.27	-34.26	8.10	15.86	-42.02	-25.00	-17.02	V
7814.89	-30.72	9.00	19.28	-41.00	-25.00	-16.00	V
10420.16	-31.20	8.70	23.19	-45.69	-25.00	-20.69	V
LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5298.21	-32.30	8.10	15.86	-40.06	-25.00	-15.06	H
7942.45	-30.71	9.00	19.28	-40.99	-25.00	-15.99	H
10589.97	-29.35	8.70	23.19	-43.84	-25.00	-18.84	H
5298.21	-32.84	8.10	15.86	-40.60	-25.00	-15.60	V
7942.45	-32.84	9.00	19.28	-43.12	-25.00	-18.12	V
10589.97	-32.46	8.70	23.19	-46.95	-25.00	-21.95	V

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5130.17	-31.62	8.10	15.86	-39.38	-25.00	-14.38	H
7695.24	-33.11	9.00	19.28	-43.39	-25.00	-18.39	H
10260.19	-32.96	8.70	23.19	-47.45	-25.00	-22.45	H
5130.17	-35.75	8.10	15.86	-43.51	-25.00	-18.51	V
7695.24	-30.55	9.00	19.28	-40.83	-25.00	-15.83	V
10260.19	-29.81	8.70	23.19	-44.30	-25.00	-19.30	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.06	-34.61	8.10	15.86	-42.37	-25.00	-17.37	H
7815.13	-34.72	9.00	19.28	-45.00	-25.00	-20.00	H
10420.18	-31.91	8.70	23.19	-46.40	-25.00	-21.40	H
5210.06	-35.90	8.10	15.86	-43.66	-25.00	-18.66	V
7815.13	-30.48	9.00	19.28	-40.76	-25.00	-15.76	V
10420.18	-29.88	8.70	23.19	-44.37	-25.00	-19.37	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5290.25	-34.00	8.10	15.86	-41.76	-25.00	-16.76	H
7935.11	-33.46	9.00	19.28	-43.74	-25.00	-18.74	H
10580.04	-29.55	8.70	23.19	-44.04	-25.00	-19.04	H
5290.25	-32.01	8.10	15.86	-39.77	-25.00	-14.77	V
7935.11	-33.81	9.00	19.28	-44.09	-25.00	-19.09	V
10580.04	-33.14	8.70	23.19	-47.63	-25.00	-22.63	V

LTE Band 40(2305-2315MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest

Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
4615.06	-41.33	8.20	12.95	-46.08	-40.00	-6.08	H
6922.26	-42.32	8.10	17.02	-51.24	-40.00	-11.24	H
9230.05	-34.83	8.20	21.78	-48.41	-40.00	-8.41	H
4615.06	-44.85	8.20	12.95	-49.60	-40.00	-9.60	V
6922.26	-41.67	8.10	17.02	-50.59	-40.00	-10.59	V
9230.05	-35.70	8.20	21.78	-49.28	-40.00	-9.28	V

LTE Band 40(2305-2315MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle

Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
4619.81	-44.67	8.20	12.95	-49.42	-40.00	-9.42	H
6930.22	-42.40	8.10	17.02	-51.32	-40.00	-11.32	H
9239.85	-33.62	8.20	21.78	-47.20	-40.00	-7.20	H
4619.81	-42.93	8.20	12.95	-47.68	-40.00	-7.68	V
6930.22	-40.01	8.10	17.02	-48.93	-40.00	-8.93	V
9239.85	-34.10	8.20	21.78	-47.68	-40.00	-7.68	V

LTE Band 40(2305-2315MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest

Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
4624.85	-44.84	8.20	12.95	-49.59	-40.00	-9.59	H
6937.63	-38.65	8.10	17.02	-47.57	-40.00	-7.57	H
9249.82	-36.61	8.20	21.78	-50.19	-40.00	-10.19	H
4624.85	-43.08	8.20	12.95	-47.83	-40.00	-7.83	V
6937.63	-40.12	8.10	17.02	-49.04	-40.00	-9.04	V
9249.82	-33.29	8.20	21.78	-46.87	-40.00	-6.87	V

LTE Band 40(2350-2360MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
4705.19	-44.53	8.20	12.95	-49.28	-40.00	-9.28	H
7057.10	-40.72	8.10	17.02	-49.64	-40.00	-9.64	H
9409.75	-36.41	8.20	21.78	-49.99	-40.00	-9.99	H
4705.19	-43.41	8.20	12.95	-48.16	-40.00	-8.16	V
7057.10	-39.34	8.10	17.02	-48.26	-40.00	-8.26	V
9409.75	-34.60	8.20	21.78	-48.18	-40.00	-8.18	V
LTE Band 40(2350-2360MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
4709.87	-43.44	8.20	12.95	-48.19	-40.00	-8.19	H
7065.11	-38.12	8.10	17.02	-47.04	-40.00	-7.04	H
9420.00	-34.48	8.20	21.78	-48.06	-40.00	-8.06	H
4709.87	-45.38	8.20	12.95	-50.13	-40.00	-10.13	V
7065.11	-41.84	8.10	17.02	-50.76	-40.00	-10.76	V
9420.00	-35.04	8.20	21.78	-48.62	-40.00	-8.62	V
LTE Band 40(2350-2360MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
4715.13	-42.47	8.20	12.95	-47.22	-40.00	-7.22	H
7071.98	-40.39	8.10	17.02	-49.31	-40.00	-9.31	H
9429.96	-33.74	8.20	21.78	-47.32	-40.00	-7.32	H
4715.13	-42.00	8.20	12.95	-46.75	-40.00	-6.75	V
7071.98	-39.49	8.10	17.02	-48.41	-40.00	-8.41	V
9429.96	-35.67	8.20	21.78	-49.25	-40.00	-9.25	V

LTE Band 40(2305-2315MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
4620.08	-45.37	8.20	12.95	-50.12	-40.00	-10.12	H
6930.14	-42.07	8.10	17.02	-50.99	-40.00	-10.99	H
9239.98	-36.49	8.20	21.78	-50.07	-40.00	-10.07	H
4620.08	-44.12	8.20	12.95	-48.87	-40.00	-8.87	V
6930.14	-41.14	8.10	17.02	-50.06	-40.00	-10.06	V
9239.98	-35.08	8.20	21.78	-48.66	-40.00	-8.66	V

LTE Band 40(2350-2360MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
4709.87	-42.71	8.20	12.95	-47.46	-40.00	-7.46	H
7064.80	-38.66	8.10	17.02	-47.58	-40.00	-7.58	H
9419.94	-35.12	8.20	21.78	-48.70	-40.00	-8.70	H
4709.87	-44.15	8.20	12.95	-48.90	-40.00	-8.90	V
7064.80	-41.69	8.10	17.02	-50.61	-40.00	-10.61	V
9419.94	-34.58	8.20	21.78	-48.16	-40.00	-8.16	V

LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5074.70	-31.87	7.90	15.86	-39.83	-25.00	-14.83	H
7612.13	-34.41	9.00	19.28	-44.69	-25.00	-19.69	H
10149.83	-30.65	8.70	23.19	-45.14	-25.00	-20.14	H
5074.70	-35.19	7.90	15.86	-43.15	-25.00	-18.15	V
7612.13	-34.48	9.00	19.28	-44.76	-25.00	-19.76	V
10149.83	-31.90	8.70	23.19	-46.39	-25.00	-21.39	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5189.78	-30.12	7.90	15.86	-38.08	-25.00	-13.08	H
7784.54	-32.62	9.00	19.28	-42.90	-25.00	-17.90	H
10380.01	-31.70	8.70	23.19	-46.19	-25.00	-21.19	H
5189.78	-32.81	7.90	15.86	-40.77	-25.00	-15.77	V
7784.54	-34.73	9.00	19.28	-45.01	-25.00	-20.01	V
10380.01	-30.60	8.70	23.19	-45.09	-25.00	-20.09	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5304.99	-30.89	7.90	15.86	-38.85	-25.00	-13.85	H
7957.57	-31.97	9.00	19.28	-42.25	-25.00	-17.25	H
10610.22	-31.02	8.70	23.19	-45.51	-25.00	-20.51	H
5304.99	-34.96	7.90	15.86	-42.92	-25.00	-17.92	V
7957.57	-34.05	9.00	19.28	-44.33	-25.00	-19.33	V
10610.22	-30.95	8.70	23.19	-45.44	-25.00	-20.44	V

LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5080.19	-30.42	7.90	15.86	-38.38	-25.00	-13.38	H
7620.20	-31.02	9.00	19.28	-41.30	-25.00	-16.30	H
10159.73	-32.94	8.70	23.19	-47.43	-25.00	-22.43	H
5080.19	-33.76	7.90	15.86	-41.72	-25.00	-16.72	V
7620.20	-33.97	9.00	19.28	-44.25	-25.00	-19.25	V
10159.73	-28.27	8.70	23.19	-42.76	-25.00	-17.76	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5189.60	-34.69	7.90	15.86	-42.65	-25.00	-17.65	H
7784.81	-33.65	9.00	19.28	-43.93	-25.00	-18.93	H
10379.73	-32.04	8.70	23.19	-46.53	-25.00	-21.53	H
5189.60	-33.15	7.90	15.86	-41.11	-25.00	-16.11	V
7784.81	-34.69	9.00	19.28	-44.97	-25.00	-19.97	V
10379.73	-31.10	8.70	23.19	-45.59	-25.00	-20.59	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5299.85	-32.93	7.90	15.86	-40.89	-25.00	-15.89	H
7950.27	-35.45	9.00	19.28	-45.73	-25.00	-20.73	H
10600.04	-28.86	8.70	23.19	-43.35	-25.00	-18.35	H
5299.85	-33.15	7.90	15.86	-41.11	-25.00	-16.11	V
7950.27	-30.82	9.00	19.28	-41.10	-25.00	-16.10	V
10600.04	-32.89	8.70	23.19	-47.38	-25.00	-22.38	V

LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5085.07	-32.32	7.90	15.86	-40.28	-25.00	-15.28	H
7627.45	-33.39	9.00	19.28	-43.67	-25.00	-18.67	H
10170.17	-32.17	8.70	23.19	-46.66	-25.00	-21.66	H
5085.07	-34.27	7.90	15.86	-42.23	-25.00	-17.23	V
7627.45	-34.61	9.00	19.28	-44.89	-25.00	-19.89	V
10170.17	-30.20	8.70	23.19	-44.69	-25.00	-19.69	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5189.95	-32.06	7.90	15.86	-40.02	-25.00	-15.02	H
7784.72	-32.89	9.00	19.28	-43.17	-25.00	-18.17	H
10380.18	-29.70	8.70	23.19	-44.19	-25.00	-19.19	H
5189.95	-32.72	7.90	15.86	-40.68	-25.00	-15.68	V
7784.72	-31.60	9.00	19.28	-41.88	-25.00	-16.88	V
10380.18	-28.33	8.70	23.19	-42.82	-25.00	-17.82	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5298.22	-30.87	7.90	15.86	-38.83	-25.00	-13.83	H
7942.39	-31.94	9.00	19.28	-42.22	-25.00	-17.22	H
10589.95	-32.91	8.70	23.19	-47.40	-25.00	-22.40	H
5298.22	-32.17	7.90	15.86	-40.13	-25.00	-15.13	V
7942.39	-31.96	9.00	19.28	-42.24	-25.00	-17.24	V
10589.95	-31.22	8.70	23.19	-45.71	-25.00	-20.71	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5090.01	-33.20	7.90	15.86	-41.16	-25.00	-16.16	H
7634.70	-31.39	9.00	19.28	-41.67	-25.00	-16.67	H
10179.84	-30.69	8.70	23.19	-45.18	-25.00	-20.18	H
5090.01	-31.11	7.90	15.86	-39.07	-25.00	-14.07	V
7634.70	-30.26	9.00	19.28	-40.54	-25.00	-15.54	V
10179.84	-28.26	8.70	23.19	-42.75	-25.00	-17.75	V
LTE Band 41 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5189.80	-31.47	7.90	15.86	-39.43	-25.00	-14.43	H
7784.84	-31.14	9.00	19.28	-41.42	-25.00	-16.42	H
10380.04	-30.73	8.70	23.19	-45.22	-25.00	-20.22	H
5189.80	-32.78	7.90	15.86	-40.74	-25.00	-15.74	V
7784.84	-33.50	9.00	19.28	-43.78	-25.00	-18.78	V
10380.04	-32.07	8.70	23.19	-46.56	-25.00	-21.56	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5290.10	-32.76	7.90	15.86	-40.72	-25.00	-15.72	H
7934.94	-30.92	9.00	19.28	-41.20	-25.00	-16.20	H
10579.95	-33.25	8.70	23.19	-47.74	-25.00	-22.74	H
5290.10	-32.44	7.90	15.86	-40.40	-25.00	-15.40	V
7934.94	-34.75	9.00	19.28	-45.03	-25.00	-20.03	V
10579.95	-30.06	8.70	23.19	-44.55	-25.00	-19.55	V

LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.41	-27.99	7.20	12.56	-33.35	-13.00	-20.35	H
5132.07	-25.41	8.10	16.32	-33.63	-13.00	-20.63	H
6842.63	-24.01	8.30	21.13	-36.84	-13.00	-23.84	H
3421.41	-26.19	7.20	12.56	-31.55	-13.00	-18.55	V
5132.07	-25.86	8.10	16.32	-34.08	-13.00	-21.08	V
6842.63	-25.83	8.30	21.13	-38.66	-13.00	-25.66	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.95	-28.89	7.20	12.56	-34.25	-13.00	-21.25	H
5235.27	-27.40	8.10	16.32	-35.62	-13.00	-22.62	H
6979.91	-26.29	8.30	21.13	-39.12	-13.00	-26.12	H
3489.95	-29.97	7.20	12.56	-35.33	-13.00	-22.33	V
5235.27	-25.18	8.10	16.32	-33.40	-13.00	-20.40	V
6979.91	-23.78	8.30	21.13	-36.61	-13.00	-23.61	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3558.05	-27.85	7.20	12.56	-33.21	-13.00	-20.21	H
5336.92	-29.00	8.10	16.32	-37.22	-13.00	-24.22	H
7117.09	-24.44	8.30	21.13	-37.27	-13.00	-24.27	H
3558.05	-26.81	7.20	12.56	-32.17	-13.00	-19.17	V
5336.92	-28.01	8.10	16.32	-36.23	-13.00	-23.23	V
7117.09	-27.58	8.30	21.13	-40.41	-13.00	-27.41	V

LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.03	-24.07	7.20	12.56	-29.43	-13.00	-16.43	H
5134.27	-26.00	8.10	16.32	-34.22	-13.00	-21.22	H
6846.08	-25.34	8.30	21.13	-38.17	-13.00	-25.17	H
3423.03	-28.76	7.20	12.56	-34.12	-13.00	-21.12	V
5134.27	-29.01	8.10	16.32	-37.23	-13.00	-24.23	V
6846.08	-24.67	8.30	21.13	-37.50	-13.00	-24.50	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.99	-25.85	7.20	12.56	-31.21	-13.00	-18.21	H
5234.86	-24.61	8.10	16.32	-32.83	-13.00	-19.83	H
6979.97	-26.49	8.30	21.13	-39.32	-13.00	-26.32	H
3489.99	-27.09	7.20	12.56	-32.45	-13.00	-19.45	V
5234.86	-28.43	8.10	16.32	-36.65	-13.00	-23.65	V
6979.97	-25.01	8.30	21.13	-37.84	-13.00	-24.84	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3556.90	-26.58	7.20	12.56	-31.94	-13.00	-18.94	H
5262.23	-24.63	8.10	16.32	-32.85	-13.00	-19.85	H
7114.02	-27.24	8.30	21.13	-40.07	-13.00	-27.07	H
3556.90	-27.10	7.20	12.56	-32.46	-13.00	-19.46	V
5262.23	-25.63	8.10	16.32	-33.85	-13.00	-20.85	V
7114.02	-24.31	8.30	21.13	-37.14	-13.00	-24.14	V

LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3425.00	-24.86	7.20	12.56	-30.22	-13.00	-17.22	H
5137.24	-25.61	8.10	16.32	-33.83	-13.00	-20.83	H
6850.44	-24.35	8.30	21.13	-37.18	-13.00	-24.18	H
3425.00	-28.59	7.20	12.56	-33.95	-13.00	-20.95	V
5137.24	-25.18	8.10	16.32	-33.40	-13.00	-20.40	V
6850.44	-26.74	8.30	21.13	-39.57	-13.00	-26.57	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.81	-28.20	7.20	12.56	-33.56	-13.00	-20.56	H
5235.06	-26.38	8.10	16.32	-34.60	-13.00	-21.60	H
6979.83	-22.97	8.30	21.13	-35.80	-13.00	-22.80	H
3489.81	-28.31	7.20	12.56	-33.67	-13.00	-20.67	V
5235.06	-26.65	8.10	16.32	-34.87	-13.00	-21.87	V
6979.83	-26.34	8.30	21.13	-39.17	-13.00	-26.17	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3557.80	-28.22	7.20	12.56	-33.58	-13.00	-20.58	H
5234.97	-25.45	8.10	16.32	-33.67	-13.00	-20.67	H
7109.78	-26.15	8.30	21.13	-38.98	-13.00	-25.98	H
3557.80	-26.39	7.20	12.56	-31.75	-13.00	-18.75	V
5234.97	-26.16	8.10	16.32	-34.38	-13.00	-21.38	V
7109.78	-27.27	8.30	21.13	-40.10	-13.00	-27.10	V