

LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3430.07	-23.99	7.20	12.56	-29.35	-13.00	-16.35	H
5144.93	-28.61	8.10	16.32	-36.83	-13.00	-23.83	H
6879.76	-25.09	8.30	21.13	-37.92	-13.00	-24.92	H
3430.07	-29.57	7.20	12.56	-34.93	-13.00	-21.93	V
5144.93	-26.72	8.10	16.32	-34.94	-13.00	-21.94	V
6879.76	-23.98	8.30	21.13	-36.81	-13.00	-23.81	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.80	-28.55	7.20	12.56	-33.91	-13.00	-20.91	H
5234.86	-28.81	8.10	16.32	-37.03	-13.00	-24.03	H
6979.99	-27.04	8.30	21.13	-39.87	-13.00	-26.87	H
3489.80	-25.57	7.20	12.56	-30.93	-13.00	-17.93	V
5234.86	-25.09	8.10	16.32	-33.31	-13.00	-20.31	V
6979.99	-24.15	8.30	21.13	-36.98	-13.00	-23.98	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3550.34	-24.14	7.20	12.56	-29.50	-13.00	-16.50	H
5235.01	-25.56	8.10	16.32	-33.78	-13.00	-20.78	H
7100.04	-24.48	8.30	21.13	-37.31	-13.00	-24.31	H
3550.34	-25.81	7.20	12.56	-31.17	-13.00	-18.17	V
5235.01	-29.00	8.10	16.32	-37.22	-13.00	-24.22	V
7100.04	-25.23	8.30	21.13	-38.06	-13.00	-25.06	V

LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3435.03	-25.89	7.20	12.56	-31.25	-13.00	-18.25	H
5152.26	-27.38	8.10	16.32	-35.60	-13.00	-22.60	H
6869.90	-25.53	8.30	21.13	-38.36	-13.00	-25.36	H
3435.03	-29.15	7.20	12.56	-34.51	-13.00	-21.51	V
5152.26	-24.70	8.10	16.32	-32.92	-13.00	-19.92	V
6869.90	-28.19	8.30	21.13	-41.02	-13.00	-28.02	V
LTE Band 66 /15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.86	-27.77	7.20	12.56	-33.13	-13.00	-20.13	H
5234.83	-26.63	8.10	16.32	-34.85	-13.00	-21.85	H
6979.87	-27.40	8.30	21.13	-40.23	-13.00	-27.23	H
3489.86	-28.18	7.20	12.56	-33.54	-13.00	-20.54	V
5234.83	-26.86	8.10	16.32	-35.08	-13.00	-22.08	V
6979.87	-27.90	8.30	21.13	-40.73	-13.00	-27.73	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3544.75	-24.85	7.20	12.56	-30.21	-13.00	-17.21	H
5332.50	-28.58	8.10	16.32	-36.80	-13.00	-23.80	H
7089.94	-25.99	8.30	21.13	-38.82	-13.00	-25.82	H
3544.75	-27.48	7.20	12.56	-32.84	-13.00	-19.84	V
5332.50	-25.54	8.10	16.32	-33.76	-13.00	-20.76	V
7089.94	-26.40	8.30	21.13	-39.23	-13.00	-26.23	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.18	-28.65	7.20	12.56	-34.01	-13.00	-21.01	H
5159.95	-26.67	8.10	16.32	-34.89	-13.00	-21.89	H
6880.10	-23.00	8.30	21.13	-35.83	-13.00	-22.83	H
3440.18	-25.86	7.20	12.56	-31.22	-13.00	-18.22	V
5159.95	-25.64	8.10	16.32	-33.86	-13.00	-20.86	V
6880.10	-25.96	8.30	21.13	-38.79	-13.00	-25.79	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.93	-28.91	7.20	12.56	-34.27	-13.00	-21.27	H
5235.17	-25.15	8.10	16.32	-33.37	-13.00	-20.37	H
6980.26	-23.36	8.30	21.13	-36.19	-13.00	-23.19	H
3489.93	-28.18	7.20	12.56	-33.54	-13.00	-20.54	V
5235.17	-26.88	8.10	16.32	-35.10	-13.00	-22.10	V
6980.26	-23.59	8.30	21.13	-36.42	-13.00	-23.42	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3540.17	-24.73	7.20	12.56	-30.09	-13.00	-17.09	H
5309.93	-29.32	8.10	16.32	-37.54	-13.00	-24.54	H
7080.83	-26.30	8.30	21.13	-39.13	-13.00	-26.13	H
3540.17	-25.39	7.20	12.56	-30.75	-13.00	-17.75	V
5309.93	-25.93	8.10	16.32	-34.15	-13.00	-21.15	V
7080.83	-25.03	8.30	21.13	-37.86	-13.00	-24.86	V

LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1330.86	-26.54	6.50	9.34	-29.38	-13.00	-16.38	H
1966.48	-27.97	7.70	10.42	-30.69	-13.00	-17.69	H
2661.81	-29.60	7.90	11.12	-32.82	-13.00	-19.82	H
1330.86	-28.09	6.50	9.34	-30.93	-13.00	-17.93	V
1966.48	-29.24	7.70	10.42	-31.96	-13.00	-18.96	V
2661.81	-25.92	7.90	11.12	-29.14	-13.00	-16.14	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.18	-26.44	6.50	9.34	-29.28	-13.00	-16.28	H
2041.20	-31.49	7.70	10.42	-34.21	-13.00	-21.21	H
2721.82	-26.95	7.90	11.12	-30.17	-13.00	-17.17	H
1361.18	-31.07	6.50	9.34	-33.91	-13.00	-20.91	V
2041.20	-29.04	7.70	10.42	-31.76	-13.00	-18.76	V
2721.82	-29.19	7.90	11.12	-32.41	-13.00	-19.41	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1390.76	-29.76	6.50	9.34	-32.60	-13.00	-19.60	H
2085.95	-29.84	7.70	10.42	-32.56	-13.00	-19.56	H
2781.97	-24.82	7.90	11.12	-28.04	-13.00	-15.04	H
1390.76	-30.42	6.50	9.34	-33.26	-13.00	-20.26	V
2085.95	-29.76	7.70	10.42	-32.48	-13.00	-19.48	V
2781.97	-26.75	7.90	11.12	-29.97	-13.00	-16.97	V

LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1336.13	-27.64	6.50	9.34	-30.48	-13.00	-17.48	H
2004.00	-27.46	7.70	10.42	-30.18	-13.00	-17.18	H
2671.82	-27.06	7.90	11.12	-30.28	-13.00	-17.28	H
1336.13	-27.10	6.50	9.34	-29.94	-13.00	-16.94	V
2004.00	-26.47	7.70	10.42	-29.19	-13.00	-16.19	V
2671.82	-25.81	7.90	11.12	-29.03	-13.00	-16.03	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.08	-30.67	6.50	9.34	-33.51	-13.00	-20.51	H
2041.47	-27.08	7.70	10.42	-29.80	-13.00	-16.80	H
2721.71	-26.79	7.90	11.12	-30.01	-13.00	-17.01	H
1361.08	-31.09	6.50	9.34	-33.93	-13.00	-20.93	V
2041.47	-30.65	7.70	10.42	-33.37	-13.00	-20.37	V
2721.71	-30.19	7.90	11.12	-33.41	-13.00	-20.41	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1385.88	-26.74	6.50	9.34	-29.58	-13.00	-16.58	H
2078.96	-28.22	7.70	10.42	-30.94	-13.00	-17.94	H
2721.77	-27.35	7.90	11.12	-30.57	-13.00	-17.57	H
1385.88	-30.61	6.50	9.34	-33.45	-13.00	-20.45	V
2078.96	-29.65	7.70	10.42	-32.37	-13.00	-19.37	V
2721.77	-29.04	7.90	11.12	-32.26	-13.00	-19.26	V

LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1341.12	-30.81	6.50	9.34	-33.65	-13.00	-20.65	H
2010.83	-30.88	7.70	10.42	-33.60	-13.00	-20.60	H
2682.15	-26.60	7.90	11.12	-29.82	-13.00	-16.82	H
1341.12	-28.57	6.50	9.34	-31.41	-13.00	-18.41	V
2010.83	-29.17	7.70	10.42	-31.89	-13.00	-18.89	V
2682.15	-25.89	7.90	11.12	-29.11	-13.00	-16.11	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.11	-27.11	6.50	9.34	-29.95	-13.00	-16.95	H
2041.66	-26.58	7.70	10.42	-29.30	-13.00	-16.30	H
2721.98	-27.37	7.90	11.12	-30.59	-13.00	-17.59	H
1361.11	-29.91	6.50	9.34	-32.75	-13.00	-19.75	V
2041.66	-28.37	7.70	10.42	-31.09	-13.00	-18.09	V
2721.98	-26.34	7.90	11.12	-29.56	-13.00	-16.56	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1381.06	-26.29	6.50	9.34	-29.13	-13.00	-16.13	H
2071.17	-28.11	7.70	10.42	-30.83	-13.00	-17.83	H
2761.93	-25.58	7.90	11.12	-28.80	-13.00	-15.80	H
1381.06	-30.87	6.50	9.34	-33.71	-13.00	-20.71	V
2071.17	-30.19	7.70	10.42	-32.91	-13.00	-19.91	V
2761.93	-28.53	7.90	11.12	-31.75	-13.00	-18.75	V

LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1345.77	-28.66	6.50	9.34	-31.50	-13.00	-18.50	H
2019.19	-27.76	7.70	10.42	-30.48	-13.00	-17.48	H
2692.09	-25.31	7.90	11.12	-28.53	-13.00	-15.53	H
1345.77	-29.29	6.50	9.34	-32.13	-13.00	-19.13	V
2019.19	-26.51	7.70	10.42	-29.23	-13.00	-16.23	V
2692.09	-26.60	7.90	11.12	-29.82	-13.00	-16.82	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.10	-27.74	6.50	9.34	-30.58	-13.00	-17.58	H
2041.35	-29.10	7.70	10.42	-31.82	-13.00	-18.82	H
2722.15	-25.17	7.90	11.12	-28.39	-13.00	-15.39	H
1361.10	-29.01	6.50	9.34	-31.85	-13.00	-18.85	V
2041.35	-31.08	7.70	10.42	-33.80	-13.00	-20.80	V
2722.15	-29.38	7.90	11.12	-32.60	-13.00	-19.60	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1376.03	-29.67	6.50	9.34	-32.51	-13.00	-19.51	H
2064.11	-26.87	7.70	10.42	-29.59	-13.00	-16.59	H
2751.94	-28.25	7.90	11.12	-31.47	-13.00	-18.47	H
1376.03	-30.32	6.50	9.34	-33.16	-13.00	-20.16	V
2064.11	-28.33	7.70	10.42	-31.05	-13.00	-18.05	V
2751.94	-29.70	7.90	11.12	-32.92	-13.00	-19.92	V

※※※※※END OF THE REPORT※※※※※