



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#7

Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:55:48

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22408-23658

Power : 120 V.a.c.

M/N:

Distance: 3m

Test Mode : RX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:55:02

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH149

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#8


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:56:01

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22408-23658

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : RX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#4


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:55:14

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH149

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#9


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:56:13

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH149

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#5


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:55:26

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH149

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#10

Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:56:25

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH149

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#1


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:56:37

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH157

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1245.000	44.85	peak	-8.20	36.65	74.00	150	37	-37.35	
*	3191.000	40.95	peak	-2.28	38.67	74.00	150	142	-35.33	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#6


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:57:36

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH157

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1052.500	48.48	peak	-9.55	38.93	74.00	150	64	-35.07	
*	3191.000	41.37	peak	-2.28	39.09	74.00	150	118	-34.91	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#2

Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:56:47

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH157

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#7

Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:57:46

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22408-23658

Power : 120 V.a.c.

M/N:

Distance: 3m

Test Mode : RX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:57:00

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH157

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#8


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:57:59

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH157

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#4


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:57:12

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH157

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#9


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:58:10

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH157

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#5


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:57:24

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH157

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#10

Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:58:23

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH157

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#1


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:58:35

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH165

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1245.000	44.67	peak	-8.20	36.47	74.00	150	231	-37.53	
*	3191.000	41.28	peak	-2.28	39.00	74.00	150	64	-35.00	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#6


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:59:34

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH165

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1056.000	48.66	peak	-9.53	39.13	74.00	150	163	-34.87	
	3191.000	41.26	peak	-2.28	38.98	74.00	150	218	-35.02	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#2

Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:58:45

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH165

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#7


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:59:44

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH165

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:58:58

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22408-23658

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : RX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#8


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:59:56

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH165

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#4


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:59:09

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH165

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#9


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 05:00:08

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH165

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#5


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 04:59:21

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH165

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#10


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 05:00:20

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11a CH165

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #1


Date: 2024/8/19

Temperature: 24.1 °C

90.0 dBuV/m

Time: 下午 07:29:21

Humidity: 45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH149

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1245.000	44.84	peak	-8.20	36.64	74.00	150	136	-37.36	
*	3191.000	41.20	peak	-2.28	38.92	74.00	150	223	-35.08	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/8/19

Temperature: 24.1 °C

90.0 dBuV/m

Time: 下午 07:30:20

Humidity: 45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH149

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1056.000	46.74	peak	-9.53	37.21	74.00	150	18	-36.79	
*	6386.500	36.21	peak	9.59	45.80	74.00	150	290	-28.20	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:29:31

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH149

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7

Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:30:30

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH149

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:29:44

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH149

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:30:43

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH149

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:29:56

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH149

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:30:55

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH149

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:30:08

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH149

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:31:07

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH149

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #1


Date: 2024/8/19

Temperature: 24.1 °C

90.0 dBuV/m

Time: 下午 07:31:19

Humidity: 45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH157

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1245.000	42.25	peak	-8.20	34.05	74.00	150	222	-39.95	
*	3191.000	39.73	peak	-2.28	37.45	74.00	150	340	-36.55	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6

Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:32:18

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH157

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1245.000	43.45	peak	-8.20	35.25	74.00	150	147	-38.75	
*	6386.500	38.40	peak	9.59	47.99	74.00	150	265	-26.01	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2

Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:31:29

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH157

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7

Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:32:28

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH157

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:31:42

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22408-23658

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : RX 802.11n20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:32:40

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH157

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:31:53

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH157

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:32:52

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH157

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:32:05

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH157

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:33:04

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22408-23658

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : RX 802.11n20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #1


Date: 2024/8/19

Temperature: 24.1 °C

90.0 dBuV/m

Time: 下午 07:33:16

Humidity: 45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH165

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2015.000	38.01	peak	-5.27	32.74	74.00	150	23	-41.26	
*	3191.000	42.30	peak	-2.28	40.02	74.00	150	289	-33.98	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #6


Date: 2024/8/19

Temperature: 24.1 °C

90.0 dBuV/m

Time: 下午 07:34:15

Humidity: 45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH165

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2015.000	40.69	peak	-5.27	35.42	74.00	150	226	-38.58	
*	6383.000	34.68	peak	9.56	44.24	74.00	150	100	-29.76	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2

Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:33:26

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH165

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:34:25

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH165

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:33:39

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH165

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:34:38

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH165

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:33:51

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH165

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:34:50

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH165

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:34:03

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH165

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 07:35:02

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n20 CH165

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #1


Date: 2024/8/19

Temperature: 24.1 °C

90.0 dBuV/m

Time: 下午 10:33:14

Humidity: 45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH151

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1056.000	46.65	peak	-9.53	37.12	74.00	150	285	-36.88	
*	3191.000	42.28	peak	-2.28	40.00	74.00	150	220	-34.00	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/8/19

Temperature: 24.1 °C

90.0 dBuV/m

Time: 下午 10:34:13

Humidity: 45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH151

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1595.000	45.46	peak	-7.78	37.68	74.00	150	113	-36.32	
*	6383.000	37.24	peak	9.56	46.80	74.00	150	270	-27.20	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:33:24

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH151

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7

Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:34:23

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22408-23658

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : RX 802.11n40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:33:37

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH151

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:34:35

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH151

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:33:48

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH151

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:34:47

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH151

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:34:00

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH151

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:34:59

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH151

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/8/19

Temperature: 24.1 °C

90.0 dBuV/m

Time: 下午 10:35:11

Humidity: 45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH159

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1056.000	42.27	peak	-9.53	32.74	74.00	150	299	-41.26	
*	3191.000	42.82	peak	-2.28	40.54	74.00	150	15	-33.46	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6

Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:36:10

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH159

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1595.000	45.30	peak	-7.78	37.52	74.00	150	274	-36.48	
*	6386.500	36.59	peak	9.59	46.18	74.00	150	10	-27.82	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:35:22

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH159

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:36:20

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH159

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:35:34

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH159

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:36:33

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH159

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:35:46

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH159

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9

Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:36:45

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH159

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:35:58

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11n40 CH159

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:36:57

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22408-23658

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : RX 802.11n40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/8/19

Temperature: 24.1 °C

90.0 dBuV/m

Time: 下午 10:49:02

Humidity: 45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11ac80 CH155

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1052.500	43.79	peak	-9.55	34.24	74.00	150	291	-39.76	
*	3191.000	40.00	peak	-2.28	37.72	74.00	150	283	-36.28	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:50:01

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11ac80 CH155

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1595.000	45.30	peak	-7.78	37.52	74.00	150	174	-36.48	
*	6386.500	36.89	peak	9.59	46.48	74.00	150	100	-27.52	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:49:12

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11ac80 CH155

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:50:11

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11ac80 CH155

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:49:24

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11ac80 CH155

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:50:23

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11ac80 CH155

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:49:36

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11ac80 CH155

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:50:35

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22408-23658

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : RX 802.11ac80 CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:49:48

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11ac80 CH155

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/8/19

Temperature:24.1 °C

90.0 dBuV/m

Time: 下午 10:50:47

Humidity:45.2 %



Site : Chamber_01

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22408-23658

M/N:

Test Mode : RX 802.11ac80 CH155

Note :

Polarization: Vertical

Power : 120 Va.c.


Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11A CH149

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :1A149


Data :#2

Date: 2024/8/26

Temperature:22 °C

Time: 下午 01:22:09

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11A CH149

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :2A157


Data :#1

Date: 2024/8/26

Temperature:22 °C

Time: 下午 01:25:28

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11A CH157

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :2A157

Data :#2


Date: 2024/8/26

Temperature:22 °C

40.0 dBm

Time: 下午 01:26:40

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11A CH157

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :3A165

Data :#1


Date: 2024/8/26

Temperature:22 °C

40.0 dBm

Time: 下午 01:28:41

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11A CH165

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :3A165

Data :#2


Date: 2024/8/26

Temperature:22 °C

40.0 dBm

Time: 下午 01:29:59

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11A CH165

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :4N20149


Data :#1

Date: 2024/8/26

Temperature:22 °C

Time: 下午 01:33:16

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11N20 CH149

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :4N20149


Data :#2

Date: 2024/8/26

Temperature:22 °C

Time: 下午 01:34:28

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11N20 CH149

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :5N20157


Data :#1

Date: 2024/8/26

Temperature:22 °C

Time: 下午 01:36:21

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11N20 CH157

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :5N20157


Data :#2

Date: 2024/8/26

Temperature:22 °C

Time: 下午 01:37:36

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11N20 CH157

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :6N20165


Data :#1

Date: 2024/8/26

Temperature:22 °C

Time: 下午 01:39:28

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11N20 CH165

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :6N20165


Data :#2

Date: 2024/8/26

Temperature:22 °C

Time: 下午 01:40:42

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11N20 CH165

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :7N40151


Data :#1

Date: 2024/8/26

Temperature:22 °C

Time: 下午 01:43:33

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11N40 CH151

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :7N40151


Data :#2

Date: 2024/8/26

Temperature:22 °C

Time: 下午 01:44:48

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11N40 CH151

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :8N40159


Data :#1

Date: 2024/8/26

Temperature:22 °C

Time: 下午 01:48:41

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11N40 CH159

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :8N40159


Data :#2

Date: 2024/8/26

Temperature:22 °C

Time: 下午 01:49:59

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11N40 CH159

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :9AC80155


Data :#1

Date: 2024/8/26

Temperature:22 °C

Time: 下午 01:52:30

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11AC80 CH155

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Ken

File :9AC80155


Data :#2

Date: 2024/8/26

Temperature:22 °C

Time: 下午 01:53:50

Humidity:55 %



Site : Chamber_01

Condition : FCC_5G Band4 Mask

EUT : W6M22408-23658

M/N:

Test Mode : Tx 802.11AC80 CH155

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin