



1. Antenna Information

Manufacturer	Hunan Danuo Technology Co., Ltd.
Model	M603
Type	FPC
Gain	WiFi (2.4G) : Ant1: 1.33dBi, Ant2: 1.07dBi FDD-LTE BAND 2:1.1dBi FDD-LTE BAND 4: 0.11dBi FDD-LTE BAND 5: -0.92dBi FDD-LTE BAND 7: 2.11dBi

2. Radiation Pattern





3. Antenna pattern



4. Antenna Gain


WIFI 1

Freq	Peak
2400	1.229898
2410	0.581632
2420	0.459369
2430	0.91591
2440	0.915118
2450	1.333373
2460	1.181777
2470	0.813643
2480	1.257022
2490	1.493771
2500	1.330388



WIFI 2

Freq	Peak Gain
2400	0.655217512
2410	0.649183138
2420	0.957819979
2430	1.067439157
2440	0.797128828
2450	0.839771085
2460	0.796959984
2470	0.545114171
2480	0.545987712
2490	0.607793023
2500	0.697635239



Freq	Peak Gain
730	-2.406589834
750	-2.409545378
770	-2.235390166
790	-1.681618696
810	-0.709416216
830	-0.924059175
850	-0.668583166
870	-0.936111624
890	-0.227492925
910	-0.462569492
930	-0.514723742
950	-0.942595831

Freq	Peak Gain
1710	0.111950767
1730	-0.673737104
1750	-0.739016803
1770	0.096955989
1790	0.406083678
1810	0.688485218
1830	0.493088554
1850	0.89812914
1870	1.101587265
1890	0.703385404
1910	1.052267599
1930	0.951767011
1950	0.434448967
1970	0.936969905
1990	1.98583269
2010	1.255432985
2030	1.850670585
2050	2.103799725
2070	3.138344935
2090	2.915403761
2110	1.709883958
2130	1.20210481
2150	2.14143242

Freq	Peak Gain
2300	1.679489104
2320	1.552823512
2340	1.314069114
2360	1.210339851
2380	1.541508183
2400	1.985674825
2420	1.782187217
2440	1.541431939
2460	1.433558921
2480	1.905406547
2500	2.109678141
2520	1.483817662
2540	1.846214481
2560	1.790199059
2580	1.772680891
2600	1.377471204
2620	1.175654814
2640	1.572183435
2660	1.878765267
2680	1.025065975
2700	1.397257552

