


TF 790-10.26 in-DVR

Mobile phone interconnection,
multimedia, dash traffic recorder
monitoring entertainment system



Product Specification

Catalogue

1. Product overview
2. Set up instructions
3. Interconnected interface
4. Wireless connection instructions
5. Connecting tutorials
6. Relevant help and guidance


1.Product overview

Dashcam, wireless / wired mobile phone interconnection (Carplay,

TF790-10.26 in-DVR



Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

Android auto, AirPlay, Android Mirror, etc.), audio output (local
speaker / FM launch / AUX original car / BT original car Bluetooth
square control), wireless control App-Elook Pro mobile phone WIFI
control.



Host installation

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system



click  Menu enters the setting options and enters the system setting interface:

TF790-10.26 in-DVR

Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system


System Settings

After entering the system setting interface, the following
functions can be operated:




TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system


MP3 Music / H264.MP4 video playbackpage



Playbackpage



Audio output page



1. Local speaker 2.FM wireless launch 3. AUX wired original car audio 4.BT-OUT

original car Bluetooth square control

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

Screen position

click



select:

Carplay position

L

R

Full screen

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

resolution



click  Enter the front camera video resolution option

Resolution 

☒	4K
☐	2.5K
☐	1080P
☐	720P

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

Circulating video



click Enter the cycle segment time option:

Loop Recording



☒	1Min
☐	3Min
☐	5Min

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

Collision sensitivity



select Enter the sensitivity setting options:

G-sensor ✕

☐	Off
☐	Low
☒	Middle
☐	High

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

Parking monitoring and parking monitoring time

click   Conduct parking monitoring related settings

Lapse Record



☐	Off
☐	5FPS
☒	2FPS
☐	1FPS

Parking time




☐	1 hour
☐	2 hour
☐	5 hour
☒	10 hour
☐	Never

License plate setting



click The set license plate can be displayed in the
watermark of the playback video



Speed units and speed compensation



click Speed-related setting options:

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

Speed compensation ✕

☐	-5
☐	-3
☐	-2
☒	0
☐	2
☐	3
☐	5

Electronic dog broadcast and GPS information

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

click



Related settings options:

Edog broadcast

☒ Off

☐ On

Gps info

Gps status
Gps invalid

Accuracy
0.0

Bearing
0.0

7

Screen dormancy

TF790-10.26 in-DVR

Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system



click Screen sleep time option, select the screen off time

Screen Saver



☒	Off
☐	1Min
☐	3Min
☐	5Min


Reverse line calibration

TF790-10.26 in-DVR

Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system




click Park the car in the middle of the parking space and
adjust the position of the reversing assist line so that the reversing
assist line levels the parking line on the left. After adjusting the
reversing line, return.



Rear camera mirror to flip

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system



Back camera mirror ✕

☒ Off

☐ On

Back camera flip ✕

☒ Off

☐ On

TF790-10.26 in-DVR

Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

Channel Settings



click Enter Settings:

Channel set



F

Flip



Mirror



B

Flip



Mirror



Language setting

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system



click Chinese / English / Traditional Chinese and over 10
otherlanguages

Language ✕

☒	English
☐	简体中文
☐	繁體中文
☐	日本語
☐	한국인
☐	française
☐	Deutsch

Language ✕

☐	日本語
☐	한국인
☐	française
☐	Deutsch
☐	Italia
☐	Español
☐	עברית
☐	русский язык

Time

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system



click Enter settings: Date format settings for
year, month, day, hour, minute / second, 12 hours / 24hours

Time Setting

AM

☒

PM

☐

24H

☒

2000

Year

12

Month

30

Day

12

Hour

59

Minute

59

Second

+8

Zone

Confirm

Date Format

☒

YY/MM/DD

☐

MM/DD/YY

☐

DD/MM/YY

TF790-10.26 in-DVR

Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system



click Input settings: Select Auto / 50Hz / 60Hz

And the WIFI-app-ELOOK PRO control



Enter the settings



ELOOK PRO Wirelesscontrol

Format the TF card settings

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system



click **Formatted card settings:**

Format SD

No SD card!

Factory data reset



click **Input Settings:**

Reset factory at once?

Confirm

Cancel

After restoring the factory setup, the system will restore all the settings to the initial state

Version information

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system



Click  import:

This option views the version information of the current software

Version

X


Software: TF790 10.26 2023-07-24

IQ: GC2093 2022-07-04


LCD: LX3 1600X600

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

Interconnected interface



← Android Auto




+ 与汽车连接

TF790-10.26 in-DVR

Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

Wireless controls and a livepreview




Mobile Internet related connection tutorial

The Apple Carplay usage steps

1. The vehicle Settings menu selects the Carplay function

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system




- (1) Bluetooth hotspot (TF 790 _ xxx / TF 781 _ xxx TF761xxx / TF 765 _ xxx).
- (2) How to view the Bluetooth information of the car and machine? Find the Bluetooth button in the main interface



TF790-10.26 in-DVR

Mobile phone interconnection, multimedia, dash traffic recorder monitoring entertainment system



(2).The mobile phone connection corresponds to the Bluetooth name

3. After Bluetooth connection, wait for the phone to start the Carplay function and connect the screen.

4.frequently asked questions:

The mobile version does not support Carplay function, you can refer to the official ios system version information below

iPhone 13 Pro	iPhone 11	iPhone 6s Plus
iPhone 13 Pro Max	iPhone Xs	iPhone 6
iPhone 13	iPhone Xs Max	iPhone 6 Plus
iPhone 13 mini	iPhone Xr	iPhone SE (第一代)
iPhone 12 Pro	iPhone X	iPhone SE (第二代)
iPhone 12 Pro Max	iPhone 8	iPhone 5s
iPhone 12	iPhone 8 Plus	iPhone 5c
iPhone 12 mini	iPhone 7	iPhone 5
iPhone 11 Pro	iPhone 7 Plus	
iPhone 11 Pro Max	iPhone 6s	

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system


Android Wireless / wired Auto usage steps

Wired auto and wireless auto can be used, wired is relatively simple, wireless is more complex. Wired auto use premise can not Bluetooth first connection, otherwise it will be considered a wireless auto connection operation. That is to turn off the mobile phone Bluetooth, directly use usb wire to access the wire and mobile terminal. If you call to go to the phone, you need to connect to the Bluetooth of the phone. Therefore, wired connection is used as a backup solution.




The following is mainly about how to use the wireless auto:

1. Select the Android Auto menu menu




2. Bluetooth hotspot (TF761BT _ xxx / TF765BT _ xxx)

How to view the Bluetooth information of the car and machine? Find the Bluetooth button in the main interface



TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system



The mobile phone connection corresponds to the Bluetooth name



3. After Bluetooth connection, wait for the phone to start the Auto function to connect the screen.

4.Common Auto screen casting ok problems cannot be triggered:

- (1).Using a mobile phone is not a foreign version to support Auto.
- (2).Low system version using mobile phone prevents connection
- (3).The related components of mobile phone auto are not complete or the version is too low (minimum version requirement android 11), resulting in no connection. This issue requires the installation and update of related components (Android auto, Google application, KakaoNavi, Google text to voice, Google map...)
- (4) .Some mobile phone systems need to open the mobile phone Android Auto software and then link to Bluetooth to connect to ok.

TF790-10.26 in-DVR


Mobile phone interconnection, multimedia, dash traffic recorder monitoring entertainment system



TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

The Apple Airplay usage steps

1.The car Settings menu selects the Android wireless mirror function



2.Mobile phone connected to the car machine WiFi hotspot (TF 790 _ xxx / TF 765 _ xxx)

How to view the WiFi hotspots and password information? Find the WiFi Information options in the Settings menu


3. Find the corresponding WiFi connection in the mobile phone WiFi list

4. Find the screen image in the drop-down menu of Apple phone, click to enter the mirror list interface to see zj-airplay, select the name to connect to the screen

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

5. Common Q:

Now, due to the limited copyright of many video content, it does not support screen projection, which can only be played in the corresponding apk player, and the screen projection data will become black screen. This phenomenon is due to the copyright restriction, which specific videos cannot be cast into the screen, which is only known by the third-party player apk




6. How do you exit the screen image? The top interface point "stop mirror"

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

Android Wireless mirror use steps

1.The car Settings menu selects the Android wireless mirror function




2.Scan the QR code to download the apk and open the phone personal hotspot (it is recommended to set the 5G band).



How to open the mobile phone hotspot and set the 5G frequency band?

Generally in the mobile phone drop-down menu can find the personal hot spot shortcut switch or Settings.



3.Long press the personal hotspot will enter the corresponding interface

4.The name and password of the hot spot can be set here, and in more Settings, the 5G/2.4G band can also be set (only the 2.4G / 5G band is set). The reason to using 5G band is to experience better, 2.4G band may be used in the data transmission is disconnected.

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

5. Click the WiFi icon for the first time to enter the hotspot information, only supporting numbers, English and some special character combinations.


Under the interconnection description interface, you can see a WiFi icon, and you can click on it to see a list of wifi names,

If you don't see your hot name in the list, please wait for WiFi to scan the next time,


6. If the list does not refresh to the open phone hotspot for a long time, you can try to click X to exit the interface to re-enter the mandatory refresh

For example, the above zlink1 is the hot spot name of the mobile phone to use, click the name area will enter the interface of entering the hot spot name, and then enter the password, the keyboard supports English case (click Caps to switch), but also supports some special characters (click?123 Switch), click Confirm to exit the window and wait for the connection in the description interface, and click Cancel will not connect the hotspot.

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system



After the connection is successful, the mobile phone can see that the interface has been connected, or click on the WiFi icon of the interconnection description interface again to see the list information, or the icon of the interconnection interface turns blue, and the blue icon indicates that the network has been connected.



7. Connect the device to Bluetooth

Find the Bluetooth name of the corresponding machine in the Bluetooth option of the mobile phone, and connect with it

8. Open to add apk and select a wireless connection.

TF790-10.26 in-DVR
Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system

9. At this time, Bluetooth and hotspot are connected, and the start casting option will turn green

10. Click "Start screen casting screen" at this time

11. Common Q:

Now, due to the limited copyright of many video content, it does not support screen projection, which can only be played in the corresponding apk player, and the screen projection data will become black screen. This phenomenon is due to the copyright restriction, which specific videos cannot be cast into the screen, which is only known by the third-party player apk.

If the disconnection occurs during use, please set the personal hotspot to 5G frequency band under check.

FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful

TF790-10.26 in-DVR

Mobile phone interconnection, multimedia, dash traffic recorder monitoring entertainment system

interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- - Reorient or relocate the receiving antenna.
- - Increase the separation between the equipment and receiver.
- - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- - Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Statement

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance of 20cm the radiator your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter.

TF790-10.26 in-DVR

Mobile phone interconnection, multimedia, dash traffic recorder
monitoring entertainment system