


ANNEX G TEST DATA

For

Project No.:	8229EU012703W
Client:	Chengdu Hotack Technology Co., Ltd.
Product Description:	LCD PROJECTOR
Model No.:	L015
FCC ID:	2BFIZ-L015
Technology:	WiFi 5G
Test Engineer:	<i>Mikoy zhu</i>
Test Date:	2024-06-21

Test Summary

Item	Result
Duty Cycle	Pass
Bandwidth	Pass
Maximum Conducted Output Power	Pass
Maximum Power Spectral Density	Pass
Frequency Stability	Pass




1. Duty Cycle


1.1 Ant1


1.1.1 Test Result


Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5745	1.397	11.617	12.03	9.20	0.24
		5785	1.397	11.624	12.02	9.20	0.25
		5825	1.396	11.416	12.23	9.13	0.03
802.11n (HT20)	SISO	5745	1.304	11.320	11.52	9.39	0.03
		5785	1.303	11.320	11.51	9.39	0.03
		5825	1.307	11.344	11.52	9.38	0.02
802.11a	SISO	5180	1.396	11.416	12.23	9.13	0.03
		5200	1.397	11.417	12.24	9.12	0.03
		5240	1.396	11.413	12.23	9.13	0.03
802.11n (HT40)	SISO	5755	0.650	10.670	6.09	12.15	0.00
		5795	0.647	10.667	6.07	12.17	0.03
802.11n (HT20)	SISO	5180	1.303	11.326	11.50	9.39	0.03
		5200	1.307	11.327	11.54	9.38	0.00
		5240	1.303	11.320	11.51	9.39	0.03
802.11n (HT40)	SISO	5190	0.646	10.663	6.06	12.18	0.03
		5230	0.650	10.670	6.09	12.15	0.00
802.11ac (VHT20)	SISO	5745	1.316	11.340	11.60	9.35	0.04
		5785	1.317	11.543	11.41	9.43	0.24
		5180	1.316	11.336	11.61	9.35	0.03
		5825	1.316	11.380	11.56	9.37	0.08
		5200	1.317	11.337	11.62	9.35	0.03
		5240	1.317	11.754	11.20	9.51	0.45
802.11ac (VHT40)	SISO	5190	0.657	10.677	6.15	12.11	0.03
		5230	0.657	10.673	6.16	12.11	0.03
		5755	0.657	10.677	6.15	12.11	0.03
		5795	0.657	10.677	6.15	12.11	0.03


1.1.2 Test Graph




































2. Bandwidth


2.1 OBW


2.1.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	18.869	/	Pass
		5785	1	18.635	/	Pass
		5825	1	18.592	/	Pass
802.11n (HT20)	SISO	5745	1	19.625	/	Pass
		5785	1	19.633	/	Pass
		5825	1	19.834	/	Pass
802.11a	SISO	5180	1	18.364	/	Pass
		5200	1	18.378	/	Pass
		5240	1	18.487	/	Pass
802.11n (HT40)	SISO	5755	1	38.057	/	Pass
802.11n (HT20)	SISO	5180	1	19.430	/	Pass
802.11n (HT40)	SISO	5795	1	37.909	/	Pass
802.11n (HT20)	SISO	5200	1	19.324	/	Pass
		5240	1	19.307	/	Pass
802.11n (HT40)	SISO	5190	1	37.351	/	Pass
		5230	1	37.420	/	Pass
802.11ac (VHT20)	SISO	5745	1	19.944	/	Pass
		5785	1	19.816	/	Pass
		5180	1	19.320	/	Pass
		5825	1	19.778	/	Pass
		5200	1	19.479	/	Pass
		5240	1	19.505	/	Pass
802.11ac (VHT40)	SISO	5190	1	37.358	/	Pass
		5230	1	37.632	/	Pass
		5755	1	38.313	/	Pass
		5795	1	38.057	/	Pass


2.1.2 Test Graph





































2.2 26dB BW


2.2.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	23.891	/	Pass
		5200	1	23.761	/	Pass
		5240	1	23.724	/	Pass
802.11n (HT20)	SISO	5180	1	24.638	/	Pass
		5200	1	24.378	/	Pass
		5240	1	24.160	/	Pass
802.11n (HT40)	SISO	5190	1	44.150	/	Pass
		5230	1	43.135	/	Pass
802.11ac (VHT20)	SISO	5180	1	25.430	/	Pass
		5200	1	24.808	/	Pass
		5240	1	24.775	/	Pass
802.11ac (VHT40)	SISO	5190	1	45.056	/	Pass
		5230	1	46.317	/	Pass


2.2.2 Test Graph



















2.3 6dB BW


2.3.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	16.399	≥ 0.5	Pass
		5785	1	16.395	≥ 0.5	Pass
		5825	1	16.446	≥ 0.5	Pass
802.11n (HT20)	SISO	5745	1	17.659	≥ 0.5	Pass
		5785	1	17.660	≥ 0.5	Pass
		5825	1	17.644	≥ 0.5	Pass
802.11n (HT40)	SISO	5755	1	36.080	≥ 0.5	Pass
		5795	1	36.368	≥ 0.5	Pass
802.11ac (VHT20)	SISO	5745	1	17.651	≥ 0.5	Pass
		5785	1	17.635	≥ 0.5	Pass
		5825	1	17.644	≥ 0.5	Pass
802.11ac (VHT40)	SISO	5755	1	36.363	≥ 0.5	Pass
		5795	1	36.384	≥ 0.5	Pass


2.3.2 Test Graph


















3. Maximum Conducted Output Power


3.1 Power


3.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11a	SISO	5745	15.96	<=30	Pass
		5785	17.00	<=30	Pass
		5825	16.94	<=30	Pass
802.11n (HT20)	SISO	5745	15.86	<=30	Pass
		5785	17.21	<=30	Pass
		5825	17.26	<=30	Pass
802.11a	SISO	5180	14.84	<=23.98	Pass
		5200	13.65	<=23.98	Pass
		5240	12.93	<=23.98	Pass
802.11n (HT40)	SISO	5755	16.13	<=30	Pass
		5795	17.89	<=30	Pass
802.11n (HT20)	SISO	5180	14.36	<=23.98	Pass
		5200	14.34	<=23.98	Pass
		5240	11.60	<=23.98	Pass
802.11n (HT40)	SISO	5190	12.91	<=23.98	Pass
		5230	11.87	<=23.98	Pass
802.11ac (VHT20)	SISO	5745	16.11	<=30	Pass
		5180	14.78	<=23.98	Pass
		5785	16.49	<=30	Pass
		5825	17.01	<=30	Pass
		5200	14.14	<=23.98	Pass
		5240	12.86	<=23.98	Pass
802.11ac (VHT40)	SISO	5190	14.45	<=23.98	Pass
		5230	13.17	<=23.98	Pass
		5755	16.38	<=30	Pass
		5795	15.63	<=30	Pass


3.1.2 Test Graph




































4. Maximum Power Spectral Density


4.1 PSD


4.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	4.45	≤ 11	Pass
		5200	3.47	≤ 11	Pass
		5240	1.83	≤ 11	Pass
802.11n (HT20)	SISO	5180	5.14	≤ 11	Pass
		5200	3.40	≤ 11	Pass
		5240	1.61	≤ 11	Pass
802.11n (HT40)	SISO	5190	1.07	≤ 11	Pass
		5230	-0.07	≤ 11	Pass
802.11ac (VHT20)	SISO	5180	4.38	≤ 11	Pass
		5200	2.13	≤ 11	Pass
		5240	1.66	≤ 11	Pass
802.11ac (VHT40)	SISO	5190	1.25	≤ 11	Pass
		5230	0.05	≤ 11	Pass


4.1.2 Test Graph



















4.2 PSD-Band3


4.2.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5745	1.38	<=30	Pass
		5785	3.25	<=30	Pass
		5825	3.36	<=30	Pass
802.11n (HT20)	SISO	5745	1.61	<=30	Pass
		5785	2.90	<=30	Pass
		5825	3.40	<=30	Pass
802.11n (HT40)	SISO	5755	0.13	<=30	Pass
		5795	1.77	<=30	Pass
802.11ac (VHT20)	SISO	5745	1.68	<=30	Pass
		5785	2.80	<=30	Pass
		5825	2.82	<=30	Pass
802.11ac (VHT40)	SISO	5755	-0.41	<=30	Pass
		5795	1.15	<=30	Pass


4.2.2 Test Graph

















5. Frequency Stability

5.1 Ant1

5.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	20	102	5180.020	5150 to 5250	Pass
				120	5180.040	5150 to 5250	Pass
				138	5180.080	5150 to 5250	Pass
			-30	120	5180.000	5150 to 5250	Pass
			-20	120	5180.040	5150 to 5250	Pass
			-10	120	5179.960	5150 to 5250	Pass
			0	120	5179.980	5150 to 5250	Pass
			10	120	5180.000	5150 to 5250	Pass
			30	120	5179.980	5150 to 5250	Pass
			40	120	5180.000	5150 to 5250	Pass
			50	120	5180.060	5150 to 5250	Pass
		5200	20	102	5199.980	5150 to 5250	Pass
				120	5199.980	5150 to 5250	Pass
				138	5199.940	5150 to 5250	Pass
			-30	120	5199.980	5150 to 5250	Pass
			-20	120	5199.980	5150 to 5250	Pass
			-10	120	5199.980	5150 to 5250	Pass
			0	120	5200.020	5150 to 5250	Pass
			10	120	5200.000	5150 to 5250	Pass
			30	120	5199.980	5150 to 5250	Pass
			40	120	5200.000	5150 to 5250	Pass
			50	120	5199.920	5150 to 5250	Pass
		5240	20	102	5240.040	5150 to 5250	Pass
				120	5240.020	5150 to 5250	Pass
				138	5240.020	5150 to 5250	Pass
			-30	120	5240.000	5150 to 5250	Pass
			-20	120	5239.980	5150 to 5250	Pass
			-10	120	5240.040	5150 to 5250	Pass
			0	120	5240.000	5150 to 5250	Pass
			10	120	5239.960	5150 to 5250	Pass
			30	120	5239.960	5150 to 5250	Pass
			40	120	5240.020	5150 to 5250	Pass
			50	120	5240.020	5150 to 5250	Pass
		5745	20	102	5744.980	5725 to 5850	Pass
				120	5745.000	5725 to 5850	Pass
				138	5744.980	5725 to 5850	Pass
			-30	120	5745.020	5725 to 5850	Pass
			-20	120	5745.040	5725 to 5850	Pass
			-10	120	5745.020	5725 to 5850	Pass
			0	120	5745.020	5725 to 5850	Pass
			10	120	5745.000	5725 to 5850	Pass

				30	120	5744.980	5725 to 5850	Pass
				40	120	5745.060	5725 to 5850	Pass
				50	120	5744.980	5725 to 5850	Pass
			5785	20	102	5785.020	5725 to 5850	Pass
					120	5785.040	5725 to 5850	Pass
					138	5785.020	5725 to 5850	Pass
				-30	120	5784.920	5725 to 5850	Pass
				-20	120	5784.940	5725 to 5850	Pass
				-10	120	5785.020	5725 to 5850	Pass
				0	120	5784.940	5725 to 5850	Pass
				10	120	5785.020	5725 to 5850	Pass
				30	120	5784.980	5725 to 5850	Pass
				40	120	5784.940	5725 to 5850	Pass
				50	120	5784.960	5725 to 5850	Pass
			5825	20	102	5825.000	5725 to 5850	Pass
					120	5824.980	5725 to 5850	Pass
					138	5825.000	5725 to 5850	Pass
				-30	120	5824.920	5725 to 5850	Pass
				-20	120	5825.000	5725 to 5850	Pass
				-10	120	5824.980	5725 to 5850	Pass
				0	120	5825.020	5725 to 5850	Pass
				10	120	5824.940	5725 to 5850	Pass
				30	120	5824.980	5725 to 5850	Pass
				40	120	5825.020	5725 to 5850	Pass
				50	120	5825.020	5725 to 5850	Pass
802.11n (HT20)	SISO		5180	20	102	5180.040	5150 to 5250	Pass
					120	5179.920	5150 to 5250	Pass
					138	5180.020	5150 to 5250	Pass
				-30	120	5180.040	5150 to 5250	Pass
				-20	120	5180.000	5150 to 5250	Pass
				-10	120	5180.060	5150 to 5250	Pass
				0	120	5180.080	5150 to 5250	Pass
				10	120	5180.040	5150 to 5250	Pass
				30	120	5180.040	5150 to 5250	Pass
				40	120	5179.960	5150 to 5250	Pass
				50	120	5179.960	5150 to 5250	Pass
			5200	20	102	5200.000	5150 to 5250	Pass
					120	5199.920	5150 to 5250	Pass
					138	5200.080	5150 to 5250	Pass
				-30	120	5200.000	5150 to 5250	Pass
				-20	120	5200.000	5150 to 5250	Pass
				-10	120	5199.980	5150 to 5250	Pass
				0	120	5200.000	5150 to 5250	Pass
				10	120	5199.960	5150 to 5250	Pass
				30	120	5200.020	5150 to 5250	Pass
				40	120	5200.040	5150 to 5250	Pass
				50	120	5200.020	5150 to 5250	Pass
			5240	20	102	5240.000	5150 to 5250	Pass
					120	5240.020	5150 to 5250	Pass
					138	5240.080	5150 to 5250	Pass
				-30	120	5240.000	5150 to 5250	Pass
				-20	120	5240.060	5150 to 5250	Pass

			-10	120	5240.020	5150 to 5250	Pass
			0	120	5240.040	5150 to 5250	Pass
			10	120	5240.060	5150 to 5250	Pass
			30	120	5239.980	5150 to 5250	Pass
			40	120	5239.960	5150 to 5250	Pass
			50	120	5240.020	5150 to 5250	Pass
		5745	20	102	5744.960	5725 to 5850	Pass
				120	5745.020	5725 to 5850	Pass
				138	5745.060	5725 to 5850	Pass
			-30	120	5745.020	5725 to 5850	Pass
			-20	120	5745.020	5725 to 5850	Pass
			-10	120	5745.000	5725 to 5850	Pass
			0	120	5745.020	5725 to 5850	Pass
			10	120	5745.020	5725 to 5850	Pass
			30	120	5745.020	5725 to 5850	Pass
			40	120	5745.000	5725 to 5850	Pass
			50	120	5745.020	5725 to 5850	Pass
		5785	20	102	5784.940	5725 to 5850	Pass
				120	5784.960	5725 to 5850	Pass
				138	5784.960	5725 to 5850	Pass
			-30	120	5785.000	5725 to 5850	Pass
			-20	120	5785.020	5725 to 5850	Pass
			-10	120	5785.020	5725 to 5850	Pass
			0	120	5784.920	5725 to 5850	Pass
			10	120	5785.020	5725 to 5850	Pass
			30	120	5785.060	5725 to 5850	Pass
			40	120	5785.040	5725 to 5850	Pass
			50	120	5785.000	5725 to 5850	Pass
		5825	20	102	5824.960	5725 to 5850	Pass
				120	5824.960	5725 to 5850	Pass
				138	5825.040	5725 to 5850	Pass
			-30	120	5825.000	5725 to 5850	Pass
			-20	120	5824.960	5725 to 5850	Pass
			-10	120	5825.080	5725 to 5850	Pass
			0	120	5825.020	5725 to 5850	Pass
			10	120	5825.020	5725 to 5850	Pass
			30	120	5824.960	5725 to 5850	Pass
			40	120	5824.940	5725 to 5850	Pass
			50	120	5824.980	5725 to 5850	Pass
802.11n (HT40)	SISO	5190	20	102	5190.000	5150 to 5250	Pass
				120	5190.080	5150 to 5250	Pass
				138	5190.000	5150 to 5250	Pass
			-30	120	5190.040	5150 to 5250	Pass
			-20	120	5190.040	5150 to 5250	Pass
			-10	120	5190.040	5150 to 5250	Pass
			0	120	5190.040	5150 to 5250	Pass
			10	120	5190.040	5150 to 5250	Pass
			30	120	5190.000	5150 to 5250	Pass
			40	120	5190.120	5150 to 5250	Pass
			50	120	5190.080	5150 to 5250	Pass
		5230	20	102	5230.080	5150 to 5250	Pass
				120	5230.160	5150 to 5250	Pass

				138	5230.120	5150 to 5250	Pass
			-30	120	5230.120	5150 to 5250	Pass
			-20	120	5230.120	5150 to 5250	Pass
			-10	120	5230.120	5150 to 5250	Pass
			0	120	5230.040	5150 to 5250	Pass
			10	120	5230.120	5150 to 5250	Pass
			30	120	5229.960	5150 to 5250	Pass
			40	120	5230.080	5150 to 5250	Pass
			50	120	5230.160	5150 to 5250	Pass
		5755	20	102	5755.040	5725 to 5850	Pass
				120	5755.160	5725 to 5850	Pass
				138	5755.040	5725 to 5850	Pass
			-30	120	5755.080	5725 to 5850	Pass
			-20	120	5755.080	5725 to 5850	Pass
			-10	120	5755.000	5725 to 5850	Pass
			0	120	5755.040	5725 to 5850	Pass
			10	120	5755.080	5725 to 5850	Pass
			30	120	5755.160	5725 to 5850	Pass
			40	120	5755.040	5725 to 5850	Pass
			50	120	5755.040	5725 to 5850	Pass
		5795	20	102	5795.040	5725 to 5850	Pass
				120	5795.040	5725 to 5850	Pass
				138	5794.960	5725 to 5850	Pass
			-30	120	5795.040	5725 to 5850	Pass
			-20	120	5795.000	5725 to 5850	Pass
			-10	120	5795.040	5725 to 5850	Pass
			0	120	5795.040	5725 to 5850	Pass
			10	120	5795.000	5725 to 5850	Pass
			30	120	5795.120	5725 to 5850	Pass
			40	120	5794.920	5725 to 5850	Pass
			50	120	5795.080	5725 to 5850	Pass
802.11ac (VHT20)	SISO	5180	20	102	5179.960	5150 to 5250	Pass
				120	5179.980	5150 to 5250	Pass
				138	5180.020	5150 to 5250	Pass
			-30	120	5180.020	5150 to 5250	Pass
			-20	120	5179.980	5150 to 5250	Pass
			-10	120	5180.100	5150 to 5250	Pass
			0	120	5179.980	5150 to 5250	Pass
			10	120	5179.980	5150 to 5250	Pass
			30	120	5179.980	5150 to 5250	Pass
			40	120	5180.080	5150 to 5250	Pass
			50	120	5180.060	5150 to 5250	Pass
		5200	20	102	5200.040	5150 to 5250	Pass
				120	5199.920	5150 to 5250	Pass
				138	5200.020	5150 to 5250	Pass
			-30	120	5199.940	5150 to 5250	Pass
			-20	120	5199.960	5150 to 5250	Pass
			-10	120	5200.020	5150 to 5250	Pass
			0	120	5199.960	5150 to 5250	Pass
			10	120	5199.940	5150 to 5250	Pass
			30	120	5199.900	5150 to 5250	Pass
			40	120	5199.980	5150 to 5250	Pass

		5240	50	120	5199.980	5150 to 5250	Pass
			20	102	5240.000	5150 to 5250	Pass
				120	5239.960	5150 to 5250	Pass
				138	5239.960	5150 to 5250	Pass
			-30	120	5240.000	5150 to 5250	Pass
			-20	120	5239.960	5150 to 5250	Pass
			-10	120	5240.020	5150 to 5250	Pass
			0	120	5239.980	5150 to 5250	Pass
			10	120	5240.040	5150 to 5250	Pass
			30	120	5239.880	5150 to 5250	Pass
			40	120	5239.980	5150 to 5250	Pass
			50	120	5239.960	5150 to 5250	Pass
		5745	20	102	5744.960	5725 to 5850	Pass
				120	5745.000	5725 to 5850	Pass
				138	5745.060	5725 to 5850	Pass
			-30	120	5744.960	5725 to 5850	Pass
			-20	120	5745.040	5725 to 5850	Pass
			-10	120	5745.000	5725 to 5850	Pass
			0	120	5745.040	5725 to 5850	Pass
			10	120	5745.040	5725 to 5850	Pass
			30	120	5745.020	5725 to 5850	Pass
			40	120	5744.980	5725 to 5850	Pass
			50	120	5745.020	5725 to 5850	Pass
		5785	20	102	5785.000	5725 to 5850	Pass
				120	5784.840	5725 to 5850	Pass
				138	5784.920	5725 to 5850	Pass
			-30	120	5785.060	5725 to 5850	Pass
			-20	120	5784.960	5725 to 5850	Pass
			-10	120	5784.960	5725 to 5850	Pass
			0	120	5785.020	5725 to 5850	Pass
			10	120	5785.040	5725 to 5850	Pass
			30	120	5784.980	5725 to 5850	Pass
			40	120	5784.940	5725 to 5850	Pass
			50	120	5784.980	5725 to 5850	Pass
		5825	20	102	5824.920	5725 to 5850	Pass
				120	5824.980	5725 to 5850	Pass
				138	5825.020	5725 to 5850	Pass
			-30	120	5825.060	5725 to 5850	Pass
			-20	120	5824.980	5725 to 5850	Pass
			-10	120	5825.100	5725 to 5850	Pass
			0	120	5824.920	5725 to 5850	Pass
			10	120	5825.020	5725 to 5850	Pass
			30	120	5825.000	5725 to 5850	Pass
			40	120	5825.060	5725 to 5850	Pass
			50	120	5825.060	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	20	102	5190.040	5150 to 5250	Pass
				120	5190.040	5150 to 5250	Pass
				138	5190.000	5150 to 5250	Pass
			-30	120	5190.040	5150 to 5250	Pass
			-20	120	5190.000	5150 to 5250	Pass
			-10	120	5190.000	5150 to 5250	Pass
			0	120	5190.000	5150 to 5250	Pass

			10	120	5190.080	5150 to 5250	Pass
			30	120	5190.000	5150 to 5250	Pass
			40	120	5190.080	5150 to 5250	Pass
			50	120	5190.040	5150 to 5250	Pass
		5230	20	102	5230.080	5150 to 5250	Pass
				120	5230.080	5150 to 5250	Pass
				138	5229.960	5150 to 5250	Pass
			-30	120	5229.920	5150 to 5250	Pass
			-20	120	5230.040	5150 to 5250	Pass
			-10	120	5230.000	5150 to 5250	Pass
			0	120	5230.080	5150 to 5250	Pass
			10	120	5230.040	5150 to 5250	Pass
			30	120	5230.080	5150 to 5250	Pass
			40	120	5229.960	5150 to 5250	Pass
			50	120	5230.040	5150 to 5250	Pass
		5755	20	102	5755.080	5725 to 5850	Pass
				120	5755.040	5725 to 5850	Pass
				138	5755.040	5725 to 5850	Pass
			-30	120	5755.040	5725 to 5850	Pass
			-20	120	5755.040	5725 to 5850	Pass
			-10	120	5755.160	5725 to 5850	Pass
			0	120	5755.000	5725 to 5850	Pass
			10	120	5755.200	5725 to 5850	Pass
			30	120	5755.080	5725 to 5850	Pass
			40	120	5755.120	5725 to 5850	Pass
			50	120	5755.120	5725 to 5850	Pass
		5795	20	102	5795.000	5725 to 5850	Pass
				120	5795.000	5725 to 5850	Pass
				138	5795.080	5725 to 5850	Pass
			-30	120	5795.120	5725 to 5850	Pass
			-20	120	5795.120	5725 to 5850	Pass
			-10	120	5795.120	5725 to 5850	Pass
			0	120	5795.080	5725 to 5850	Pass
			10	120	5795.080	5725 to 5850	Pass
			30	120	5795.000	5725 to 5850	Pass
			40	120	5795.080	5725 to 5850	Pass
			50	120	5795.080	5725 to 5850	Pass

----- End of Report -----