



**6dB Bandwidth  
5725-5850 MHz Band**

**802.11a mode, 5745MHz**




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:34:46

**802.11a mode, 5785MHz**




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:38:35

### 802.11a mode, 5825MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:42:48

### 802.11ac20 mode, 5745MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:16:32

### 802.11 ac20 mode, 5785MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:23:01

### 802.11 ac20 mode, 5825MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:26:57

802.11n-HT20 mode, 5745MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:47:42

802.11n-HT20 mode, 5785MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:52:22

802.11n-HT20 mode, 5825MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:57:47

802.11ac40 mode, 5755MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:34:54


### 802.11 ac40 mode, 5795MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang

Date: 21.MAY.2024 17:40:47


### 802.11n-HT40 mode, 5755MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang


Date: 21.MAY.2024 17:05:13

### 802.11n-HT40 mode, 5795MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 17:11:43

### 802.11ac80 mode, 5775MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 17:46:36

26 Bandwidth


5150-5250 MHz Band:

802.11a mode, 5180MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 14:58:08


802.11a mode, 5200MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:03:43




### 802.11a mode, 5240MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 15:08:55

### 802.11ac20 mode, 5180MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 15:50:28

### 802.11 ac20 mode, 5200MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:56:08

### 802.11 ac20 mode, 5240MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:03:14

### 802.11n-HT20 mode, 5180MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:19:16

### 802.11n-HT20 mode, 5200MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:24:45

802.11n-HT20 mode, 5240MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:30:53

802.11ac40 mode, 5190MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:10:10

### 802.11 ac40 mode, 5230MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 16:17:03

### 802.11n-HT40 mode, 5190MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 15:38:42

### 802.11n-HT40 mode, 5230MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 15:44:47


### 802.11ac80 mode, 5210MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 16:23:50


## 5725-5850 MHz Band

## 802.11a mode, 5745MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 18:21:24

## 802.11a mode, 5785MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 18:25:37

### 802.11a mode, 5825MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 18:28:52


### 802.11ac20 mode, 5745MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 18:46:16




### 802.11 ac20 mode, 5785MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 18:51:44


### 802.11 ac20 mode, 5825MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 18:54:17


**802.11n-HT20 mode, 5745MHz**

ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 18:32:35

**802.11n-HT20 mode, 5785MHz**


ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 18:35:45

### 802.11n-HT20 mode, 5825MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 18:38:53

### 802.11ac40 mode, 5755MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 19:05:40

**802.11 ac40 mode, 5795MHz**

ProjectNo.:RKSA240328001 Tester:Hardy Huang


Date: 21.MAY.2024 19:09:01

**802.11n-HT40 mode, 5755MHz**

ProjectNo.:RKSA240328001 Tester:Hardy Huang


Date: 21.MAY.2024 18:58:28

802.11n-HT40 mode, 5795MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 19:01:49

802.11n-ac80 mode, 5775MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 19:22:50

99% Occupied Bandwidth


5150-5250 MHz Band:

802.11a mode, 5180MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 14:52:01

802.11a mode, 5200MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:00:09

802.11a mode, 5240MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:05:32

802.11ac20 mode, 5180MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:47:08

\* RBW 200 kHz  
 \* VBW 1 MHz  
 \* Att 30 dB  
 SWT 20 ms  
 Marker 1 [T1]  
 3.23 dBm  
 5.198750000 GHz

20 Offset 10.5 dB  
 -10  
 0  
 -10  
 -20  
 -30  
 -40  
 -50  
 -60  
 -70  
 -80

1 PR  
 MAUGH


SWP 1000  
 1  
 2  
 1  
 2  
 1  
 2

OBW 1  
 Temp 1 [T1 OBW]  
 7.550000000 MHz  
 -5.01 dBm  
 5.191250000 GHz  
 Temp 2 [T1 OBW]  
 5.208800000 GHz  
 -7.94 dBm

A  
 SGL  
 LVL  
 3DB


Center 5.2 GHz  
 5 MHz/  
 Span 50 MHz

## 802.11 ac20 mode, 5240MHz




Page 118 of 146




**802.11n-HT20 mode, 5180MHz**

ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:14:11

**802.11n-HT20 mode, 5200MHz**


ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:21:26

802.11n-HT20 mode, 5240MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:26:47

802.11ac40 mode, 5190MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:07:22

802.11 ac40 mode, 5230MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:13:58

802.11n-HT40 mode, 5190MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:34:32

### 802.11n-HT40 mode, 5230MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 15:41:16


### 802.11ac80 mode, 5210MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 16:20:35


5725-5850 MHz Band

802.11a mode, 5745MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:29:31

802.11a mode, 5785MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:36:24

802.11a mode, 5825MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:40:39

802.11ac20 mode, 5745MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:14:04

802.11 ac20 mode, 5785MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:19:49

802.11 ac20 mode, 5825MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:24:50

802.11n-HT20 mode, 5745MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:45:16


802.11n-HT20 mode, 5785MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:49:49




802.11n-HT20 mode, 5825MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:54:05

802.11ac40 mode, 5755MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:30:32

802.11 ac40 mode, 5795MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:37:48

802.11n-HT40 mode, 5755MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:02:13

802.11n-HT40 mode, 5795MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:08:42

802.11n-ac80 mode, 5775MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:43:35

**Conducted Transmitter Output Power***Test Mode: Transmitting*

| Band          | Mode        | Frequency (MHz) | Conducted Average power (dBm) | Limit (dBm) |
|---------------|-------------|-----------------|-------------------------------|-------------|
| 5150-5250 MHz | 802.11 a    | 5180            | 12.83                         | 24          |
|               |             | 5200            | 12.93                         |             |
|               |             | 5240            | 12.95                         |             |
|               | 802.11 n20  | 5180            | 12.67                         |             |
|               |             | 5200            | 12.07                         |             |
|               |             | 5240            | 12.77                         |             |
|               | 802.11 n40  | 5190            | 8.41                          |             |
|               |             | 5230            | 8.49                          |             |
|               | 802.11 ac20 | 5180            | 12.39                         |             |
|               |             | 5200            | 12.47                         |             |
|               |             | 5240            | 12.64                         |             |
|               | 802.11 ac40 | 5190            | 10.51                         |             |
|               |             | 5230            | 10.51                         |             |
|               | 802.11 ac80 | 5210            | 7.54                          |             |

| Band          | Mode        | Channel | Frequency (MHz) | Conducted Average power (dBm) | Limit (dBm) |
|---------------|-------------|---------|-----------------|-------------------------------|-------------|
| 5725-5850 MHz | 802.11 a    | Low     | 5745            | 12.39                         | 30          |
|               |             | Middle  | 5785            | 12.42                         |             |
|               |             | High    | 5825            | 12.08                         |             |
|               | 802.11 n20  | Low     | 5745            | 12.09                         |             |
|               |             | Middle  | 5785            | 11.87                         |             |
|               |             | High    | 5825            | 11.91                         |             |
|               | 802.11 n40  | Low     | 5755            | 12.21                         |             |
|               |             | High    | 5795            | 12.13                         |             |
|               | 802.11 ac20 | Low     | 5745            | 12.07                         |             |
|               |             | Middle  | 5785            | 12.29                         |             |
|               |             | High    | 5825            | 11.91                         |             |
|               | 802.11 ac40 | Low     | 5755            | 11.75                         |             |
|               |             | High    | 5795            | 12.29                         |             |
|               | 802.11 ac80 | Middle  | 5775            | 11.89                         |             |


**Power Spectral Density***Test Mode: Transmitting*

| Band          | Mode        | Channel | Frequency (MHz) | Result (dBm/MHz) | Limit (dBm/MHz) |
|---------------|-------------|---------|-----------------|------------------|-----------------|
| 5150-5250 MHz | 802.11 a    | Low     | 5180            | 1.77             | 11              |
|               |             | Middle  | 5200            | 1.80             |                 |
|               |             | High    | 5240            | 1.68             |                 |
|               | 802.11 n20  | Low     | 5180            | 1.42             |                 |
|               |             | Middle  | 5200            | 1.51             |                 |
|               |             | High    | 5240            | 1.37             |                 |
|               | 802.11 n40  | Low     | 5190            | -5.44            |                 |
|               |             | High    | 5230            | -5.25            |                 |
|               | 802.11 ac20 | Low     | 5180            | 1.45             |                 |
|               |             | Middle  | 5200            | 1.42             |                 |
|               |             | High    | 5240            | 1.40             |                 |
|               | 802.11 ac40 | Low     | 5190            | -3.34            |                 |
|               |             | High    | 5230            | -3.34            |                 |
|               | 802.11 ac80 | Middle  | 5210            | -9.88            |                 |

| Band          | Mode        | Channel | Frequency (MHz) | Result (dBm/500kHz) | Limit (dBm/500kHz) |
|---------------|-------------|---------|-----------------|---------------------|--------------------|
| 5725-5850 MHz | 802.11 a    | Low     | 5745            | -2.33               | 30                 |
|               |             | Middle  | 5785            | -2.94               |                    |
|               |             | High    | 5825            | -3.16               |                    |
|               | 802.11 n20  | Low     | 5745            | -2.71               |                    |
|               |             | Middle  | 5785            | -2.61               |                    |
|               |             | High    | 5825            | -3.82               |                    |
|               | 802.11 n40  | Low     | 5755            | -5.59               |                    |
|               |             | High    | 5795            | -5.56               |                    |
|               | 802.11 ac20 | Low     | 5745            | -2.65               |                    |
|               |             | Middle  | 5785            | -2.60               |                    |
|               |             | High    | 5825            | -3.91               |                    |
|               | 802.11 ac40 | Low     | 5755            | -5.55               |                    |
|               |             | High    | 5795            | -5.62               |                    |
|               | 802.11 ac80 | Middle  | 5775            | -9.07               |                    |


5150MHz-5250 MHz Band:

802.11a mode, Power spectral density-5180MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 14:58:24

802.11a mode, Power spectral density-5200MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:03:58

### 802.11a mode, Power spectral density-5240MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:09:11

### 802.11ac20 mode, Power spectral density-5180MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:50:44

802.11 ac20 mode, Power spectral density-5200MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:56:24


802.11 ac20 mode, Power spectral density-5240MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:03:30




### 802.11n-HT20 mode, Power spectral density-5180MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:19:31

### 802.11n-HT20 mode, Power spectral density-5200MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:25:01

### 802.11n-HT20 mode, Power spectral density-5240MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:31:09

### 802.11ac40 mode, Power spectral density-5190MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:10:27

### 802.11 ac40 mode, Power spectral density-5230MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:17:19

### 802.11n-HT40 mode, Power spectral density-5190MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:38:58

### 802.11n-HT40 mode, Power spectral density-5230MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 15:45:03


### 802.11 ac80 mode, Power spectral density-5210MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:24:11


**5725MHz-5850 MHz Band:**

**802.11a mode, Power spectral density-5745MHz**




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:35:05

**802.11a mode, Power spectral density-5785MHz**




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:38:53

### 802.11a mode, Power spectral density-5825MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 16:43:07


### 802.11ac20 mode, Power spectral density-5745MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
 Date: 21.MAY.2024 17:16:51


**802.11 ac20 mode, Power spectral density-5785MHz**

ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:23:20

**802.11 ac20 mode, Power spectral density-5825MHz**


ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:27:16

### 802.11n-HT20 mode, Power spectral density-5745MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:48:00

### 802.11n-HT20 mode, Power spectral density-5785MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:52:41



Ref 30.5 dBm    \* Att 30 dB    \* RBW 500 kHz    \* VBW 2 MHz    SWT 20 ms    Marker 1 [T1] -3.97 dBm    5.824320000 GHz

30 Offset 10.5 dB

1.00 dB  
AVG

SMP 100 dB 100

Center 5.825 GHz    4 MHz/    Span 40 MHz

ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 16:58:08

Ref 30.5 dBm \*Att 30 dB \*RBW 500 kHz Marker 1 [T1] -5.80 dBm  
 \*VBW 2 MHz SWT 20 ms 5.757560000 GHz

30 Offset 10.5 dB


1.00 dB  
 AVG

SWB 100 dB 100

Center 5.755 GHz 8 MHz/ Span 80 MHz


ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:35:15

802.11 ac40 mode, Power spectral density-5795MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:41:08

802.11n-HT40 mode, Power spectral density-5755MHz




ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:05:33

### 802.11n-HT40 mode, Power spectral density-5795MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:12:03

### 802.11 ac80 mode, Power spectral density-5775MHz



ProjectNo.:RKSA240328001 Tester:Hardy Huang  
Date: 21.MAY.2024 17:47:01

### **Declarations**

1. The laboratory is not responsible for the authenticity of any information provided by the applicant. Information from the applicant that may affect test results is marked with “★”.
2. The test data was only valid for the test sample(s).
3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
5. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor  $k=2$  with the 95.45% confidence interval.

**\*\*\*\*\* END OF REPORT \*\*\*\*\***