





Profile: 2430820R	Page No.: 297
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5250MHz by 802.11ac(160MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	51.684	54.728	-22.316	74.000	-3.044	PK
2	*	15750.000	52.589	51.033	-21.411	74.000	1.557	PK


Profile: 2430820R	Page No.: 298
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5250MHz by 802.11ac(160MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	47.119	50.163	-26.881	74.000	-3.044	PK
2	*	15750.000	51.121	49.565	-22.879	74.000	1.557	PK




Profile: 2430820R	Page No.: 299
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5570MHz by 802.11ac(160MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	47.834	49.096	-26.166	74.000	-1.262	PK
2	*	16710.000	54.000	49.213	-20.000	74.000	4.787	PK


Profile: 2430820R	Page No.: 300
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5570MHz by 802.11ac(160MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	48.983	50.245	-25.017	74.000	-1.262	PK
2	*	16710.000	53.455	48.668	-20.545	74.000	4.787	PK




Profile: 2430820R	Page No.: 301
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5180MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	46.726	50.132	-7.274	54.000	-3.406	AV
2		10367.000	56.029	59.201	-17.971	74.000	-3.172	PK
3		15540.000	52.925	51.882	-21.075	74.000	1.043	PK




Profile: 2430820R	Page No.: 302
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5180MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10367.000	51.681	54.853	-22.319	74.000	-3.172	PK
2		15540.000	51.526	50.483	-22.474	74.000	1.043	PK

Profile: 2430820R	Page No.: 303
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5220MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10435.000	56.009	59.287	-17.991	74.000	-3.278	PK
2	*	10440.000	49.099	52.393	-4.901	54.000	-3.294	AV
3		15660.000	52.931	51.920	-21.069	74.000	1.011	PK

Profile: 2430820R	Page No.: 304
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5220MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	50.896	54.190	-23.104	74.000	-3.294	PK
2	*	15660.000	52.129	51.118	-21.871	74.000	1.011	PK

Profile: 2430820R	Page No.: 305
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5240MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10480.000	46.289	49.568	-7.711	54.000	-3.279	AV
2		10486.000	55.686	58.927	-18.314	74.000	-3.241	PK
3		15720.000	52.604	51.084	-21.396	74.000	1.520	PK

Profile: 2430820R	Page No.: 306
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5240MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	50.235	53.514	-23.765	74.000	-3.279	PK
2	*	15720.000	51.286	49.766	-22.714	74.000	1.520	PK

Profile: 2430820R	Page No.: 307
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5260MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	55.817	59.056	-18.183	74.000	-3.239	PK
2	*	10520.000	47.058	50.297	-6.942	54.000	-3.239	AV
3		15780.000	52.205	50.947	-21.795	74.000	1.257	PK


Profile: 2430820R	Page No.: 308
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5260MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	47.515	50.754	-26.485	74.000	-3.239	PK
2	*	15780.000	50.976	49.718	-23.024	74.000	1.257	PK




Profile: 2430820R	Page No.: 309
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5300MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	46.859	49.561	-7.141	54.000	-2.702	AV
2		10605.000	54.315	56.873	-19.685	74.000	-2.558	PK
3		15900.000	53.078	51.011	-20.922	74.000	2.067	PK




Profile: 2430820R	Page No.: 310
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5300MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	48.178	50.880	-25.822	74.000	-2.702	PK
2	*	15900.000	51.654	49.587	-22.346	74.000	2.067	PK




Profile: 2430820R	Page No.: 311
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5320MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10639.000	53.918	57.286	-20.082	74.000	-3.368	PK
2	*	10640.000	45.322	48.686	-8.678	54.000	-3.364	AV
3		15960.000	51.212	50.079	-22.788	74.000	1.133	PK




Profile: 2430820R	Page No.: 312
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5320MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	49.160	52.524	-24.840	74.000	-3.364	PK
2	*	15960.000	49.970	48.837	-24.030	74.000	1.133	PK


Profile: 2430820R	Page No.: 313
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5500MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	49.695	51.583	-24.305	74.000	-1.888	PK
2		16500.000	55.308	50.375	-18.692	74.000	4.933	PK
3	*	16500.000	46.997	42.064	-7.003	54.000	4.933	AV




Profile: 2430820R	Page No.: 314
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5500MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	48.177	50.065	-25.823	74.000	-1.888	PK
2	*	16500.000	53.633	48.700	-20.367	74.000	4.933	PK




Profile: 2430820R	Page No.: 315
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5580MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	49.556	50.741	-24.444	74.000	-1.185	PK
2	*	16740.000	52.202	48.144	-21.798	74.000	4.058	PK




Profile: 2430820R	Page No.: 316
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5580MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	49.028	50.213	-24.972	74.000	-1.185	PK
2	*	16740.000	52.235	48.177	-21.765	74.000	4.058	PK




Profile: 2430820R	Page No.: 317
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5700MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	46.717	47.759	-27.283	74.000	-1.042	PK
2	*	17100.000	54.007	49.220	-19.993	74.000	4.787	PK




Profile: 2430820R	Page No.: 318
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5700MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	47.257	48.299	-26.743	74.000	-1.042	PK
2	*	17100.000	54.035	49.248	-19.965	74.000	4.787	PK

Profile: 2430820R	Page No.: 319
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5745MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	47.709	48.233	-26.291	74.000	-0.524	PK
2	*	17235.000	53.588	48.151	-20.412	74.000	5.437	PK

Profile: 2430820R	Page No.: 320
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5745MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	47.683	48.207	-26.317	74.000	-0.524	PK
2		17235.000	54.407	48.970	-19.593	74.000	5.437	PK
3	*	17235.000	45.693	40.256	-8.307	54.000	5.437	AV

Profile: 2430820R	Page No.: 321
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5785MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.565	48.754	-26.435	74.000	-1.189	PK
2	*	17355.000	53.185	48.723	-20.815	74.000	4.461	PK


Profile: 2430820R	Page No.: 322
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5785MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	48.211	49.400	-25.789	74.000	-1.189	PK
2	*	17355.000	53.169	48.707	-20.831	74.000	4.461	PK




Profile: 2430820R	Page No.: 323
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5825MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.092	48.768	-26.908	74.000	-1.676	PK
2	*	17475.000	51.859	47.665	-22.141	74.000	4.195	PK


Profile: 2430820R	Page No.: 324
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5825MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.406	49.082	-26.594	74.000	-1.676	PK
2	*	17475.000	52.315	48.121	-21.685	74.000	4.195	PK




Profile: 2430820R	Page No.: 325
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5190MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10384.000	53.836	57.051	-20.164	74.000	-3.215	PK
2		15570.000	52.084	51.790	-21.916	74.000	0.294	PK

Profile: 2430820R	Page No.: 326
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5190MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	46.602	49.807	-27.398	74.000	-3.205	PK
2	*	15570.000	48.534	48.240	-25.466	74.000	0.294	PK


Profile: 2430820R	Page No.: 327
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	50.136	53.542	-23.864	74.000	-3.406	PK
2	*	15540.000	53.048	52.005	-20.952	74.000	1.043	PK




Profile: 2430820R	Page No.: 328
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5230MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	47.788	51.128	-26.212	74.000	-3.341	PK
2	*	15690.000	48.553	48.277	-25.447	74.000	0.276	PK




Profile: 2430820R	Page No.: 329
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5270MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10537.000	53.747	56.985	-20.253	74.000	-3.238	PK
2		15810.000	52.330	51.264	-21.670	74.000	1.066	PK




Profile: 2430820R	Page No.: 330
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5270MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	48.359	51.569	-25.641	74.000	-3.210	PK
2	*	15810.000	49.626	48.560	-24.374	74.000	1.066	PK




Profile: 2430820R	Page No.: 331
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10622.000	53.367	56.671	-20.633	74.000	-3.304	PK
2		15930.000	50.585	49.394	-23.415	74.000	1.191	PK




Profile: 2430820R	Page No.: 332
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5310MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	47.965	51.181	-26.035	74.000	-3.217	PK
2	*	15930.000	48.798	47.607	-25.202	74.000	1.191	PK


Profile: 2430820R	Page No.: 333
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	49.995	52.097	-24.005	74.000	-2.102	PK
2	*	16530.000	53.686	49.408	-20.314	74.000	4.278	PK




Profile: 2430820R	Page No.: 334
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5510MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	47.988	50.090	-26.012	74.000	-2.102	PK
2	*	16530.000	51.943	47.665	-22.057	74.000	4.278	PK

Profile: 2430820R	Page No.: 335
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5590MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	47.626	49.859	-26.374	74.000	-2.234	PK
2	*	16770.000	54.001	48.996	-19.999	74.000	5.005	PK


Profile: 2430820R	Page No.: 336
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5590MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	47.570	49.803	-26.430	74.000	-2.234	PK
2	*	16770.000	53.953	48.948	-20.047	74.000	5.005	PK




Profile: 2430820R	Page No.: 337
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5670MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	47.701	49.072	-26.299	74.000	-1.371	PK
2	*	17010.000	52.485	48.320	-21.515	74.000	4.165	PK

Profile: 2430820R	Page No.: 338
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5670MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	47.127	48.498	-26.873	74.000	-1.371	PK
2	*	17010.000	52.932	48.767	-21.068	74.000	4.165	PK

Profile: 2430820R	Page No.: 339
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5755MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	48.815	50.093	-25.185	74.000	-1.278	PK
2	*	17265.000	51.012	47.599	-22.988	74.000	3.412	PK

Profile: 2430820R	Page No.: 340
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5755MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	49.450	50.728	-24.550	74.000	-1.278	PK
2	*	17265.000	51.512	48.099	-22.488	74.000	3.412	PK


Profile: 2430820R	Page No.: 341
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5795MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	49.311	49.210	-24.689	74.000	0.101	PK
2	*	17385.000	51.408	48.076	-22.592	74.000	3.332	PK




Profile: 2430820R	Page No.: 342
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 9 : Transmit at 5795MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	49.352	49.251	-24.648	74.000	0.101	PK
2	*	17385.000	50.682	47.350	-23.318	74.000	3.332	PK

Profile: 2430820R	Page No.: 343
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5210MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	51.369	54.365	-22.631	74.000	-2.996	PK
2	*	15630.000	52.600	51.368	-21.400	74.000	1.232	PK


Profile: 2430820R	Page No.: 344
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5210MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	47.923	50.919	-26.077	74.000	-2.996	PK
2	*	15630.000	50.329	49.097	-23.671	74.000	1.232	PK




Profile: 2430820R	Page No.: 345
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	50.397	53.413	-23.603	74.000	-3.015	PK
2	*	15870.000	51.672	49.817	-22.328	74.000	1.855	PK


Profile: 2430820R	Page No.: 346
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5290MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	47.768	50.784	-26.232	74.000	-3.015	PK
2	*	15870.000	48.685	46.830	-25.315	74.000	1.855	PK




Profile: 2430820R	Page No.: 347
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	46.222	48.367	-27.778	74.000	-2.145	PK
2	*	16590.000	51.975	47.787	-22.025	74.000	4.189	PK


Profile: 2430820R	Page No.: 348
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5530MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	45.948	48.093	-28.052	74.000	-2.145	PK
2	*	16590.000	51.536	47.348	-22.464	74.000	4.189	PK




Profile: 2430820R	Page No.: 349
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5610MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	47.220	48.655	-26.780	74.000	-1.435	PK
2	*	16830.000	51.732	47.946	-22.268	74.000	3.786	PK




Profile: 2430820R	Page No.: 350
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5610MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11220.000	47.762	49.197	-26.238	74.000	-1.435	PK
2	*	16830.000	52.021	48.235	-21.979	74.000	3.786	PK


Profile: 2430820R	Page No.: 351
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5775MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.557	48.117	-27.443	74.000	-1.560	PK
2	*	17325.000	52.038	48.488	-21.962	74.000	3.549	PK




Profile: 2430820R	Page No.: 352
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 10 : Transmit at 5775MHz by 802.11ax(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.755	48.315	-27.245	74.000	-1.560	PK
2	*	17325.000	50.343	46.793	-23.657	74.000	3.549	PK




Profile: 2430820R	Page No.: 353
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 11 : Transmit at 5250MHz by 802.11ax(160MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	48.543	51.587	-25.457	74.000	-3.044	PK
2	*	15750.000	52.513	50.957	-21.487	74.000	1.557	PK


Profile: 2430820R	Page No.: 354
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 11 : Transmit at 5250MHz by 802.11ax(160MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10500.000	47.664	50.708	-26.336	74.000	-3.044	PK
2	*	15750.000	49.813	48.257	-24.187	74.000	1.557	PK




Profile: 2430820R	Page No.: 355
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 11 : Transmit at 5570MHz by 802.11ax(160MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11140.000	49.514	51.612	-24.486	74.000	-2.097	PK
2		16710.000	49.205	47.790	-24.795	74.000	1.416	PK

Profile: 2430820R	Page No.: 356
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/14 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 11 : Transmit at 5570MHz by 802.11ax(160MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11140.000	47.956	50.054	-26.044	74.000	-2.097	PK
2	*	16710.000	49.385	47.970	-24.615	74.000	1.416	PK


Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. The test frequency range, 18GHz~40GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.
4. If the test result on peak is lower than average limit, then average measurement needn't be performed.
5. We have evaluated SISO, MIMO mode, shown in the report is the worst data.



The worst case of Simultaneous Radiated Emission:


Profile: 2430820R	Page No.: 13
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/22 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 2402MHz by DH5 & 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	40.636	53.546	-33.364	74.000	-12.910	PK
2		7206.000	44.124	51.675	-29.876	74.000	-7.552	PK
3		9608.000	46.944	51.750	-27.056	74.000	-4.805	PK
4		10360.000	49.100	51.971	-24.900	74.000	-2.871	PK
5	*	15540.000	51.280	49.069	-22.720	74.000	2.212	PK




Profile: 2430820R	Page No.: 14
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/22 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 2402MHz by DH5 & 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	40.765	53.675	-33.235	74.000	-12.910	PK
2		7206.000	45.224	52.775	-28.776	74.000	-7.552	PK
3		9608.000	46.820	51.626	-27.180	74.000	-4.805	PK
4		10360.000	48.685	51.556	-25.315	74.000	-2.871	PK
5	*	15540.000	51.621	49.410	-22.379	74.000	2.212	PK


Profile: 2430820R	Page No.: 108
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/23 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 2412MHz by 802.11b & 5180MHz by 802.11a	



N o	Mar k	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	49.330	61.250	-4.670	54.000	-11.920	AV
2		4825.000	57.620	69.543	-16.380	74.000	-11.923	PK
3		7236.000	45.238	51.872	-28.762	74.000	-6.634	PK
4		9648.000	48.334	52.108	-25.666	74.000	-3.774	PK
5	*	10360.000	49.723	51.096	-4.277	54.000	-1.373	AV
6		10367.000	59.974	61.489	-14.026	74.000	-1.515	PK
7		15540.000	53.489	49.090	-20.511	74.000	4.399	PK



Profile: 2430820R	Page No.: 109
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/23 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 2412MHz by 802.11b & 5180MHz by 802.11a	




N o	Mar k	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4825.000	49.843	61.766	-24.157	74.000	-11.923	PK
2		7236.000	45.773	52.407	-28.227	74.000	-6.634	PK
3		9648.000	47.936	51.710	-26.064	74.000	-3.774	PK
4	*	10360.000	52.449	53.822	-1.551	54.000	-1.373	AV
5		10367.000	61.689	63.204	-12.311	74.000	-1.515	PK
6		15540.000	53.981	49.582	-20.019	74.000	4.399	PK

Note:

- 1. " * ", means this data is the worst emission level.
- 2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

The worst case of Radiated Emission below 1GHz:


Profile: 2430820R	Page No.: 67
Engineer: Yu Liu	
Site: AC2	Time: 2024/08/17 - 08:29
Limit: FCC_Part 15.209	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		43.216	21.823	3.937	-18.177	40.000	17.885	QP
2		112.692	21.264	2.109	-22.236	43.500	19.155	QP
3		163.739	20.844	3.952	-22.656	43.500	16.892	QP
4		270.924	24.711	4.393	-21.289	46.000	20.318	QP
5		441.644	27.853	3.384	-18.147	46.000	24.469	QP
6	*	927.008	34.350	4.172	-11.650	46.000	30.178	QP



Profile: 2430820R	Page No.: 68
Engineer: Yu Liu	
Site: AC2	Time: 2024/08/17 - 08:29
Limit: FCC_Part 15.209	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		57.766	16.877	3.579	-23.123	40.000	13.297	QP
2		104.326	21.321	2.732	-22.179	43.500	18.588	QP
3		175.742	19.600	3.027	-23.900	43.500	16.573	QP
4		263.043	24.540	3.832	-21.460	46.000	20.708	QP
5		486.628	28.821	3.472	-17.179	46.000	25.349	QP
6	*	776.536	31.854	2.884	-14.146	46.000	28.970	QP

Note:

- " * ", means this data is the worst emission level.
- Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

Appendix C: Emission bandwidth and occupied bandwidth

Emission Bandwidth :


TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	18.960	5170.400	5189.360	N/A	Pass
		5200	20.640	5189.600	5210.240	N/A	Pass
		5240	20.240	5229.640	5249.880	N/A	Pass
		5260	24.880	5248.880	5273.760	N/A	Pass
		5280	23.320	5269.280	5292.600	N/A	Pass
		5320	19.680	5309.800	5329.480	N/A	Pass
		5500	20.520	5489.640	5510.160	N/A	Pass
		5580	18.960	5570.520	5589.480	N/A	Pass
		5700	18.840	5690.520	5709.360	N/A	Pass
		5745	18.960	5735.400	5754.360	N/A	Pass
		5785	18.760	5775.560	5794.320	N/A	Pass
		5825	18.800	5815.600	5834.400	N/A	Pass
11N20SISO	Ant1	5180	20.120	5170.000	5190.120	N/A	Pass
		5200	20.200	5189.920	5210.120	N/A	Pass
		5240	20.160	5230.080	5250.240	N/A	Pass
		5260	20.040	5250.240	5270.280	N/A	Pass
		5280	19.880	5270.080	5289.960	N/A	Pass
		5320	20.200	5310.160	5330.360	N/A	Pass
		5500	21.520	5489.120	5510.640	N/A	Pass
		5580	19.960	5570.040	5590.000	N/A	Pass
		5700	20.080	5690.080	5710.160	N/A	Pass
		5745	19.920	5735.120	5755.040	N/A	Pass
		5785	19.840	5775.120	5794.960	N/A	Pass
		5825	19.880	5815.120	5835.000	N/A	Pass
11N40SISO	Ant1	5190	39.440	5170.320	5209.760	N/A	Pass
		5230	39.360	5210.400	5249.760	N/A	Pass
		5270	39.760	5250.240	5290.000	N/A	Pass
		5310	39.840	5290.160	5330.000	N/A	Pass
		5510	40.400	5490.080	5530.480	N/A	Pass
		5550	39.680	5530.160	5569.840	N/A	Pass
		5670	39.120	5650.480	5689.600	N/A	Pass
		5755	39.360	5735.320	5774.680	N/A	Pass
		5795	38.960	5775.560	5814.520	N/A	Pass
11AC20SISO	Ant1	5180	19.720	5170.200	5189.920	N/A	Pass
		5200	20.080	5190.000	5210.080	N/A	Pass
		5240	20.000	5230.040	5250.040	N/A	Pass
		5260	19.920	5250.000	5269.920	N/A	Pass
		5280	20.000	5270.000	5290.000	N/A	Pass
		5320	20.560	5309.960	5330.520	N/A	Pass
		5500	20.280	5489.920	5510.200	N/A	Pass
		5580	19.920	5570.000	5589.920	N/A	Pass
		5700	19.880	5690.040	5709.920	N/A	Pass
		5745	20.000	5735.040	5755.040	N/A	Pass
		5785	20.000	5775.080	5795.080	N/A	Pass
		5825	19.840	5815.080	5834.920	N/A	Pass

11AC40SISO	Ant1	5190	39.440	5170.320	5209.760	N/A	Pass
		5230	39.520	5210.160	5249.680	N/A	Pass
		5270	39.520	5250.240	5289.760	N/A	Pass
		5310	39.520	5290.160	5329.680	N/A	Pass
		5510	41.360	5490.080	5531.440	N/A	Pass
		5550	39.680	5530.080	5569.760	N/A	Pass
		5670	39.840	5650.080	5689.920	N/A	Pass
		5755	39.040	5735.480	5774.520	N/A	Pass
		5795	39.520	5775.400	5814.920	N/A	Pass
11AC80SISO	Ant1	5210	81.120	5169.520	5250.640	N/A	Pass
		5290	81.440	5249.520	5330.960	N/A	Pass
		5530	81.600	5489.360	5570.960	N/A	Pass
		5610	82.080	5568.880	5650.960	N/A	Pass
		5775	81.440	5734.680	5816.120	N/A	Pass
11AC160SISO	Ant1	5250	164.800	5167.760	5332.560	N/A	Pass
		5250_UNII-1	82.24	5167.760	5250	N/A	Pass
		5250_UNII-2A	82.56	5250	5332.560	N/A	Pass
		5570	163.520	5488.400	5651.920	N/A	Pass
11AX20SISO	Ant1	5180	20.560	5169.720	5190.280	N/A	Pass
		5200	20.560	5189.720	5210.280	N/A	Pass
		5240	21.160	5229.320	5250.480	N/A	Pass
		5260	20.680	5249.720	5270.400	N/A	Pass
		5280	20.960	5269.520	5290.480	N/A	Pass
		5320	21.080	5309.520	5330.600	N/A	Pass
		5500	20.840	5489.560	5510.400	N/A	Pass
		5580	20.920	5569.600	5590.520	N/A	Pass
		5700	20.680	5689.640	5710.320	N/A	Pass
		5745	20.880	5734.600	5755.480	N/A	Pass
		5785	21.000	5774.600	5795.600	N/A	Pass
		5825	20.760	5814.720	5835.480	N/A	Pass
11AX40SISO	Ant1	5190	40.000	5169.920	5209.920	N/A	Pass
		5230	40.400	5209.840	5250.240	N/A	Pass
		5270	40.400	5249.600	5290.000	N/A	Pass
		5310	40.480	5289.760	5330.240	N/A	Pass
		5510	40.800	5489.200	5530.000	N/A	Pass
		5550	39.920	5530.080	5570.000	N/A	Pass
		5670	39.920	5650.080	5690.000	N/A	Pass
		5755	40.240	5734.920	5775.160	N/A	Pass
		5795	40.480	5775.000	5815.480	N/A	Pass
11AX80SISO	Ant1	5210	81.760	5168.880	5250.640	N/A	Pass
		5290	81.600	5249.200	5330.800	N/A	Pass
		5530	81.760	5489.200	5570.960	N/A	Pass
		5610	81.760	5568.880	5650.640	N/A	Pass
		5775	81.280	5734.520	5815.800	N/A	Pass
11AX160SISO	Ant1	5250	163.840	5168.080	5331.920	N/A	Pass
		5250_UNII-1	81.92	5168.080	5250	N/A	Pass
		5250_UNII-2A	81.92	5250	5331.920	N/A	Pass
		5570	164.160	5487.760	5651.920	N/A	Pass


Note: We have evaluated SISO, MIMO mode, shown in the report is the worst data.

Test Graphs






11A_Ant1_5260




11A_Ant1_5280




11A_Ant1_5320




11A_Ant1_5500




11A_Ant1_5580




11A_Ant1_5700




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260



11N20SISO_Ant1_5280



11N20SISO_Ant1_5320



11N20SISO_Ant1_5500




11N20SISO_Ant1_5580




11N20SISO_Ant1_5700



11N20SISO Ant1 5745



11N20SISO Ant1 5785



11N20SISO Ant1 5825