




11AX20SISO_Ant1_5280_52Tone_RU37



11AX20SISO_Ant1_5280_106Tone_RU53




11AX20SISO_Ant1_5320_26Tone_RU0



11AX20SISO_Ant1_5320_52Tone_RU37



11AX20SISO_Ant1_5320_106Tone_RU53



11AX20SISO_Ant1_5500_26Tone_RU0



11AX20SISO_Ant1_5500_52Tone_RU37



11AX20SISO_Ant1_5500_106Tone_RU53



11AX20SISO_Ant1_5580_26Tone_RU0




11AX20SISO_Ant1_5580_52Tone_RU37



11AX20SISO_Ant1_5580_106Tone_RU53



11AX20SISO_Ant1_5700_26Tone_RU0



11AX20SISO_Ant1_5700_52Tone_RU37



11AX20SISO_Ant1_5700_106Tone_RU53



11AX20SISO_Ant1_5745_26Tone_RU0



11AX20SISO Ant1 5745 52Tone RU37



11AX20SISO Ant1 5745 106Tone RU53



11AX20SISO Ant1 5785 26Tone RU0




11AX20SISO_Ant1_5785_52Tone_RU37



11AX20SISO_Ant1_5785_106Tone_RU53



11AX20SISO_Ant1_5825_26Tone_RU0



11AX20SISO_Ant1_5825_52Tone_RU37




11AX20SISO_Ant1_5825_106Tone_RU53




Appendix H: Radiated Emission Band Edge

Profile: 2430820R	Page No.: 1
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5180MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	52.368	14.678	-1.632	54.000	37.691	AV

Profile: 2430820R	Page No.: 2
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5180MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5147.220	65.281	27.582	-8.719	74.000	37.699	PK
2		5150.000	62.935	25.245	-11.065	74.000	37.691	PK

Profile: 2430820R	Page No.: 3
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5180MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.764	12.074	-4.236	54.000	37.691	AV

Profile: 2430820R	Page No.: 4
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5180MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5147.220	63.051	25.352	-10.949	74.000	37.699	PK
2		5150.000	60.320	22.630	-13.680	74.000	37.691	PK

Profile: 2430820R	Page No.: 5
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5320MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	48.245	10.222	-5.755	54.000	38.023	AV

Profile: 2430820R	Page No.: 6
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5320MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	61.908	23.885	-12.092	74.000	38.023	PK
2	*	5352.900	62.812	24.808	-11.188	74.000	38.004	PK

Profile: 2430820R	Page No.: 7
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5320MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	45.129	7.106	-8.871	54.000	38.023	AV

Profile: 2430820R	Page No.: 8
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5320MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	57.050	19.027	-16.950	74.000	38.023	PK
2	*	5352.450	58.092	20.095	-15.908	74.000	37.997	PK

Profile: 2430820R	Page No.: 9
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5500MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.405	7.732	-7.595	54.000	38.673	AV

Profile: 2430820R	Page No.: 10
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5500MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5455.600	62.361	23.560	-11.639	74.000	38.801	PK
2		5460.000	60.641	21.968	-13.359	74.000	38.673	PK

Profile: 2430820R	Page No.: 11
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5500MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	44.593	5.920	-9.407	54.000	38.673	AV

Profile: 2430820R	Page No.: 12
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 5500MHz by 802.11a Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5455.280	59.229	20.419	-14.771	74.000	38.810	PK
2		5460.000	57.536	18.863	-16.464	74.000	38.673	PK

Profile: 2430820R	Page No.: 13
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	53.735	16.045	-0.265	54.000	37.691	AV


Profile: 2430820R	Page No.: 14
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	65.419	27.729	-8.581	74.000	37.691	PK




Profile: 2430820R	Page No.: 15
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.511	12.821	-3.489	54.000	37.691	AV

Profile: 2430820R	Page No.: 16
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	61.210	23.520	-12.790	74.000	37.691	PK

Profile: 2430820R	Page No.: 17
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	49.619	11.596	-4.381	54.000	38.023	AV

Profile: 2430820R	Page No.: 18
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	62.900	24.877	-11.100	74.000	38.023	PK
2	*	5351.100	66.128	28.123	-7.872	74.000	38.005	PK


Profile: 2430820R	Page No.: 19
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.420	8.397	-7.580	54.000	38.023	AV




Profile: 2430820R	Page No.: 20
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	58.995	20.972	-15.005	74.000	38.023	PK


Profile: 2430820R	Page No.: 21
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.227	9.554	-5.773	54.000	38.673	AV




Profile: 2430820R	Page No.: 22
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	62.222	23.549	-11.778	74.000	38.673	PK

Profile: 2430820R	Page No.: 23
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.260	7.587	-7.740	54.000	38.673	AV

Profile: 2430820R	Page No.: 24
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	60.071	21.398	-13.929	74.000	38.673	PK

Profile: 2430820R	Page No.: 25
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	49.819	12.129	-4.181	54.000	37.691	AV

Profile: 2430820R	Page No.: 26
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5126.930	60.818	22.891	-13.182	74.000	37.927	PK
2	*	5150.000	62.376	24.686	-11.624	74.000	37.691	PK

Profile: 2430820R	Page No.: 27
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.049	9.359	-6.951	54.000	37.691	AV

Profile: 2430820R	Page No.: 28
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	58.044	20.354	-15.956	74.000	37.691	PK

Profile: 2430820R	Page No.: 29
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	49.276	11.253	-4.724	54.000	38.023	AV

Profile: 2430820R	Page No.: 30
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	62.549	24.526	-11.451	74.000	38.023	PK
2	*	5351.880	64.656	26.664	-9.344	74.000	37.992	PK

Profile: 2430820R	Page No.: 31
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.026	8.003	-7.974	54.000	38.023	AV

Profile: 2430820R	Page No.: 32
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	57.720	19.697	-16.280	74.000	38.023	PK
2	*	5351.200	60.878	22.875	-13.122	74.000	38.003	PK

Profile: 2430820R	Page No.: 33
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	50.188	11.515	-3.812	54.000	38.673	AV

Profile: 2430820R	Page No.: 34
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5453.140	62.835	24.021	-11.165	74.000	38.814	PK
2		5460.000	61.741	23.068	-12.259	74.000	38.673	PK

Profile: 2430820R	Page No.: 35
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.275	9.602	-5.725	54.000	38.673	AV

Profile: 2430820R	Page No.: 36
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	59.171	20.498	-14.829	74.000	38.673	PK

Profile: 2430820R	Page No.: 37
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	53.535	15.845	-0.465	54.000	37.691	AV

Profile: 2430820R	Page No.: 38
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	65.211	27.521	-8.789	74.000	37.691	PK

Profile: 2430820R	Page No.: 39
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.187	12.497	-3.813	54.000	37.691	AV

Profile: 2430820R	Page No.: 40
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	61.456	23.766	-12.544	74.000	37.691	PK

Profile: 2430820R	Page No.: 41
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	50.076	12.053	-3.924	54.000	38.023	AV

Profile: 2430820R	Page No.: 42
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	62.596	24.573	-11.404	74.000	38.023	PK
2	*	5350.650	65.766	27.754	-8.234	74.000	38.013	PK

Profile: 2430820R	Page No.: 43
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.343	8.320	-7.657	54.000	38.023	AV

Profile: 2430820R	Page No.: 44
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	58.754	20.731	-15.246	74.000	38.023	PK
2	*	5350.950	60.665	22.658	-13.335	74.000	38.008	PK

Profile: 2430820R	Page No.: 45
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.392	9.719	-5.608	54.000	38.673	AV

Profile: 2430820R	Page No.: 46
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.680	63.580	24.840	-10.420	74.000	38.741	PK
2		5460.000	62.076	23.403	-11.924	74.000	38.673	PK

Profile: 2430820R	Page No.: 47
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.432	7.759	-7.568	54.000	38.673	AV

Profile: 2430820R	Page No.: 48
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.520	61.472	22.727	-12.528	74.000	38.745	PK
2		5460.000	60.819	22.146	-13.181	74.000	38.673	PK

Profile: 2430820R	Page No.: 49
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.152	12.462	-3.848	54.000	37.691	AV

Profile: 2430820R	Page No.: 50
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	62.608	24.918	-11.392	74.000	37.691	PK

Profile: 2430820R	Page No.: 51
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.290	9.600	-6.710	54.000	37.691	AV

Profile: 2430820R	Page No.: 52
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	59.049	21.359	-14.951	74.000	37.691	PK

Profile: 2430820R	Page No.: 53
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 20:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	49.356	11.333	-4.644	54.000	38.023	AV

Profile: 2430820R	Page No.: 54
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	62.711	24.688	-11.289	74.000	38.023	PK

Profile: 2430820R	Page No.: 55
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.458	8.435	-7.542	54.000	38.023	AV

Profile: 2430820R	Page No.: 56
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	58.648	20.625	-15.352	74.000	38.023	PK
2	*	5352.390	59.760	21.764	-14.240	74.000	37.996	PK

Profile: 2430820R	Page No.: 57
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	50.460	11.787	-3.540	54.000	38.673	AV

Profile: 2430820R	Page No.: 58
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	62.710	24.037	-11.290	74.000	38.673	PK

Profile: 2430820R	Page No.: 59
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.403	9.730	-5.597	54.000	38.673	AV

Profile: 2430820R	Page No.: 60
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	59.298	20.625	-14.702	74.000	38.673	PK

Profile: 2430820R	Page No.: 61
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5143.500	49.868	12.100	-4.132	54.000	37.768	AV
2		5150.000	48.300	10.610	-5.700	54.000	37.691	AV

Profile: 2430820R	Page No.: 62
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5134.500	61.931	23.996	-12.069	74.000	37.935	PK
2		5150.000	59.020	21.330	-14.980	74.000	37.691	PK

Profile: 2430820R	Page No.: 63
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.126	8.436	-7.874	54.000	37.691	AV

Profile: 2430820R	Page No.: 64
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	56.577	18.887	-17.423	74.000	37.691	PK

Profile: 2430820R	Page No.: 65
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	47.721	9.698	-6.279	54.000	38.023	AV
2	*	5355.210	48.147	10.107	-5.853	54.000	38.040	AV

Profile: 2430820R	Page No.: 66
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	60.929	22.906	-13.071	74.000	38.023	PK
2	*	5356.680	64.687	26.623	-9.313	74.000	38.064	PK

Profile: 2430820R	Page No.: 67
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	44.588	6.565	-9.412	54.000	38.023	AV

Profile: 2430820R	Page No.: 68
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	56.127	18.104	-17.873	74.000	38.023	PK
2	*	5353.110	59.751	21.744	-14.249	74.000	38.007	PK

Profile: 2430820R	Page No.: 69
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5453.840	50.328	11.487	-3.672	54.000	38.841	AV
2		5460.000	49.124	10.451	-4.876	54.000	38.673	AV

Profile: 2430820R	Page No.: 70
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5456.920	63.802	25.040	-10.198	74.000	38.762	PK
2		5460.000	60.376	21.703	-13.624	74.000	38.673	PK

Profile: 2430820R	Page No.: 71
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.532	8.859	-6.468	54.000	38.673	AV


Profile: 2430820R	Page No.: 72
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5450.320	60.719	22.012	-13.281	74.000	38.707	PK
2		5460.000	60.489	21.816	-13.511	74.000	38.673	PK




Profile: 2430820R	Page No.: 73
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5250MHz by 802.11ac(160MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5123.040	48.741	10.884	-5.259	54.000	37.857	AV
2		5150.000	47.343	9.653	-6.657	54.000	37.691	AV
3		5350.000	47.415	9.392	-6.585	54.000	38.023	AV
4		5364.960	48.142	9.948	-5.858	54.000	38.194	AV

Profile: 2430820R	Page No.: 74
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5250MHz by 802.11ac(160MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5126.880	61.916	23.990	-12.084	74.000	37.926	PK
2		5150.000	58.084	20.394	-15.916	74.000	37.691	PK
3		5350.000	58.071	20.048	-15.929	74.000	38.023	PK
4		5374.560	60.099	21.826	-13.901	74.000	38.273	PK

Profile: 2430820R	Page No.: 75
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5250MHz by 802.11ac(160MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5129.760	45.385	7.407	-8.615	54.000	37.978	AV
2		5150.000	45.014	7.324	-8.986	54.000	37.691	AV
3		5350.000	44.498	6.475	-9.502	54.000	38.023	AV


Profile: 2430820R	Page No.: 76
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5250MHz by 802.11ac(160MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5109.600	57.834	20.156	-16.166	74.000	37.678	PK
2		5150.000	55.463	17.773	-18.537	74.000	37.691	PK
3		5350.000	55.431	17.408	-18.569	74.000	38.023	PK
4		5372.640	57.486	19.219	-16.514	74.000	38.267	PK




Profile: 2430820R	Page No.: 77
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5570MHz by 802.11ac(160MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5453.200	52.582	13.765	-1.418	54.000	38.816	AV
2		5460.000	52.201	13.528	-1.799	54.000	38.673	AV

Profile: 2430820R	Page No.: 78
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5570MHz by 802.11ac(160MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5455.300	65.260	26.451	-8.740	74.000	38.809	PK
2		5460.000	62.409	23.736	-11.591	74.000	38.673	PK

Profile: 2430820R	Page No.: 79
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5570MHz by 802.11ac(160MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5452.000	49.364	10.593	-4.636	54.000	38.771	AV
2		5460.000	49.187	10.514	-4.813	54.000	38.673	AV


Profile: 2430820R	Page No.: 80
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 5570MHz by 802.11ac(160MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5450.500	61.266	22.552	-12.734	74.000	38.713	PK
2		5460.000	59.866	21.193	-14.134	74.000	38.673	PK




Profile: 2430820R	Page No.: 81
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5180MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.670	10.980	-5.330	54.000	37.691	AV

Profile: 2430820R	Page No.: 82
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5180MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	64.436	26.746	-9.564	74.000	37.691	PK

Profile: 2430820R	Page No.: 83
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5180MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.278	8.588	-7.722	54.000	37.691	AV

Profile: 2430820R	Page No.: 84
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5180MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	59.502	21.812	-14.498	74.000	37.691	PK

Profile: 2430820R	Page No.: 85
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5320MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.534	13.511	-2.466	54.000	38.023	AV

Profile: 2430820R	Page No.: 86
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5320MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	64.838	26.815	-9.162	74.000	38.023	PK
2	*	5354.100	64.878	26.855	-9.122	74.000	38.023	PK

Profile: 2430820R	Page No.: 87
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5320MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.393	9.370	-6.607	54.000	38.023	AV

Profile: 2430820R	Page No.: 88
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5320MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	59.463	21.440	-14.537	74.000	38.023	PK
2	*	5351.250	61.725	23.723	-12.275	74.000	38.002	PK

Profile: 2430820R	Page No.: 89
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5500MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	50.449	11.776	-3.551	54.000	38.673	AV

Profile: 2430820R	Page No.: 90
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5500MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.520	65.409	26.664	-8.591	74.000	38.745	PK
2		5460.000	63.852	25.179	-10.148	74.000	38.673	PK

Profile: 2430820R	Page No.: 91
Engineer: Yuliu	
Site: AC5	Time: 2024/08/06 - 22:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 5500MHz by 802.11ax(20MHz) Ant 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.494	9.821	-5.506	54.000	38.673	AV