

BLE_125K_Ant1_2480



BLE_500K_Ant1_2402



BLE_500K_Ant1_2440



BLE_500K_Ant1_2480



Appendix G: Emissions in Restricted Bands

Profile: 2430820R	Page No.: 61
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1：Transmit at 2402MHz by LE_1Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	40.963	52.851	-33.037	74.000	-11.888	PK
2		7206.000	45.516	51.682	-28.484	74.000	-6.166	PK
3	*	9608.000	47.377	50.600	-26.623	74.000	-3.222	PK

Profile: 2430820R	Page No.: 62
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1：Transmit at 2402MHz by LE_1Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	40.203	52.091	-33.797	74.000	-11.888	PK
2		7206.000	45.406	51.572	-28.594	74.000	-6.166	PK
3	*	9608.000	47.341	50.564	-26.659	74.000	-3.222	PK

Profile: 2430820R	Page No.: 63
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1：Transmit at 2440MHz by LE_1Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4880.000	41.848	52.452	-32.152	74.000	-10.603	PK
2		7320.000	44.412	51.339	-29.588	74.000	-6.927	PK
3	*	9760.000	47.127	50.000	-26.873	74.000	-2.874	PK

Profile: 2430820R	Page No.: 64
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1：Transmit at 2440MHz by LE_1Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4880.000	41.173	51.777	-32.827	74.000	-10.603	PK
2		7320.000	43.817	50.744	-30.183	74.000	-6.927	PK
3	*	9760.000	46.764	49.637	-27.236	74.000	-2.874	PK

Profile: 2430820R	Page No.: 65
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1：Transmit at 2480MHz by LE_1Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	43.271	53.977	-30.729	74.000	-10.707	PK
2		7440.000	45.033	51.812	-28.967	74.000	-6.779	PK
3	*	9920.000	50.296	52.118	-23.704	74.000	-1.821	PK

Profile: 2430820R	Page No.: 66
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1：Transmit at 2480MHz by LE_1Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	40.845	51.551	-33.155	74.000	-10.707	PK
2		7440.000	44.722	51.501	-29.278	74.000	-6.779	PK
3	*	9920.000	49.034	50.856	-24.966	74.000	-1.821	PK

Profile: 2430820R	Page No.: 67
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 2：Transmit at 2402MHz by LE_2Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	39.921	51.809	-34.079	74.000	-11.888	PK
2		7206.000	44.525	50.691	-29.475	74.000	-6.166	PK
3	*	9608.000	47.740	50.963	-26.260	74.000	-3.222	PK

Profile: 2430820R	Page No.: 68
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 2：Transmit at 2402MHz by LE_2Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	39.561	51.449	-34.439	74.000	-11.888	PK
2		7206.000	45.285	51.451	-28.715	74.000	-6.166	PK
3	*	9608.000	46.978	50.201	-27.022	74.000	-3.222	PK

Profile: 2430820R	Page No.: 69
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 2：Transmit at 2440MHz by LE_2Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4880.000	41.720	52.324	-32.280	74.000	-10.603	PK
2		7320.000	45.064	51.991	-28.936	74.000	-6.927	PK
3	*	9760.000	47.209	50.082	-26.791	74.000	-2.874	PK

Profile: 2430820R	Page No.: 70
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 2：Transmit at 2440MHz by LE_2Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4880.000	42.449	53.053	-31.551	74.000	-10.603	PK
2		7320.000	44.970	51.897	-29.030	74.000	-6.927	PK
3	*	9760.000	47.898	50.771	-26.102	74.000	-2.874	PK

Profile: 2430820R	Page No.: 71
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 2：Transmit at 2480MHz by LE_2Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	42.723	53.429	-31.277	74.000	-10.707	PK
2		7440.000	44.265	51.044	-29.735	74.000	-6.779	PK
3	*	9920.000	49.376	51.198	-24.624	74.000	-1.821	PK

Profile: 2430820R	Page No.: 72
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 2：Transmit at 2480MHz by LE_2Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	42.354	53.060	-31.646	74.000	-10.707	PK
2		7440.000	44.582	51.361	-29.418	74.000	-6.779	PK
3	*	9920.000	50.429	52.251	-23.571	74.000	-1.821	PK

Profile: 2430820R	Page No.: 73
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 3：Transmit at 2402MHz by LE_Coded S=8	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	40.722	52.610	-33.278	74.000	-11.888	PK
2		7206.000	44.190	50.356	-29.810	74.000	-6.166	PK
3	*	9608.000	47.517	50.740	-26.483	74.000	-3.222	PK

Profile: 2430820R	Page No.: 74
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 3：Transmit at 2402MHz by LE_Coded S=8	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	40.871	52.759	-33.129	74.000	-11.888	PK
2		7206.000	44.908	51.074	-29.092	74.000	-6.166	PK
3	*	9608.000	48.012	51.235	-25.988	74.000	-3.222	PK

Profile: 2430820R	Page No.: 75
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 3：Transmit at 2440MHz by LE_Coded S=8	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4880.000	41.642	52.246	-32.358	74.000	-10.603	PK
2		7320.000	44.250	51.177	-29.750	74.000	-6.927	PK
3	*	9760.000	47.447	50.320	-26.553	74.000	-2.874	PK

Profile: 2430820R	Page No.: 76
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 3：Transmit at 2440MHz by LE_Coded S=8	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4880.000	42.138	52.742	-31.862	74.000	-10.603	PK
2		7320.000	45.215	52.142	-28.785	74.000	-6.927	PK
3	*	9760.000	48.395	51.268	-25.605	74.000	-2.874	PK

Profile: 2430820R	Page No.: 77
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 3：Transmit at 2480MHz by LE_Coded S=8	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	42.248	52.954	-31.752	74.000	-10.707	PK
2		7440.000	44.028	50.807	-29.972	74.000	-6.779	PK
3	*	9920.000	48.606	50.428	-25.394	74.000	-1.821	PK

Profile: 2430820R	Page No.: 78
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 3：Transmit at 2480MHz by LE_Coded S=8	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	41.496	52.202	-32.504	74.000	-10.707	PK
2		7440.000	43.869	50.648	-30.131	74.000	-6.779	PK
3	*	9920.000	47.390	49.212	-26.610	74.000	-1.821	PK

Profile: 2430820R	Page No.: 79
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 4：Transmit at 2402MHz by LE_Coded S=2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	39.888	51.776	-34.112	74.000	-11.888	PK
2		7206.000	45.140	51.306	-28.860	74.000	-6.166	PK
3	*	9608.000	47.593	50.816	-26.407	74.000	-3.222	PK

Profile: 2430820R	Page No.: 80
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 4：Transmit at 2402MHz by LE_Coded S=2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	41.907	53.795	-32.093	74.000	-11.888	PK
2		7206.000	44.245	50.411	-29.755	74.000	-6.166	PK
3	*	9608.000	47.282	50.505	-26.718	74.000	-3.222	PK

Profile: 2430820R	Page No.: 81
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 4：Transmit at 2440MHz by LE_Coded S=2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4880.000	41.392	51.996	-32.608	74.000	-10.603	PK
2		7320.000	44.190	51.117	-29.810	74.000	-6.927	PK
3	*	9760.000	47.204	50.077	-26.796	74.000	-2.874	PK

Profile: 2430820R	Page No.: 82
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 4：Transmit at 2440MHz by LE_Coded S=2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4880.000	41.275	51.879	-32.725	74.000	-10.603	PK
2		7320.000	45.305	52.232	-28.695	74.000	-6.927	PK
3	*	9760.000	47.093	49.966	-26.907	74.000	-2.874	PK

Profile: 2430820R	Page No.: 83
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 4：Transmit at 2480MHz by LE_Coded S=2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	41.803	52.509	-32.197	74.000	-10.707	PK
2		7440.000	43.995	50.774	-30.005	74.000	-6.779	PK
3	*	9920.000	48.316	50.138	-25.684	74.000	-1.821	PK

Profile: 2430820R	Page No.: 84
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 15:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 4：Transmit at 2480MHz by LE_Coded S=2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4960.000	42.124	52.830	-31.876	74.000	-10.707	PK
2		7440.000	45.073	51.852	-28.927	74.000	-6.779	PK
3	*	9920.000	49.256	51.078	-24.744	74.000	-1.821	PK

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.
4. If the test result on peak is lower than average limit, then average measurement needn't be performed.

The worst case of Radiated Emission below 1GHz：

Profile: 2430820R	Page No.: 3
Engineer: Yu Liu	
Site: AC2	Time: 2024/08/11 - 21:04
Limit: FCC_Part 15.109_RE (3m)_Class B	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1：Transmit	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	38.245	25.166	4.636	-14.834	40.000	20.530	QP
2		90.261	24.961	9.012	-18.539	43.500	15.950	QP
3		172.762	27.006	10.337	-16.494	43.500	16.669	QP
4		217.574	29.054	12.564	-16.946	46.000	16.490	QP
5		568.835	29.139	1.998	-16.861	46.000	27.141	QP
6		753.862	30.648	2.114	-15.352	46.000	28.534	QP

Profile: 2430820R	Page No.: 4
Engineer: Yu Liu	
Site: AC2	Time: 2024/08/11 - 21:17
Limit: FCC_Part 15.109_RE (3m)_Class B	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1：Transmit	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		34.244	24.451	1.649	-15.549	40.000	22.802	QP
2		45.520	19.414	2.664	-20.586	40.000	16.750	QP
3		91.231	24.230	8.061	-19.270	43.500	16.169	QP
4		213.815	27.802	11.359	-15.698	43.500	16.444	QP
5		316.514	23.588	2.361	-22.412	46.000	21.226	QP
6	*	852.681	31.014	1.699	-14.986	46.000	29.314	QP

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

Appendix H: AC Power Line Conducted Emission

Profile: 2430820R	Page No.: 15
Engineer: Yu Liu	
Site: TR1	Time: 2024/08/20 - 08:47
Limit: FCC_Part 15.207	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
EUT: Argo	Power: 120 Vac / 60 Hz
Note: Mode 1：Transmit at 2402MHz by LE_1Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.208	36.484	26.860	-26.781	63.265	9.623	QP
2		0.208	26.569	16.946	-26.696	53.265	9.623	AV
3		0.661	27.655	18.010	-28.345	56.000	9.644	QP
4		0.661	18.858	9.214	-27.142	46.000	9.644	AV
5		2.951	25.376	15.658	-30.624	56.000	9.719	QP
6		2.951	17.303	7.584	-28.697	46.000	9.719	AV
7		5.737	32.290	22.509	-27.710	60.000	9.781	QP
8		5.737	25.660	15.879	-24.340	50.000	9.781	AV
9		13.697	33.385	23.459	-26.615	60.000	9.926	QP
10	*	13.697	27.808	17.882	-22.192	50.000	9.926	AV
11		27.411	16.551	6.474	-43.449	60.000	10.077	QP
12		27.411	11.602	1.525	-38.398	50.000	10.077	AV

Profile: 2430820R	Page No.: 16
Engineer: Yu Liu	
Site: TR1	Time: 2024/08/20 - 08:47
Limit: FCC_Part 15.207	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Neutral
EUT: Argo	Power: 120 Vac / 60 Hz
Note: Mode 1：Transmit at 2402MHz by LE_1Mbps	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.164	44.186	34.556	-21.098	65.284	9.630	QP
2		0.164	27.961	18.331	-27.323	55.284	9.630	AV
3		0.433	30.738	21.094	-26.448	57.185	9.643	QP
4		0.433	21.779	12.136	-25.406	47.185	9.643	AV
5		2.254	22.754	13.050	-33.246	56.000	9.704	QP
6		2.254	13.304	3.600	-32.696	46.000	9.704	AV
7		5.771	31.165	21.377	-28.835	60.000	9.788	QP
8		5.771	23.552	13.764	-26.448	50.000	9.788	AV
9		13.492	31.631	21.688	-28.369	60.000	9.943	QP
10		13.492	26.164	16.221	-23.836	50.000	9.943	AV
11		24.112	22.145	12.044	-37.855	60.000	10.101	QP
12		24.112	19.630	9.529	-30.370	50.000	10.101	AV

Note:
1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

The End