



Appendix A

RF Test Data for BT(Conducted Measurement)

Product Name: eNote

Test Model: N10G232

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant	1.021	N/A	Pass
NVNT	1-DH5	2441	Ant	0.979	N/A	Pass
NVNT	1-DH5	2480	Ant	1.033	N/A	Pass
NVNT	2-DH5	2402	Ant	1.316	N/A	Pass
NVNT	2-DH5	2441	Ant	1.315	N/A	Pass
NVNT	2-DH5	2480	Ant	1.286	N/A	Pass
NVNT	3-DH5	2402	Ant	1.281	N/A	Pass
NVNT	3-DH5	2441	Ant	1.298	N/A	Pass
NVNT	3-DH5	2480	Ant	1.301	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant







A.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant	-0.74	21	Pass
NVNT	1-DH5	2441	Ant	-0.65	21	Pass
NVNT	1-DH5	2480	Ant	0.68	21	Pass
NVNT	2-DH5	2402	Ant	0.98	21	Pass
NVNT	2-DH5	2441	Ant	0.2	21	Pass
NVNT	2-DH5	2480	Ant	-0.71	21	Pass
NVNT	3-DH5	2402	Ant	0.2	21	Pass
NVNT	3-DH5	2441	Ant	0.61	21	Pass
NVNT	3-DH5	2480	Ant	-0.34	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant




Power NVNT 1-DH5 2441MHz Ant






Power NVNT 1-DH5 2480MHz Ant




Power NVNT 2-DH5 2402MHz Ant






Power NVNT 2-DH5 2441MHz Ant




Power NVNT 2-DH5 2480MHz Ant







Power NVNT 3-DH5 2402MHz Ant



Power NVNT 3-DH5 2441MHz Ant







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant	2401.83	2403.028	1.198	0.689	Pass
NVNT	2-DH5	Ant	2402.024	2403.146	1.122	0.877	Pass
NVNT	3-DH5	Ant	2402.002	2403.174	1.172	0.867	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant



CFS NVNT 2-DH5 2402MHz Ant







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant	0.499	53.892	108	31600	400	Pass
NVNT	2-DH5	2402	Ant	2.898	333.27	115	31600	400	Pass
NVNT	3-DH5	2402	Ant	2.897	289.7	100	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant One Burst




Dwell NVNT 1-DH5 2402MHz Ant Accumulated






Dwell NVNT 2-DH5 2402MHz Ant One Burst




Dwell NVNT 2-DH5 2402MHz Ant Accumulated






Dwell NVNT 3-DH5 2402MHz Ant One Burst



Dwell NVNT 3-DH5 2402MHz Ant Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant	79	15	Pass
NVNT	2-DH5	Ant	79	15	Pass
NVNT	3-DH5	Ant	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant



Hopping No. NVNT 2-DH5 2402MHz Ant





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant	No-Hopping	-55.56	-20	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	-57.45	-20	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	-52.46	-20	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	-54.13	-20	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	-47.35	-20	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	-54.11	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant	Hopping	-51.22	-20	Pass
NVNT	1-DH5	2480	Ant	Hopping	-53.19	-20	Pass
NVNT	2-DH5	2402	Ant	Hopping	-50.27	-20	Pass
NVNT	2-DH5	2480	Ant	Hopping	-52.91	-20	Pass
NVNT	3-DH5	2402	Ant	Hopping	-51.45	-20	Pass
NVNT	3-DH5	2480	Ant	Hopping	-53.24	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant	-53.91	-20	Pass
NVNT	1-DH5	2441	Ant	-53.41	-20	Pass
NVNT	1-DH5	2480	Ant	-55.94	-20	Pass
NVNT	2-DH5	2402	Ant	-53.55	-20	Pass
NVNT	2-DH5	2441	Ant	-52.47	-20	Pass
NVNT	2-DH5	2480	Ant	-51.9	-20	Pass
NVNT	3-DH5	2402	Ant	-52.75	-20	Pass
NVNT	3-DH5	2441	Ant	-49.33	-20	Pass
NVNT	3-DH5	2480	Ant	-51.47	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant	76.4	1.17	0.36
NVNT	2-DH5	2441	Ant	76.41	1.17	0.36
NVNT	2-DH5	2480	Ant	76.41	1.17	0.36
NVNT	3-DH5	2402	Ant	76.38	1.17	0.36
NVNT	3-DH5	2441	Ant	76.37	1.17	0.36
NVNT	3-DH5	2480	Ant	76.35	1.17	0.36




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant




Duty Cycle NVNT 1-DH5 2441MHz Ant






Duty Cycle NVNT 1-DH5 2480MHz Ant




Duty Cycle NVNT 2-DH5 2402MHz Ant






Duty Cycle NVNT 2-DH5 2441MHz Ant




Duty Cycle NVNT 2-DH5 2480MHz Ant







Duty Cycle NVNT 3-DH5 2402MHz Ant



Duty Cycle NVNT 3-DH5 2441MHz Ant





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



A.9 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant	No-Hopping	2310	-48.22	2	-	49.04	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2310	-58.49	2	1.1	39.87	Average	54	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2345.328	-47.05	2	-	50.21	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2382.672	-57.87	2	1.1	40.49	Average	54	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2390	-49.83	2	-	47.43	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2390	-59.21	2	1.1	39.15	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2483.5	-48.01	2	-	49.25	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2483.5	-57.95	2	1.1	40.41	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2485.144	-45.31	2	-	51.95	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2494.84	-57.2	2	1.1	41.16	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2500	-50.28	2	-	46.98	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2500	-57.77	2	1.1	40.59	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2310	-49.47	2	-	47.79	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2310	-58.87	2	1.17	39.56	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2331.888	-47.54	2	-	49.72	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2371.536	-57.79	2	1.17	40.64	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2390	-51.16	2	-	46.1	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2390	-58.9	2	1.17	39.53	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.5	-46.9	2	-	50.36	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.5	-57.72	2	1.17	40.71	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2498.152	-46.83	2	-	50.43	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2484.616	-56.93	2	1.17	41.5	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2500	-50.31	2	-	46.95	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2500	-58.08	2	1.17	40.35	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2310	-50.98	2	-	46.28	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2310	-58.66	2	1.17	39.77	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2316.048	-46.92	2	-	50.34	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2381.808	-57.71	2	1.17	40.72	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2390	-49.76	2	-	47.5	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2390	-58.65	2	1.17	39.78	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.5	-48.76	2	-	48.5	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.5	-57.84	2	1.17	40.59	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.728	-47.08	2	-	50.18	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.608	-57.12	2	1.17	41.31	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2500	-49.8	2	-	47.46	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2500	-58	2	1.17	40.43	Average	54	Pass






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Average

