


PRIVATE SITUATIONAL THEATRE

USER MANUAL



RoSH FCC CE



This device complies with Part 15 of the FCC Rules.


Operation is subject to the following two conditions:

1. this device may not cause harmful interference,
2. this device must accept any interference received, including interference that may cause undesired operation.

MADE IN CHINA

ENGLISH

PACKING LIST



1 Projector




2 Remote




3 User Manual



4 AV Cable




5 HD Cable



6 Power

FUNCTION OVERVIEW



UP


DOWN

Back

Enter

Menu

ON/OFF



POWER KEY

Menu

Enter

FAST REVERSE

PLAY/PAUSE

Volume -

SIGNAL SELECTION

PREVIOUS


FAST-FORWARD

Next


Back

Volume +

Mute



1 Camera Lens



2 USB

3 HD IN


4 Remote receiver

5 Mobile Power

6 Audio Out


7 AV IN

8 Power in Put




9 Speaker

10 Focus





11 Air outlet

QUICK START




*Sold Separately

- ① Plug the power cord into an outlet.
- ② Connect your device to the projector correctly.
- ③ Press the power button to turn on the projector.
- ④ Choose the right type of program to play.
- ⑤ Adjust the focus ring to get the best image performance.




INPUT SOURCE


A Multimedia Connection




B HD Connection



C AV Connection



D Connect to mobile power supply




Mobile Power


Note:

1. The mobile power supports 5V/9V/12V specifications.
2. Mobile power supply is recommended to use DC12V mobile power supply with output.

PROJECTOR CONNECTION



PROJECTION DISTANCE&SIZE



SPECIFICATION

Display Technology	Light Source	Native Resolution	Resolution Supported
LCD	LED	1280*720	576i 576P 720i 720P 1080i 1080P

Projection Distance	Projection Size	Focus	Aspect Ratio
1.1m-5.0m	32'-176'	Manual	4:3/16:9/auto

Speaker	Total power	Unit Dimension	Installation Type
3W*4ohm	50W	158*120*62mm	Front/Rear/Ceiling

Power Supply	Unit Net Weight	Video Format Supported	Photo Format Supported
DC 21V - 2.29A	0.48Kg	AV/MP4/MKV/FLV/MOV/RMVB/3GP/MPEG1/MPEG2/H.264/XVID	BMP/JPG/JPEG/PGN/GIF

Audio Format Supported	Ports
MP2/MP3/PCM/FLAC/WMA/AAC	HD IN*1 USB*1/ AV IN*1 Audio Out*1

NOTICE



Recommended



NOT Recommended



TROUBLESHOOTING GUIDE

1. Blurry Image

- * Adjust focus ring
- * Projector and screen/wall must be in effective distance.

2. Remote Unresponsive

* Make sure remote points at IR receiver directly.

* Do not cover IR receiver.

* Replace the battery.

3. Mobile Connection

ios : Genuine lightning to HD cable.

Android: Micro USB to HD adapter/Type C to HD cable.

4. Upside Down Images

Enter "Menu" on projector or remote to flip the projection image.

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.