

Antenna Specification


Specifications

Summary

ITEM	SPEC.	
Model Name	IBM 2.4 GHz	
Center Frequency	2402 MHz	-2.10 dBi
	2441 MHz	-1.78 dBi
	2480 MHz	-1.52 dBi
MAX. GAIN	-1.52dBi	
Polarization	Horizontal	
Azimuth Beam Pattern	Omni-directional	
Impedance	50 Ω	
Antenna Length	27.1mm	

Applicant: Jiangxi Jichi Technology Co., Ltd
Add:Plant No.3,Block B13-1-2, B14-1, Jinggangshan Economic and Development Zone,Ji'an,Jiangxi,China
Model:Q1


Antenna Photo & Length (mm)



1. Main antenna : 2402 MHz

1.1 Horizontal

◆XY-plane




Unit : dBi

	Peak gain	Avg. gain
H cut	-2.93	-7.60
V cut	-6.85	-8.27
Total	-2.10	-5.33

1.2 Vertical

◆XZ-plane




	Peak gain	Avg. gain
H cut	-5.83	-13.44
V cut	-7.04	-9.47
Total	-5.02	-7.25

2. Main antenna : 2441 MHz


2.1 Horizontal

◆XY-plane



2.2 Vertical


◆XZ-plane



3. Main antenna : 2480 MHz


3.1 Horizontal

◆YZ-plane



3.2 Vertical

◆YZ-plane



	Peak gain	Avg. gain
H cut	-5.75	-9.75
V cut	-12.47	-16.23
Total	-4.52	-8.72

4. Result

Center Frequency		Maximum Ant Gain	
2402MHz	H	-2.10 dBi	
	V	-5.02 dBi	
2441 MHz	H	-1.78 dBi	
	V	-5.80 dBi	
2480 MHz	H	-1.52 dBi	
	V	-4.52 dBi	