

Instruction manual

1. Part Name: Retractable Car Charger

2. Part Model/Specification: PT-42

3. 【range of application】 :

Charge your cell phone or digital device

4. 【shell material】 : ABS+PC

5. **specialty:**

(1) . TYPE-C output

(2) . Apple plug out

(3) . USB output

(4) . TYPE-C Base output

6.. behaviour of electricity:

Rated input voltage: DC12-24V

Output: (30W+20W)Max50W。

(1) TYPE-C: PD (5V/3A, 9V/3A, 12V/2.5A) (Max 30W)

(2). Apple plug : 5V/2.4A

(3). USB: 5V/2.4A

(4). TYPE-C Base output: 5V/3A

Remark:

Apple head, TYPE-C base and USB output are the same set of lines, output total current 5V/4A (power Max20W)

When the apple head and TYPE-C base and 1 USB are used at the same time, the output is 5V/1.3A, respectively.

When Apple head and USB are used at the same time, the output is 5V/2A, respectively.

When apple head and TYPE - C mother when used at the same time, the output of 5 v / 2 A, respectively as A USB and TYPE C mother

when used at the same time, the output of 5 v / 2 A respectively,

when an apple or A USB when used alone, the output up to 5 v / 2.4 A,

when TYPE 1 - C mother when used alone, Output up to 5V/3A,

7. Voltage display:

(1). Voltage display: 10-30V

(2). Display function: When the input voltage is less than 11.5V, the display flashes, indicating that the battery voltage is too low, and the battery needs to be charged or replaced

8. FM Launch docking:

Plug in the car charger, long press the phone button on the car charger for 3-5 seconds to enter the FM screen (87.5-108.0mhz), please select the channel between 87.5-90, and open the FM channel between 87.5-90 on the car for docking, such as the FM display 87.5 on the car charger. Open the FM 87.5 on the car to connect, and then plug in the MP3 to play

9 bluetooth connection:

With car charger, cell phone bluetooth, matching the name of PT - 42, can connect mobile phone bluetooth, mobile phones can play music and make a phone call.(this car charger have the function of the volume + and volume -, one song and the next song function, short press for a song or the function of the next song, long according to the function of the volume + and volume -) press the phone button can be used as a function of music pause and play).


10. Charging cable expansion length: 800+/-30mm。

11. Wire extension life:

Hold the product with your left hand, hold the plug on the wire with your right hand, and perform a telescopic test (pull out force cannot be greater than 1kg), the number of telescopic times is greater than or equal to 3000 times, and the telescopic speed is (6 times/min).

13 Size

Size: 141×55.8×33.5 (L×W×H) mm



FCC Statement

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.