




Im Cam


Two-way video call camera smart desk lamp


User Manual


Shenzhen Chuangmo Electronics Technology Co., Ltd































Specifications	
Model No.	T80/T89
Power Specifications	DC 5V 2A
CPU	Dual core processor
LCD	IPS 2.8", 240x320
Video Resolution	1920x1080 HD
Lens	120° Wide-View
Night Vision Distance	6meters
Audio	Dual digital MIC array, pickup distance: 3meters
Network	2.4GHz Wi-Fi
AI	Supports human detection, motion detection
Intelligent Alarm	Message push, area alert
Lumens	500Lm
Dimmable	3 level dimming (Cool white; natural; Warm yellow)
CRI	>80Ra
TF Card Slot	Support TF card (max 128GB)
Certification	CE/FCC/ROHS

FAQ

1. How to fix it on the wall?
a) Drill holes and fix the base on the wall with screws, buckle the camera to the base.
b) Stick the base to glass, tiles or other smooth things with double-side tape or 3M glue.

2. What is the lowest bandwidth when viewing the real-time video?
a) To ensure the fluency of video, it is advised that bandwidth isn't lower than 512kbs.





Without authorization, tear up the barcode.
The product model and system in the warranty service card are different from the information the product itself.
Beyond the period of replacement and warranty.
Malfunctions or injury caused by teardown and repair without company's authorization.
Malfunctions or injury which are not caused by the technology, design, manufacturing and quality.
Malfunctions or injury caused by force majeure, such as earthquake, fire, flood and thunderstrike.
Malfunctions or injury caused by accidents or man-made.

Product Repair Way

Please contact the original seller for after-sales service. After purchasing the product, in case the product has problems confirmed by the after-sales service engineer, you can select free services and repairs, goods return and exchange. Relevant warranty period and back freight attribution are as follows (since the equipment activation date)

Time	Within 7 days	7 days~1 month	With 3 months	1 year under warranty	After warranty
Return guarantee	Exchange	Warranty	Warranty	Paid maintenance	
Back freight paid by	Seller	Seller	AA	Buyer	Buyer

Commitment deadline: The Company will repair or replace the corresponding products or accessories within 5 days from the receipt day. (Not including posting time)

User Stub		
To guarantee your interests, please fill in the stub carefully!		
Product Information	Product Name	
		ID
	Purchase Date	
User Information	Name	
	Phone Number	
	Email	
	Address	

 Correct Disposal of this product. This marking indicates that this product should not be disposed with other household wastes throughout the EU. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse and recycling of material resources. To return your used device, please use the return and collection systems or contact the retailer where the product was purchased. They can take this product for environmental safe recycling.

FCC Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE 2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

RF Exposure Statement
To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum **20cm** between the radiator and your body. This device and its antenna(s) must not be co-located or operated in conjunction with any other antenna or transmitter.