







OBW NVNT n20 5785MHz Ant1




OBW NVNT n20 5825MHz Ant1



OBW NVNT n40 5755MHz Ant1




OBW NVNT n40 5795MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	0.083	30	Pass
NVNT	a	5785	Ant1	-0.427	30	Pass
NVNT	a	5825	Ant1	-1.956	30	Pass
NVNT	ac20	5745	Ant1	-1.288	30	Pass
NVNT	ac20	5785	Ant1	-0.534	30	Pass
NVNT	ac20	5825	Ant1	-2.742	30	Pass
NVNT	ac40	5755	Ant1	-3.605	30	Pass
NVNT	ac40	5795	Ant1	-4.034	30	Pass
NVNT	ac80	5775	Ant1	-5.98	30	Pass
NVNT	n20	5745	Ant1	-0.204	30	Pass
NVNT	n20	5785	Ant1	-0.352	30	Pass
NVNT	n20	5825	Ant1	-2.344	30	Pass
NVNT	n40	5755	Ant1	-2.382	30	Pass
NVNT	n40	5795	Ant1	-3.509	30	Pass


PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1




PSD NVNT a 5825MHz Ant1




PSD NVNT ac20 5745MHz Ant1




PSD NVNT ac20 5785MHz Ant1




PSD NVNT ac20 5825MHz Ant1




PSD NVNT ac40 5755MHz Ant1




PSD NVNT ac40 5795MHz Ant1




PSD NVNT ac80 5775MHz Ant1




PSD NVNT n20 5745MHz Ant1




PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1



PSD NVNT n40 5755MHz Ant1



PSD NVNT n40 5795MHz Ant1



Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-33.83	Note1	Pass
NVNT	a	5825	Ant1	-44.17	Note1	Pass
NVNT	ac20	5745	Ant1	-33.69	Note1	Pass
NVNT	ac20	5825	Ant1	-44.28	Note1	Pass
NVNT	ac40	5755	Ant1	-30.34	Note1	Pass
NVNT	ac40	5795	Ant1	-43.5	Note1	Pass
NVNT	ac80	5775	Ant1	-37.41	Note1	Pass
NVNT	n20	5745	Ant1	-33.83	Note1	Pass
NVNT	n20	5825	Ant1	-42.54	Note1	Pass
NVNT	n40	5755	Ant1	-32.36	Note1	Pass
NVNT	n40	5795	Ant1	-44.08	Note1	Pass

Note1:


(4) For transmitters operating solely in the 5.725-5.850 GHz band:

- (i) All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.


Band Edge NVNT a 5745MHz Low Ant1




Band Edge NVNT a 5825MHz High Ant1




Band Edge NVNT ac20 5745MHz Low Ant1




Band Edge NVNT ac20 5825MHz High Ant1




Band Edge NVNT ac40 5755MHz Low Ant1




Band Edge NVNT ac40 5795MHz High Ant1




Band Edge NVNT ac80 5775MHz High Ant1




Band Edge NVNT n20 5745MHz Low Ant1



Band Edge NVNT n20 5825MHz High Ant1



Band Edge NVNT n40 5755MHz Low Ant1




Band Edge NVNT n40 5795MHz High Ant1




Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
NVNT	a	5785	Ant1	5784.96	-40000	-6.91	25	Pass
NVNT	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
NVNT	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
NVNT	ac20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
NVNT	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
NVNT	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
NVNT	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
NVNT	ac80	5775	Ant1	5775	0	0	25	Pass
NVNT	n20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
NVNT	n20	5785	Ant1	5785	0	0	25	Pass
NVNT	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
NVNT	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
NVNT	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass


Freq. Stability NVNT a 5745MHz Ant1



Freq. Stability NVNT a 5785MHz Ant1



Freq. Stability NVNT a 5825MHz Ant1



Freq. Stability NVNT ac20 5745MHz Ant1