





Restrict Band NVNT ac40 5310MHz Ant3 Peak




Restrict Band NVNT ac40 5310MHz Ant3 Average






Restrict Band NVNT ac80 5290MHz Ant3 Peak




Restrict Band NVNT ac80 5290MHz Ant3 Average






Restrict Band NVNT ac80 5290MHz Ant3 Peak



Restrict Band NVNT ac80 5290MHz Ant3 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant4	4500	-50.25	3.96	-	48.94	Peak	68.2	Pass
NVNT	a	5260	Ant4	4500	-58.84	3.96	0.24	40.59	Average	54	Pass
NVNT	a	5260	Ant4	5068.62	-47.16	3.96	-	52.03	Peak	68.2	Pass
NVNT	a	5260	Ant4	5108.4	-56.76	3.96	0.24	42.67	Average	54	Pass
NVNT	a	5260	Ant4	5150	-48.67	3.96	-	50.52	Peak	68.2	Pass
NVNT	a	5260	Ant4	5150	-57.48	3.96	0.24	41.95	Average	54	Pass
NVNT	a	5320	Ant4	5350	-45.46	3.96	-	53.73	Peak	68.2	Pass
NVNT	a	5320	Ant4	5350	-56.25	3.96	0.24	43.18	Average	54	Pass
NVNT	a	5320	Ant4	5351.2	-44.01	3.96	-	55.18	Peak	68.2	Pass
NVNT	a	5320	Ant4	5351.2	-55.97	3.96	0.24	43.46	Average	54	Pass
NVNT	a	5320	Ant4	5460	-49.47	3.96	-	49.72	Peak	68.2	Pass
NVNT	a	5320	Ant4	5460	-58.15	3.96	0.24	41.28	Average	54	Pass
NVNT	n20	5260	Ant4	4500	-50.98	3.96	-	48.21	Peak	68.2	Pass
NVNT	n20	5260	Ant4	4500	-58.9	3.96	0.12	40.41	Average	54	Pass
NVNT	n20	5260	Ant4	5061.6	-45.16	3.96	-	54.03	Peak	68.2	Pass
NVNT	n20	5260	Ant4	5100.6	-56.89	3.96	0.12	42.42	Average	54	Pass
NVNT	n20	5260	Ant4	5150	-49.31	3.96	-	49.88	Peak	68.2	Pass
NVNT	n20	5260	Ant4	5150	-57.34	3.96	0.12	41.97	Average	54	Pass
NVNT	n20	5320	Ant4	5350	-45.37	3.96	-	53.82	Peak	68.2	Pass
NVNT	n20	5320	Ant4	5350	-54.68	3.96	0.12	44.63	Average	54	Pass
NVNT	n20	5320	Ant4	5350.2	-43.38	3.96	-	55.81	Peak	68.2	Pass
NVNT	n20	5320	Ant4	5350	-54.68	3.96	0.12	44.63	Average	54	Pass
NVNT	n20	5320	Ant4	5460	-48.73	3.96	-	50.46	Peak	68.2	Pass
NVNT	n20	5320	Ant4	5460	-58.69	3.96	0.12	40.62	Average	54	Pass
NVNT	n40	5270	Ant4	4500	-51.82	3.96	-	47.37	Peak	68.2	Pass
NVNT	n40	5270	Ant4	4500	-59.32	3.96	0.23	40.10	Average	54	Pass
NVNT	n40	5270	Ant4	4806.18	-46.71	3.96	-	52.48	Peak	68.2	Pass
NVNT	n40	5270	Ant4	4803.75	-56.86	3.96	0.23	42.56	Average	54	Pass
NVNT	n40	5270	Ant4	5150	-49.43	3.96	-	49.76	Peak	68.2	Pass
NVNT	n40	5270	Ant4	5150	-57.43	3.96	0.23	41.99	Average	54	Pass
NVNT	n40	5310	Ant4	5350	-44.77	3.96	-	54.42	Peak	68.2	Pass
NVNT	n40	5310	Ant4	5350	-55.78	3.96	0.24	43.65	Average	54	Pass
NVNT	n40	5310	Ant4	5351	-41.59	3.96	-	57.60	Peak	68.2	Pass
NVNT	n40	5310	Ant4	5350.6	-55.39	3.96	0.24	44.04	Average	54	Pass
NVNT	n40	5310	Ant4	5460	-48.55	3.96	-	50.64	Peak	68.2	Pass
NVNT	n40	5310	Ant4	5460	-57.74	3.96	0.24	41.69	Average	54	Pass
NVNT	ac20	5260	Ant4	4500	-50.17	3.96	-	49.02	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



NVNT	ac20	5260	Ant4	4500	-59.17	3.96	0.12	40.14	Average	54	Pass
NVNT	ac20	5260	Ant4	5106.06	-46.59	3.96	-	52.60	Peak	68.2	Pass
NVNT	ac20	5260	Ant4	4958.64	-57.16	3.96	0.12	42.15	Average	54	Pass
NVNT	ac20	5260	Ant4	5150	-49.18	3.96	-	50.01	Peak	68.2	Pass
NVNT	ac20	5260	Ant4	5150	-57.44	3.96	0.12	41.87	Average	54	Pass
NVNT	ac20	5320	Ant4	5350	-44.08	3.96	-	55.11	Peak	68.2	Pass
NVNT	ac20	5320	Ant4	5350	-55.59	3.96	0.12	43.72	Average	54	Pass
NVNT	ac20	5320	Ant4	5350.4	-40.09	3.96	-	59.10	Peak	68.2	Pass
NVNT	ac20	5320	Ant4	5350	-55.59	3.96	0.12	43.72	Average	54	Pass
NVNT	ac20	5320	Ant4	5460	-51.15	3.96	-	48.04	Peak	68.2	Pass
NVNT	ac20	5320	Ant4	5460	-58.39	3.96	0.12	40.92	Average	54	Pass
NVNT	ac40	5270	Ant4	4500	-48.35	3.96	-	50.84	Peak	68.2	Pass
NVNT	ac40	5270	Ant4	4500	-59.22	3.96	0.24	40.21	Average	54	Pass
NVNT	ac40	5270	Ant4	4798.08	-46.16	3.96	-	53.03	Peak	68.2	Pass
NVNT	ac40	5270	Ant4	5057.28	-56.85	3.96	0.24	42.58	Average	54	Pass
NVNT	ac40	5270	Ant4	5150	-48.7	3.96	-	50.49	Peak	68.2	Pass
NVNT	ac40	5270	Ant4	5150	-57.83	3.96	0.24	41.60	Average	54	Pass
NVNT	ac40	5310	Ant4	5350	-42.83	3.96	-	56.36	Peak	68.2	Pass
NVNT	ac40	5310	Ant4	5350	-56.01	3.96	0.24	43.42	Average	54	Pass
NVNT	ac40	5310	Ant4	5350	-42.83	3.96	-	56.36	Peak	68.2	Pass
NVNT	ac40	5310	Ant4	5351.4	-55.17	3.96	0.24	44.26	Average	54	Pass
NVNT	ac40	5310	Ant4	5460	-50.41	3.96	-	48.78	Peak	68.2	Pass
NVNT	ac40	5310	Ant4	5460	-58.27	3.96	0.24	41.16	Average	54	Pass
NVNT	ac80	5290	Ant4	4500	-49.54	3.96	-	49.65	Peak	68.2	Pass
NVNT	ac80	5290	Ant4	4500	-58.66	3.96	0.25	40.78	Average	54	Pass
NVNT	ac80	5290	Ant4	5044.62	-45.45	3.96	-	53.74	Peak	68.2	Pass
NVNT	ac80	5290	Ant4	5059.41	-56.41	3.96	0.25	43.03	Average	54	Pass
NVNT	ac80	5290	Ant4	5150	-50.07	3.96	-	49.12	Peak	68.2	Pass
NVNT	ac80	5290	Ant4	5150	-56.87	3.96	0.25	42.57	Average	54	Pass
NVNT	ac80	5290	Ant4	5350	-42.68	3.96	-	56.51	Peak	68.2	Pass
NVNT	ac80	5290	Ant4	5350	-53.62	3.96	0.25	45.82	Average	54	Pass
NVNT	ac80	5290	Ant4	5356.75	-39.64	3.96	-	59.55	Peak	68.2	Pass
NVNT	ac80	5290	Ant4	5351.25	-53.62	3.96	0.25	45.82	Average	54	Pass
NVNT	ac80	5290	Ant4	5460	-50.68	3.96	-	48.51	Peak	68.2	Pass
NVNT	ac80	5290	Ant4	5460	-57.91	3.96	0.25	41.53	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5260MHz Ant4 Peak




Restrict Band NVNT a 5260MHz Ant4 Average






Restrict Band NVNT a 5320MHz Ant4 Peak




Restrict Band NVNT a 5320MHz Ant4 Average






Restrict Band NVNT n20 5260MHz Ant4 Peak




Restrict Band NVNT n20 5260MHz Ant4 Average






Restrict Band NVNT n20 5320MHz Ant4 Peak




Restrict Band NVNT n20 5320MHz Ant4 Average






Restrict Band NVNT n40 5270MHz Ant4 Peak




Restrict Band NVNT n40 5270MHz Ant4 Average






Restrict Band NVNT n40 5310MHz Ant4 Peak




Restrict Band NVNT n40 5310MHz Ant4 Average






Restrict Band NVNT ac20 5260MHz Ant4 Peak




Restrict Band NVNT ac20 5260MHz Ant4 Average






Restrict Band NVNT ac20 5320MHz Ant4 Peak




Restrict Band NVNT ac20 5320MHz Ant4 Average






Restrict Band NVNT ac40 5270MHz Ant4 Peak




Restrict Band NVNT ac40 5270MHz Ant4 Average






Restrict Band NVNT ac40 5310MHz Ant4 Peak




Restrict Band NVNT ac40 5310MHz Ant4 Average






Restrict Band NVNT ac80 5290MHz Ant4 Peak




Restrict Band NVNT ac80 5290MHz Ant4 Average






Restrict Band NVNT ac80 5290MHz Ant4 Peak



Restrict Band NVNT ac80 5290MHz Ant4 Average





MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Ant3 Power (dBm)	Ant4 Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	5260	4500	-51	-50.98	6.98	54.23	Peak	68.2	Pass
NVNT	n20	5260	4500	-59.14	-58.9	6.98	46.20	Average	54	Pass
NVNT	n20	5260	5037.42	-46.64	-45.16	6.98	59.38	Peak	68.2	Pass
NVNT	n20	5260	5136.48	-57.06	-56.89	6.98	48.24	Average	54	Pass
NVNT	n20	5260	5150	-49.74	-49.31	6.98	55.70	Peak	68.2	Pass
NVNT	n20	5260	5150	-57.49	-57.34	6.98	47.80	Average	54	Pass
NVNT	n20	5320	5350	-46.42	-45.37	6.98	59.35	Peak	68.2	Pass
NVNT	n20	5320	5350	-55.78	-54.68	6.98	50.02	Average	54	Pass
NVNT	n20	5320	5350.2	-43.49	-43.38	6.98	61.78	Peak	68.2	Pass
NVNT	n20	5320	5350.4	-55.78	-54.68	6.98	50.02	Average	54	Pass
NVNT	n20	5320	5460	-48.03	-48.73	6.98	56.85	Peak	68.2	Pass
NVNT	n20	5320	5460	-58.23	-58.69	6.98	46.76	Average	54	Pass
NVNT	n40	5270	4500	-50.37	-51.82	6.98	54.18	Peak	68.2	Pass
NVNT	n40	5270	4500	-59.25	-59.32	6.98	45.93	Average	54	Pass
NVNT	n40	5270	4807.8	-46.49	-46.71	6.98	58.62	Peak	68.2	Pass
NVNT	n40	5270	4806.99	-56.68	-56.86	6.98	48.45	Average	54	Pass
NVNT	n40	5270	5150	-48.53	-49.43	6.98	56.26	Peak	68.2	Pass
NVNT	n40	5270	5150	-57.7	-57.43	6.98	47.65	Average	54	Pass
NVNT	n40	5310	5350	-41.55	-44.77	6.98	62.35	Peak	68.2	Pass
NVNT	n40	5310	5350	-55.24	-55.78	6.98	49.72	Average	54	Pass
NVNT	n40	5310	5350.4	-48	-41.59	6.98	61.51	Peak	68.2	Pass
NVNT	n40	5310	5350.2	-57.96	-55.39	6.98	48.73	Average	54	Pass
NVNT	n40	5310	5460	-48	-48.55	6.98	56.95	Peak	68.2	Pass
NVNT	n40	5310	5460	-57.96	-57.74	6.98	47.37	Average	54	Pass
NVNT	ac20	5260	4500	-50.75	-50.17	6.98	54.77	Peak	68.2	Pass
NVNT	ac20	5260	4500	-58.69	-59.17	6.98	46.29	Average	54	Pass
NVNT	ac20	5260	4983.6	-46.75	-46.59	6.98	58.55	Peak	68.2	Pass
NVNT	ac20	5260	5093.58	-56.86	-57.16	6.98	48.21	Average	54	Pass
NVNT	ac20	5260	5150	-49.46	-49.18	6.98	55.90	Peak	68.2	Pass
NVNT	ac20	5260	5150	-58.54	-57.44	6.98	47.26	Average	54	Pass
NVNT	ac20	5320	5350	-45.66	-44.08	6.98	60.42	Peak	68.2	Pass
NVNT	ac20	5320	5350	-55.15	-55.59	6.98	49.85	Average	54	Pass
NVNT	ac20	5320	5350.4	-43.68	-40.09	6.98	63.69	Peak	68.2	Pass
NVNT	ac20	5320	5351.8	-55.15	-55.59	6.98	49.85	Average	54	Pass
NVNT	ac20	5320	5460	-50.32	-51.15	6.98	54.50	Peak	68.2	Pass
NVNT	ac20	5320	5460	-57.39	-58.39	6.98	47.36	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



NVNT	ac40	5310	5350	-50.37	-48.35	6.98	55.97	Peak	68.2	Pass
NVNT	ac40	5310	5350	-59.22	-59.22	6.98	46.00	Average	54	Pass
NVNT	ac40	5310	5351	-46.83	-46.16	6.98	58.74	Peak	68.2	Pass
NVNT	ac40	5310	5350	-56.87	-56.85	6.98	48.36	Average	54	Pass
NVNT	ac40	5310	5460	-48.86	-48.7	6.98	56.44	Peak	68.2	Pass
NVNT	ac40	5310	5460	-57.72	-57.83	6.98	47.44	Average	54	Pass
NVNT	ac40	5310	5350	-46.99	-42.83	6.98	60.79	Peak	68.2	Pass
NVNT	ac40	5310	5350	-55.72	-56.01	6.98	49.36	Average	54	Pass
NVNT	ac40	5310	5351	-42.94	-42.83	6.98	62.33	Peak	68.2	Pass
NVNT	ac40	5310	5350	-54.87	-55.17	6.98	50.20	Average	54	Pass
NVNT	ac40	5310	5460	-50.73	-50.41	6.98	54.65	Peak	68.2	Pass
NVNT	ac40	5310	5460	-57.9	-58.27	6.98	47.14	Average	54	Pass
NVNT	ac80	5290	4500	-49.83	-49.54	6.98	55.54	Peak	68.2	Pass
NVNT	ac80	5290	4500	-58.77	-58.66	6.98	46.50	Average	54	Pass
NVNT	ac80	5290	4878.45	-46.41	-45.45	6.98	59.31	Peak	68.2	Pass
NVNT	ac80	5290	5075.07	-56.38	-56.41	6.98	48.82	Average	54	Pass
NVNT	ac80	5290	5150	-49.15	-50.07	6.98	55.63	Peak	68.2	Pass
NVNT	ac80	5290	5150	-56.89	-56.87	6.98	48.34	Average	54	Pass
NVNT	ac80	5290	5350	-44.17	-42.68	6.98	61.86	Peak	68.2	Pass
NVNT	ac80	5290	5350	-56.09	-53.62	6.98	50.54	Average	54	Pass
NVNT	ac80	5290	5351	-42.76	-39.64	6.98	64.29	Peak	68.2	Pass
NVNT	ac80	5290	5352	-55.36	-53.62	6.98	50.81	Average	54	Pass
NVNT	ac80	5290	5460	-49.37	-50.68	6.98	55.24	Peak	68.2	Pass
NVNT	ac80	5290	5460	-58.28	-57.91	6.98	47.13	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



C.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5260	Ant3	5259.98	-20000	-3.8	25	Pass
NVNT	a	5300	Ant3	5299.98	-20000	-3.77	25	Pass
NVNT	a	5320	Ant3	5320	0	0	25	Pass
NVNT	n20	5260	Ant3	5260	0	0	25	Pass
NVNT	n20	5300	Ant3	5300	0	0	25	Pass
NVNT	n20	5320	Ant3	5319.98	-20000	-3.76	25	Pass
NVNT	n40	5270	Ant3	5269.96	-40000	-7.59	25	Pass
NVNT	n40	5310	Ant3	5309.96	-40000	-7.53	25	Pass
NVNT	ac20	5260	Ant3	5260	0	0	25	Pass
NVNT	ac20	5300	Ant3	5299.98	-20000	-3.77	25	Pass
NVNT	ac20	5320	Ant3	5320	0	0	25	Pass
NVNT	ac40	5270	Ant3	5270	0	0	25	Pass
NVNT	ac40	5310	Ant3	5310	0	0	25	Pass
NVNT	ac80	5290	Ant3	5290	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Freq. Stability NVNT a 5260MHz Ant3




Freq. Stability NVNT a 5300MHz Ant3






Freq. Stability NVNT a 5320MHz Ant3




Freq. Stability NVNT n20 5260MHz Ant3






Freq. Stability NVNT n20 5300MHz Ant3




Freq. Stability NVNT n20 5320MHz Ant3






Freq. Stability NVNT n40 5270MHz Ant3




Freq. Stability NVNT n40 5310MHz Ant3






Freq. Stability NVNT ac20 5260MHz Ant3




Freq. Stability NVNT ac20 5300MHz Ant3






Freq. Stability NVNT ac20 5320MHz Ant3




Freq. Stability NVNT ac40 5270MHz Ant3






Freq. Stability NVNT ac40 5310MHz Ant3



Freq. Stability NVNT ac80 5290MHz Ant3





Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5260	Ant4	5260	0	0	25	Pass
NVNT	a	5300	Ant4	5299.98	-20000	-3.77	25	Pass
NVNT	a	5320	Ant4	5319.98	-20000	-3.76	25	Pass
NVNT	n20	5260	Ant4	5259.98	-20000	-3.8	25	Pass
NVNT	n20	5300	Ant4	5299.98	-20000	-3.77	25	Pass
NVNT	n20	5320	Ant4	5319.98	-20000	-3.76	25	Pass
NVNT	n40	5270	Ant4	5269.96	-40000	-7.59	25	Pass
NVNT	n40	5310	Ant4	5310	0	0	25	Pass
NVNT	ac20	5260	Ant4	5259.98	-20000	-3.8	25	Pass
NVNT	ac20	5300	Ant4	5300	0	0	25	Pass
NVNT	ac20	5320	Ant4	5319.98	-20000	-3.76	25	Pass
NVNT	ac40	5270	Ant4	5270	0	0	25	Pass
NVNT	ac40	5310	Ant4	5309.96	-40000	-7.53	25	Pass
NVNT	ac80	5290	Ant4	5290	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Freq. Stability NVNT a 5260MHz Ant4




Freq. Stability NVNT a 5300MHz Ant4






Freq. Stability NVNT a 5320MHz Ant4




Freq. Stability NVNT n20 5260MHz Ant4






Freq. Stability NVNT n20 5300MHz Ant4




Freq. Stability NVNT n20 5320MHz Ant4






Freq. Stability NVNT n40 5270MHz Ant4




Freq. Stability NVNT n40 5310MHz Ant4






Freq. Stability NVNT ac20 5260MHz Ant4




Freq. Stability NVNT ac20 5300MHz Ant4






Freq. Stability NVNT ac20 5320MHz Ant4




Freq. Stability NVNT ac40 5270MHz Ant4






Freq. Stability NVNT ac40 5310MHz Ant4



Freq. Stability NVNT ac80 5290MHz Ant4





C.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant3	94.65	0.24	0.91
NVNT	a	5300	Ant3	94.56	0.24	0.91
NVNT	a	5320	Ant3	94.56	0.24	0.91
NVNT	n20	5260	Ant3	97.29	0.12	0.44
NVNT	n20	5300	Ant3	97.29	0.12	0.44
NVNT	n20	5320	Ant3	97.33	0.12	0.44
NVNT	n40	5270	Ant3	94.71	0.24	0.9
NVNT	n40	5310	Ant3	94.71	0.24	0.9
NVNT	ac20	5260	Ant3	97.34	0.12	0.44
NVNT	ac20	5300	Ant3	97.34	0.12	0.44
NVNT	ac20	5320	Ant3	97.34	0.12	0.44
NVNT	ac40	5270	Ant3	94.72	0.24	0.9
NVNT	ac40	5310	Ant3	94.81	0.23	0.9
NVNT	ac80	5290	Ant3	94.32	0.25	0.97




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT a 5260MHz Ant3




Duty Cycle NVNT a 5300MHz Ant3






Duty Cycle NVNT a 5320MHz Ant3




Duty Cycle NVNT n20 5260MHz Ant3






Duty Cycle NVNT n20 5300MHz Ant3




Duty Cycle NVNT n20 5320MHz Ant3






Duty Cycle NVNT n40 5270MHz Ant3




Duty Cycle NVNT n40 5310MHz Ant3






Duty Cycle NVNT ac20 5260MHz Ant3




Duty Cycle NVNT ac20 5300MHz Ant3






Duty Cycle NVNT ac20 5320MHz Ant3




Duty Cycle NVNT ac40 5270MHz Ant3






Duty Cycle NVNT ac40 5310MHz Ant3



Duty Cycle NVNT ac80 5290MHz Ant3





Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant4	94.56	0.24	0.91
NVNT	a	5300	Ant4	94.65	0.24	0.91
NVNT	a	5320	Ant4	94.65	0.24	0.91
NVNT	n20	5260	Ant4	97.33	0.12	0.44
NVNT	n20	5300	Ant4	97.29	0.12	0.44
NVNT	n20	5320	Ant4	97.29	0.12	0.44
NVNT	n40	5270	Ant4	94.79	0.23	0.9
NVNT	n40	5310	Ant4	94.71	0.24	0.9
NVNT	ac20	5260	Ant4	97.34	0.12	0.44
NVNT	ac20	5300	Ant4	97.34	0.12	0.44
NVNT	ac20	5320	Ant4	97.34	0.12	0.44
NVNT	ac40	5270	Ant4	94.72	0.24	0.9
NVNT	ac40	5310	Ant4	94.72	0.24	0.9
NVNT	ac80	5290	Ant4	94.32	0.25	0.97




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT a 5260MHz Ant4




Duty Cycle NVNT a 5300MHz Ant4






Duty Cycle NVNT a 5320MHz Ant4




Duty Cycle NVNT n20 5260MHz Ant4






Duty Cycle NVNT n20 5300MHz Ant4




Duty Cycle NVNT n20 5320MHz Ant4






Duty Cycle NVNT n40 5270MHz Ant4




Duty Cycle NVNT n40 5310MHz Ant4






Duty Cycle NVNT ac20 5260MHz Ant4




Duty Cycle NVNT ac20 5300MHz Ant4






Duty Cycle NVNT ac20 5320MHz Ant4




Duty Cycle NVNT ac40 5270MHz Ant4





Duty Cycle NVNT ac40 5310MHz Ant4



Duty Cycle NVNT ac80 5290MHz Ant4

