

Antenna specification

Applicant: HAINAN JIAMEIHUACHENG INFORMATION TECHNOLOGY CO., LTD
Address: Room 2716, 27th Floor Block B, Huarun Dasha No.7, Mingzhu Road, Longhua District, Haikou, Hainan, China


(1) Installation mode	Onboard antenna
(2) Antenna type	Serpentine antenna
(3) Antenna length	17.5mm
(4) Antenna width	1.5mm
(5) Frequency	2.4G




Electrical Specification

(1) Working Frequency Range	2400~2500 MHz
(2) Peak Gain	2.95dBi (Typ.)
(3) Impedance	50 Ohm
(4) VSWR	2.5(Max)
(5) Polarization	Linear
(6) Azimuth Beamwidth	Omni-directional

S11 Figure



Radiation Figure



Antenna Radiation Pattern

	ZX plane		ZY plane		XY plane																									
Frequency	Max Value	Average	Max Value	Average	Max Value	Average																								
[MHz]	[dBi]	[dBi]	[dBi]	[dBi]	[dBi]	[dBi]																								
2400	2.91	2.09	2.93	-3.00	2.67	-4.14																								
2450	2.83	2.13	2.78	-3.12	2.81	-4.13																								
2500	2.95	2.07	2.87	-3.00	2.89	-4.05																								
Radiation Pattern XOZ			Radiation Pattern YOZ		Radiation Pattern XOY																									
XOZ HFSSDes <table><thead><tr><th>Curve Info</th><th>max</th></tr></thead><tbody><tr><td>Freq=2.45GHz* Theta=0deg</td><td>2.908</td></tr><tr><td>Freq=2.4GHz* Theta=0deg</td><td>2.833</td></tr><tr><td>Freq=2.5GHz* Theta=0deg</td><td>2.945</td></tr></tbody></table>			Curve Info	max	Freq=2.45GHz* Theta=0deg	2.908	Freq=2.4GHz* Theta=0deg	2.833	Freq=2.5GHz* Theta=0deg	2.945	YOZ HFSSDesign <table><thead><tr><th>Curve Info</th><th>max</th></tr></thead><tbody><tr><td>Freq=2.45GHz* Phi=90deg</td><td>2.9354</td></tr><tr><td>Freq=2.4GHz* Phi=90deg</td><td>2.7809</td></tr><tr><td>Freq=2.5GHz* Phi=90deg</td><td>2.8998</td></tr></tbody></table>		Curve Info	max	Freq=2.45GHz* Phi=90deg	2.9354	Freq=2.4GHz* Phi=90deg	2.7809	Freq=2.5GHz* Phi=90deg	2.8998	XOY HFSSDesign <table><thead><tr><th>Curve Info</th><th>max</th></tr></thead><tbody><tr><td>Freq=2.45GHz* Theta=90deg</td><td>2.8711</td></tr><tr><td>Freq=2.4GHz* Theta=90deg</td><td>2.8128</td></tr><tr><td>Freq=2.5GHz* Theta=90deg</td><td>2.8940</td></tr></tbody></table>		Curve Info	max	Freq=2.45GHz* Theta=90deg	2.8711	Freq=2.4GHz* Theta=90deg	2.8128	Freq=2.5GHz* Theta=90deg	2.8940
Curve Info	max																													
Freq=2.45GHz* Theta=0deg	2.908																													
Freq=2.4GHz* Theta=0deg	2.833																													
Freq=2.5GHz* Theta=0deg	2.945																													
Curve Info	max																													
Freq=2.45GHz* Phi=90deg	2.9354																													
Freq=2.4GHz* Phi=90deg	2.7809																													
Freq=2.5GHz* Phi=90deg	2.8998																													
Curve Info	max																													
Freq=2.45GHz* Theta=90deg	2.8711																													
Freq=2.4GHz* Theta=90deg	2.8128																													
Freq=2.5GHz* Theta=90deg	2.8940																													

The Environment of Antenna Radiation Pattern

