

Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.43	-13	Pass	401
0.15	30	0.01	Peak	0.44	-54	-13	Pass	2986
30	500	0.1	Peak	423.2	-43.64	-13	Pass	4701
500	1000	0.1	Peak	824.2	31.77	-13	N/A	5001
1000	10000	1	Peak	8430	-19.63	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.78	-13	Pass	401
0.15	30	0.01	Peak	0.19	-53.78	-13	Pass	2986
30	500	0.1	Peak	392.3	-43.81	-13	Pass	4701
500	1000	0.1	Peak	848.9	32.01	-13	N/A	5001
1000	10000	1	Peak	7437	-19.88	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.99	-13	Pass	401
0.15	30	0.01	Peak	0.19	-60.28	-13	Pass	2986
30	1000	0.1	Peak	631.4	-48.42	-13	Pass	9701
1000	3000	1	Peak	1850	28.83	-13	N/A	2001
3000	20000	1	Peak	19439	-38.01	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.23	-13	Pass	401
0.15	30	0.01	Peak	0.24	-60.03	-13	Pass	2986
30	1000	0.1	Peak	992.195	-48.87	-13	Pass	9701
1000	3000	1	Peak	1880	27.54	-13	N/A	2001
3000	20000	1	Peak	19435	-37.9	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.39	-13	Pass	401
0.15	30	0.01	Peak	0.16	-59.26	-13	Pass	2986
30	1000	0.1	Peak	957.272	-48.51	-13	Pass	9701
1000	3000	1	Peak	1909	27.44	-13	N/A	2001
3000	20000	1	Peak	19894	-37.05	-13	Pass	17003



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.46	-13	Pass	401
0.15	30	0.01	Peak	0.19	-54.29	-13	Pass	2986
30	500	0.1	Peak	474.7	-43.91	-13	Pass	4701
500	1000	0.1	Peak	824.2	29.39	-13	N/A	5001
1000	10000	1	Peak	7205	-18.97	-13	Pass	9002




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.56	-13	Pass	401
0.15	30	0.01	Peak	0.26	-54.05	-13	Pass	2986
30	500	0.1	Peak	466.9	-43.23	-13	Pass	4701
500	1000	0.1	Peak	836.7	26.35	-13	N/A	5001
1000	10000	1	Peak	7114	-19.82	-13	Pass	9002



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.97	-13	Pass	401
0.15	30	0.01	Peak	0.57	-54.4	-13	Pass	2986
30	500	0.1	Peak	393.7	-43.45	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.74	-13	N/A	5001
1000	10000	1	Peak	7228	-19.77	-13	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-60.16	-13	Pass	401
0.15	30	0.01	Peak	0.26	-60.6	-13	Pass	2986
30	1000	0.1	Peak	612.3	-48.75	-13	Pass	9701
1000	3000	1	Peak	1850	28.72	-13	N/A	2001
3000	20000	1	Peak	19772	-37.54	-13	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-63.01	-13	Pass	401
0.15	30	0.01	Peak	0.16	-60.44	-13	Pass	2986
30	1000	0.1	Peak	526.5	-47.97	-13	Pass	9701
1000	3000	1	Peak	1879	24.35	-13	N/A	2001
3000	20000	1	Peak	19780	-37.7	-13	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.5	-13	Pass	401
0.15	30	0.01	Peak	0.24	-60.39	-13	Pass	2986
30	1000	0.1	Peak	863.81	-47.89	-13	Pass	9701
1000	3000	1	Peak	1911	22.13	-13	N/A	2001
3000	20000	1	Peak	19884	-37.83	-13	Pass	17003



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.33	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.4	-13	Pass	2986
30	1000	0.1	Peak	793	-51.22	-13	Pass	9701
1000	3000	1	Peak	1853	24.35	-13	N/A	2001
3000	20000	1	Peak	19693	-19.58	-13	Pass	17001




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.27	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.6	-13	Pass	2986
30	1000	0.1	Peak	975.3	-51.47	-13	Pass	9701
1000	3000	1	Peak	1879	22.85	-13	N/A	2001
3000	20000	1	Peak	19961	-20.14	-13	Pass	17001



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.12	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.65	-13	Pass	2986
30	1000	0.1	Peak	986.7	-50.58	-13	Pass	9701
1000	3000	1	Peak	1906	22.72	-13	N/A	2001
3000	20000	1	Peak	19806	-19.39	-13	Pass	17001



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.14	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.04	-13	Pass	2986
30	1000	0.1	Peak	812.4	-51.48	-13	Pass	9701
1000	3000	1	Peak	1714	21.61	-13	N/A	2001
3000	20000	1	Peak	19933	-20.07	-13	Pass	17001




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.11	-13	Pass	2986
30	1000	0.1	Peak	906.8	-51.28	-13	Pass	9701
1000	3000	1	Peak	1731	21.72	-13	N/A	2001
3000	20000	1	Peak	19952	-19.83	-13	Pass	17001



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.7	-13	Pass	401
0.15	30	0.01	Peak	0.16	-39.02	-13	Pass	2986
30	1000	0.1	Peak	711.8	-51.7	-13	Pass	9701
1000	3000	1	Peak	1752	22.15	-13	N/A	2001
3000	20000	1	Peak	19984	-20.27	-13	Pass	17001



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.53	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.9	-13	Pass	2986
30	500	0.1	Peak	485.1	-53.82	-13	Pass	4701
500	1000	0.1	Peak	825.1	17.25	-13	N/A	5001
1000	10000	1	Peak	9954	-28.73	-13	Pass	9001




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.27	-13	Pass	401
0.15	30	0.01	Peak	0.16	-40.06	-13	Pass	2986
30	500	0.1	Peak	438.3	-52.8	-13	Pass	4701
500	1000	0.1	Peak	835.3	16.93	-13	N/A	5001
1000	10000	1	Peak	9959	-29.53	-13	Pass	9001



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-39.58	-13	Pass	401
0.15	30	0.01	Peak	0.16	-39.75	-13	Pass	2986
30	500	0.1	Peak	454.6	-53.72	-13	Pass	4701
500	1000	0.1	Peak	847.3	16.56	-13	N/A	5001
1000	10000	1	Peak	7429	-29.51	-13	Pass	9001




1. LTE_Band2

1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.22	-13	Pass	2986
30	1000	0.1	RMS	933.8	-62.19	-13	Pass	9701
1000	1840	1	RMS	1839	-50.39	-13	Pass	841
1840	1920	1	RMS	1850.2	21.38	60	Pass	401
1920	3000	1	RMS	2643	-46.44	-13	Pass	1081
3000	12000	1	RMS	3701	-32.63	-13	Pass	9001
12000	20000	1	RMS	19999	-22.61	-13	Pass	8001


1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.98	-13	Pass	2986
30	1000	0.1	RMS	947.9	-62.21	-13	Pass	9701
1000	1840	1	RMS	1839	-50.36	-13	Pass	841
1840	1920	1	RMS	1850.2	20.44	60	Pass	401
1920	3000	1	RMS	2637	-46.44	-13	Pass	1081
3000	12000	1	RMS	3701	-34.13	-13	Pass	9001
12000	20000	1	RMS	19997	-22.55	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.37	-13	Pass	2986
30	1000	0.1	RMS	930.1	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	Pass	841
1840	1920	1	RMS	1879.6	21.46	60	Pass	401
1920	3000	1	RMS	2653	-46.45	-13	Pass	1081
3000	12000	1	RMS	3759	-31.62	-13	Pass	9001
12000	20000	1	RMS	19998	-22.58	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.52	-13	Pass	2986
30	1000	0.1	RMS	911.7	-62.27	-13	Pass	9701
1000	1840	1	RMS	1838	-50.39	-13	Pass	841
1840	1920	1	RMS	1879.6	20.5	60	Pass	401
1920	3000	1	RMS	2650	-46.43	-13	Pass	1081
3000	12000	1	RMS	3759	-32.86	-13	Pass	9001
12000	20000	1	RMS	19992	-22.6	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.1	-13	Pass	2986
30	1000	0.1	RMS	915.4	-62.3	-13	Pass	9701
1000	1840	1	RMS	1832	-50.65	-13	Pass	841
1840	1920	1	RMS	1908.8	21.54	60	Pass	401
1920	3000	1	RMS	2647	-46.43	-13	Pass	1081
3000	12000	1	RMS	3818	-27.03	-13	Pass	9001
12000	20000	1	RMS	19999	-22.62	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.72	-13	Pass	2986
30	1000	0.1	RMS	936.4	-62.22	-13	Pass	9701
1000	1840	1	RMS	1837	-50.56	-13	Pass	841
1840	1920	1	RMS	1908.8	20.66	60	Pass	401
1920	3000	1	RMS	2644	-46.43	-13	Pass	1081
3000	12000	1	RMS	3818	-27.98	-13	Pass	9001
12000	20000	1	RMS	19999	-22.53	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.81	-13	Pass	2986
30	1000	0.1	RMS	950.9	-62.33	-13	Pass	9701
1000	1840	1	RMS	1840	-50.34	-13	Pass	841
1840	1920	1	RMS	1850.2	21.48	60	Pass	401
1920	3000	1	RMS	2639	-46.42	-13	Pass	1081
3000	12000	1	RMS	3701	-32.3	-13	Pass	9001
12000	20000	1	RMS	19995	-22.58	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.65	-13	Pass	2986
30	1000	0.1	RMS	934.6	-62.31	-13	Pass	9701
1000	1840	1	RMS	1840	-47.92	-13	Pass	841
1840	1920	1	RMS	1850.2	20.78	60	Pass	401
1920	3000	1	RMS	2644	-46.43	-13	Pass	1081
3000	12000	1	RMS	3701	-33.4	-13	Pass	9001
12000	20000	1	RMS	20000	-22.55	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.23	-13	Pass	2986
30	1000	0.1	RMS	943.8	-62.15	-13	Pass	9701
1000	1840	1	RMS	1840	-50.55	-13	Pass	841
1840	1920	1	RMS	1878.8	21.52	60	Pass	401
1920	3000	1	RMS	2646	-46.39	-13	Pass	1081
3000	12000	1	RMS	3757	-34.28	-13	Pass	9001
12000	20000	1	RMS	19999	-22.59	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.1	-13	Pass	2986
30	1000	0.1	RMS	967.6	-62.27	-13	Pass	9701
1000	1840	1	RMS	1837	-50.59	-13	Pass	841
1840	1920	1	RMS	1878.8	20.57	60	Pass	401
1920	3000	1	RMS	2650	-46.46	-13	Pass	1081
3000	12000	1	RMS	3757	-34.79	-13	Pass	9001
12000	20000	1	RMS	19998	-22.59	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.08	-13	Pass	2986
30	1000	0.1	RMS	910.1	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-50.55	-13	Pass	841
1840	1920	1	RMS	1907.2	21.62	60	Pass	401
1920	3000	1	RMS	2647	-46.43	-13	Pass	1081
3000	12000	1	RMS	3814	-28.91	-13	Pass	9001
12000	20000	1	RMS	20000	-22.56	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.64	-13	Pass	2986
30	1000	0.1	RMS	910.6	-62.28	-13	Pass	9701
1000	1840	1	RMS	1833	-50.58	-13	Pass	841
1840	1920	1	RMS	1907.2	20.79	60	Pass	401
1920	3000	1	RMS	2640	-46.45	-13	Pass	1081
3000	12000	1	RMS	3814	-30.24	-13	Pass	9001
12000	20000	1	RMS	20000	-22.59	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.64	-13	Pass	2986
30	1000	0.1	RMS	917.1	-62.3	-13	Pass	9701
1000	1840	1	RMS	1840	-50.22	-13	Pass	841
1840	1920	1	RMS	1850.4	21.37	60	Pass	401
1920	3000	1	RMS	2643	-46.42	-13	Pass	1081
3000	12000	1	RMS	3701	-31.58	-13	Pass	9001
12000	20000	1	RMS	19997	-22.59	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.05	-13	Pass	2986
30	1000	0.1	RMS	929.5	-62.28	-13	Pass	9701
1000	1840	1	RMS	1840	-50.23	-13	Pass	841
1840	1920	1	RMS	1850.4	20.48	60	Pass	401
1920	3000	1	RMS	2644	-46.47	-13	Pass	1081
3000	12000	1	RMS	3701	-33.26	-13	Pass	9001
12000	20000	1	RMS	19998	-22.58	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.3	-13	Pass	2986
30	1000	0.1	RMS	925.6	-62.44	-13	Pass	9701
1000	1840	1	RMS	1839	-50.12	-13	Pass	841
1840	1920	1	RMS	1877.8	21.48	60	Pass	401
1920	3000	1	RMS	2647	-46.58	-13	Pass	1081
3000	12000	1	RMS	3756	-31.25	-13	Pass	9001
12000	20000	1	RMS	19997	-22.6	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.18	-13	Pass	2986
30	1000	0.1	RMS	928.9	-62.09	-13	Pass	9701
1000	1840	1	RMS	1840	-49.42	-13	Pass	841
1840	1920	1	RMS	1877.8	20.68	60	Pass	401
1920	3000	1	RMS	2649	-46.38	-13	Pass	1081
3000	12000	1	RMS	3756	-33.53	-13	Pass	9001
12000	20000	1	RMS	20000	-22.63	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46	-13	Pass	2986
30	1000	0.1	RMS	958.3	-62.27	-13	Pass	9701
1000	1840	1	RMS	1838	-50.55	-13	Pass	841
1840	1920	1	RMS	1905.4	21.51	60	Pass	401
1920	3000	1	RMS	2651	-46.42	-13	Pass	1081
3000	12000	1	RMS	3811	-30.23	-13	Pass	9001
12000	20000	1	RMS	19994	-22.54	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.99	-13	Pass	2986
30	1000	0.1	RMS	915.4	-62.37	-13	Pass	9701
1000	1840	1	RMS	1838	-50.58	-13	Pass	841
1840	1920	1	RMS	1905.4	20.76	60	Pass	401
1920	3000	1	RMS	2657	-46.45	-13	Pass	1081
3000	12000	1	RMS	3811	-31.34	-13	Pass	9001
12000	20000	1	RMS	20000	-22.42	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.71	-13	Pass	2986
30	1000	0.1	RMS	892.5	-62.21	-13	Pass	9701
1000	1840	1	RMS	1833	-48.06	-13	Pass	841
1840	1920	1	RMS	1850.6	21.46	60	Pass	401
1920	3000	1	RMS	2645	-46.47	-13	Pass	1081
3000	12000	1	RMS	3701	-31.11	-13	Pass	9001
12000	20000	1	RMS	20000	-22.54	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.72	-13	Pass	2986
30	1000	0.1	RMS	930.8	-62.12	-13	Pass	9701
1000	1840	1	RMS	1833	-48.64	-13	Pass	841
1840	1920	1	RMS	1850.6	20.71	60	Pass	401
1920	3000	1	RMS	2637	-46.42	-13	Pass	1081
3000	12000	1	RMS	3701	-32.04	-13	Pass	9001
12000	20000	1	RMS	20000	-22.56	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.58	-13	Pass	2986
30	1000	0.1	RMS	954	-62.24	-13	Pass	9701
1000	1840	1	RMS	1840	-49.62	-13	Pass	841
1840	1920	1	RMS	1875.6	21.58	60	Pass	401
1920	3000	1	RMS	2639	-46.44	-13	Pass	1081
3000	12000	1	RMS	3751	-32.36	-13	Pass	9001
12000	20000	1	RMS	19998	-22.58	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.62	-13	Pass	2986
30	1000	0.1	RMS	930	-62.25	-13	Pass	9701
1000	1840	1	RMS	1838	-49.78	-13	Pass	841
1840	1920	1	RMS	1875.6	20.61	60	Pass	401
1920	3000	1	RMS	2645	-46.45	-13	Pass	1081
3000	12000	1	RMS	3751	-33.92	-13	Pass	9001
12000	20000	1	RMS	19998	-22.51	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.32	-13	Pass	2986
30	1000	0.1	RMS	945.2	-62.28	-13	Pass	9701
1000	1840	1	RMS	1840	-50.23	-13	Pass	841
1840	1920	1	RMS	1900.6	21.65	60	Pass	401
1920	3000	1	RMS	2640	-46.38	-13	Pass	1081
3000	12000	1	RMS	3801	-36.62	-13	Pass	9001
12000	20000	1	RMS	19996	-22.57	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.21	-13	Pass	2986
30	1000	0.1	RMS	960.6	-62.25	-13	Pass	9701
1000	1840	1	RMS	1840	-50.35	-13	Pass	841
1840	1920	1	RMS	1900.6	20.77	60	Pass	401
1920	3000	1	RMS	2642	-46.42	-13	Pass	1081
3000	12000	1	RMS	11860	-38	-13	Pass	9001
12000	20000	1	RMS	19998	-22.57	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.75	-13	Pass	2986
30	1000	0.1	RMS	934.8	-62.3	-13	Pass	9701
1000	1840	1	RMS	1838	-45.57	-13	Pass	841
1840	1920	1	RMS	1850.8	21.35	60	Pass	401
1920	3000	1	RMS	2645	-46.42	-13	Pass	1081
3000	12000	1	RMS	3702	-32.39	-13	Pass	9001
12000	20000	1	RMS	19999	-22.6	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.61	-13	Pass	2986
30	1000	0.1	RMS	908.7	-62.12	-13	Pass	9701
1000	1840	1	RMS	1838	-45.79	-13	Pass	841
1840	1920	1	RMS	1850.8	20.56	60	Pass	401
1920	3000	1	RMS	2651	-46.4	-13	Pass	1081
3000	12000	1	RMS	3702	-33.65	-13	Pass	9001
12000	20000	1	RMS	19996	-22.59	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.86	-13	Pass	2986
30	1000	0.1	RMS	928.3	-62.26	-13	Pass	9701
1000	1840	1	RMS	1840	-50.51	-13	Pass	841
1840	1920	1	RMS	1873.4	21.41	60	Pass	401
1920	3000	1	RMS	2647	-46.37	-13	Pass	1081
3000	12000	1	RMS	3747	-33.93	-13	Pass	9001
12000	20000	1	RMS	19999	-22.49	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.13	-13	Pass	2986
30	1000	0.1	RMS	916.7	-62.26	-13	Pass	9701
1000	1840	1	RMS	1838	-50.58	-13	Pass	841
1840	1920	1	RMS	1873.4	20.46	60	Pass	401
1920	3000	1	RMS	2644	-46.43	-13	Pass	1081
3000	12000	1	RMS	3747	-35.33	-13	Pass	9001
12000	20000	1	RMS	20000	-22.61	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.66	-13	Pass	2986
30	1000	0.1	RMS	917	-62.31	-13	Pass	9701
1000	1840	1	RMS	1838	-50.54	-13	Pass	841
1840	1920	1	RMS	1895.8	21.44	60	Pass	401
1920	3000	1	RMS	1922	-44.13	-13	Pass	1081
3000	12000	1	RMS	11855	-38.01	-13	Pass	9001
12000	20000	1	RMS	19996	-22.64	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.61	-13	Pass	2986
30	1000	0.1	RMS	939.3	-62.39	-13	Pass	9701
1000	1840	1	RMS	1837	-50.6	-13	Pass	841
1840	1920	1	RMS	1895.8	20.65	60	Pass	401
1920	3000	1	RMS	1922	-43.9	-13	Pass	1081
3000	12000	1	RMS	11858	-38.01	-13	Pass	9001
12000	20000	1	RMS	19997	-22.53	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.17	-13	Pass	2986
30	1000	0.1	RMS	916.9	-62.33	-13	Pass	9701
1000	1840	1	RMS	1836	-46.95	-13	Pass	841
1840	1920	1	RMS	1851	21.12	60	Pass	401
1920	3000	1	RMS	2651	-46.4	-13	Pass	1081
3000	12000	1	RMS	3702	-32.19	-13	Pass	9001
12000	20000	1	RMS	20000	-22.51	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.2	-13	Pass	2986
30	1000	0.1	RMS	942.3	-62.27	-13	Pass	9701
1000	1840	1	RMS	1836	-47.28	-13	Pass	841
1840	1920	1	RMS	1851	20.34	60	Pass	401
1920	3000	1	RMS	2644	-46.43	-13	Pass	1081
3000	12000	1	RMS	3702	-33.16	-13	Pass	9001
12000	20000	1	RMS	19997	-22.58	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.69	-13	Pass	2986
30	1000	0.1	RMS	952.6	-62.23	-13	Pass	9701
1000	1840	1	RMS	1835	-47.26	-13	Pass	841
1840	1920	1	RMS	1871	21.23	60	Pass	401
1920	3000	1	RMS	2644	-46.41	-13	Pass	1081
3000	12000	1	RMS	3742	-34.76	-13	Pass	9001
12000	20000	1	RMS	19994	-22.54	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-44.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.58	-13	Pass	2986
30	1000	0.1	RMS	917.6	-62.15	-13	Pass	9701
1000	1840	1	RMS	1835	-47.93	-13	Pass	841
1840	1920	1	RMS	1871	20.28	60	Pass	401
1920	3000	1	RMS	2650	-46.43	-13	Pass	1081
3000	12000	1	RMS	3742	-36.22	-13	Pass	9001
12000	20000	1	RMS	19999	-22.55	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.86	-13	Pass	2986
30	1000	0.1	RMS	932.6	-62.28	-13	Pass	9701
1000	1840	1	RMS	1837	-50.63	-13	Pass	841
1840	1920	1	RMS	1891	21.03	60	Pass	401
1920	3000	1	RMS	2649	-46.36	-13	Pass	1081
3000	12000	1	RMS	3782	-34.72	-13	Pass	9001
12000	20000	1	RMS	19998	-22.55	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.77	-13	Pass	2986
30	1000	0.1	RMS	927.9	-62.38	-13	Pass	9701
1000	1840	1	RMS	1840	-50.52	-13	Pass	841
1840	1920	1	RMS	1891	20.14	60	Pass	401
1920	3000	1	RMS	2638	-46.44	-13	Pass	1081
3000	12000	1	RMS	3782	-35.81	-13	Pass	9001
12000	20000	1	RMS	19998	-22.54	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.53	-13	Pass	2986
30	1000	0.1	RMS	924.1	-62.09	-13	Pass	9701
1000	1700	1	RMS	1698	-50.87	-13	Pass	701
1700	1765	1	RMS	1710.238	20.67	60	Pass	401
1765	3000	1	RMS	2644	-46.22	-13	Pass	1236
3000	12000	1	RMS	11854	-37.73	-13	Pass	9001
12000	20000	1	RMS	19995	-22.24	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.95	-13	Pass	2986
30	1000	0.1	RMS	895.6	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-50.91	-13	Pass	701
1700	1765	1	RMS	1710.238	19.76	60	Pass	401
1765	3000	1	RMS	2999	-46.22	-13	Pass	1236
3000	12000	1	RMS	11841	-37.73	-13	Pass	9001
12000	20000	1	RMS	20000	-22.2	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.61	-13	Pass	2986
30	1000	0.1	RMS	932.9	-61.96	-13	Pass	9701
1000	1700	1	RMS	1593	-51	-13	Pass	701
1700	1765	1	RMS	1732.013	20.85	60	Pass	401
1765	3000	1	RMS	2644	-46.13	-13	Pass	1236
3000	12000	1	RMS	11854	-37.7	-13	Pass	9001
12000	20000	1	RMS	19999	-22.17	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.55	-13	Pass	2986
30	1000	0.1	RMS	939.9	-62.05	-13	Pass	9701
1000	1700	1	RMS	1698	-50.96	-13	Pass	701
1700	1765	1	RMS	1732.013	19.9	60	Pass	401
1765	3000	1	RMS	2648	-46.19	-13	Pass	1236
3000	12000	1	RMS	11852	-37.67	-13	Pass	9001
12000	20000	1	RMS	19996	-22.24	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.85	-13	Pass	2986
30	1000	0.1	RMS	930.2	-62.33	-13	Pass	9701
1000	1700	1	RMS	1700	-51.3	-13	Pass	701
1700	1765	1	RMS	1753.788	21.09	60	Pass	401
1765	3000	1	RMS	2649	-46.49	-13	Pass	1236
3000	12000	1	RMS	11857	-38.02	-13	Pass	9001
12000	20000	1	RMS	19999	-22.48	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.46	-13	Pass	2986
30	1000	0.1	RMS	951.7	-62.13	-13	Pass	9701
1000	1700	1	RMS	1650	-51	-13	Pass	701
1700	1765	1	RMS	1753.788	20.33	60	Pass	401
1765	3000	1	RMS	2655	-46.2	-13	Pass	1236
3000	12000	1	RMS	11868	-37.75	-13	Pass	9001
12000	20000	1	RMS	19998	-22.33	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.82	-13	Pass	2986
30	1000	0.1	RMS	910.6	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-50.71	-13	Pass	701
1700	1765	1	RMS	1710.238	20.73	60	Pass	401
1765	3000	1	RMS	2651	-46.17	-13	Pass	1236
3000	12000	1	RMS	11850	-37.73	-13	Pass	9001
12000	20000	1	RMS	20000	-22.26	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.66	-13	Pass	2986
30	1000	0.1	RMS	939.7	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-50.78	-13	Pass	701
1700	1765	1	RMS	1710.238	20.01	60	Pass	401
1765	3000	1	RMS	2645	-46.15	-13	Pass	1236
3000	12000	1	RMS	11854	-37.75	-13	Pass	9001
12000	20000	1	RMS	20000	-22.3	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.25	-13	Pass	2986
30	1000	0.1	RMS	866.8	-62.06	-13	Pass	9701
1000	1700	1	RMS	1697	-50.96	-13	Pass	701
1700	1765	1	RMS	1731.2	20.93	60	Pass	401
1765	3000	1	RMS	2641	-46.17	-13	Pass	1236
3000	12000	1	RMS	11848	-37.76	-13	Pass	9001
12000	20000	1	RMS	19998	-22.24	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.85	-13	Pass	2986
30	1000	0.1	RMS	913.1	-62.1	-13	Pass	9701
1000	1700	1	RMS	1696	-50.98	-13	Pass	701
1700	1765	1	RMS	1731.2	20.03	60	Pass	401
1765	3000	1	RMS	2646	-46.18	-13	Pass	1236
3000	12000	1	RMS	11877	-37.78	-13	Pass	9001
12000	20000	1	RMS	20000	-22.27	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.14	-13	Pass	2986
30	1000	0.1	RMS	923.9	-62.08	-13	Pass	9701
1000	1700	1	RMS	1696	-50.97	-13	Pass	701
1700	1765	1	RMS	1752.163	21.2	60	Pass	401
1765	3000	1	RMS	2653	-46.18	-13	Pass	1236
3000	12000	1	RMS	11846	-37.69	-13	Pass	9001
12000	20000	1	RMS	20000	-22.24	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.89	-13	Pass	2986
30	1000	0.1	RMS	928.8	-61.97	-13	Pass	9701
1000	1700	1	RMS	1699	-50.97	-13	Pass	701
1700	1765	1	RMS	1752.163	20.38	60	Pass	401
1765	3000	1	RMS	2653	-46.19	-13	Pass	1236
3000	12000	1	RMS	11878	-37.73	-13	Pass	9001
12000	20000	1	RMS	19999	-22.22	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.75	-13	Pass	2986
30	1000	0.1	RMS	918.2	-61.95	-13	Pass	9701
1000	1700	1	RMS	1700	-50.71	-13	Pass	701
1700	1765	1	RMS	1710.4	20.66	60	Pass	401
1765	3000	1	RMS	2654	-46.15	-13	Pass	1236
3000	12000	1	RMS	11863	-37.73	-13	Pass	9001
12000	20000	1	RMS	20000	-22.15	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.21	-13	Pass	2986
30	1000	0.1	RMS	921.6	-61.93	-13	Pass	9701
1000	1700	1	RMS	1700	-50.73	-13	Pass	701
1700	1765	1	RMS	1710.4	19.71	60	Pass	401
1765	3000	1	RMS	2642	-46.19	-13	Pass	1236
3000	12000	1	RMS	11858	-37.71	-13	Pass	9001
12000	20000	1	RMS	19999	-22.23	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.57	-13	Pass	2986
30	1000	0.1	RMS	996.5	-62.07	-13	Pass	9701
1000	1700	1	RMS	1698	-50.91	-13	Pass	701
1700	1765	1	RMS	1730.388	20.79	60	Pass	401
1765	3000	1	RMS	2640	-46.16	-13	Pass	1236
3000	12000	1	RMS	11857	-37.7	-13	Pass	9001
12000	20000	1	RMS	20000	-22.32	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.01	-13	Pass	2986
30	1000	0.1	RMS	922.1	-62.02	-13	Pass	9701
1000	1700	1	RMS	1699	-50.98	-13	Pass	701
1700	1765	1	RMS	1730.388	20.02	60	Pass	401
1765	3000	1	RMS	2647	-46.24	-13	Pass	1236
3000	12000	1	RMS	11854	-37.74	-13	Pass	9001
12000	20000	1	RMS	19997	-22.35	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.74	-13	Pass	2986
30	1000	0.1	RMS	937.2	-62.06	-13	Pass	9701
1000	1700	1	RMS	1696	-50.96	-13	Pass	701
1700	1765	1	RMS	1750.375	21.18	60	Pass	401
1765	3000	1	RMS	2642	-46.21	-13	Pass	1236
3000	12000	1	RMS	11854	-37.74	-13	Pass	9001
12000	20000	1	RMS	20000	-22.29	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.5	-13	Pass	2986
30	1000	0.1	RMS	933.7	-62.26	-13	Pass	9701
1000	1700	1	RMS	1700	-51.25	-13	Pass	701
1700	1765	1	RMS	1750.375	20.42	60	Pass	401
1765	3000	1	RMS	2658	-46.59	-13	Pass	1236
3000	12000	1	RMS	11850	-38.01	-13	Pass	9001
12000	20000	1	RMS	20000	-22.4	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.01	-13	Pass	2986
30	1000	0.1	RMS	918.3	-61.96	-13	Pass	9701
1000	1700	1	RMS	1693	-49.84	-13	Pass	701
1700	1765	1	RMS	1710.563	20.72	60	Pass	401
1765	3000	1	RMS	2999	-46.23	-13	Pass	1236
3000	12000	1	RMS	11855	-37.76	-13	Pass	9001
12000	20000	1	RMS	19999	-22.34	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.91	-13	Pass	2986
30	1000	0.1	RMS	928.9	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-49.99	-13	Pass	701
1700	1765	1	RMS	1710.563	20	60	Pass	401
1765	3000	1	RMS	2649	-46.17	-13	Pass	1236
3000	12000	1	RMS	11856	-37.72	-13	Pass	9001
12000	20000	1	RMS	19998	-22.31	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.41	-13	Pass	2986
30	1000	0.1	RMS	947.9	-62.03	-13	Pass	9701
1000	1700	1	RMS	1697	-50.94	-13	Pass	701
1700	1765	1	RMS	1728.113	20.91	60	Pass	401
1765	3000	1	RMS	2648	-46.18	-13	Pass	1236
3000	12000	1	RMS	11847	-37.76	-13	Pass	9001
12000	20000	1	RMS	19999	-22.26	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.2	-13	Pass	2986
30	1000	0.1	RMS	928.6	-62.04	-13	Pass	9701
1000	1700	1	RMS	1698	-50.94	-13	Pass	701
1700	1765	1	RMS	1728.113	19.96	60	Pass	401
1765	3000	1	RMS	2649	-46.19	-13	Pass	1236
3000	12000	1	RMS	11860	-37.69	-13	Pass	9001
12000	20000	1	RMS	20000	-22.2	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.31	-13	Pass	2986
30	1000	0.1	RMS	907.2	-61.95	-13	Pass	9701
1000	1700	1	RMS	1693	-50.96	-13	Pass	701
1700	1765	1	RMS	1745.663	21.09	60	Pass	401
1765	3000	1	RMS	2643	-46.22	-13	Pass	1236
3000	12000	1	RMS	11848	-37.71	-13	Pass	9001
12000	20000	1	RMS	19994	-22.3	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.14	-13	Pass	2986
30	1000	0.1	RMS	935.6	-62.02	-13	Pass	9701
1000	1700	1	RMS	1695	-50.93	-13	Pass	701
1700	1765	1	RMS	1745.663	20.29	60	Pass	401
1765	3000	1	RMS	2635	-46.18	-13	Pass	1236
3000	12000	1	RMS	11851	-37.76	-13	Pass	9001
12000	20000	1	RMS	19999	-22.26	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.39	-13	Pass	2986
30	1000	0.1	RMS	928.3	-61.86	-13	Pass	9701
1000	1700	1	RMS	1698	-47.64	-13	Pass	701
1700	1765	1	RMS	1710.888	20.66	60	Pass	401
1765	3000	1	RMS	2649	-46.21	-13	Pass	1236
3000	12000	1	RMS	11843	-37.76	-13	Pass	9001
12000	20000	1	RMS	19989	-22.22	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.4	-13	Pass	2986
30	1000	0.1	RMS	942.8	-61.95	-13	Pass	9701
1000	1700	1	RMS	1698	-47.69	-13	Pass	701
1700	1765	1	RMS	1710.888	19.86	60	Pass	401
1765	3000	1	RMS	2637	-46.18	-13	Pass	1236
3000	12000	1	RMS	11836	-37.63	-13	Pass	9001
12000	20000	1	RMS	19998	-22.29	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.9	-13	Pass	2986
30	1000	0.1	RMS	865.5	-62.17	-13	Pass	9701
1000	1700	1	RMS	1699	-48.22	-13	Pass	701
1700	1765	1	RMS	1725.838	20.8	60	Pass	401
1765	3000	1	RMS	2650	-46.16	-13	Pass	1236
3000	12000	1	RMS	11859	-37.8	-13	Pass	9001
12000	20000	1	RMS	19996	-22.24	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.8	-13	Pass	2986
30	1000	0.1	RMS	925.7	-62.07	-13	Pass	9701
1000	1700	1	RMS	1699	-48.6	-13	Pass	701
1700	1765	1	RMS	1725.838	19.88	60	Pass	401
1765	3000	1	RMS	2638	-46.25	-13	Pass	1236
3000	12000	1	RMS	11849	-37.71	-13	Pass	9001
12000	20000	1	RMS	19998	-22.31	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.05	-13	Pass	2986
30	1000	0.1	RMS	933.4	-62.06	-13	Pass	9701
1000	1700	1	RMS	1698	-50.99	-13	Pass	701
1700	1765	1	RMS	1740.788	20.91	60	Pass	401
1765	3000	1	RMS	1767	-25.62	-13	Pass	1236
3000	12000	1	RMS	11848	-37.7	-13	Pass	9001
12000	20000	1	RMS	20000	-22.31	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.56	-13	Pass	2986
30	1000	0.1	RMS	914.9	-62.12	-13	Pass	9701
1000	1700	1	RMS	1696	-51.01	-13	Pass	701
1700	1765	1	RMS	1740.788	20.13	60	Pass	401
1765	3000	1	RMS	1767	-26.34	-13	Pass	1236
3000	12000	1	RMS	11854	-37.67	-13	Pass	9001
12000	20000	1	RMS	20000	-22.31	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.31	-13	Pass	2986
30	1000	0.1	RMS	959.7	-62.12	-13	Pass	9701
1000	1700	1	RMS	1696	-48.06	-13	Pass	701
1700	1765	1	RMS	1711.05	20.47	60	Pass	401
1765	3000	1	RMS	2648	-46.13	-13	Pass	1236
3000	12000	1	RMS	11853	-37.76	-13	Pass	9001
12000	20000	1	RMS	19996	-22.33	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.36	-13	Pass	2986
30	1000	0.1	RMS	921.5	-62.07	-13	Pass	9701
1000	1700	1	RMS	1696	-48.33	-13	Pass	701
1700	1765	1	RMS	1711.05	19.75	60	Pass	401
1765	3000	1	RMS	2640	-46.14	-13	Pass	1236
3000	12000	1	RMS	11851	-37.79	-13	Pass	9001
12000	20000	1	RMS	19998	-22.32	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.13	-13	Pass	2986
30	1000	0.1	RMS	881.8	-62.09	-13	Pass	9701
1000	1700	1	RMS	1688	-49.62	-13	Pass	701
1700	1765	1	RMS	1723.563	20.56	60	Pass	401
1765	3000	1	RMS	2649	-46.06	-13	Pass	1236
3000	12000	1	RMS	11852	-37.69	-13	Pass	9001
12000	20000	1	RMS	19997	-22.21	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.98	-13	Pass	2986
30	1000	0.1	RMS	928.8	-62.02	-13	Pass	9701
1000	1700	1	RMS	1688	-50.38	-13	Pass	701
1700	1765	1	RMS	1723.563	19.62	60	Pass	401
1765	3000	1	RMS	2641	-46.2	-13	Pass	1236
3000	12000	1	RMS	11848	-37.66	-13	Pass	9001
12000	20000	1	RMS	19999	-22.31	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.98	-13	Pass	2986
30	1000	0.1	RMS	926.9	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-47.44	-13	Pass	701
1700	1765	1	RMS	1736.075	20.67	60	Pass	401
1765	3000	1	RMS	1772	-24.76	-13	Pass	1236
3000	12000	1	RMS	11875	-37.73	-13	Pass	9001
12000	20000	1	RMS	19997	-22.27	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.57	-13	Pass	2986
30	1000	0.1	RMS	934.5	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-47.79	-13	Pass	701
1700	1765	1	RMS	1736.075	19.79	60	Pass	401
1765	3000	1	RMS	1772	-26.23	-13	Pass	1236
3000	12000	1	RMS	11850	-37.71	-13	Pass	9001
12000	20000	1	RMS	19998	-22.27	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.46	-13	Pass	2986
30	814	0.1	RMS	811.7	-62.07	-13	Pass	7841
814	860	0.1	RMS	824.2	19.06	60	Pass	461
860	1000	0.1	RMS	927.2	-62.26	-13	Pass	1401
1000	3000	1	RMS	2645	-46.21	-13	Pass	2001
3000	10000	1	RMS	9954	-40.53	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.38	-13	Pass	2986
30	814	0.1	RMS	812.8	-62.18	-13	Pass	7841
814	860	0.1	RMS	824.3	18.15	60	Pass	461
860	1000	0.1	RMS	920.7	-62.42	-13	Pass	1401
1000	3000	1	RMS	2650	-46.16	-13	Pass	2001
3000	10000	1	RMS	9953	-40.5	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.85	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.25	-13	Pass	7841
814	860	0.1	RMS	836.1	19.15	60	Pass	461
860	1000	0.1	RMS	893.2	-62.38	-13	Pass	1401
1000	3000	1	RMS	2642	-46.18	-13	Pass	2001
3000	10000	1	RMS	9949	-40.54	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.23	-13	Pass	2986
30	814	0.1	RMS	811.3	-62.12	-13	Pass	7841
814	860	0.1	RMS	836.1	18.17	60	Pass	461
860	1000	0.1	RMS	931.3	-62.42	-13	Pass	1401
1000	3000	1	RMS	2652	-46.23	-13	Pass	2001
3000	10000	1	RMS	9951	-40.54	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.2	-13	Pass	2986
30	814	0.1	RMS	810.9	-62.3	-13	Pass	7841
814	860	0.1	RMS	847.8	18.97	60	Pass	461
860	1000	0.1	RMS	893.1	-62.41	-13	Pass	1401
1000	3000	1	RMS	2639	-46.19	-13	Pass	2001
3000	10000	1	RMS	9949	-40.54	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.64	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.14	-13	Pass	7841
814	860	0.1	RMS	847.9	18.1	60	Pass	461
860	1000	0.1	RMS	954.8	-62.37	-13	Pass	1401
1000	3000	1	RMS	2646	-46.18	-13	Pass	2001
3000	10000	1	RMS	9952	-40.59	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.02	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.1	-13	Pass	7841
814	860	0.1	RMS	824.2	19.43	60	Pass	461
860	1000	0.1	RMS	932.7	-62.64	-13	Pass	1401
1000	3000	1	RMS	2644	-46.52	-13	Pass	2001
3000	10000	1	RMS	9952	-40.82	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.6	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.1	-13	Pass	7841
814	860	0.1	RMS	824.2	18.51	60	Pass	461
860	1000	0.1	RMS	937	-62.39	-13	Pass	1401
1000	3000	1	RMS	2646	-46.18	-13	Pass	2001
3000	10000	1	RMS	9951	-40.59	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.71	-13	Pass	2986
30	814	0.1	RMS	812.5	-62.23	-13	Pass	7841
814	860	0.1	RMS	835.2	19.37	60	Pass	461
860	1000	0.1	RMS	920.8	-62.38	-13	Pass	1401
1000	3000	1	RMS	2643	-46.2	-13	Pass	2001
3000	10000	1	RMS	9952	-40.52	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.57	-13	Pass	2986
30	814	0.1	RMS	794.5	-62.22	-13	Pass	7841
814	860	0.1	RMS	835.2	18.49	60	Pass	461
860	1000	0.1	RMS	928.7	-62.31	-13	Pass	1401
1000	3000	1	RMS	2648	-46.23	-13	Pass	2001
3000	10000	1	RMS	9951	-40.54	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.45	-13	Pass	2986
30	814	0.1	RMS	793.4	-62.22	-13	Pass	7841
814	860	0.1	RMS	846.2	19.41	60	Pass	461
860	1000	0.1	RMS	934.8	-62.36	-13	Pass	1401
1000	3000	1	RMS	2640	-46.18	-13	Pass	2001
3000	10000	1	RMS	9952	-40.56	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.52	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.28	-13	Pass	7841
814	860	0.1	RMS	846.2	18.51	60	Pass	461
860	1000	0.1	RMS	931.6	-62.38	-13	Pass	1401
1000	3000	1	RMS	2644	-46.22	-13	Pass	2001
3000	10000	1	RMS	9959	-40.52	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.58	-13	Pass	2986
30	814	0.1	RMS	810.7	-62.23	-13	Pass	7841
814	860	0.1	RMS	824.3	19.31	60	Pass	461
860	1000	0.1	RMS	917.1	-62.6	-13	Pass	1401
1000	3000	1	RMS	2640	-46.52	-13	Pass	2001
3000	10000	1	RMS	9962	-40.73	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.71	-13	Pass	2986
30	814	0.1	RMS	814	-61.85	-13	Pass	7841
814	860	0.1	RMS	824.3	18.29	60	Pass	461
860	1000	0.1	RMS	923.7	-62.27	-13	Pass	1401
1000	3000	1	RMS	2650	-46.23	-13	Pass	2001
3000	10000	1	RMS	9948	-40.5	-13	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.96	-13	Pass	2986
30	814	0.1	RMS	796.9	-62.22	-13	Pass	7841
814	860	0.1	RMS	834.3	19.28	60	Pass	461
860	1000	0.1	RMS	883.7	-62.32	-13	Pass	1401
1000	3000	1	RMS	2647	-46.2	-13	Pass	2001
3000	10000	1	RMS	9956	-40.51	-13	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.81	-13	Pass	2986
30	814	0.1	RMS	812.8	-62.32	-13	Pass	7841
814	860	0.1	RMS	834.3	18.45	60	Pass	461
860	1000	0.1	RMS	957.2	-62.42	-13	Pass	1401
1000	3000	1	RMS	2645	-46.23	-13	Pass	2001
3000	10000	1	RMS	9956	-40.51	-13	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.71	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.28	-13	Pass	7841
814	860	0.1	RMS	844.3	19.25	60	Pass	461
860	1000	0.1	RMS	929.2	-62.36	-13	Pass	1401
1000	3000	1	RMS	2644	-46.21	-13	Pass	2001
3000	10000	1	RMS	9961	-40.56	-13	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.09	-13	Pass	2986
30	814	0.1	RMS	813	-62.2	-13	Pass	7841
814	860	0.1	RMS	844.3	18.53	60	Pass	461
860	1000	0.1	RMS	922	-62.33	-13	Pass	1401
1000	3000	1	RMS	2647	-46.22	-13	Pass	2001
3000	10000	1	RMS	9948	-40.54	-13	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.12	-13	Pass	2986
30	814	0.1	RMS	813.8	-57.69	-13	Pass	7841
814	860	0.1	RMS	824.6	19.6	60	Pass	461
860	1000	0.1	RMS	931.4	-57.94	-13	Pass	1401
1000	3000	1	RMS	3000	-41.25	-13	Pass	2001
3000	10000	1	RMS	9999	-37.98	-13	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.24	-13	Pass	7841
814	860	0.1	RMS	824.6	19.04	60	Pass	461
860	1000	0.1	RMS	931.7	-62.43	-13	Pass	1401
1000	3000	1	RMS	2649	-46.24	-13	Pass	2001
3000	10000	1	RMS	9953	-40.54	-13	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.12	-13	Pass	2986
30	814	0.1	RMS	814	-61.01	-13	Pass	7841
814	860	0.1	RMS	832.1	19.81	60	Pass	461
860	1000	0.1	RMS	929.4	-62.29	-13	Pass	1401
1000	3000	1	RMS	2642	-46.19	-13	Pass	2001
3000	10000	1	RMS	9952	-40.53	-13	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.58	-13	Pass	2986
30	814	0.1	RMS	814	-61.49	-13	Pass	7841
814	860	0.1	RMS	832.1	18.82	60	Pass	461
860	1000	0.1	RMS	970.5	-62.41	-13	Pass	1401
1000	3000	1	RMS	2649	-46.19	-13	Pass	2001
3000	10000	1	RMS	9949	-40.42	-13	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.83	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.19	-13	Pass	7841
814	860	0.1	RMS	839.6	19.91	60	Pass	461
860	1000	0.1	RMS	909.2	-62.38	-13	Pass	1401
1000	3000	1	RMS	2641	-46.19	-13	Pass	2001
3000	10000	1	RMS	9950	-40.5	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.34	-13	Pass	2986
30	814	0.1	RMS	806.8	-62.56	-13	Pass	7841
814	860	0.1	RMS	839.6	19.01	60	Pass	461
860	1000	0.1	RMS	945.4	-62.49	-13	Pass	1401
1000	3000	1	RMS	2641	-46.59	-13	Pass	2001
3000	10000	1	RMS	9960	-40.77	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.37	-25	Pass	2986
30	1000	0.1	RMS	921.5	-62.18	-25	Pass	9701
1000	2490	1	RMS	2490	-47.3	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.79	60	Pass	401
2580	3000	1	RMS	2640	-46.21	-25	Pass	421
3000	12000	1	RMS	5001	-60.4	-25	Pass	9001
12000	26000	1	RMS	25012	-35.07	-25	Pass	14001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.52	-25	Pass	401
0.15	30	0.01	RMS	0.16	-47.22	-25	Pass	2986
30	1000	0.1	RMS	948.1	-62.27	-25	Pass	9701
1000	2490	1	RMS	2490	-47.55	-25	Pass	1491
2490	2580	1	RMS	2500.35	20.52	60	Pass	401
2580	3000	1	RMS	2642	-46.5	-25	Pass	421
3000	12000	1	RMS	5001	-60.9	-25	Pass	9001
12000	26000	1	RMS	25012	-36.05	-25	Pass	14001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.81	-25	Pass	2986
30	1000	0.1	RMS	942.5	-62.24	-25	Pass	9701
1000	2490	1	RMS	2489	-47.73	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.28	60	Pass	401
2580	3000	1	RMS	2645	-46.5	-25	Pass	421
3000	12000	1	RMS	5066	-60.73	-25	Pass	9001
12000	26000	1	RMS	25013	-36.04	-25	Pass	14001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-46.81	-25	Pass	2986
30	1000	0.1	RMS	922	-62.24	-25	Pass	9701
1000	2490	1	RMS	2490	-47.75	-25	Pass	1491
2490	2580	1	RMS	2532.75	20.46	60	Pass	401
2580	3000	1	RMS	2648	-46.5	-25	Pass	421
3000	12000	1	RMS	11861	-61.28	-25	Pass	9001
12000	26000	1	RMS	25012	-36.09	-25	Pass	14001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.54	-25	Pass	2986
30	1000	0.1	RMS	924.6	-62.19	-25	Pass	9701
1000	2490	1	RMS	2490	-47.76	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.42	60	Pass	401
2580	3000	1	RMS	2641	-46.47	-25	Pass	421
3000	12000	1	RMS	5131	-60.83	-25	Pass	9001
12000	26000	1	RMS	25016	-36.04	-25	Pass	14001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.56	-25	Pass	2986
30	1000	0.1	RMS	909	-62.27	-25	Pass	9701
1000	2490	1	RMS	2489	-47.77	-25	Pass	1491
2490	2580	1	RMS	2565.375	20.61	60	Pass	401
2580	3000	1	RMS	2646	-46.53	-25	Pass	421
3000	12000	1	RMS	11863	-61.28	-25	Pass	9001
12000	26000	1	RMS	25015	-36.14	-25	Pass	14001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.39	-25	Pass	2986
30	1000	0.1	RMS	973.7	-62.31	-25	Pass	9701
1000	2490	1	RMS	2483	-45.83	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.63	60	Pass	401
2580	3000	1	RMS	2644	-46.5	-25	Pass	421
3000	12000	1	RMS	5001	-60.77	-25	Pass	9001
12000	26000	1	RMS	25006	-36.12	-25	Pass	14001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.46	-25	Pass	2986
30	1000	0.1	RMS	932.7	-62.27	-25	Pass	9701
1000	2490	1	RMS	2483	-46.53	-25	Pass	1491
2490	2580	1	RMS	2500.575	20.77	60	Pass	401
2580	3000	1	RMS	2640	-46.49	-25	Pass	421
3000	12000	1	RMS	11879	-61.37	-25	Pass	9001
12000	26000	1	RMS	25013	-36.01	-25	Pass	14001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.98	-25	Pass	2986
30	1000	0.1	RMS	922.4	-62.21	-25	Pass	9701
1000	2490	1	RMS	2489	-47.78	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.4	60	Pass	401
2580	3000	1	RMS	2648	-46.52	-25	Pass	421
3000	12000	1	RMS	5061	-61.24	-25	Pass	9001
12000	26000	1	RMS	25008	-36.11	-25	Pass	14001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.75	-25	Pass	2986
30	1000	0.1	RMS	952.1	-62.22	-25	Pass	9701
1000	2490	1	RMS	2490	-47.81	-25	Pass	1491
2490	2580	1	RMS	2530.5	20.38	60	Pass	401
2580	3000	1	RMS	2652	-46.52	-25	Pass	421
3000	12000	1	RMS	11853	-61.33	-25	Pass	9001
12000	26000	1	RMS	25013	-36.08	-25	Pass	14001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.5	-25	Pass	2986
30	1000	0.1	RMS	930.3	-62.22	-25	Pass	9701
1000	2490	1	RMS	2490	-47.8	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.55	60	Pass	401
2580	3000	1	RMS	2580	-46.34	-25	Pass	421
3000	12000	1	RMS	5121	-60	-25	Pass	9001
12000	26000	1	RMS	25013	-36.14	-25	Pass	14001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.52	-25	Pass	2986
30	1000	0.1	RMS	923.3	-62.2	-25	Pass	9701
1000	2490	1	RMS	2488	-47.79	-25	Pass	1491
2490	2580	1	RMS	2560.65	20.63	60	Pass	401
2580	3000	1	RMS	2642	-46.5	-25	Pass	421
3000	12000	1	RMS	5121	-60.86	-25	Pass	9001
12000	26000	1	RMS	25012	-36.09	-25	Pass	14001



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.05	-25	Pass	2986
30	1000	0.1	RMS	928.9	-62.24	-25	Pass	9701
1000	2490	1	RMS	2488	-43.94	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.56	60	Pass	401
2580	3000	1	RMS	2646	-46.45	-25	Pass	421
3000	12000	1	RMS	5002	-60.96	-25	Pass	9001
12000	26000	1	RMS	25013	-35.97	-25	Pass	14001



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.64	-25	Pass	2986
30	1000	0.1	RMS	946.2	-62.11	-25	Pass	9701
1000	2490	1	RMS	2488	-45.38	-25	Pass	1491
2490	2580	1	RMS	2500.8	20.7	60	Pass	401
2580	3000	1	RMS	2644	-46.45	-25	Pass	421
3000	12000	1	RMS	11866	-61.37	-25	Pass	9001
12000	26000	1	RMS	25017	-36.15	-25	Pass	14001



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.9	-25	Pass	2986
30	1000	0.1	RMS	917.9	-62.3	-25	Pass	9701
1000	2490	1	RMS	2489	-47.81	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.33	60	Pass	401
2580	3000	1	RMS	2647	-46.59	-25	Pass	421
3000	12000	1	RMS	11861	-61.42	-25	Pass	9001
12000	26000	1	RMS	25014	-36.08	-25	Pass	14001



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.58	-25	Pass	2986
30	1000	0.1	RMS	931.5	-62.19	-25	Pass	9701
1000	2490	1	RMS	2489	-47.68	-25	Pass	1491
2490	2580	1	RMS	2528.25	20.37	60	Pass	401
2580	3000	1	RMS	2648	-46.46	-25	Pass	421
3000	12000	1	RMS	11852	-61.33	-25	Pass	9001
12000	26000	1	RMS	25009	-36.17	-25	Pass	14001



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.89	-25	Pass	2986
30	1000	0.1	RMS	924.4	-62.23	-25	Pass	9701
1000	2490	1	RMS	2490	-47.72	-25	Pass	1491
2490	2595	1	RMS	2555.888	21.56	60	Pass	401
2595	3000	1	RMS	2644	-46.46	-25	Pass	406
3000	12000	1	RMS	5112	-60.04	-25	Pass	9001
12000	26000	1	RMS	25013	-36.11	-25	Pass	14001



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.27	-25	Pass	2986
30	1000	0.1	RMS	926.4	-62.08	-25	Pass	9701
1000	2490	1	RMS	2490	-47.7	-25	Pass	1491
2490	2595	1	RMS	2555.888	20.72	60	Pass	401
2595	3000	1	RMS	2642	-46.46	-25	Pass	406
3000	12000	1	RMS	5112	-60.77	-25	Pass	9001
12000	26000	1	RMS	25011	-36.14	-25	Pass	14001



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.57	-25	Pass	2986
30	1000	0.1	RMS	927.2	-62.3	-25	Pass	9701
1000	2490	1	RMS	2490	-45.92	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.43	60	Pass	401
2580	3000	1	RMS	2640	-46.59	-25	Pass	421
3000	12000	1	RMS	5002	-61.18	-25	Pass	9001
12000	26000	1	RMS	25009	-36	-25	Pass	14001



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.35	-25	Pass	2986
30	1000	0.1	RMS	957	-62.27	-25	Pass	9701
1000	2490	1	RMS	2490	-45.83	-25	Pass	1491
2490	2580	1	RMS	2501.025	20.65	60	Pass	401
2580	3000	1	RMS	2643	-46.46	-25	Pass	421
3000	12000	1	RMS	11858	-61.38	-25	Pass	9001
12000	26000	1	RMS	25013	-36.15	-25	Pass	14001



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.92	-25	Pass	2986
30	1000	0.1	RMS	907	-62.39	-25	Pass	9701
1000	2490	1	RMS	2490	-47.11	-25	Pass	1491
2490	2580	1	RMS	2526	21.22	60	Pass	401
2580	3000	1	RMS	2644	-46.46	-25	Pass	421
3000	12000	1	RMS	11864	-61.38	-25	Pass	9001
12000	26000	1	RMS	25010	-36.2	-25	Pass	14001



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.32	-25	Pass	2986
30	1000	0.1	RMS	924.9	-62.31	-25	Pass	9701
1000	2490	1	RMS	2490	-47.17	-25	Pass	1491
2490	2580	1	RMS	2526	20.28	60	Pass	401
2580	3000	1	RMS	2652	-46.42	-25	Pass	421
3000	12000	1	RMS	11865	-61.36	-25	Pass	9001
12000	26000	1	RMS	25014	-36.05	-25	Pass	14001



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.86	-25	Pass	2986
30	1000	0.1	RMS	928	-62.4	-25	Pass	9701
1000	2490	1	RMS	2490	-47.77	-25	Pass	1491
2490	2595	1	RMS	2551.163	21.27	60	Pass	401
2595	3000	1	RMS	2641	-46.58	-25	Pass	406
3000	12000	1	RMS	5102	-60.83	-25	Pass	9001
12000	26000	1	RMS	25010	-36.04	-25	Pass	14001



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.84	-25	Pass	2986
30	1000	0.1	RMS	935.8	-62.24	-25	Pass	9701
1000	2490	1	RMS	2489	-47.85	-25	Pass	1491
2490	2595	1	RMS	2551.163	20.33	60	Pass	401
2595	3000	1	RMS	2641	-46.61	-25	Pass	406
3000	12000	1	RMS	5102	-61.4	-25	Pass	9001
12000	26000	1	RMS	25012	-36.06	-25	Pass	14001



5. LTE_Band12


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.92	-13	Pass	2986
30	689	0.1	RMS	686.2	-63.57	-13	Pass	6591
689	726	0.1	RMS	699.268	19.27	60	Pass	401
726	1000	0.1	RMS	915.8	-62.33	-13	Pass	2741
1000	3000	1	RMS	1399	-46.24	-13	Pass	2001
3000	10000	1	RMS	9959	-40.73	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.24	-13	Pass	2986
30	689	0.1	RMS	687.6	-63.61	-13	Pass	6591
689	726	0.1	RMS	699.268	18.25	60	Pass	401
726	1000	0.1	RMS	904.4	-62.24	-13	Pass	2741
1000	3000	1	RMS	2649	-46.42	-13	Pass	2001
3000	10000	1	RMS	9949	-40.76	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.49	-13	Pass	2986
30	689	0.1	RMS	688.3	-63.42	-13	Pass	6591
689	726	0.1	RMS	707.038	19.43	60	Pass	401
726	1000	0.1	RMS	890.2	-62.28	-13	Pass	2741
1000	3000	1	RMS	2651	-46.42	-13	Pass	2001
3000	10000	1	RMS	9952	-40.7	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.11	-13	Pass	2986
30	689	0.1	RMS	680.3	-63.57	-13	Pass	6591
689	726	0.1	RMS	707.038	18.44	60	Pass	401
726	1000	0.1	RMS	912	-62.43	-13	Pass	2741
1000	3000	1	RMS	2651	-46.42	-13	Pass	2001
3000	10000	1	RMS	9952	-40.69	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.74	-13	Pass	2986
30	689	0.1	RMS	686.9	-63.34	-13	Pass	6591
689	726	0.1	RMS	714.808	19.07	60	Pass	401
726	1000	0.1	RMS	888.7	-62.29	-13	Pass	2741
1000	3000	1	RMS	2638	-46.44	-13	Pass	2001
3000	10000	1	RMS	9956	-40.72	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.5	-13	Pass	2986
30	689	0.1	RMS	685.2	-63.55	-13	Pass	6591
689	726	0.1	RMS	714.808	18.07	60	Pass	401
726	1000	0.1	RMS	895.4	-62.4	-13	Pass	2741
1000	3000	1	RMS	2643	-46.42	-13	Pass	2001
3000	10000	1	RMS	9950	-40.71	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.53	-13	Pass	2986
30	689	0.1	RMS	681.1	-63.45	-13	Pass	6591
689	726	0.1	RMS	699.268	19.24	60	Pass	401
726	1000	0.1	RMS	922.8	-62.25	-13	Pass	2741
1000	3000	1	RMS	1398	-46.14	-13	Pass	2001
3000	10000	1	RMS	9952	-40.8	-13	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.49	-13	Pass	2986
30	689	0.1	RMS	674	-63.45	-13	Pass	6591
689	726	0.1	RMS	699.268	18.41	60	Pass	401
726	1000	0.1	RMS	910.1	-62.19	-13	Pass	2741
1000	3000	1	RMS	2642	-46.45	-13	Pass	2001
3000	10000	1	RMS	9957	-40.73	-13	Pass	7001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.41	-13	Pass	2986
30	689	0.1	RMS	676.7	-63.47	-13	Pass	6591
689	726	0.1	RMS	706.205	19.2	60	Pass	401
726	1000	0.1	RMS	920.4	-62.22	-13	Pass	2741
1000	3000	1	RMS	2647	-46.4	-13	Pass	2001
3000	10000	1	RMS	9952	-40.73	-13	Pass	7001



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.29	-13	Pass	2986
30	689	0.1	RMS	684.9	-63.52	-13	Pass	6591
689	726	0.1	RMS	706.205	18.2	60	Pass	401
726	1000	0.1	RMS	946.2	-62.43	-13	Pass	2741
1000	3000	1	RMS	2644	-46.44	-13	Pass	2001
3000	10000	1	RMS	9965	-40.8	-13	Pass	7001



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.35	-13	Pass	2986
30	689	0.1	RMS	686.8	-63.57	-13	Pass	6591
689	726	0.1	RMS	713.235	19.64	60	Pass	401
726	1000	0.1	RMS	905.3	-62.39	-13	Pass	2741
1000	3000	1	RMS	1426	-43.48	-13	Pass	2001
3000	10000	1	RMS	9954	-40.79	-13	Pass	7001



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45	-13	Pass	2986
30	689	0.1	RMS	667.7	-63.54	-13	Pass	6591
689	726	0.1	RMS	713.235	18.72	60	Pass	401
726	1000	0.1	RMS	924.8	-62.04	-13	Pass	2741
1000	3000	1	RMS	1426	-44.46	-13	Pass	2001
3000	10000	1	RMS	9959	-40.74	-13	Pass	7001



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.82	-13	Pass	2986
30	689	0.1	RMS	680.2	-63.48	-13	Pass	6591
689	726	0.1	RMS	699.36	19.14	60	Pass	401
726	1000	0.1	RMS	919.9	-62.34	-13	Pass	2741
1000	3000	1	RMS	1399	-44.86	-13	Pass	2001
3000	10000	1	RMS	9954	-40.72	-13	Pass	7001



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.8	-13	Pass	2986
30	689	0.1	RMS	687.3	-63.53	-13	Pass	6591
689	726	0.1	RMS	699.36	18.37	60	Pass	401
726	1000	0.1	RMS	919.7	-62.26	-13	Pass	2741
1000	3000	1	RMS	1399	-45.77	-13	Pass	2001
3000	10000	1	RMS	9961	-40.77	-13	Pass	7001



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.49	-13	Pass	2986
30	689	0.1	RMS	688.5	-63.49	-13	Pass	6591
689	726	0.1	RMS	705.373	19.1	60	Pass	401
726	1000	0.1	RMS	919.4	-62.23	-13	Pass	2741
1000	3000	1	RMS	2649	-46.43	-13	Pass	2001
3000	10000	1	RMS	9959	-40.76	-13	Pass	7001



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.79	-13	Pass	2986
30	689	0.1	RMS	676.1	-63.51	-13	Pass	6591
689	726	0.1	RMS	705.373	18.31	60	Pass	401
726	1000	0.1	RMS	938.8	-62.37	-13	Pass	2741
1000	3000	1	RMS	2652	-46.43	-13	Pass	2001
3000	10000	1	RMS	9955	-40.74	-13	Pass	7001



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.68	-13	Pass	2986
30	689	0.1	RMS	683.2	-63.55	-13	Pass	6591
689	726	0.1	RMS	711.293	18.95	60	Pass	401
726	1000	0.1	RMS	883.6	-62.35	-13	Pass	2741
1000	3000	1	RMS	1423	-45.98	-13	Pass	2001
3000	10000	1	RMS	9961	-40.64	-13	Pass	7001



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.92	-13	Pass	2986
30	689	0.1	RMS	679	-63.55	-13	Pass	6591
689	726	0.1	RMS	711.385	18.12	60	Pass	401
726	1000	0.1	RMS	910.9	-62.27	-13	Pass	2741
1000	3000	1	RMS	1423	-46.33	-13	Pass	2001
3000	10000	1	RMS	9962	-40.72	-13	Pass	7001



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.69	-13	Pass	2986
30	689	0.1	RMS	681.1	-63.5	-13	Pass	6591
689	726	0.1	RMS	699.545	18.91	60	Pass	401
726	1000	0.1	RMS	890.6	-62.26	-13	Pass	2741
1000	3000	1	RMS	1399	-43.13	-13	Pass	2001
3000	10000	1	RMS	9955	-40.95	-13	Pass	7001



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.67	-13	Pass	2986
30	689	0.1	RMS	687.1	-63.72	-13	Pass	6591
689	726	0.1	RMS	699.638	17.84	60	Pass	401
726	1000	0.1	RMS	880.5	-62.52	-13	Pass	2741
1000	3000	1	RMS	1399	-43.99	-13	Pass	2001
3000	10000	1	RMS	9952	-40.9	-13	Pass	7001



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.43	-13	Pass	2986
30	689	0.1	RMS	686.5	-63.66	-13	Pass	6591
689	726	0.1	RMS	703.06	19.11	60	Pass	401
726	1000	0.1	RMS	921.7	-62.57	-13	Pass	2741
1000	3000	1	RMS	2644	-46.58	-13	Pass	2001
3000	10000	1	RMS	9956	-40.91	-13	Pass	7001



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.02	-13	Pass	2986
30	689	0.1	RMS	684.3	-63.72	-13	Pass	6591
689	726	0.1	RMS	703.06	18.12	60	Pass	401
726	1000	0.1	RMS	941.5	-62.61	-13	Pass	2741
1000	3000	1	RMS	2646	-46.59	-13	Pass	2001
3000	10000	1	RMS	9964	-40.95	-13	Pass	7001



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.41	-13	Pass	2986
30	689	0.1	RMS	681.6	-63.64	-13	Pass	6591
689	726	0.1	RMS	706.575	19.36	60	Pass	401
726	1000	0.1	RMS	893.8	-62.51	-13	Pass	2741
1000	3000	1	RMS	1413	-45.98	-13	Pass	2001
3000	10000	1	RMS	9954	-40.97	-13	Pass	7001



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.24	-13	Pass	2986
30	689	0.1	RMS	537.4	-63.78	-13	Pass	6591
689	726	0.1	RMS	706.575	18.46	60	Pass	401
726	1000	0.1	RMS	910	-62.45	-13	Pass	2741
1000	3000	1	RMS	2649	-46.58	-13	Pass	2001
3000	10000	1	RMS	9956	-40.92	-13	Pass	7001



6. LTE_Band17


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.22	-13	Pass	2986
30	694	0.1	RMS	694	-63.53	-13	Pass	6641
694	726	0.1	RMS	704.32	19.09	60	Pass	401
726	1000	0.1	RMS	802.5	-62.53	-13	Pass	2741
1000	3000	1	RMS	2647	-46.56	-13	Pass	2001
3000	10000	1	RMS	9956	-40.89	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.78	-13	Pass	2986
30	694	0.1	RMS	693.6	-63.65	-13	Pass	6641
694	726	0.1	RMS	704.32	18.21	60	Pass	401
726	1000	0.1	RMS	931.7	-62.5	-13	Pass	2741
1000	3000	1	RMS	2647	-46.61	-13	Pass	2001
3000	10000	1	RMS	9955	-40.93	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.24	-13	Pass	2986
30	694	0.1	RMS	692.6	-63.55	-13	Pass	6641
694	726	0.1	RMS	707.84	19.37	60	Pass	401
726	1000	0.1	RMS	923.7	-62.43	-13	Pass	2741
1000	3000	1	RMS	1416	-45.87	-13	Pass	2001
3000	10000	1	RMS	9952	-40.92	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.1	-13	Pass	2986
30	694	0.1	RMS	693.6	-63.53	-13	Pass	6641
694	726	0.1	RMS	707.84	18.53	60	Pass	401
726	1000	0.1	RMS	940.4	-62.49	-13	Pass	2741
1000	3000	1	RMS	2648	-46.59	-13	Pass	2001
3000	10000	1	RMS	9951	-40.96	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.72	-13	Pass	2986
30	694	0.1	RMS	682.1	-63.69	-13	Pass	6641
694	726	0.1	RMS	711.36	19.07	60	Pass	401
726	1000	0.1	RMS	889.3	-62.47	-13	Pass	2741
1000	3000	1	RMS	1423	-46.15	-13	Pass	2001
3000	10000	1	RMS	9959	-40.92	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.29	-13	Pass	2986
30	694	0.1	RMS	510.7	-63.66	-13	Pass	6641
694	726	0.1	RMS	711.36	18.47	60	Pass	401
726	1000	0.1	RMS	919.1	-62.58	-13	Pass	2741
1000	3000	1	RMS	1423	-46.53	-13	Pass	2001
3000	10000	1	RMS	9954	-40.96	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.72	-13	Pass	2986
30	694	0.1	RMS	694	-62.99	-13	Pass	6641
694	726	0.1	RMS	704.56	19.14	60	Pass	401
726	1000	0.1	RMS	918.7	-62.45	-13	Pass	2741
1000	3000	1	RMS	2650	-46.59	-13	Pass	2001
3000	10000	1	RMS	9952	-40.94	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.25	-13	Pass	2986
30	694	0.1	RMS	693.8	-63.05	-13	Pass	6641
694	726	0.1	RMS	704.56	18.3	60	Pass	401
726	1000	0.1	RMS	900.9	-62.42	-13	Pass	2741
1000	3000	1	RMS	2646	-46.58	-13	Pass	2001
3000	10000	1	RMS	9956	-40.87	-13	Pass	7001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.11	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.23	-13	Pass	6641
694	726	0.1	RMS	705.6	19.39	60	Pass	401
726	1000	0.1	RMS	880.8	-62.47	-13	Pass	2741
1000	3000	1	RMS	2646	-46.57	-13	Pass	2001
3000	10000	1	RMS	9955	-40.92	-13	Pass	7001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.07	-13	Pass	2986
30	694	0.1	RMS	694	-63.51	-13	Pass	6641
694	726	0.1	RMS	705.6	18.39	60	Pass	401
726	1000	0.1	RMS	915.2	-62.44	-13	Pass	2741
1000	3000	1	RMS	2638	-46.58	-13	Pass	2001
3000	10000	1	RMS	9956	-40.96	-13	Pass	7001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.24	-13	Pass	2986
30	694	0.1	RMS	692.9	-63.5	-13	Pass	6641
694	726	0.1	RMS	706.56	19.13	60	Pass	401
726	1000	0.1	RMS	916.3	-62.45	-13	Pass	2741
1000	3000	1	RMS	1413	-46.15	-13	Pass	2001
3000	10000	1	RMS	9955	-40.89	-13	Pass	7001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.15	-13	Pass	2986
30	694	0.1	RMS	684.8	-63.65	-13	Pass	6641
694	726	0.1	RMS	706.56	18.22	60	Pass	401
726	1000	0.1	RMS	925.2	-62.38	-13	Pass	2741
1000	3000	1	RMS	2640	-46.59	-13	Pass	2001
3000	10000	1	RMS	9954	-40.91	-13	Pass	7001



8. LTE_Band38


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.13	-25	Pass	2986
30	1000	0.1	RMS	921.2	-58.33	-25	Pass	9701
1000	2560	1	RMS	2532	-43.69	-25	Pass	1561
2560	2630	1	RMS	2570.325	22.28	60	Pass	401
2630	3000	1	RMS	2641.1	-42.62	-25	Pass	401
3000	12000	1	RMS	11911	-57.56	-25	Pass	9001
12000	26500	1	RMS	25016	-31.46	-25	Pass	14501




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.44	-25	Pass	2986
30	1000	0.1	RMS	916.6	-58.41	-25	Pass	9701
1000	2560	1	RMS	2556	-43.72	-25	Pass	1561
2560	2630	1	RMS	2570.5	20.58	60	Pass	401
2630	3000	1	RMS	2643.875	-42.64	-25	Pass	401
3000	12000	1	RMS	11882	-57.52	-25	Pass	9001
12000	26500	1	RMS	25012	-31.49	-25	Pass	14501




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.47	-25	Pass	2986
30	1000	0.1	RMS	942.3	-58.37	-25	Pass	9701
1000	2560	1	RMS	2500	-43.73	-25	Pass	1561
2560	2630	1	RMS	2592.725	21.65	60	Pass	401
2630	3000	1	RMS	2649.425	-42.64	-25	Pass	401
3000	12000	1	RMS	11849	-57.51	-25	Pass	9001
12000	26500	1	RMS	25013	-31.55	-25	Pass	14501




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-42.81	-25	Pass	2986
30	1000	0.1	RMS	924.8	-58.38	-25	Pass	9701
1000	2560	1	RMS	2551	-43.6	-25	Pass	1561
2560	2630	1	RMS	2592.725	21.22	60	Pass	401
2630	3000	1	RMS	2649.425	-42.57	-25	Pass	401
3000	12000	1	RMS	11880	-57.42	-25	Pass	9001
12000	26500	1	RMS	25015	-31.26	-25	Pass	14501




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.2	-25	Pass	2986
30	1000	0.1	RMS	931.5	-58.32	-25	Pass	9701
1000	2560	1	RMS	2533	-43.71	-25	Pass	1561
2560	2630	1	RMS	2615.475	21.29	60	Pass	401
2630	3000	1	RMS	2643.875	-42.61	-25	Pass	401
3000	12000	1	RMS	11883	-57.51	-25	Pass	9001
12000	26500	1	RMS	25011	-31.53	-25	Pass	14501




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.19	-25	Pass	2986
30	1000	0.1	RMS	906.8	-58.34	-25	Pass	9701
1000	2560	1	RMS	2498	-43.69	-25	Pass	1561
2560	2630	1	RMS	2615.3	20.92	60	Pass	401
2630	3000	1	RMS	2640.175	-42.65	-25	Pass	401
3000	12000	1	RMS	11851	-57.49	-25	Pass	9001
12000	26500	1	RMS	25011	-31.57	-25	Pass	14501




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.56	-25	Pass	2986
30	1000	0.1	RMS	919.6	-58.27	-25	Pass	9701
1000	2560	1	RMS	2560	-42.94	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.16	60	Pass	401
2630	3000	1	RMS	2638.325	-42.6	-25	Pass	401
3000	12000	1	RMS	11863	-57.41	-25	Pass	9001
12000	26500	1	RMS	25010	-31.27	-25	Pass	14501




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.78	-25	Pass	2986
30	1000	0.1	RMS	943.5	-58.29	-25	Pass	9701
1000	2560	1	RMS	2560	-43.16	-25	Pass	1561
2560	2630	1	RMS	2570.5	21.18	60	Pass	401
2630	3000	1	RMS	2642.025	-42.66	-25	Pass	401
3000	12000	1	RMS	11885	-57.55	-25	Pass	9001
12000	26500	1	RMS	25009	-31.53	-25	Pass	14501



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.79	-25	Pass	2986
30	1000	0.1	RMS	878.3	-58.2	-25	Pass	9701
1000	2560	1	RMS	2535	-43.65	-25	Pass	1561
2560	2630	1	RMS	2590.45	22.06	60	Pass	401
2630	3000	1	RMS	2642.025	-42.58	-25	Pass	401
3000	12000	1	RMS	11851	-57.36	-25	Pass	9001
12000	26500	1	RMS	25014	-31.15	-25	Pass	14501



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-40.96	-25	Pass	2986
30	1000	0.1	RMS	951.7	-58.22	-25	Pass	9701
1000	2560	1	RMS	2559	-43.62	-25	Pass	1561
2560	2630	1	RMS	2590.45	21.02	60	Pass	401
2630	3000	1	RMS	2642.025	-42.6	-25	Pass	401
3000	12000	1	RMS	11870	-57.34	-25	Pass	9001
12000	26500	1	RMS	25017	-31.2	-25	Pass	14501



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.7	-25	Pass	2986
30	1000	0.1	RMS	923.5	-58.32	-25	Pass	9701
1000	2560	1	RMS	2544	-43.64	-25	Pass	1561
2560	2630	1	RMS	2610.575	21.27	60	Pass	401
2630	3000	1	RMS	2630	-42.37	-25	Pass	401
3000	12000	1	RMS	11856	-57.33	-25	Pass	9001
12000	26500	1	RMS	25012	-31.2	-25	Pass	14501



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.21	-25	Pass	2986
30	1000	0.1	RMS	951.4	-58.29	-25	Pass	9701
1000	2560	1	RMS	2530	-43.73	-25	Pass	1561
2560	2630	1	RMS	2610.75	20.55	60	Pass	401
2630	3000	1	RMS	2630	-42.44	-25	Pass	401
3000	12000	1	RMS	11877	-57.51	-25	Pass	9001
12000	26500	1	RMS	25011	-31.35	-25	Pass	14501



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.58	-25	Pass	2986
30	1000	0.1	RMS	940.5	-58.4	-25	Pass	9701
1000	2560	1	RMS	2557	-41.21	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.16	60	Pass	401
2630	3000	1	RMS	2647.575	-42.6	-25	Pass	401
3000	12000	1	RMS	11845	-57.37	-25	Pass	9001
12000	26500	1	RMS	25015	-31.26	-25	Pass	14501



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.33	-25	Pass	401
0.15	30	0.01	RMS	0.16	-42.54	-25	Pass	2986
30	1000	0.1	RMS	916.6	-58.38	-25	Pass	9701
1000	2560	1	RMS	2558	-41.21	-25	Pass	1561
2560	2630	1	RMS	2570.675	20.98	60	Pass	401
2630	3000	1	RMS	2643.875	-42.64	-25	Pass	401
3000	12000	1	RMS	11850	-57.51	-25	Pass	9001
12000	26500	1	RMS	25013	-31.54	-25	Pass	14501



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.38	-25	Pass	2986
30	1000	0.1	RMS	938.3	-58.39	-25	Pass	9701
1000	2560	1	RMS	2537	-43.71	-25	Pass	1561
2560	2630	1	RMS	2588.35	21.59	60	Pass	401
2630	3000	1	RMS	2642.95	-42.64	-25	Pass	401
3000	12000	1	RMS	11861	-57.57	-25	Pass	9001
12000	26500	1	RMS	25013	-31.46	-25	Pass	14501



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.78	-25	Pass	2986
30	1000	0.1	RMS	943.8	-58.4	-25	Pass	9701
1000	2560	1	RMS	2544	-43.66	-25	Pass	1561
2560	2630	1	RMS	2588.35	20.27	60	Pass	401
2630	3000	1	RMS	2649.425	-42.63	-25	Pass	401
3000	12000	1	RMS	11855	-57.42	-25	Pass	9001
12000	26500	1	RMS	25014	-31.29	-25	Pass	14501



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.18	-25	Pass	2986
30	1000	0.1	RMS	945.5	-58.37	-25	Pass	9701
1000	2560	1	RMS	2535	-43.68	-25	Pass	1561
2560	2645	1	RMS	2605.9	21.14	60	Pass	401
2645	3000	1	RMS	2645	-42.67	-25	Pass	401
3000	12000	1	RMS	11862	-57.52	-25	Pass	9001
12000	26500	1	RMS	25009	-31.47	-25	Pass	14501



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.01	-25	Pass	2986
30	1000	0.1	RMS	908.3	-58.43	-25	Pass	9701
1000	2560	1	RMS	2536	-43.72	-25	Pass	1561
2560	2645	1	RMS	2605.688	20.45	60	Pass	401
2645	3000	1	RMS	2647.663	-42.63	-25	Pass	401
3000	12000	1	RMS	11861	-57.48	-25	Pass	9001
12000	26500	1	RMS	25012	-31.47	-25	Pass	14501



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.39	-25	Pass	2986
30	1000	0.1	RMS	954	-58.35	-25	Pass	9701
1000	2560	1	RMS	2553	-40.82	-25	Pass	1561
2560	2630	1	RMS	2571.2	21.85	60	Pass	401
2630	3000	1	RMS	2644.8	-42.57	-25	Pass	401
3000	12000	1	RMS	11849	-57.32	-25	Pass	9001
12000	26500	1	RMS	25010	-31.29	-25	Pass	14501



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.29	-25	Pass	2986
30	1000	0.1	RMS	927.6	-58.35	-25	Pass	9701
1000	2560	1	RMS	2553	-40.52	-25	Pass	1561
2560	2630	1	RMS	2571.2	21.35	60	Pass	401
2630	3000	1	RMS	2642.025	-42.6	-25	Pass	401
3000	12000	1	RMS	11861	-57.41	-25	Pass	9001
12000	26500	1	RMS	25018	-31.25	-25	Pass	14501



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.91	-25	Pass	2986
30	1000	0.1	RMS	920.3	-58.37	-25	Pass	9701
1000	2560	1	RMS	2550	-43.28	-25	Pass	1561
2560	2630	1	RMS	2586.075	21.78	60	Pass	401
2630	3000	1	RMS	2647.575	-42.65	-25	Pass	401
3000	12000	1	RMS	11857	-57.5	-25	Pass	9001
12000	26500	1	RMS	25018	-31.5	-25	Pass	14501



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.68	-25	Pass	2986
30	1000	0.1	RMS	919.8	-58.45	-25	Pass	9701
1000	2560	1	RMS	2550	-43.32	-25	Pass	1561
2560	2630	1	RMS	2586.25	19.98	60	Pass	401
2630	3000	1	RMS	2646.65	-42.66	-25	Pass	401
3000	12000	1	RMS	11865	-57.49	-25	Pass	9001
12000	26500	1	RMS	25010	-31.57	-25	Pass	14501



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.08	-25	Pass	2986
30	1000	0.1	RMS	888.7	-58.46	-25	Pass	9701
1000	2560	1	RMS	2531	-43.71	-25	Pass	1561
2560	2645	1	RMS	2601.013	21.44	60	Pass	401
2645	3000	1	RMS	2653.875	-42.65	-25	Pass	401
3000	12000	1	RMS	11851	-57.44	-25	Pass	9001
12000	26500	1	RMS	25011	-31.52	-25	Pass	14501



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-37.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.04	-25	Pass	2986
30	1000	0.1	RMS	946.4	-58.38	-25	Pass	9701
1000	2560	1	RMS	2557	-43.74	-25	Pass	1561
2560	2645	1	RMS	2601.225	20.27	60	Pass	401
2645	3000	1	RMS	2647.663	-42.66	-25	Pass	401
3000	12000	1	RMS	11900	-57.52	-25	Pass	9001
12000	26500	1	RMS	25012	-31.48	-25	Pass	14501



9. LTE_Band41 full


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.4	-25	Pass	2986
30	1000	0.1	RMS	904.3	-58.34	-25	Pass	9701
1000	2486	1	RMS	2486	-43.8	-25	Pass	1487
2486	2700	1	RMS	2496.165	21	60	Pass	401
2700	3000	1	RMS	3000	-42.59	-25	Pass	401
3000	12000	1	RMS	4993	-40.78	-25	Pass	9001
12000	27000	1	RMS	25011	-32.53	-25	Pass	15001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.2	-25	Pass	2986
30	1000	0.1	RMS	924.4	-58.28	-25	Pass	9701
1000	2486	1	RMS	2486	-43.73	-25	Pass	1487
2486	2700	1	RMS	2496.165	20.77	60	Pass	401
2700	3000	1	RMS	3000	-42.57	-25	Pass	401
3000	12000	1	RMS	4993	-49.23	-25	Pass	9001
12000	27000	1	RMS	25018	-32.72	-25	Pass	15001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.83	-25	Pass	2986
30	1000	0.1	RMS	938.9	-58.32	-25	Pass	9701
1000	2486	1	RMS	2486	-43.99	-25	Pass	1487
2486	2700	1	RMS	2590.86	21.5	60	Pass	401
2700	3000	1	RMS	2996.25	-42.69	-25	Pass	401
3000	12000	1	RMS	11895	-57.41	-25	Pass	9001
12000	27000	1	RMS	25011	-32.03	-25	Pass	15001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.11	-25	Pass	2986
30	1000	0.1	RMS	942.6	-58.19	-25	Pass	9701
1000	2486	1	RMS	2486	-43.92	-25	Pass	1487
2486	2700	1	RMS	2590.86	20.17	60	Pass	401
2700	3000	1	RMS	2998.5	-42.57	-25	Pass	401
3000	12000	1	RMS	11842	-57.5	-25	Pass	9001
12000	27000	1	RMS	25008	-32.64	-25	Pass	15001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.14	-25	Pass	2986
30	1000	0.1	RMS	906.9	-58.23	-25	Pass	9701
1000	2486	1	RMS	2486	-43.85	-25	Pass	1487
2486	2700	1	RMS	2685.02	19.71	60	Pass	401
2700	3000	1	RMS	2997.75	-42.6	-25	Pass	401
3000	12000	1	RMS	11854	-57.47	-25	Pass	9001
12000	27000	1	RMS	25012	-32.61	-25	Pass	15001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.74	-25	Pass	2986
30	1000	0.1	RMS	936.1	-58.32	-25	Pass	9701
1000	2486	1	RMS	2485	-43.94	-25	Pass	1487
2486	2700	1	RMS	2685.555	19.47	60	Pass	401
2700	3000	1	RMS	2998.5	-42.57	-25	Pass	401
3000	12000	1	RMS	11866	-57.5	-25	Pass	9001
12000	27000	1	RMS	25010	-32.44	-25	Pass	15001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.06	-25	Pass	2986
30	1000	0.1	RMS	914	-58.27	-25	Pass	9701
1000	2486	1	RMS	2479	-43.5	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.48	60	Pass	401
2700	3000	1	RMS	3000	-42.58	-25	Pass	401
3000	12000	1	RMS	4994	-44.8	-25	Pass	9001
12000	27000	1	RMS	25014	-32.64	-25	Pass	15001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43	-25	Pass	2986
30	1000	0.1	RMS	931.1	-58.19	-25	Pass	9701
1000	2486	1	RMS	2486	-43.09	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.15	60	Pass	401
2700	3000	1	RMS	2997.75	-42.58	-25	Pass	401
3000	12000	1	RMS	4992	-53.03	-25	Pass	9001
12000	27000	1	RMS	25014	-32.68	-25	Pass	15001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-39.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.35	-25	Pass	2986
30	1000	0.1	RMS	927.7	-58.32	-25	Pass	9701
1000	2486	1	RMS	2485	-43.92	-25	Pass	1487
2486	2700	1	RMS	2588.72	21.17	60	Pass	401
2700	3000	1	RMS	2999.25	-42.6	-25	Pass	401
3000	12000	1	RMS	11892	-57.53	-25	Pass	9001
12000	27000	1	RMS	25011	-32.62	-25	Pass	15001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.38	-25	Pass	2986
30	1000	0.1	RMS	943.2	-58.36	-25	Pass	9701
1000	2486	1	RMS	2485	-43.96	-25	Pass	1487
2486	2700	1	RMS	2588.72	19.8	60	Pass	401
2700	3000	1	RMS	2998.5	-42.68	-25	Pass	401
3000	12000	1	RMS	11866	-57.37	-25	Pass	9001
12000	27000	1	RMS	25012	-32.2	-25	Pass	15001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.41	-25	Pass	2986
30	1000	0.1	RMS	923.2	-58.27	-25	Pass	9701
1000	2486	1	RMS	2484	-43.98	-25	Pass	1487
2486	2700	1	RMS	2680.74	20.02	60	Pass	401
2700	3000	1	RMS	3000	-42.58	-25	Pass	401
3000	12000	1	RMS	11876	-57.51	-25	Pass	9001
12000	27000	1	RMS	25009	-32.48	-25	Pass	15001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43.04	-25	Pass	2986
30	1000	0.1	RMS	906.5	-58.19	-25	Pass	9701
1000	2486	1	RMS	2485	-43.94	-25	Pass	1487
2486	2700	1	RMS	2680.74	18.49	60	Pass	401
2700	3000	1	RMS	2997.75	-42.59	-25	Pass	401
3000	12000	1	RMS	11856	-57.51	-25	Pass	9001
12000	27000	1	RMS	25006	-32.68	-25	Pass	15001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-43	-25	Pass	2986
30	1000	0.1	RMS	928.9	-58.29	-25	Pass	9701
1000	2486	1	RMS	2486	-40.62	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.13	60	Pass	401
2700	3000	1	RMS	2997.75	-42.65	-25	Pass	401
3000	12000	1	RMS	4993	-50.86	-25	Pass	9001
12000	27000	1	RMS	25013	-32.52	-25	Pass	15001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.9	-25	Pass	2986
30	1000	0.1	RMS	925.2	-58.3	-25	Pass	9701
1000	2486	1	RMS	2484	-41.61	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.97	60	Pass	401
2700	3000	1	RMS	2998.5	-42.6	-25	Pass	401
3000	12000	1	RMS	4994	-43.11	-25	Pass	9001
12000	27000	1	RMS	25016	-32.65	-25	Pass	15001



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.22	-25	Pass	401
0.15	30	0.01	RMS	0.16	-43.22	-25	Pass	2986
30	1000	0.1	RMS	929.7	-58.12	-25	Pass	9701
1000	2486	1	RMS	2486	-43.88	-25	Pass	1487
2486	2700	1	RMS	2586.58	20.78	60	Pass	401
2700	3000	1	RMS	2999.25	-42.63	-25	Pass	401
3000	12000	1	RMS	11880	-57.5	-25	Pass	9001
12000	27000	1	RMS	25011	-32.69	-25	Pass	15001



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-39.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.28	-25	Pass	2986
30	1000	0.1	RMS	919.2	-58.28	-25	Pass	9701
1000	2486	1	RMS	2485	-43.9	-25	Pass	1487
2486	2700	1	RMS	2586.58	20.2	60	Pass	401
2700	3000	1	RMS	2999.25	-42.6	-25	Pass	401
3000	12000	1	RMS	11850	-57.51	-25	Pass	9001
12000	27000	1	RMS	25014	-32.66	-25	Pass	15001



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-43.07	-25	Pass	2986
30	1000	0.1	RMS	970.3	-58.38	-25	Pass	9701
1000	2486	1	RMS	2486	-43.9	-25	Pass	1487
2486	2700	1	RMS	2675.925	19.91	60	Pass	401
2700	3000	1	RMS	2702.25	-29.73	-25	Pass*	401
3000	12000	1	RMS	11858	-57.54	-25	Pass	9001
12000	27000	1	RMS	25012	-32.53	-25	Pass	15001



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-41.9	-25	Pass	2986
30	1000	0.1	RMS	977.1	-58.29	-25	Pass	9701
1000	2486	1	RMS	2486	-43.91	-25	Pass	1487
2486	2700	1	RMS	2675.925	19.05	60	Pass	401
2700	3000	1	RMS	2702.25	-30.72	-25	Pass*	401
3000	12000	1	RMS	11858	-57.44	-25	Pass	9001
12000	27000	1	RMS	25013	-32.65	-25	Pass	15001



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.61	-25	Pass	2986
30	1000	0.1	RMS	918.4	-58.26	-25	Pass	9701
1000	2486	1	RMS	2486	-40.53	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.42	60	Pass	401
2700	3000	1	RMS	3000	-42.61	-25	Pass	401
3000	12000	1	RMS	4993	-52.5	-25	Pass	9001
12000	27000	1	RMS	25013	-32.64	-25	Pass	15001



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.21	-25	Pass	2986
30	1000	0.1	RMS	898.1	-58.32	-25	Pass	9701
1000	2486	1	RMS	2484	-41.38	-25	Pass	1487
2486	2700	1	RMS	2496.7	19.73	60	Pass	401
2700	3000	1	RMS	3000	-42.58	-25	Pass	401
3000	12000	1	RMS	4994	-47.56	-25	Pass	9001
12000	27000	1	RMS	25013	-32.71	-25	Pass	15001



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-41.93	-25	Pass	2986
30	1000	0.1	RMS	915.2	-58.19	-25	Pass	9701
1000	2486	1	RMS	2483	-43.94	-25	Pass	1487
2486	2700	1	RMS	2583.905	20.85	60	Pass	401
2700	3000	1	RMS	3000	-42.51	-25	Pass	401
3000	12000	1	RMS	11870	-57.53	-25	Pass	9001
12000	27000	1	RMS	25013	-32.54	-25	Pass	15001



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.38	-25	Pass	2986
30	1000	0.1	RMS	947.6	-58.24	-25	Pass	9701
1000	2486	1	RMS	2484	-43.97	-25	Pass	1487
2486	2700	1	RMS	2584.44	19.27	60	Pass	401
2700	3000	1	RMS	3000	-42.59	-25	Pass	401
3000	12000	1	RMS	11860	-57.54	-25	Pass	9001
12000	27000	1	RMS	25011	-32.65	-25	Pass	15001



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-42.14	-25	Pass	2986
30	1000	0.1	RMS	932.7	-58.25	-25	Pass	9701
1000	2486	1	RMS	2486	-43.92	-25	Pass	1487
2486	2700	1	RMS	2671.11	20.04	60	Pass	401
2700	3000	1	RMS	2706.75	-30.42	-25	Pass*	401
3000	12000	1	RMS	11880	-57.48	-25	Pass	9001
12000	27000	1	RMS	25014	-32.67	-25	Pass	15001



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-41.5	-25	Pass	2986
30	1000	0.1	RMS	925.1	-58.33	-25	Pass	9701
1000	2486	1	RMS	2485	-43.95	-25	Pass	1487
2486	2700	1	RMS	2671.11	19.2	60	Pass	401
2700	3000	1	RMS	2706.75	-31.93	-25	Pass	401
3000	12000	1	RMS	11851	-57.47	-25	Pass	9001
12000	27000	1	RMS	25012	-32.56	-25	Pass	15001



7. LTE_Band66


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.35	-13	Pass	2986
30	1000	0.1	RMS	937.5	-62.4	-13	Pass	9701
1000	1700	1	RMS	1697	-51.22	-13	Pass	701
1700	1790	1	RMS	1710.35	20.68	60	Pass	401
1790	3000	1	RMS	2646	-46.53	-13	Pass	1211
3000	12000	1	RMS	11851	-38.16	-13	Pass	9001
12000	20000	1	RMS	19997	-22.68	-13	Pass	8001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.03	-13	Pass	2986
30	1000	0.1	RMS	928.9	-62.49	-13	Pass	9701
1000	1700	1	RMS	1700	-51.22	-13	Pass	701
1700	1790	1	RMS	1710.35	19.77	60	Pass	401
1790	3000	1	RMS	2648	-46.56	-13	Pass	1211
3000	12000	1	RMS	11852	-38.2	-13	Pass	9001
12000	20000	1	RMS	20000	-22.71	-13	Pass	8001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.74	-13	Pass	2986
30	1000	0.1	RMS	949.6	-62.38	-13	Pass	9701
1000	1700	1	RMS	1610	-51.38	-13	Pass	701
1700	1790	1	RMS	1744.55	21.19	60	Pass	401
1790	3000	1	RMS	2643	-46.59	-13	Pass	1211
3000	12000	1	RMS	11863	-38.1	-13	Pass	9001
12000	20000	1	RMS	20000	-22.69	-13	Pass	8001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.81	-13	Pass	2986
30	1000	0.1	RMS	924.9	-62.31	-13	Pass	9701
1000	1700	1	RMS	1700	-51.32	-13	Pass	701
1700	1790	1	RMS	1744.55	19.85	60	Pass	401
1790	3000	1	RMS	2646	-46.53	-13	Pass	1211
3000	12000	1	RMS	11837	-38.04	-13	Pass	9001
12000	20000	1	RMS	20000	-22.45	-13	Pass	8001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.84	-13	Pass	2986
30	1000	0.1	RMS	942	-62.15	-13	Pass	9701
1000	1700	1	RMS	1697	-51.33	-13	Pass	701
1700	1790	1	RMS	1778.75	21.18	60	Pass	401
1790	3000	1	RMS	2647	-46.59	-13	Pass	1211
3000	12000	1	RMS	11856	-38.17	-13	Pass	9001
12000	20000	1	RMS	19998	-22.74	-13	Pass	8001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.56	-13	Pass	2986
30	1000	0.1	RMS	874.5	-62.42	-13	Pass	9701
1000	1700	1	RMS	1699	-51.33	-13	Pass	701
1700	1790	1	RMS	1778.75	20.43	60	Pass	401
1790	3000	1	RMS	2647	-46.61	-13	Pass	1211
3000	12000	1	RMS	11863	-38.18	-13	Pass	9001
12000	20000	1	RMS	19996	-22.77	-13	Pass	8001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.97	-13	Pass	2986
30	1000	0.1	RMS	900	-62.39	-13	Pass	9701
1000	1700	1	RMS	1700	-51.11	-13	Pass	701
1700	1790	1	RMS	1710.35	20.76	60	Pass	401
1790	3000	1	RMS	2655	-46.59	-13	Pass	1211
3000	12000	1	RMS	11853	-38.11	-13	Pass	9001
12000	20000	1	RMS	20000	-22.76	-13	Pass	8001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.76	-13	Pass	2986
30	1000	0.1	RMS	913.7	-62.43	-13	Pass	9701
1000	1700	1	RMS	1700	-51.16	-13	Pass	701
1700	1790	1	RMS	1710.35	19.97	60	Pass	401
1790	3000	1	RMS	2647	-46.6	-13	Pass	1211
3000	12000	1	RMS	11854	-38.17	-13	Pass	9001
12000	20000	1	RMS	19999	-22.67	-13	Pass	8001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.81	-13	Pass	2986
30	1000	0.1	RMS	899.5	-62.31	-13	Pass	9701
1000	1700	1	RMS	1692	-51.31	-13	Pass	701
1700	1790	1	RMS	1743.65	21.18	60	Pass	401
1790	3000	1	RMS	2642	-46.57	-13	Pass	1211
3000	12000	1	RMS	11868	-38.15	-13	Pass	9001
12000	20000	1	RMS	20000	-22.72	-13	Pass	8001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.91	-13	Pass	2986
30	1000	0.1	RMS	920.1	-62.34	-13	Pass	9701
1000	1700	1	RMS	1700	-51.36	-13	Pass	701
1700	1790	1	RMS	1743.65	20.25	60	Pass	401
1790	3000	1	RMS	2646	-46.62	-13	Pass	1211
3000	12000	1	RMS	11854	-38.15	-13	Pass	9001
12000	20000	1	RMS	20000	-22.7	-13	Pass	8001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.02	-13	Pass	2986
30	1000	0.1	RMS	921.7	-62.4	-13	Pass	9701
1000	1700	1	RMS	1698	-51.29	-13	Pass	701
1700	1790	1	RMS	1777.175	21.56	60	Pass	401
1790	3000	1	RMS	2647	-46.6	-13	Pass	1211
3000	12000	1	RMS	11839	-38.08	-13	Pass	9001
12000	20000	1	RMS	20000	-22.61	-13	Pass	8001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.47	-13	Pass	2986
30	1000	0.1	RMS	910	-62.37	-13	Pass	9701
1000	1700	1	RMS	1700	-51.26	-13	Pass	701
1700	1790	1	RMS	1777.175	20.56	60	Pass	401
1790	3000	1	RMS	2648	-46.54	-13	Pass	1211
3000	12000	1	RMS	11844	-38.1	-13	Pass	9001
12000	20000	1	RMS	20000	-22.59	-13	Pass	8001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.99	-13	Pass	2986
30	1000	0.1	RMS	919	-62.4	-13	Pass	9701
1000	1700	1	RMS	1700	-46.89	-13	Pass	701
1700	1790	1	RMS	1710.35	20.41	60	Pass	401
1790	3000	1	RMS	2645	-46.5	-13	Pass	1211
3000	12000	1	RMS	11851	-38.04	-13	Pass	9001
12000	20000	1	RMS	19999	-22.55	-13	Pass	8001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.49	-13	Pass	2986
30	1000	0.1	RMS	931.9	-62.4	-13	Pass	9701
1000	1700	1	RMS	1699	-44.93	-13	Pass	701
1700	1790	1	RMS	1710.35	19.97	60	Pass	401
1790	3000	1	RMS	2645	-46.54	-13	Pass	1211
3000	12000	1	RMS	11848	-38.14	-13	Pass	9001
12000	20000	1	RMS	20000	-22.72	-13	Pass	8001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.47	-13	Pass	2986
30	1000	0.1	RMS	919.1	-62.51	-13	Pass	9701
1000	1700	1	RMS	1699	-51.33	-13	Pass	701
1700	1790	1	RMS	1742.75	21.12	60	Pass	401
1790	3000	1	RMS	2645	-46.51	-13	Pass	1211
3000	12000	1	RMS	11846	-38.16	-13	Pass	9001
12000	20000	1	RMS	19999	-22.7	-13	Pass	8001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.55	-13	Pass	2986
30	1000	0.1	RMS	927.2	-62.45	-13	Pass	9701
1000	1700	1	RMS	1699	-51.38	-13	Pass	701
1700	1790	1	RMS	1742.75	20.37	60	Pass	401
1790	3000	1	RMS	2645	-46.55	-13	Pass	1211
3000	12000	1	RMS	11838	-38.16	-13	Pass	9001
12000	20000	1	RMS	19999	-22.73	-13	Pass	8001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.52	-13	Pass	2986
30	1000	0.1	RMS	920	-62.17	-13	Pass	9701
1000	1700	1	RMS	1587	-51.35	-13	Pass	701
1700	1790	1	RMS	1775.375	21.28	60	Pass	401
1790	3000	1	RMS	2643	-46.55	-13	Pass	1211
3000	12000	1	RMS	11847	-38.03	-13	Pass	9001
12000	20000	1	RMS	19998	-22.46	-13	Pass	8001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.17	-13	Pass	2986
30	1000	0.1	RMS	938.2	-62.46	-13	Pass	9701
1000	1700	1	RMS	1586	-51.36	-13	Pass	701
1700	1790	1	RMS	1775.375	20.68	60	Pass	401
1790	3000	1	RMS	2649	-46.6	-13	Pass	1211
3000	12000	1	RMS	11865	-38.15	-13	Pass	9001
12000	20000	1	RMS	20000	-22.65	-13	Pass	8001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.14	-13	Pass	2986
30	1000	0.1	RMS	942.4	-62.48	-13	Pass	9701
1000	1700	1	RMS	1700	-46.11	-13	Pass	701
1700	1790	1	RMS	1710.575	20.96	60	Pass	401
1790	3000	1	RMS	2640	-46.59	-13	Pass	1211
3000	12000	1	RMS	11827	-38.17	-13	Pass	9001
12000	20000	1	RMS	19999	-22.68	-13	Pass	8001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.17	-13	Pass	2986
30	1000	0.1	RMS	933.6	-62.32	-13	Pass	9701
1000	1700	1	RMS	1700	-46.93	-13	Pass	701
1700	1790	1	RMS	1710.575	20.2	60	Pass	401
1790	3000	1	RMS	2652	-46.59	-13	Pass	1211
3000	12000	1	RMS	11860	-38.06	-13	Pass	9001
12000	20000	1	RMS	19998	-22.7	-13	Pass	8001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.78	-13	Pass	2986
30	1000	0.1	RMS	963	-62.33	-13	Pass	9701
1000	1700	1	RMS	1695	-51.3	-13	Pass	701
1700	1790	1	RMS	1740.5	21.19	60	Pass	401
1790	3000	1	RMS	2647	-46.6	-13	Pass	1211
3000	12000	1	RMS	11855	-38.1	-13	Pass	9001
12000	20000	1	RMS	20000	-22.72	-13	Pass	8001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.22	-13	Pass	2986
30	1000	0.1	RMS	930.2	-62.36	-13	Pass	9701
1000	1700	1	RMS	1700	-51.35	-13	Pass	701
1700	1790	1	RMS	1740.5	20.29	60	Pass	401
1790	3000	1	RMS	2647	-46.62	-13	Pass	1211
3000	12000	1	RMS	11850	-38.1	-13	Pass	9001
12000	20000	1	RMS	19997	-22.6	-13	Pass	8001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.31	-13	Pass	2986
30	1000	0.1	RMS	906.2	-62.29	-13	Pass	9701
1000	1700	1	RMS	1698	-51.34	-13	Pass	701
1700	1790	1	RMS	1770.65	21.78	60	Pass	401
1790	3000	1	RMS	2649	-46.59	-13	Pass	1211
3000	12000	1	RMS	11854	-38.09	-13	Pass	9001
12000	20000	1	RMS	19999	-22.67	-13	Pass	8001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.31	-13	Pass	2986
30	1000	0.1	RMS	943.1	-62.29	-13	Pass	9701
1000	1700	1	RMS	1699	-51.38	-13	Pass	701
1700	1790	1	RMS	1770.65	20.89	60	Pass	401
1790	3000	1	RMS	2652	-46.62	-13	Pass	1211
3000	12000	1	RMS	11863	-38.07	-13	Pass	9001
12000	20000	1	RMS	19996	-22.72	-13	Pass	8001



7.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.52	-13	Pass	2986
30	1000	0.1	RMS	927.8	-62.37	-13	Pass	9701
1000	1700	1	RMS	1698	-47.03	-13	Pass	701
1700	1790	1	RMS	1710.8	20.89	60	Pass	401
1790	3000	1	RMS	2640	-46.57	-13	Pass	1211
3000	12000	1	RMS	11861	-38.03	-13	Pass	9001
12000	20000	1	RMS	20000	-22.67	-13	Pass	8001



7.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.23	-13	Pass	2986
30	1000	0.1	RMS	935.8	-62.4	-13	Pass	9701
1000	1700	1	RMS	1698	-47.22	-13	Pass	701
1700	1790	1	RMS	1710.8	20.12	60	Pass	401
1790	3000	1	RMS	2647	-46.59	-13	Pass	1211
3000	12000	1	RMS	11859	-38.07	-13	Pass	9001
12000	20000	1	RMS	19998	-22.69	-13	Pass	8001



7.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.77	-13	Pass	2986
30	1000	0.1	RMS	927	-62.16	-13	Pass	9701
1000	1700	1	RMS	1693	-51.32	-13	Pass	701
1700	1790	1	RMS	1738.25	20.65	60	Pass	401
1790	3000	1	RMS	2644	-46.5	-13	Pass	1211
3000	12000	1	RMS	11859	-37.94	-13	Pass	9001
12000	20000	1	RMS	20000	-22.58	-13	Pass	8001



7.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.47	-13	Pass	2986
30	1000	0.1	RMS	941.4	-62.36	-13	Pass	9701
1000	1700	1	RMS	1698	-51.4	-13	Pass	701
1700	1790	1	RMS	1738.25	20.16	60	Pass	401
1790	3000	1	RMS	2640	-46.64	-13	Pass	1211
3000	12000	1	RMS	11862	-38.15	-13	Pass	9001
12000	20000	1	RMS	19998	-22.67	-13	Pass	8001



7.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.88	-13	Pass	2986
30	1000	0.1	RMS	928.3	-62.28	-13	Pass	9701
1000	1700	1	RMS	1699	-51.21	-13	Pass	701
1700	1790	1	RMS	1765.925	21.57	60	Pass	401
1790	3000	1	RMS	1792	-31.3	-13	Pass	1211
3000	12000	1	RMS	11857	-38.12	-13	Pass	9001
12000	20000	1	RMS	19998	-22.71	-13	Pass	8001



7.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.04	-13	Pass	2986
30	1000	0.1	RMS	960.7	-62.34	-13	Pass	9701
1000	1700	1	RMS	1695	-51.3	-13	Pass	701
1700	1790	1	RMS	1765.925	20.83	60	Pass	401
1790	3000	1	RMS	1792	-32.3	-13	Pass	1211
3000	12000	1	RMS	11849	-38.09	-13	Pass	9001
12000	20000	1	RMS	19996	-22.54	-13	Pass	8001



7.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.43	-13	Pass	2986
30	1000	0.1	RMS	899.6	-62.23	-13	Pass	9701
1000	1700	1	RMS	1693	-47.35	-13	Pass	701
1700	1790	1	RMS	1711.025	20.22	60	Pass	401
1790	3000	1	RMS	2647	-46.58	-13	Pass	1211
3000	12000	1	RMS	11861	-38.03	-13	Pass	9001
12000	20000	1	RMS	19996	-22.57	-13	Pass	8001



7.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.31	-13	Pass	2986
30	1000	0.1	RMS	926.6	-62.33	-13	Pass	9701
1000	1700	1	RMS	1693	-47.69	-13	Pass	701
1700	1790	1	RMS	1711.025	19.97	60	Pass	401
1790	3000	1	RMS	2644	-46.67	-13	Pass	1211
3000	12000	1	RMS	11859	-38.16	-13	Pass	9001
12000	20000	1	RMS	19996	-22.62	-13	Pass	8001



7.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.41	-13	Pass	2986
30	1000	0.1	RMS	934	-62.22	-13	Pass	9701
1000	1700	1	RMS	1700	-46.89	-13	Pass	701
1700	1790	1	RMS	1736	20.88	60	Pass	401
1790	3000	1	RMS	2646	-46.62	-13	Pass	1211
3000	12000	1	RMS	11871	-38.16	-13	Pass	9001
12000	20000	1	RMS	19993	-22.74	-13	Pass	8001



7.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.08	-13	Pass	2986
30	1000	0.1	RMS	917.1	-62.31	-13	Pass	9701
1000	1700	1	RMS	1700	-48.56	-13	Pass	701
1700	1790	1	RMS	1736	19.97	60	Pass	401
1790	3000	1	RMS	2643	-46.64	-13	Pass	1211
3000	12000	1	RMS	11854	-38.16	-13	Pass	9001
12000	20000	1	RMS	19998	-22.74	-13	Pass	8001



7.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.35	-13	Pass	2986
30	1000	0.1	RMS	928.3	-62.22	-13	Pass	9701
1000	1700	1	RMS	1698	-51.37	-13	Pass	701
1700	1790	1	RMS	1760.975	21.26	60	Pass	401
1790	3000	1	RMS	1797	-37.32	-13	Pass	1211
3000	12000	1	RMS	11847	-38.15	-13	Pass	9001
12000	20000	1	RMS	20000	-22.72	-13	Pass	8001



7.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46	-13	Pass	2986
30	1000	0.1	RMS	921.1	-62.39	-13	Pass	9701
1000	1700	1	RMS	1695	-51.39	-13	Pass	701
1700	1790	1	RMS	1760.975	20.37	60	Pass	401
1790	3000	1	RMS	1797	-38.44	-13	Pass	1211
3000	12000	1	RMS	11851	-38.1	-13	Pass	9001
12000	20000	1	RMS	19999	-22.64	-13	Pass	8001



--BLANK BELOW--