



USER MANUAL

7 Inches Touchscreen Multimedia Player

Catalogue

Customer Service &

Features of This Product-----	Page 1
Product Overview-----	Page 2
Package Contents-----	Page 3
Product description-----	Page 4
Specification requirements of SD card & Wiring instructions-----	Page 5
Camera installation-----	Page 6
Interface specification-----	Page 6&7
Apple Carplay-----	Page 7 to Page 9
Android Auto-----	Page 9 to Page 11
iPhone Mirror-----	Page 11
Android Mirror-----	Page 12&13
Audio Output-----	Page 14
Setup-----	Page 15
Troubleshooting-----	Page 16&17
Product parameters-----	Page 17
FAQ-----	Page 17&18

Customer service:

Do not hesitate to get in touch with us if you meet any difficulties installing the unit, we are always available to answer any of your questions and more than happy to take your suggestions.

We try our best to be as responsive as possible, you can always get in touch with us through:


Your order on Amazon, Contact Seller Service. Reply within 24 hours.

Features of This Product:

1. Support Wireless Carplay, Android Auto, Screen Mirroring
2. 1080P full HD multimedia decoder
3. Backup Camera
4. Suitable for 12V~24V vehicles
5. BT Compatible; Voice Control
6. User-friendly Digital Control Interface
7. Support TF card & AUX IN Connectivity
8. EQ Audio Setting
9. Multiple Language Settings
10. Date and Time Setting
11. Easy installation with included mount
12. Allow transfer sound to your car's speaker

1. Product Overview

This portable car stereo is equipped with a sturdy adhesive mount, which can be installed on the dashboards with 90°adjustable. You don't need to disassemble the car central console, keep the car's original radio, and coexist perfectly. This 7" car multimedia player supports wireless Apple CarPlay & Android Auto, wireless mirroring, backup-camera, TF card playback, voice control, BT music, AUX out, etc...



2. Package Contents


name	graphic	instructions	number
Car Multimedia Player		FHD display (1024*600) / touch control / Bluetooth / Wi-Fi Transmitter / Type C interface power supply	1
Power cable		Type C power cable / 12V-24V / 3A current / integrated line / cigarette lighter	1
AUX Cable		You can use this Aux cable to transmit the audio to your car's speaker	1
Adhesive Mount		To support the display and fix it on the center console	1
User Manual		keep the user manual for future reference	1

3. Product description

Project	Function introduction	Performance indicators
system	language	English / Simplified Chinese / French / German / Arabic / Italian / Japanese / Russian / Spanish / etc...
	Operation interface	Graphical menu operation
	Mode of operation	Touch
Video display	Real-time display	FHD IPS screen, 1024 x 600
Reverse display	Reverse display	Automatically switches to the rear view
Smart connected	Wi-Fi	Supports Apple CarPlay / Android Auto / Apple AirPlay / MirrorCast
	Bluetooth	Support Bluetooth music playback
Pre-content storage	SD card	Play movies and music; SD card is not included
Audio part	The microphone	Support voice control
Power part	The power input	The voltage drop line supports 12V-24V wide voltage and has power protection circuits such as surge, overload, overvoltage, undervoltage and short circuit
Other	Working temperature	-4~149°F
	The cooling way	Passive cooling

4.Specification requirements of SD card

SD card can be used to store movies and music, which can be played after being inserted into the machine. please use SD cards from major brands such as SanDisk, Kingston, Toshiba, and Samsung, Speed certification must be at least Class10.



5. Wiring instructions



The details are as follows:

Port	Instructions
Type C interface	Monitor power supply interface
Cigarette charger	The cigarette lighter takes power directly Note: The product comes with a cigarette charger as standard. If you do not use our original charger, you need to buy a compliant high-quality cigarette charger, otherwise it is easy to damage the machine or cause other injuries due to insufficient voltage and heat.

6. Camera installation

Fix the camera to the rear of the car with screws, the reversing trigger wire (red thin wire) needs to be connected to the positive pole of the reversing light, and finally use the camera extension cable to connect to the monitor.

Note: If you have any issues installing the backup camera, please contact us for help.



7. Interface specification



1. **CarPlay:** click to check the details of how to connect to wireless Apple carplay
2. **Android Auto:** click to check the details of how to connect to wireless Android Auto
3. **Phone Link:** Click to enter mirroring function for iPhone and Android phone.
4. **Audio output:** there are 4 ways to output audio: original BT (car

speaker), AV IN (AUX cable), Local horn(built-in speaker).

5

. **Volume:** Click to adjust the volume, slide the volume bar to adjust it 6

. **Menu:** Directly back to the main menu page.

7. **BT:** Click to enter BT phone dial interface.


8. **Setup:** Click to enter the setup interface.

9. **Brightness:** tap to adjust screen brightness, slide the bar to adjust it

10. **SD:** View the SD card contents

11. **Rear Camera:** The screen will show reversing image after you click t his icon. (You need to connect the camera correctly.)

A. Apple Carplay







Wireless Carplay supported phone models that should be above IOS 9 and phone compatible with Carplay:

iPhone 14、iPhone 14 Plus、iPhone 14 Pro、iPhone 14 Pro-Max、iPhone 13 Pro、iPhone 13 Pro-Max、iPhone 13、iPhone 13 mini、iPhone 12 Pro、iPhone 12、iPhone 12 mini、iPhone 11 Pro、iPhone 11 Pro Max、iPhone 11、iPhone XS、iPhone XS-Max、iPhone XR、iPhone X、iPhone 8、iPhone 8 Plus、iPhone 7、iPhone 7 Plus、iPhone 6s、iPhone 6s-Plus、iPhone 6、iPhone 6Plus、iPhone SE、iPhone 5s、iPhone 5c、iPhone 5

Note: Currently, lower versions of the IOS system may not be able to use the Carplay application. If you encounter compatibility issues with your phone's Carplay, please try upgrading the IOS system.

How to set-up:

1. Click the CarPlay icon on the main menu of the car stereo.
2. Turn on the Wi-Fi and Bluetooth of the mobile phone first; Find the Bluetooth name "CarKit-xxxx" in the Bluetooth list, click to pair, (If need pin code, try 0000)
3. The pop-up "Allow Contacts and Favorites Sync" will pop up on your iPhone, please click "Allow".
4. The pop-up "Use Carplay with "IVT" will pop up on your iPhone, please click "Use Carplay", and then car stereo will automatically enter into carplay interface.



ADDITIONAL EXPLANATION

Working Principle:

- Wireless CarPlay uses Bluetooth to set up the connection between the phone and the vehicle and then it switches to using WiFi for the actual functionality.
- After the Bluetooth pairing is successful, the phone WiFi will automatically connect to the car player's WiFi, and then disconnect the Bluetooth connection by default.
- When the car stereo is powered on, it will try to automatically connect to the last connected phone.

Based on the working principle of the car player, please pay attention to the following:

1. When enjoying the wireless CarPlay/Android Auto function, the phone's WiFi will be occupied by the car player, other WiFi cannot be used during this period. If there is a

conflict between other WiFi and car stereo's WiFi, you may need to manually disconnect the connection of other WiFi to keep the wireless CarPlay/Android Auto use.

2. The auto-connection function of the car stereo requires you to keep the WiFi and Bluetooth of the mobile phone available. In addition, please set the WiFi network of the car stereo to "Auto-Join".
3. Since the car stereo will disconnect the Bluetooth connection after pairing, your phone's Bluetooth may automatically connect to other devices, which may cause car stereo mic input or sound playing to be unavailable. You may need to manually disconnect your phone from the other Bluetooth or switch off the Bluetooth directly to fix it. (Bluetooth plays a pairing role in the work of the car player. When the pairing is completed, it only needs WiFi to keep working, so it doesn't matter to turn off Bluetooth. But when you use it next time, you still need to turn on Bluetooth, so that the car stereo can be automatically paired and connected.)

Note: In the drop-down menu of the mobile phone, you need to click to turn off Bluetooth first, and then click the Turn off WiFi button to disconnect. Just turn off the WiFi button alone, and the car player will keep trying to reconnect.



B. Android Auto






Wireless Android Auto supported phone models which should support 5Ghz WIFI and Google service:

1. Android 11.0 or above system version,
2. Google or Samsung phones with Android 10.0
3. Samsung Galaxy S8; Galaxy S8+; Note 8 with Android 9.0

Important Note: Open Android Phone Settings – Connection Settings, Check if Android Auto exists, or search for Android Auto on the Settings page. If there is an Android Auto option, it means that the protocol connection is supported. If not, try restarting your phone and logging back into the Google Play store to see if Android Auto can be found. If it still cannot be found or cannot be installed and used properly, it may be due to local policies/laws that do not support the application. Please ensure that your country or region supports Android Auto wireless services.

How to set-up:

1. Click the Android Auto icon on the main menu of the car stereo.
2. Turn on the Wi-Fi and Bluetooth of the mobile phone first; Pair new device and find the Bluetooth name "CarKit-xxxx" in the Bluetooth list, click to pair, (If need pin code, try 0000)
3. The pop up "Pair with Carkit-xxxx" will pop up on your phone, please click "Pair".
4. The pop up "Allow access to messages?" will pop up on your phone, please click "Allow"; and then car player will automatically enter into Android Auto interface. When the car player is powered on, it will try to automatically connect to the last connected phone.



(Turn off Wi-Fi button to disconnect)

After replacing the mobile phone, the connection data of the previous mobile phone will be erased.


C. iPhone Mirror

iPhone Mirror can transmit video, audio and pictures from iPhone device to car equipment. The carrier of transmission is WiFi, which is fundamentally different from Bluetooth wireless.

1. Requires an iPhone to connect to WiFi, wifi name is "carplay_wifi_xxxx"; wifi password is 12345678

2. Select Car in the Screen image in the iPhone Control Center.

Note: Only support iPhone. You can use wired mirroring, but you need to buy additional accessory cable.



D. Android Mirror

It can realize the mirror projection of the mobile phone and the car machine.

You need to scan the code with your Android mobile phone to download, install and run the "Mirroring" application.










1. Click the "PhoneLink" option in the Menu, and then click the "Mirror" option under Android.

2. Scan QR code and download APK, and open the floating window permission.

3. Turn on hotspot on your phone and turn off WiFi, and set the hotspot name to 'car' and set the password as 12345678

4. Open Phone Mirror APK on your phone.

Note: You can use wired mirroring, but you need to buy additional accessory cable.



E. Audio Output



Important Note:

After you connected your phone to this carplay screen, if you don't choose from above 4 audio output modes, the sound will still be coming through your phone. You need to manually choose the audio output channel.


Details are as follows:

1. **Original BT**: After you click this one, the screen will pop up a notification saying 'Switch to the original car Bluetooth?', you need to choose 'Confirm'. And then use your phone to connect to the car Bluetooth, in this way the sound will come out from your car speaker.

3. **AV IN**: After you click this one, the screen will pop up a notification saying 'Switch to AUX?', you need to choose 'Confirm'. And then use the included AUX cable to connect this carplay screen to your car's aux port.

4. **Local horn**: After you click this one, the screen will pop up a notification saying 'Switch to local speaker?', you need to choose 'Confirm'. And then the sound will be coming out from built-in speaker of this unit.

F. Setup



 Basic Setup	You can restore factory if the car player doesn't work as expected. You can set some parameters for the rear-view camera.
 Factory Set	The input password is "112345".
 Sound Setup	You can change the sound effect if you want, available effect: Jazz, Classic, Rock, Pop, Flat, User.
 Display settings	You can adjust the brightness, contrast, hue, saturation.
 language	Choose the language you want.
 Time Setup	Setup the time or date for the car player.
 Background	You can change the background if you need.
 Version	Check the system version of the car player.

8. Troubleshooting

Item	Problem	Solution
1	Unable to turn on the car player	① Check whether the DC head of the cigarette lighter power cord is damaged or aging. ② Check whether the fuse of the power plug is disconnected or burned.
2	Touch screen is not responding	① Please reset the unit to factory mode and try again. ② Please contact seller for a replacement.
3	The rear view camera has no image	① Make sure you have connected it right. ② Whether the AV IN interface is inserted to the bottom. ③ Check if the camera format matches. Make sure the camera is CVBS signal and plug into the AV IN port.
4	Machine getting hot after some time use	① Avoid direct sunlight or exposure to sunlight during use. The normal operating temperature of this car player is -4 ~149 °F. After disconnecting the power supply, the temperature of this car player will be lower than 149 °F and work normally.
5	Carplay cannot connect	① The first connection takes a little longer. ② Only iPhone supports Carplay. ③ Check that the WiFi and Bluetooth functions of the mobile phone are normal. ④ Enter Settings-General-Carplay vehicle, delete all records and reconnect. ⑤ Restart the iPhone and reconnect it.
6	Android Auto cannot connect	① Only Android phones are supported. ② Update Auto and related applications on mobile phones to the latest version. ③ Do not enable VPN on the mobile phone. ④ Check that the WiFi and Bluetooth functions of the mobile phone are normal. ⑤ Restart the Android phone and connect it again.

7	The bluetooth music	① Please set the screen casting mode to Bluetooth music. Other modes do not support Bluetooth music.
---	---------------------	--

9. Product parameters

Master control	Hight performance SOC
Wireless function	Apple Carplay / Android Auto / Apple AirPlay / Mirror Cast
Screen	IPS material, 1024*600 resolution
Storage	SD ≤ 256 G Class 10
Wireless module	WIFI, Bluetooth
Camera	Rear camera
Horn	2W speaker
Reversing video	Automatic reversing video display
Working voltage	12V- 24V
Power	Less than 10W
Size	190*110*22mm
Weight	320g
Material	ABS/PC

FAQ

Car stereo doesn't have sound

1. Please make sure you have chosen the audio output channel on the fourth icon on the main menu; if not, the sound will still be coming through your phone.
2. Please check if you set the volume to zero, or mute the radio.

Wireless Android Auto function cannot be used

1. Please contact seller to update the device to newest version

2. Make sure your Android phone has downloaded the Mirroring app as mentioned.

I cannot see the Bluetooth of the device or I cannot connect to the Bluetooth successfully.

Please try to check if other phones have connected to the car stereo (or other phones are trying to auto-connect to this car stereo), if yes, this situation may happen. In this case, you need to disconnect the Bluetooth or WiFi between other phones and this car stereo, and then try to connect with your desired phone.

The volume of the built-in speaker is not sufficient.

If you think built-in speaker isn't loud enough. Please choose other 3 audio output channels. Check details on the fourth icon on the main menu.

1.You can transfer the sound to your car Bluetooth.

2. Please use the AUX cable to connect to your car to transfer the sound to your car speaker;

Screen get stuck I cannot do anything or click on anything.

If the unit crashes and screen get stuck, please restart the unit by using a small needle to insert into the 'RESET' hole at the back of the unit.

Or you can simply cut off the power and turn on the unit to try again.

How to change the boot up logo

1. Prepare an empty TF card and create a folder named 'update' in the root directory.

2. Prepare your own car logo picture with a size of 1024 x 600 pixels, name it: stalogo.jpg, and put it in the update folder.

3. Insert the prepared TF card into the multimedia car player after the unit is powered on. It will automatically update the new boot logo.

4. Disconnect the power supply, and then connect the power supply again. The screen will display a new custom logo, indicating that the setting is successful.

The player cannot turn off by itself

Kindly note this is not the issue of the CarPlay screen. It has something related to your car. Some cars still provide power to the cigarette lighter after turning off the key. In this case, you may need to turn off the carplay screen manually or buy a 12V battery saver.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help. Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Information

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.