

Appendix1--5.8GWIFI


HT240523001-WL101--5.8G--FCC

FCC_5.8G_WIFI (Part15.407) Test Data


1. -6dB Emission Bandwidth

Condition	Antenna	Mode	Frequency(MHz)	-6dB_Emission_Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	15.084	0.500	Pass
NVNT	ANT1	802.11a	5785.00	15.028	0.500	Pass
NVNT	ANT1	802.11a	5825.00	13.887	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	16.869	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	17.152	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	16.841	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	15.106	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	15.042	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	12.635	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	35.165	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	35.168	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	33.784	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	35.030	0.500	Pass


-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT40)_5755_40M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT40)_5795_40M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT40)_5755_40M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT40)_5795_40M




2. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5745.00	30.70	16.66
NVNT	ANT1	802.11a	5785.00	29.36	16.73
NVNT	ANT1	802.11a	5825.00	30.98	16.97
NVNT	ANT1	802.11n(HT20)	5745.00	37.06	24.49
NVNT	ANT1	802.11n(HT20)	5785.00	36.08	23.15
NVNT	ANT1	802.11n(HT20)	5825.00	37.74	24.86
NVNT	ANT1	802.11ac(VHT20)	5745.00	33.38	20.59
NVNT	ANT1	802.11ac(VHT20)	5785.00	33.19	19.94
NVNT	ANT1	802.11ac(VHT20)	5825.00	33.37	21.05
NVNT	ANT1	802.11n(HT40)	5755.00	78.03	55.23
NVNT	ANT1	802.11n(HT40)	5795.00	74.07	52.94
NVNT	ANT1	802.11ac(VHT40)	5755.00	91.88	63.42
NVNT	ANT1	802.11ac(VHT40)	5795.00	79.86	59.89


99%_OCB_NVNT_ANT1_802_11a_5745




-26BW_NVNT_ANT1_802_11a_5745




99%_OCB_NVNT_ANT1_802_11a_5785




-26BW_NVNT_ANT1_802_11a_5785




99%_OCB_NVNT_ANT1_802_11a_5825




-26BW_NVNT_ANT1_802_11a_5825




99%_OCB_NVNT_ANT1_802_11n(HT20)_5745




-26BW_NVNT_ANT1_802_11n(HT20)_5745




99%_OCB_NVNT_ANT1_802_11n(HT20)_5785




-26BW_NVNT_ANT1_802_11n(HT20)_5785




99%_OCB_NVNT_ANT1_802_11n(HT20)_5825




-26BW_NVNT_ANT1_802_11n(HT20)_5825




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5745




-26BW_NVNT_ANT1_802_11ac(VHT20)_5745




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5785




-26BW_NVNT_ANT1_802_11ac(VHT20)_5785




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5825




-26BW_NVNT_ANT1_802_11ac(VHT20)_5825




99%_OCB_NVNT_ANT1_802_11n(HT40)_5755




-26BW_NVNT_ANT1_802_11n(HT40)_5755




99%_OCB_NVNT_ANT1_802_11n(HT40)_5795




-26BW_NVNT_ANT1_802_11n(HT40)_5795




99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5755




-26BW_NVNT_ANT1_802_11ac(VHT40)_5755



99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5795




-26BW_NVNT_ANT1_802_11ac(VHT40)_5795




3. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	85.25	0.69
NVNT	ANT1	802.11a	5785.00	86.67	0.62
NVNT	ANT1	802.11a	5825.00	83.87	0.76
NVNT	ANT1	802.11n(HT20)	5745.00	55.00	2.60
NVNT	ANT1	802.11n(HT20)	5785.00	61.11	2.14
NVNT	ANT1	802.11n(HT20)	5825.00	52.38	2.81
NVNT	ANT1	802.11ac(VHT20)	5745.00	82.40	0.84
NVNT	ANT1	802.11ac(VHT20)	5785.00	81.75	0.88
NVNT	ANT1	802.11ac(VHT20)	5825.00	84.43	0.74
NVNT	ANT1	802.11n(HT40)	5755.00	42.86	3.68
NVNT	ANT1	802.11n(HT40)	5795.00	58.33	2.34
NVNT	ANT1	802.11ac(VHT40)	5755.00	82.40	0.84
NVNT	ANT1	802.11ac(VHT40)	5795.00	83.06	0.81


Duty_Cycle_NVNT_ANT1_802_11a_5745




Duty_Cycle_NVNT_ANT1_802_11a_5785




Duty_Cycle_NVNT_ANT1_802_11a_5825




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5745




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5785




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5825




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5745




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5785




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5825




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5755




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5795



Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5755



Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5795




4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	15.07	0.69	15.76	30	Pass
NVNT	ANT1	802.11a	5785.00	15.16	0.62	15.78	30	Pass
NVNT	ANT1	802.11a	5825.00	15.90	0.76	16.66	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	16.22	2.60	18.82	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	16.11	2.14	18.25	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	16.79	2.81	19.60	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	17.36	0.84	18.20	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	17.00	0.88	17.88	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	17.61	0.74	18.35	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	15.14	3.68	18.82	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	15.28	2.34	17.62	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	17.04	0.84	17.88	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	16.63	0.81	17.44	30	Pass


Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5785




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5825




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5785



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5825




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5785




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5825




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5755




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5795



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5755



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5795



5. Power Spectral Density

Condition	Modulation	Frequency (MHz)	PSD_SA(dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD(dBm/500kHz)	limit(dBm/500kHz)	Result
NVNT	802.11a	5745.00	2.89	0.69	-0	3.49	30	Pass
NVNT	802.11a	5785.00	2.74	0.62	-0	3.27	30	Pass
NVNT	802.11a	5825.00	3.47	0.76	-0	4.14	30	Pass
NVNT	802.11n(HT20)	5745.00	3.03	2.60	-0	5.55	30	Pass
NVNT	802.11n(HT20)	5785.00	2.37	2.14	-0	4.42	30	Pass
NVNT	802.11n(HT20)	5825.00	3.08	2.81	-0	5.80	30	Pass
NVNT	802.11ac(VHT20)	5745.00	4.83	0.84	-0	5.59	30	Pass
NVNT	802.11ac(VHT20)	5785.00	4.51	0.88	-0	5.30	30	Pass
NVNT	802.11ac(VHT20)	5825.00	5.33	0.74	-0	5.98	30	Pass
NVNT	802.11n(HT40)	5755.00	-0.64	3.68	-0	2.95	30	Pass
NVNT	802.11n(HT40)	5795.00	-0.56	2.34	-0	1.69	30	Pass
NVNT	802.11ac(VHT40)	5755.00	1.74	0.84	-0	2.50	30	Pass
NVNT	802.11ac(VHT40)	5795.00	0.95	0.81	-0	1.67	30	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5745



Power_Spectral_Density_NVNT_ANT1_802_11a_5785



Power_Spectral_Density_NVNT_ANT1_802_11a_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5745




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5755




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5795




6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5628.000	-48.48	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5693.025	-48.09	4.26	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5718.880	-31.36	15.29	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5724.785	-25.16	26.51	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5851.285	-28.73	24.07	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5855.700	-33.30	15.40	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5880.940	-46.93	5.12	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5939.380	-43.45	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5654.370	-49.06	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5697.435	-37.64	7.89	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5718.620	-23.18	15.21	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5724.440	-12.98	25.72	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5852.125	-21.82	22.16	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5856.200	-23.71	15.26	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5876.350	-37.06	8.89	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5988.765	-44.47	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5627.370	-48.56	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5699.730	-39.20	9.78	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5718.540	-25.58	15.19	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5723.265	-18.06	23.04	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5852.100	-24.99	22.21	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5856.800	-26.22	15.10	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5880.670	-38.16	5.34	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5935.810	-43.85	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5654.280	-44.16	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5694.870	-29.24	5.78	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5718.100	-16.11	15.07	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5720.135	-12.32	15.91	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5851.280	-21.36	24.08	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5861.420	-27.04	13.80	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5877.430	-33.05	8.00	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5920.980	-33.76	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5644.980	-40.63	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5698.470	-25.39	8.74	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5719.400	-12.91	15.43	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5722.165	-10.09	20.54	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5852.900	-23.12	20.39	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5858.200	-25.29	14.70	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5878.870	-31.82	6.82	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5926.650	-37.84	-27.00	Pass


Bandedge_NVNT_ANT1_802_11a_5745



Bandedge_NVNT_ANT1_802_11a_5825




Bandedge_NVNT_ANT1_802_11n(HT20)_5745



Bandedge_NVNT_ANT1_802_11n(HT20)_5825




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5825




Bandedge_NVNT_ANT1_802_11n(HT40)_5755



Bandedge_NVNT_ANT1_802_11n(HT40)_5795



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5795




7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	25017.68	-48.65	-27	Pass
NVNT	ANT1	802.11a	5785.00	24932.98	-48.34	-27	Pass
NVNT	ANT1	802.11a	5825.00	24977.97	-48.01	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	25020.33	-48.42	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	24956.80	-49.51	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	23985.35	-48.75	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	25044.15	-48.77	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	24954.15	-48.80	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	25017.68	-49.42	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	25070.62	-48.29	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	25007.09	-48.62	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	25054.74	-48.18	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	1726.73	-46.20	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11a_5745




Spurious_Emission_NVNT_ANT1_802_11a_5785




Spurious_Emission_NVNT_ANT1_802_11a_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5755




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5795



Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5755




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5795




8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	5745.408	5736.344	5754.472	5725~5850	Pass
NVNT	ANT1	802.11a	5785.00	5785.502	5776.072	5794.932	5725~5850	Pass
NVNT	ANT1	802.11a	5825.00	5825.518	5815.116	5835.920	5725~5850	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	5745.144	5730.100	5760.188	5725~5850	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	5785.444	5770.584	5800.304	5725~5850	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	5825.144	5809.960	5840.328	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	5745.482	5732.124	5758.840	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	5785.502	5772.144	5798.860	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	5825.098	5811.520	5838.676	5725~5850	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	5756.460	5729.096	5783.824	5725~5850	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	5795.808	5764.016	5827.600	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	5757.904	5731.744	5784.064	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	5795.616	5762.960	5828.272	5725~5850	Pass


Frequency_Stability_NVNT_ANT1_802_11a_5745




Frequency_Stability_NVNT_ANT1_802_11a_5785




Frequency_Stability_NVNT_ANT1_802_11a_5825




Frequency_Stability_NVNT_ANT1_802_11n(HT20)_5745



Frequency_Stability_NVNT_ANT1_802_11n(HT20)_5785




Frequency_Stability_NVNT_ANT1_802_11n(HT20)_5825




Frequency_Stability_NVNT_ANT1_802_11ac(VHT20)_5745




Frequency_Stability_NVNT_ANT1_802_11ac(VHT20)_5785




Frequency_Stability_NVNT_ANT1_802_11ac(VHT20)_5825




Frequency_Stability_NVNT_ANT1_802_11n(HT40)_5755



Frequency_Stability_NVNT_ANT1_802_11n(HT40)_5795



Frequency_Stability_NVNT_ANT1_802_11ac(VHT40)_5755



Frequency_Stability_NVNT_ANT1_802_11ac(VHT40)_5795



***** End of Report *****