



Instructions



MINI PC





ご使用前の注意事項

● 製品に関する注意事項

1. 低電力RFモータは認定品です。いかなる当社、加盟店、個人も無断で周波数の変更、出力の増加、設計の特徴や機能の変更を行うことはできません。
2. 本製品の使用は、周波数 5.15 ～ 5.35 GHz での許諾された操作に対する有害な干渉を防ぐために、屋内のみに制限されています。W52/53 は屋内使用専用です。ただし、5.2 Ghz 帯域の高出力データ通信システムの基地局または陸上移動中継局への接続は除きます。
3. 本製品にはメインボードのCMOSマイクロバッテリーが含まれています。お客様自身で交換しないでください。間違ったモデルのバッテリーに交換すると危険です。交換したバッテリーは適切に処理してください。

● ご使用上の注意事項

当社は、ソフトウェア及びハードウェアの異常な動作、メンテナンス、その他不測の事態により生じた機内データの消失や削除、その他本市場に生じた損害について、一切の責任を負いません。

1. 大切なデータを紛失しないよう、常にバックアップを取るようにしてください。
2. 保証の権利が失われますので、お客様ご自身で分解されないようお願いします。
3. 製品マニュアルおよび関連ソフトウェアは、予告なく随時更新されます。製品マニュアルと相違がある場合は、実際の製品をご参照ください。
4. 誤った充電器を使用すると、爆発の危険があります。純正の充電器をご使用ください。


- 5.本製品は標高3000mまで使用可能です。本製品は非熱帯地域のみで使用に適しています。
- 6.ミニコンピュータのシステムが異常終了したり、電源が不意に切れたりした場合は、できるだけ早くディスクをスキャンしてエラーを修復してください。
- 7.ミニコンピュータを長期間使用しない場合は、主電源スイッチを切り替えてください。
- 8.ミニコンピュータの理想的な稼働温度は10～35度、相対湿度は30～80%です。
- 9.ミニコンピュータの電源を頻繁にオン/オフしないでください。2回の起動の間隔は、10秒以上、できれば60秒以上にしてください。
- 10.ミニコンピュータ本体に水や食べ物などをかけたり、HDMIケーブルや電源コードを引っ張ったりしないでください。
- 11.防塵に注意してください。ミニコンピュータに直接光が当たらないようにしてください。強い磁界に近づかないようにしてください。

インターフェース説明

- 1.本機とディスプレイ機器（テレビ、スクリーン、プロジェクターなど）をHDMIケーブルで接続し、ディスプレイ機器の「映像入力ソース」を接続したHDMI入力チャンネルに選択します。
- 2.DC電源の供給：付属品の電源ケーブルのDCコネクタを本機に接続し、もう一方の端をソケットに直接接続します。
- 3.USBに接続された有線または無線キーボードとマウスで 사용합니다。
- 4.電源ボタンを押すと、システムが起動します。
- 5.CMOSをクリアする：電源アダプターを接続しない状態で、工具を使用して穴の中のボタンを3秒間長押しすると、BIOSの設定が初期値に戻ります。



インターフェース説明





インターネットのトラブルに「不正ソフト」を回避する方法

- 1.一部のソフトウェアのインストール時に、特定のプラグインを使用する必要がない場合は、チェックを外す必要があることに注意してください。
- 2.ウェブサイトを閲覧していると、「XXXXをインストールしますか」というダイアログボックスが表示されることがありますが、ソフトの開発元が不明な場合は、「いいえ」をクリックするのがベストです。

オンライン取引をスムーズ、安全に行うため

- 1.オンライン決済について：リスクを効果的に軽減するために、正規のウィルス対策ソフトやマイクロソフトのファイアウォールをインストールし、有効にしておくこと、また最新バージョンに更新されていることを定期的にチェックしてください。
- 2.Windows OSのアップデート、システムの脆弱性を防ぐためのパッチのインストール、システムの定期的なアップデート、またはパッチの適時インストールを実施してください。
- 3.正規のウィルス対策ソフトをインストールし、定期的にバージョンアップしてください。
- 4.クローンサイトにログインする恐れがあるため、公式サイトにログインし、URLに注意してください。
- 5.ドメイン認証をインストールし、長く複雑なパスワードを設定してください。銀行が提供する各種認証ツールのインストールをお勧めします。

雷雨によるコンピュータへの破損を防ぐ対策

雷雨や暴風雨の場合、電源を切らずに電源コードやネットワークケーブルなどを抜くと、メインボードやネットワークカードなどのデバイスに損傷を与えることが多く、深刻な場合はコンピュータデバイスが焼損し、大きな損失をもたらすことがあります。雷雨や台風が発生した場合は、安全のためコンピュータなどの電子機器の使用はできるだけ控えてください。

保証サービスモード

オンライン技術サポートサービス

1. オンライン技術サービススタッフによるサポートをご希望の場合は、プラットフォームのカスタマーサービスにお問い合わせください。
2. ユーザーは、専門的な技術交流グループ（プラットフォーム上または詳細ページで関連するグループ番号を参照）に参加し、他のお客様と問題を共有することができます。

製品点検・メンテナンスサービス

上記の技術サポートで解決できない問題が発生した場合、コンピューターメーカーのサービスセンターに送付し、エンジニアがテストと修理サービスを実施することができます。

1. 修理に出す前に、ストレージデバイスのデータをバックアップしてください。弊社は検査と修理のみを担当し、修理過程でのいかなる要因によるデータの損失にも責任を負いません、ご理解とご協力をお願いします！

2.無償修理の範囲を超えたコンピュータについては、関連するテストおよび点検・修理費用を請求させていただきます。無償保証期間終了後、エンジニアによる点検・見積もり後、いかなる理由でも修理に応じないお客様には、点検費用をご負担いただきます。

ご注意:技術サポートサービスを求める場合では、製品モデル、シリアル番号、購入場所、購入時間、詳しい故障現象などを明確にお知らせいただければ、エンジニアがより正確かつ迅速に故障原因を特定することができます。

3.サービスセンターの住所については、プラットフォームのカスタマーサービスまたは営業担当者にお問い合わせください。



Notice before use



Product Precautions

1. This low-power RF motor is a certified product. Without permission, the company, merchants or individuals are not allowed to change the frequency, increase the power or change the design characteristics and functions.
2. Use of this product is confined indoors to prevent harmful interference with authorized operations at 5.15 to 5.35 GHz frequencies. W52/53 for indoor use only. The exception is the connection between a high output data communication system in the 5.2 GHz band and a base station or a land mobile relay station.
3. This product contains motherboard CMOS micro battery, do not replace yourself; If you replace the battery with an incorrect model, it may be dangerous. Please dispose of the replaced battery properly.



Precautions for Use


The Company shall not be liable for the loss or deletion of in-flight data caused by unusual software and hardware operation, maintenance or other unexpected circumstances, and shall not be liable for other losses caused by this market.

1. Please backup your important data at any time to avoid loss.
2. Please do not disassemble the machine by yourself, otherwise the warranty rights will be lost.

- 3.** The product user manual and related software are updated at any time without prior notice. In case of any discrepancy between the product user manual and the product user manual, please refer to the actual product.
- 4.** If the wrong charger is used, it may cause explosion danger. Please use the original charger.
- 5.** This product is suitable for the place below 3000 meters above sea level. This product is only suitable for non-tropical areas.
- 6.** If the mini host system exits abnormally or power fails unexpectedly, scan the disk as soon as possible to rectify the error.
- 7.** If the mini host is not used for a long time, switch the main power switch.
- 8.** The ideal working temperature of mini host is 10~35 degrees, and the relative humidity is 30%~80%.
- 9.** Do not turn on and off the mini host frequently. The interval between two startup times should be at least 10 seconds, preferably not less than 60 seconds.
- 10.** Do not put water, food and other liquids on the mini host, and do not pull the HDMI cable and power cord.
- 11.** Pay attention to dust, avoid strong light shining directly on the mini host, and do not get close to strong magnetic field.

Interface Description

1. Connect the device to the display device (such as TV, screen, projector, etc.) through the HDMI cable, and select the "Video input source" of the display device to the connected HDMI input channel.
2. DC power supply: Connect the DC connector of the power cable of the accessory to the device, and directly connect the other end to the socket.
3. Connect a wired or wireless keyboard and mouse with a USB port.
4. Press the power button to start the system.
5. Clear CMOS: Do not connect the power adapter, use the tool to hold down the button in the hole for 3 seconds, B1OS Settings will be restored to the default value.





Warm Tips



How to avoid the 'rogue software' to your Internet troubles?

1. You must pay attention to some plug-ins in the process of installing some software, if you do not need to use some plug-ins do not select the installation;
2. When browsing some websites, sometimes the dialog box "Do you want to install xxxx" will pop up. Before you are not sure what the source of the software to be installed is, it is best to click "no".



How to avoid the 'rogue software' to your Internet troubles?

1. You must pay attention to some plug-ins in the process of installing some software, if you do not need to use some plug-ins do not select the installation;
2. When browsing some websites, sometimes the dialog box "Do you want to install xxxx" will pop up. Before you are not sure what the source of the software to be installed is, it is best to click "no".



To ensure smooth and secure transactions on your network:

1. Online payment In order to effectively reduce such risks, it is recommended to ensure that you have installed and enabled genuine anti-virus software and Microsoft internet Firewall. It is necessary to periodically check whether the above software has been updated to the latest version.
2. UPDATE the windows operating system, install patches, square foot system vulnerabilities, periodically update the system or timely install patches;

3. Install genuine anti-virus software and ensure that it is regularly upgraded.
4. Log in to the official website and pay attention to the website address to avoid the threat of logging in to the clone website;
5. Install the certificate and set the long and bit password. You are advised to use various installation authentication tools provided by the bank.



To prevent thunderstorms from harming your computer:

Thunderstorm or thunder weather, if you do not close the computer, at the same time unplug the power cord, network cable, and so on often cause motherboard, network adapter, and other devices damage, serious will burn the computer components, bring you greater loss; During thunderstorms or typhoons, please avoid using computers or other electronic devices for safety



Warranty service mode



Warranty service mod

Product online technical support services

1. Users can add a professional and technical communication group (you can see the relevant group number in the platform or details page) to communicate with other customers about the problems they encounter.
2. Contact the platform customer service, and our online technical service staff will provide technical support for you.



Product inspection and maintenance services

If the user encounters problems that cannot be solved by the above technical support services, the machine can be expressed to the computer manufacturer's service center, where engineers will carry out testing and repair services for the machine.

1. Please back up the data in the storage device before sending it for repair. We are only responsible for this

Testing and maintenance, the company is not responsible for the loss of data caused by any factors during the repair process, please understand and support!

2. For computers that have exceeded the scope of free maintenance, relevant testing and maintenance fees will be charged. For computers that have exceeded the free warranty period, users who do not agree to repair the computers for some reason after the engineer's testing quotation must pay the testing fees.

Note: No matter how you seek for technical support services, please clearly inform us of the product model, product serial number, platform where the product is purchased, purchase time, and detailed fault symptoms so that engineers can accurately and quickly identify the cause of the fault.

3. Address of the service center: Please contact customer service or sales personnel of the platform to obtain the address.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To assure continued compliance, any changes or modifications not expressly approved by the party.

Responsible for compliance could void the user's authority to operate this equipment. (Example- use only shielded interface cables when connecting to computer or peripheral devices).

This equipment complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

FCC Radiation Exposure Statement:

The equipment complies with FCC Radiation exposure limits set forth for uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.

.