
PCB Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2 . 4 G ANT					
MAX. Gain	-5.48					
Polarization	Horizontal and Vertical					
Azimuth Beam	Omni-directional					
Pattern	Offini-directional					
Manufacture	Dongguan Yigaoxin Electronic Technology Co., Ltd.					
Address	Room 908, Building 2, No. 8 Shixia Road, Dalang Town, Dongguan City					

Antenna Photo & Length (mm)



Test result

Passive Test For 2.4g												
Freq	Effi	Effi	Gain	Gain	UHIS	DHIS	Max	Min	Attenut	Attenut		
(MHz)	(%)	(dB)	(dBi)	(dBd)	(%)	(%)	(dB)	(dB)	Hor	Ver		
2400	9.71	-10. 13	-5. 48	-7.63	5. 124	4. 584	-5. 48	-17. 26	51. 43	51. 57		
2410	9. 45	-10. 24	-5. 48	-7. 63	4.873	4. 582	-5. 48	-17. 54	51. 47	51. 52		
2420	8. 74	-10. 58	-6. 12	-8. 27	4. 522	4. 22	-6. 12	-17. 62	51. 49	51. 69		
2430	8. 57	-10.67	-6. 31	-8. 46	4. 464	4. 103	-6. 31	-17.8	51. 57	51.63		
2440	8. 92	-10.5	-6. 6	-8. 75	4.826	4. 089	-6. 6	-18. 69	51.71	51.7		
2450	8. 93	-10. 49	-6. 95	-9. 1	4.894	4.041	-6. 95	-17. 99	51.83	51. 78		
2460	8.86	-10. 53	-7.49	-9.64	5.018	3.842	-7.49	-18. 25	51. 98	51.88		
2470	9. 28	-10.32	-7. 13	-9. 28	5. 362	3. 92	-7. 13	-19.62	52	51. 93		
2480	9. 16	-10.38	-6.88	-9.03	5. 395	3. 769	-6.88	-18.34	52	52.05		
2490	9. 29	-10. 32	-6. 14	-8. 29	5. 626	3. 664	-6. 14	-20. 97	51. 92	51. 83		
2500	8. 97	-10. 47	-6. 56	-8. 71	5. 504	3. 462	-6. 56	-20.02	51. 79	51. 78		

