

5.2G

Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	97.58	0.11	0.72
NVNT	a	5200	Ant1	97.58	0.11	0.71
NVNT	a	5240	Ant1	97.63	0.1	0.72
NVNT	n20	5180	Ant1	97.39	0.11	0.77
NVNT	n20	5200	Ant1	97.43	0.11	0.77
NVNT	n20	5240	Ant1	97.41	0.11	0.77
NVNT	n40	5190	Ant1	95.05	0.22	1.54
NVNT	n40	5230	Ant1	95.05	0.22	1.54
NVNT	ac20	5180	Ant1	97.43	0.11	0.76
NVNT	ac20	5200	Ant1	97.44	0.11	0.76
NVNT	ac20	5240	Ant1	97.43	0.11	0.76
NVNT	ac40	5190	Ant1	95.07	0.22	1.54
NVNT	ac40	5230	Ant1	95.11	0.22	1.54
NVNT	ac80	5210	Ant1	90.58	0.43	3.12


Test Graphs

Duty Cycle NVNT a 5180MHz Ant1

Spectrum

Ref Level 30.00 dBm Offset 3.96 dB RBW 10 MHz
Att 40 dB SWT 100 ms VBW 10 MHz
SGL

1Pk Clrw



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	640.0 μ s	7.69 dBm		
M2		1	680.0 μ s	8.67 dBm		
M3		1	2.07 ms	9.19 dBm		

Duty Cycle NVNT a 5200MHz Ant1

Spectrum


Ref Level 30.00 dBm Offset 4.02 dB RBW 10 MHz
Att 40 dB SWT 100 ms VBW 10 MHz
SGL


1Pk Clrw





Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	340.0 μ s	10.44 dBm		
M2		1	380.0 μ s	10.40 dBm		
M3		1	1.78 ms	10.64 dBm		














Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	6.8	0	6.8	24	Pass
NVNT	a	5200	Ant1	6.74	0	6.74	24	Pass
NVNT	a	5240	Ant1	7.08	0	7.08	24	Pass
NVNT	n20	5180	Ant1	6.55	0	6.55	24	Pass
NVNT	n20	5200	Ant1	6.66	0	6.66	24	Pass
NVNT	n20	5240	Ant1	6.96	0	6.96	24	Pass
NVNT	n40	5190	Ant1	7.83	0	7.83	24	Pass
NVNT	n40	5230	Ant1	8.13	0	8.13	24	Pass
NVNT	ac20	5180	Ant1	7.11	0	7.11	24	Pass
NVNT	ac20	5200	Ant1	6.99	0	6.99	24	Pass
NVNT	ac20	5240	Ant1	7.44	0	7.44	24	Pass
NVNT	ac40	5190	Ant1	8.08	0	8.08	24	Pass
NVNT	ac40	5230	Ant1	8.3	0	8.3	24	Pass
NVNT	ac80	5210	Ant1	7.22	0	7.22	24	Pass

-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	29.214	Pass
NVNT	a	5200	Ant1	24.756	Pass
NVNT	a	5240	Ant1	29.229	Pass
NVNT	n20	5180	Ant1	29.94	Pass
NVNT	n20	5200	Ant1	28.392	Pass
NVNT	n20	5240	Ant1	26.367	Pass
NVNT	n40	5190	Ant1	59.952	Pass
NVNT	n40	5230	Ant1	59.952	Pass
NVNT	ac20	5180	Ant1	30	Pass
NVNT	ac20	5200	Ant1	28.965	Pass
NVNT	ac20	5240	Ant1	29.226	Pass
NVNT	ac40	5190	Ant1	59.994	Pass
NVNT	ac40	5230	Ant1	59.988	Pass
NVNT	ac80	5210	Ant1	119.796	Pass


Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1

Spectrum

Ref Level 20.00 dBm Offset 3.96 dB RBW 300 kHz
Att 35 dB SWT 25.4 μ s VBW 1 MHz Mode Auto FFT
SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.1792591 GHz	-4.06 dBm		
M2	1		5.165 GHz	-29.44 dBm		
M3	1		5.194214 GHz	-30.04 dBm		

-26dB Bandwidth NVNT a 5200MHz Ant1

Spectrum


Ref Level 20.00 dBm Offset 4.02 dB RBW 300 kHz
Att 35 dB SWT 25.4 μ s VBW 1 MHz Mode Auto FFT
SGL Count 100/100


1Pk Max





Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.1989951 GHz	-1.91 dBm		
M2	1		5.188375 GHz	-27.88 dBm		
M3	1		5.213131 GHz	-27.86 dBm		















Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.591
NVNT	a	5200	Ant1	16.576
NVNT	a	5240	Ant1	16.57
NVNT	n20	5180	Ant1	17.677
NVNT	n20	5200	Ant1	17.803
NVNT	n20	5240	Ant1	17.713
NVNT	n40	5190	Ant1	36.734
NVNT	n40	5230	Ant1	36.71
NVNT	ac20	5180	Ant1	17.854
NVNT	ac20	5200	Ant1	17.809
NVNT	ac20	5240	Ant1	17.836
NVNT	ac40	5190	Ant1	37.238
NVNT	ac40	5230	Ant1	36.776
NVNT	ac80	5210	Ant1	75.592


Test Graphs


OBW NVNT a 5180MHz Ant1





OBW NVNT a 5200MHz Ant1


















Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-8.02	0.11	-7.91	11	Pass
NVNT	a	5200	Ant1	-6.41	0.11	-6.3	11	Pass
NVNT	a	5240	Ant1	-5.57	0.1	-5.47	11	Pass
NVNT	n20	5180	Ant1	-8.41	0.11	-8.3	11	Pass
NVNT	n20	5200	Ant1	-6.57	0.11	-6.46	11	Pass
NVNT	n20	5240	Ant1	-5.66	0.11	-5.55	11	Pass
NVNT	n40	5190	Ant1	-10.84	0.22	-10.62	11	Pass
NVNT	n40	5230	Ant1	-9	0.22	-8.78	11	Pass
NVNT	ac20	5180	Ant1	-6.58	0.11	-6.47	11	Pass
NVNT	ac20	5200	Ant1	-4.92	0.11	-4.81	11	Pass
NVNT	ac20	5240	Ant1	-4.01	0.11	-3.9	11	Pass
NVNT	ac40	5190	Ant1	-10.47	0.22	-10.25	11	Pass
NVNT	ac40	5230	Ant1	-8.86	0.22	-8.64	11	Pass
NVNT	ac80	5210	Ant1	-15.23	0.43	-14.8	11	Pass


Test Graphs


PSD NVNT a 5180MHz Ant1





PSD NVNT a 5200MHz Ant1


















Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-38.13	-27	Pass
NVNT	a	5240	Ant1	-43.45	-27	Pass
NVNT	n20	5180	Ant1	-38.31	-27	Pass
NVNT	n20	5240	Ant1	-42.82	-27	Pass
NVNT	n40	5190	Ant1	-29.74	-27	Pass
NVNT	n40	5230	Ant1	-43.19	-27	Pass
NVNT	ac20	5180	Ant1	-36.85	-27	Pass
NVNT	ac20	5240	Ant1	-43.55	-27	Pass
NVNT	ac40	5190	Ant1	-28.17	-27	Pass
NVNT	ac40	5230	Ant1	-43.07	-27	Pass
NVNT	ac80	5210	Ant1	-39.55	-27	Pass

Test Graphs


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1





Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1









Band Edge NVNT ac40 5190MHz Low Ant1



Band Edge NVNT ac40 5230MHz High Ant1





Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-35.05	-27	Pass
NVNT	a	5200	Ant1	-34.6	-27	Pass
NVNT	a	5240	Ant1	-33.13	-27	Pass
NVNT	n20	5180	Ant1	-33.62	-27	Pass
NVNT	n20	5200	Ant1	-34.31	-27	Pass
NVNT	n20	5240	Ant1	-34.18	-27	Pass
NVNT	n40	5190	Ant1	-33.82	-27	Pass
NVNT	n40	5230	Ant1	-32.13	-27	Pass
NVNT	ac20	5180	Ant1	-34.41	-27	Pass
NVNT	ac20	5200	Ant1	-34.64	-27	Pass
NVNT	ac20	5240	Ant1	-34.63	-27	Pass
NVNT	ac40	5190	Ant1	-34.04	-27	Pass
NVNT	ac40	5230	Ant1	-35.12	-27	Pass
NVNT	ac80	5210	Ant1	-34.26	-27	Pass