

Table of Contents


1. -6dB Emission Bandwidth	2
2. -26dB and 99% Emission Bandwidth	10
3. Duty Cycle	25
4. Maximum Conducted Output Power	33
5. Power Spectral Density	41
6. Bandedge	49
7. Spurious Emission	56
8. Frequency Stability	64

240422 FCC ID WIFI5.8

FCC_5.8G_WIFI (Part15.407) Test Data

1. -6dB Emission Bandwidth

Condition	Antenna	Mode	Frequency(MHz)	-6dB_Emission_Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	16.406	0.500	Pass
NVNT	ANT1	802.11a	5785.00	16.404	0.500	Pass
NVNT	ANT1	802.11a	5825.00	16.378	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	17.553	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	17.421	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	17.423	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	17.553	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	17.414	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	17.417	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	35.728	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	36.027	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	35.622	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	35.769	0.500	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	75.708	0.500	Pass



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5785_20M



-6dB Emission Bandwidth NVNT ANT1 802 11a 5825 20M



-6dB Emission Bandwidth NVNT ANT1 802 11n(HT20) 5745 20M



-6dB Emission Bandwidth NVNT ANT1_802_11n(HT20)_5785_20M



-6dB Emission Bandwidth NVNT ANT1_802_11n(HT20)_5825_20M



-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT20)_5745_20M



-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT20)_5785_20M



-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT20)_5825_20M



-6dB Emission Bandwidth NVNT_ANT1_802_11n(HT40)_5755_40M



-6dB Emission Bandwidth NVNT ANT1 802 11n(HT40) 5795 40M



-6dB Emission Bandwidth NVNT ANT1 802 11ac(VHT40) 5755 40M



-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT40)_5795_40M




-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT80)_5775_80M




2. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5745.00	32.38	16.96
NVNT	ANT1	802.11a	5785.00	32.99	16.96
NVNT	ANT1	802.11a	5825.00	31.23	16.92
NVNT	ANT1	802.11n(HT20)	5745.00	33.98	17.98
NVNT	ANT1	802.11n(HT20)	5785.00	33.59	17.95
NVNT	ANT1	802.11n(HT20)	5825.00	34.64	17.92
NVNT	ANT1	802.11ac(VHT20)	5745.00	34.62	17.98
NVNT	ANT1	802.11ac(VHT20)	5785.00	33.10	17.96
NVNT	ANT1	802.11ac(VHT20)	5825.00	31.05	17.92
NVNT	ANT1	802.11n(HT40)	5755.00	72.54	36.76
NVNT	ANT1	802.11n(HT40)	5795.00	72.27	36.60
NVNT	ANT1	802.11ac(VHT40)	5755.00	72.35	36.69
NVNT	ANT1	802.11ac(VHT40)	5795.00	70.34	36.62
NVNT	ANT1	802.11ac(VHT80)	5775.00	151.83	77.00






99% OCB NVNT_ANT1_802_11a_5785



-26BW_NVNT_ANT1_802_11a_5785




99% OCB NVNT_ANT1_802_11a_5825






99%_OCB_NVNT_ANT1_802_11n(HT20)_5745






99%_OCB_NVNT_ANT1_802_11n(HT20)_5785




-26BW_NVNT_ANT1_802_11n(HT20)_5785




99%_OCB_NVNT_ANT1_802_11n(HT20)_5825



-26BW_NVNT_ANT1_802_11n(HT20)_5825



99% OCB NVNT ANT1 802 11ac(VHT20) 5745







99% OCB NVNT ANT1 802_11ac(VHT20) 5785



-26BW NVNT ANT1 802_11ac(VHT20) 5785




99% OCB NVNT ANT1 802 11ac(VHT20) 5825



-26BW NVNT ANT1 802 11ac(VHT20) 5825





99%_OCB_NVNT_ANT1_802_11n(HT40)_5755






99%_OCB_NVNT_ANT1_802_11n(HT40)_5795





99% OCB NVNT ANT1 802 11ac(VHT40) 5755



-26BW NVNT ANT1 802 11ac(VHT40) 5755



99% OCB NVNT_ANT1_802_11ac(VHT40)_5795



-26BW_NVNT_ANT1_802_11ac(VHT40)_5795



99% OCB NVNT ANT1 802 11ac(VHT80) 5775




-26BW NVNT ANT1 802 11ac(VHT80) 5775




3. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	95.89	0.18
NVNT	ANT1	802.11a	5785.00	95.89	0.18
NVNT	ANT1	802.11a	5825.00	97.22	0.12
NVNT	ANT1	802.11n(HT20)	5745.00	95.16	0.22
NVNT	ANT1	802.11n(HT20)	5785.00	95.16	0.22
NVNT	ANT1	802.11n(HT20)	5825.00	96.72	0.14
NVNT	ANT1	802.11ac(VHT20)	5745.00	96.77	0.14
NVNT	ANT1	802.11ac(VHT20)	5785.00	96.77	0.14
NVNT	ANT1	802.11ac(VHT20)	5825.00	95.16	0.22
NVNT	ANT1	802.11n(HT40)	5755.00	90.63	0.43
NVNT	ANT1	802.11n(HT40)	5795.00	93.75	0.28
NVNT	ANT1	802.11ac(VHT40)	5755.00	90.63	0.43
NVNT	ANT1	802.11ac(VHT40)	5795.00	90.91	0.41
NVNT	ANT1	802.11ac(VHT80)	5775.00	83.33	0.79




Duty Cycle_NVNT_ANT1_802_11a_5785




Duty_Cycle_NVNT_ANT1_802_11a_5825




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5745




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5785




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5825




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5745




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5785




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5825




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5755




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5795




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5755



Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5795




Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5775



4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	-1.93	0.18	-1.75	30	Pass
NVNT	ANT1	802.11a	5785.00	-0.90	0.18	-0.72	30	Pass
NVNT	ANT1	802.11a	5825.00	-0.47	0.12	-0.35	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-1.54	0.22	-1.32	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-0.56	0.22	-0.34	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-0.10	0.14	0.04	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-1.54	0.14	-1.40	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-0.56	0.14	-0.42	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-0.16	0.22	0.06	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-2.17	0.43	-1.74	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-1.47	0.28	-1.19	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-2.17	0.43	-1.74	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-1.49	0.41	-1.08	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	-1.32	0.79	-0.53	30	Pass



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5785



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5825




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5745



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5785



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5825




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5745



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5785




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5825




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5755




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5795




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5755



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5795



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT80)_5775



5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA(dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD(dBm/500kHz)	limit(dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-16.00	0.18	-0	-15.91	30	Pass
NVNT	ANT1	802.11a	5785.00	-14.77	0.18	-0	-14.68	30	Pass
NVNT	ANT1	802.11a	5825.00	-14.40	0.12	-0	-14.37	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-15.73	0.22	-0	-15.60	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-14.71	0.22	-0	-14.58	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-14.35	0.14	-0	-14.29	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-15.70	0.14	-0	-15.65	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-14.77	0.14	-0	-14.72	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-14.42	0.22	-0	-14.29	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-19.19	0.43	-0	-18.85	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-18.38	0.28	-0	-18.19	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-19.21	0.43	-0	-18.87	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-18.37	0.41	-0	-18.04	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	-20.70	0.79	-0	-20.00	30	Pass



Power Spectral Density NVNT ANT1 802 11a 5785



Power_Spectral_Density_NVNT_ANT1_802_11a_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5825



Power Spectral Density NVNT_ANT1_802_11ac(VHT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT80)_5775




6. Bandedge


Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5575.080	-46.89	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5655.045	-47.36	-26.96	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5717.520	-45.81	14.91	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5723.185	-43.04	22.86	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5852.265	-45.01	21.84	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5874.700	-47.15	10.08	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5918.380	-47.06	-25.67	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5950.430	-41.68	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5568.780	-46.57	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5661.345	-47.39	-21.78	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5716.820	-46.36	14.71	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5723.920	-41.11	24.54	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5853.935	-44.69	18.03	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5874.700	-46.88	10.08	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5919.460	-46.68	-26.56	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5972.615	-41.77	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5570.580	-46.60	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5664.270	-47.29	-19.38	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5714.160	-46.40	13.96	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5721.720	-42.41	19.52	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5851.430	-44.12	23.74	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5871.600	-46.30	10.95	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5914.465	-47.26	-22.45	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5930.710	-42.42	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5636.040	-47.06	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5665.125	-47.23	-18.68	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5715.200	-46.22	14.26	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5720.505	-44.46	16.75	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5853.590	-47.07	18.81	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5873.800	-46.05	10.34	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5919.280	-47.00	-26.41	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5926.860	-42.33	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5644.500	-46.70	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5669.715	-47.27	-14.90	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5718.200	-45.20	15.10	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5722.425	-43.95	21.13	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5854.575	-47.10	16.57	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5870.140	-46.53	11.36	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5919.055	-46.56	-26.22	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5927.875	-41.44	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5650-5655	5654.225	-46.01	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5655-5700	5668.725	-46.57	-15.71	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5700-5720	5704.680	-45.87	11.31	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5720-5725	5722.055	-44.00	20.29	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5850-5855	5854.970	-44.12	15.67	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5855-5875	5872.440	-44.53	10.72	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5875-5920	5918.830	-46.04	-26.04	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5920-5925	5920.370	-41.54	-27.00	Pass

Reamrk: Antenna gain is covered in the test.


Bandedge_NVNT_ANT1_802_11a_5745



Bandedge_NVNT_ANT1_802_11a_5825




Bandedge_NVNT_ANT1_802_11n(HT20)_5745



Bandedge_NVNT_ANT1_802_11n(HT20)_5825




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5825




Bandedge_NVNT_ANT1_802_11n(HT40)_5755



Bandedge_NVNT_ANT1_802_11n(HT40)_5795



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5795



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_low



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_up




7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	826.75	-31.18	-27	Pass
NVNT	ANT1	802.11a	5785.00	2552.59	-38.41	-27	Pass
NVNT	ANT1	802.11a	5825.00	707.63	-39.05	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	25700.61	-49.03	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	5241.94	-47.30	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	596.46	-41.95	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	2536.71	-33.77	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	726.16	-32.62	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	596.46	-40.29	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	596.46	-43.25	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	704.99	-34.26	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	596.46	-38.85	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	715.57	-32.08	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	596.46	-41.42	-27	Pass


Reamrk: Antenna gain is covered in the test.




Spurious_Emission_NVNT_ANT1_802_11a_5785




Spurious_Emission_NVNT_ANT1_802_11a_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5745



Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5755




Spurious Emission_NVNT_ANT1_802_11n(HT40)_5795




Spurious Emission_NVNT_ANT1_802_11ac(VHT40)_5755



Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5795



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5775



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	5745.050	5736.292	5753.808	5725~5850	Pass
NVNT	ANT1	802.11a	5785.00	5785.114	5776.396	5793.832	5725~5850	Pass
NVNT	ANT1	802.11a	5825.00	5825.084	5816.412	5833.756	5725~5850	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	5745.100	5735.904	5754.296	5725~5850	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	5785.108	5775.900	5794.316	5725~5850	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	5825.070	5815.928	5834.212	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	5745.058	5735.852	5754.264	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	5785.100	5775.900	5794.300	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	5825.084	5815.928	5834.240	5725~5850	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	5755.080	5736.808	5773.352	5725~5850	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	5795.108	5776.856	5813.360	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	5755.092	5736.824	5773.360	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	5795.096	5776.848	5813.344	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	5775.144	5737.092	5813.196	5725~5850	Pass