


70mm


100mm





USER MANUAL


Please read this manual throughly before using this product and keep it for future reference.

PACKING LIST

Projector


Remote

User Manual


Power Cable

NOTICE

Recommended




NOT Recommended




1

FUNCTION OVERVIEW



Focus

Lens



DC IN


HD

USB

IR


TYPE-C

AUX



ON/OFF

Speaker



Play/Pause

On/Off

Fast Reverse

Up

Left

Back

Volume-

Mute

Fast Forward

Right

Down

Input Source

Volume+


Menu

(Basic version)

2

封面


PROJECTOR CONNECTION




1

2

3



PROJECTION DISTANCE&SIZE



17"

30"

37"

50"

60"

80"

0.6M

1.0M

1.24M

1.65M

1.95M

2.6M

3

SPECIFICATION

Display Technology	LCD	Light Source	LED
Power Supply	AC 100-240V, 50/60Hz	Resolution Supported	576i, 576P, 720i, 720P, 1080i, 1080P
Projection Distance	2FT-8.5FT(0.6M-2.6M)	Projection Screen	17"-100"
Installation Type	Front/Rear/Ceiling	Aspect Ratio	4:3/16:9/Auto
Focus	Manual	Keystone	±15°
Speaker	3W/4ohm*1	Unit Net Weight	0.9lb (0.4kg)
Unit Dimension	36.8*108.8*86.7mm	Audio Format Supported	MP2/MP3/PCM/FLAC/WMA
Photo Format Supported	BMP/JPG/PNG/GIF/JPEG	Ports	HD In*1/USB2.0 Port*2/ Audio Out*1/microSD(TF) Card Slot*1
Video Format Supported	AVI/MP4/MKV/FLV/MOV/ RMVB/3GP/MPEG1/ MPEG2/H.264/XVID		

4

TROUBLESHOOTING GUIDE

1. Blurry Image

* Adjust focus ring/keystone.

* Projector and screen/wall must be in effective distance.

2. Remote Unresponsive

* Make sure remote points at IR receiver directly.

* Do not cover IR receiver.

3. Mobile Connection

Please try to use the original data cable of the mobile phone for connection.

4. Up Side Down Images

Enter "Menu" on projector or remote to flip the projection image.

5

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.

ISED Statement

- English: This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

(1) This device may not cause interference.

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

- French: Cet appareil contient des émetteurs/récepteurs exempts de licence qui sont conformes aux CNR exempts de licence d'Innovation, Sciences et Développement économique Canada. Le fonctionnement est soumis aux deux conditions suivantes :

(1) Cet appareil ne doit pas causer d'interférences.

(2) Cet appareil doit accepter toute interférence, y compris les interférences susceptibles de provoquer un fonctionnement indésirable de l'appareil.

This equipment complies with Canada radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

Cet équipement est conforme Canada limites d'exposition aux radiations dans un environnement non contrôlé.

Cet équipement doit être installé et utilisé avec une distance minimale de 20 cm entre le radiateur et votre corps.