



19.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.46	-13	Pass	401
0.15	30	0.01	RMS	0.44	-64.95	-13	Pass	2986
30	1000	0.1	RMS	911.441	-55.71	-13	Pass	9701
1000	3000	1	RMS	2930	-41.66	-13	Pass	2001
3000	3430	1	RMS	3398	-37.85	-13	Pass	431
3430	3570	1	RMS	3545.15	23.41	60	Pass	401
3570	6500	1	RMS	6466	-38.04	-13	Pass	2931
6500	26500	1	RMS	25075	-41.63	-13	Pass	20003




19.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.143	-68.76	-13	Pass	401
0.15	30	0.01	RMS	27.58	-65.72	-13	Pass	2986
30	1000	0.1	RMS	991.094	-55.82	-13	Pass	9701
1000	3000	1	RMS	2984	-41.63	-13	Pass	2001
3000	3430	1	RMS	3405	-37.9	-13	Pass	431
3430	3570	1	RMS	3545.5	21.91	60	Pass	401
3570	6500	1	RMS	6450	-38.05	-13	Pass	2931
6500	26500	1	RMS	25102	-41.69	-13	Pass	20003




19.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.23	-13	Pass	401
0.15	30	0.01	RMS	0.21	-65.28	-13	Pass	2986
30	1000	0.1	RMS	876.918	-55.89	-13	Pass	9701
1000	3000	1	RMS	2948	-41.79	-13	Pass	2001
3000	3430	1	RMS	3402	-37.93	-13	Pass	431
3430	3570	1	RMS	3450.3	24.18	60	Pass	401
3570	6500	1	RMS	6486	-37.83	-13	Pass	2931
6500	26500	1	RMS	20443	-38.26	-13	Pass	20003




19.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.85	-13	Pass	401
0.15	30	0.01	RMS	29.62	-64.89	-13	Pass	2986
30	1000	0.1	RMS	888.526	-56.04	-13	Pass	9701
1000	3000	1	RMS	2963	-41.66	-13	Pass	2001
3000	3430	1	RMS	3405	-37.92	-13	Pass	431
3430	3570	1	RMS	3450.3	23.18	60	Pass	401
3570	6500	1	RMS	6399	-38.18	-13	Pass	2931
6500	26500	1	RMS	25122	-41.64	-13	Pass	20003



19.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:42590, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.16	-13	Pass	401
0.15	30	0.01	RMS	19.51	-65.18	-13	Pass	2986
30	1000	0.1	RMS	989.993	-55.7	-13	Pass	9701
1000	3000	1	RMS	2979	-41.73	-13	Pass	2001
3000	3430	1	RMS	3407	-37.88	-13	Pass	431
3430	3570	1	RMS	3495.45	24.25	60	Pass	401
3570	6500	1	RMS	6381	-38.1	-13	Pass	2931
6500	26500	1	RMS	25874	-41.7	-13	Pass	20003



19.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:42590, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.94	-13	Pass	401
0.15	30	0.01	RMS	17.24	-65.73	-13	Pass	2986
30	1000	0.1	RMS	898.633	-55.81	-13	Pass	9701
1000	3000	1	RMS	2958	-41.74	-13	Pass	2001
3000	3430	1	RMS	3399	-37.96	-13	Pass	431
3430	3570	1	RMS	3495.45	23.14	60	Pass	401
3570	6500	1	RMS	6423	-38.09	-13	Pass	2931
6500	26500	1	RMS	25091	-41.72	-13	Pass	20003



19.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.05	-13	Pass	401
0.15	30	0.01	RMS	1.2	-64.87	-13	Pass	2986
30	1000	0.1	RMS	849.1	-55.96	-13	Pass	9701
1000	3000	1	RMS	2931	-41.63	-13	Pass	2001
3000	3430	1	RMS	3400	-37.91	-13	Pass	431
3430	3570	1	RMS	3540.6	23.65	60	Pass	401
3570	6500	1	RMS	4345	-30.23	-13	Pass	2931
6500	26500	1	RMS	26177	-41.72	-13	Pass	20003



19.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.72	-13	Pass	401
0.15	30	0.01	RMS	29.6	-65.06	-13	Pass	2986
30	1000	0.1	RMS	931.154	-55.93	-13	Pass	9701
1000	3000	1	RMS	2960	-41.67	-13	Pass	2001
3000	3430	1	RMS	3401	-37.92	-13	Pass	431
3430	3570	1	RMS	3540.6	22.45	60	Pass	401
3570	6500	1	RMS	6391	-37.96	-13	Pass	2931
6500	26500	1	RMS	25104	-41.52	-13	Pass	20003



19.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.38	-13	Pass	401
0.15	30	0.01	RMS	0.36	-64.53	-13	Pass	2986
30	1000	0.1	RMS	865.611	-55.79	-13	Pass	9701
1000	3000	1	RMS	2957	-41.66	-13	Pass	2001
3000	3430	1	RMS	3400	-37.92	-13	Pass	431
3430	3570	1	RMS	3451	23.22	60	Pass	401
3570	6500	1	RMS	6467	-38.01	-13	Pass	2931
6500	26500	1	RMS	20483	-38.44	-13	Pass	20003



19.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-65.55	-13	Pass	2986
30	1000	0.1	RMS	982.889	-55.91	-13	Pass	9701
1000	3000	1	RMS	2961	-41.56	-13	Pass	2001
3000	3430	1	RMS	3402	-37.91	-13	Pass	431
3430	3570	1	RMS	3450.65	22.81	60	Pass	401
3570	6500	1	RMS	6447	-38.16	-13	Pass	2931
6500	26500	1	RMS	25804	-41.59	-13	Pass	20003



19.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:42590, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-68.84	-13	Pass	401
0.15	30	0.01	RMS	1.88	-64.8	-13	Pass	2986
30	1000	0.1	RMS	901.335	-56.11	-13	Pass	9701
1000	3000	1	RMS	2905	-41.76	-13	Pass	2001
3000	3430	1	RMS	3404	-37.94	-13	Pass	431
3430	3570	1	RMS	3493	24.2	60	Pass	401
3570	6500	1	RMS	6465	-38.06	-13	Pass	2931
6500	26500	1	RMS	25101	-41.64	-13	Pass	20003



19.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:42590, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.58	-13	Pass	401
0.15	30	0.01	RMS	0.32	-65.47	-13	Pass	2986
30	1000	0.1	RMS	909.04	-56.02	-13	Pass	9701
1000	3000	1	RMS	2966	-41.8	-13	Pass	2001
3000	3430	1	RMS	3405	-37.89	-13	Pass	431
3430	3570	1	RMS	3493	23.44	60	Pass	401
3570	6500	1	RMS	6361	-38.13	-13	Pass	2931
6500	26500	1	RMS	25094	-41.58	-13	Pass	20003



19.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.2	-13	Pass	401
0.15	30	0.01	RMS	0.19	-65.16	-13	Pass	2986
30	1000	0.1	RMS	875.217	-56.04	-13	Pass	9701
1000	3000	1	RMS	2997	-41.73	-13	Pass	2001
3000	3430	1	RMS	3025	-37.25	-13	Pass	431
3430	3570	1	RMS	3535.7	22.86	60	Pass	401
3570	6500	1	RMS	6487	-38.04	-13	Pass	2931
6500	26500	1	RMS	25096	-41.56	-13	Pass	20003



19.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.04	-13	Pass	401
0.15	30	0.01	RMS	28.26	-65.16	-13	Pass	2986
30	1000	0.1	RMS	924.15	-55.88	-13	Pass	9701
1000	3000	1	RMS	2956	-41.74	-13	Pass	2001
3000	3430	1	RMS	3397	-37.87	-13	Pass	431
3430	3570	1	RMS	3535.7	22.15	60	Pass	401
3570	6500	1	RMS	6406	-38.11	-13	Pass	2931
6500	26500	1	RMS	25827	-41.55	-13	Pass	20003



19.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-64.46	-13	Pass	2986
30	1000	0.1	RMS	917.545	-55.92	-13	Pass	9701
1000	3000	1	RMS	2965	-41.65	-13	Pass	2001
3000	3430	1	RMS	3398	-37.85	-13	Pass	431
3430	3570	1	RMS	3451	24.58	60	Pass	401
3570	6500	1	RMS	6354	-38.03	-13	Pass	2931
6500	26500	1	RMS	20397	-38.64	-13	Pass	20003



19.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.66	-13	Pass	401
0.15	30	0.01	RMS	18.52	-65.6	-13	Pass	2986
30	1000	0.1	RMS	880.02	-55.98	-13	Pass	9701
1000	3000	1	RMS	2961	-41.62	-13	Pass	2001
3000	3430	1	RMS	3404	-37.75	-13	Pass	431
3430	3570	1	RMS	3451	22.83	60	Pass	401
3570	6500	1	RMS	6467	-37.94	-13	Pass	2931
6500	26500	1	RMS	25123	-41.6	-13	Pass	20003



19.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:42590, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.35	-13	Pass	401
0.15	30	0.01	RMS	18.85	-65.27	-13	Pass	2986
30	1000	0.1	RMS	867.512	-55.78	-13	Pass	9701
1000	3000	1	RMS	2962	-41.67	-13	Pass	2001
3000	3430	1	RMS	3395	-37.81	-13	Pass	431
3430	3570	1	RMS	3490.9	23.54	60	Pass	401
3570	6500	1	RMS	6385	-37.98	-13	Pass	2931
6500	26500	1	RMS	25804	-41.66	-13	Pass	20003



19.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:42590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.23	-13	Pass	401
0.15	30	0.01	RMS	0.54	-64.06	-13	Pass	2986
30	1000	0.1	RMS	899.133	-55.78	-13	Pass	9701
1000	3000	1	RMS	2963	-41.57	-13	Pass	2001
3000	3430	1	RMS	3401	-37.86	-13	Pass	431
3430	3570	1	RMS	3491.25	22.39	60	Pass	401
3570	6500	1	RMS	6427	-38.04	-13	Pass	2931
6500	26500	1	RMS	25087	-41.57	-13	Pass	20003



19.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.07	-13	Pass	401
0.15	30	0.01	RMS	22.29	-65.4	-13	Pass	2986
30	1000	0.1	RMS	913.743	-55.89	-13	Pass	9701
1000	3000	1	RMS	2967	-41.69	-13	Pass	2001
3000	3430	1	RMS	3403	-37.89	-13	Pass	431
3430	3570	1	RMS	3530.8	23.73	60	Pass	401
3570	6500	1	RMS	6449	-38.08	-13	Pass	2931
6500	26500	1	RMS	25413	-41.75	-13	Pass	20003



19.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.07	-13	Pass	401
0.15	30	0.01	RMS	1.37	-65.28	-13	Pass	2986
30	1000	0.1	RMS	901.635	-55.89	-13	Pass	9701
1000	3000	1	RMS	2991	-41.64	-13	Pass	2001
3000	3430	1	RMS	3401	-37.81	-13	Pass	431
3430	3570	1	RMS	3530.8	22.14	60	Pass	401
3570	6500	1	RMS	6452	-37.98	-13	Pass	2931
6500	26500	1	RMS	25900	-41.65	-13	Pass	20003



20. LTE_Band66


20.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.42	-13	Pass	2986
30	1000	0.1	RMS	925.1	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-49.92	-13	Pass	701
1700	1790	1	RMS	1710.35	22.54	60	Pass	401
1790	3000	1	RMS	2998	-46.39	-13	Pass	1211
3000	12000	1	RMS	11847	-40.24	-13	Pass	9001
12000	20000	1	RMS	20000	-27.77	-13	Pass	8001




20.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.96	-13	Pass	2986
30	1000	0.1	RMS	926.6	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-50.2	-13	Pass	701
1700	1790	1	RMS	1710.35	21.59	60	Pass	401
1790	3000	1	RMS	2649	-46.36	-13	Pass	1211
3000	12000	1	RMS	11953	-40.27	-13	Pass	9001
12000	20000	1	RMS	19998	-27.72	-13	Pass	8001




20.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.52	-13	Pass	2986
30	1000	0.1	RMS	936.9	-62.2	-13	Pass	9701
1000	1700	1	RMS	1697	-51.14	-13	Pass	701
1700	1790	1	RMS	1744.55	22.62	60	Pass	401
1790	3000	1	RMS	2650	-46.36	-13	Pass	1211
3000	12000	1	RMS	11850	-40.29	-13	Pass	9001
12000	20000	1	RMS	19999	-27.79	-13	Pass	8001




20.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.83	-13	Pass	2986
30	1000	0.1	RMS	936.3	-62.16	-13	Pass	9701
1000	1700	1	RMS	1699	-51.16	-13	Pass	701
1700	1790	1	RMS	1744.55	21.78	60	Pass	401
1790	3000	1	RMS	2650	-46.4	-13	Pass	1211
3000	12000	1	RMS	11942	-40.19	-13	Pass	9001
12000	20000	1	RMS	19991	-27.82	-13	Pass	8001




20.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.36	-13	Pass	2986
30	1000	0.1	RMS	958.1	-62.19	-13	Pass	9701
1000	1700	1	RMS	1588	-51.16	-13	Pass	701
1700	1790	1	RMS	1778.75	22.68	60	Pass	401
1790	3000	1	RMS	2999	-46.39	-13	Pass	1211
3000	12000	1	RMS	11960	-40.28	-13	Pass	9001
12000	20000	1	RMS	20000	-27.9	-13	Pass	8001




20.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.59	-13	Pass	2986
30	1000	0.1	RMS	902.8	-62.27	-13	Pass	9701
1000	1700	1	RMS	1696	-51.14	-13	Pass	701
1700	1790	1	RMS	1778.75	21.87	60	Pass	401
1790	3000	1	RMS	2653	-46.37	-13	Pass	1211
3000	12000	1	RMS	11964	-40.22	-13	Pass	9001
12000	20000	1	RMS	20000	-27.85	-13	Pass	8001




20.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.46	-13	Pass	2986
30	1000	0.1	RMS	880.9	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-49.43	-13	Pass	701
1700	1790	1	RMS	1710.35	22.56	60	Pass	401
1790	3000	1	RMS	2654	-46.34	-13	Pass	1211
3000	12000	1	RMS	11851	-40.29	-13	Pass	9001
12000	20000	1	RMS	19999	-27.79	-13	Pass	8001




20.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.05	-13	Pass	2986
30	1000	0.1	RMS	907.7	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-50.08	-13	Pass	701
1700	1790	1	RMS	1710.35	21.91	60	Pass	401
1790	3000	1	RMS	2650	-46.37	-13	Pass	1211
3000	12000	1	RMS	11935	-40.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.84	-13	Pass	8001



20.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.98	-13	Pass	2986
30	1000	0.1	RMS	923.6	-62.09	-13	Pass	9701
1000	1700	1	RMS	1610	-51.13	-13	Pass	701
1700	1790	1	RMS	1743.65	22.65	60	Pass	401
1790	3000	1	RMS	2651	-46.38	-13	Pass	1211
3000	12000	1	RMS	11950	-40.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.84	-13	Pass	8001



20.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.17	-13	Pass	2986
30	1000	0.1	RMS	910.6	-62.03	-13	Pass	9701
1000	1700	1	RMS	1594	-51.17	-13	Pass	701
1700	1790	1	RMS	1743.65	21.73	60	Pass	401
1790	3000	1	RMS	2647	-46.36	-13	Pass	1211
3000	12000	1	RMS	11934	-40.22	-13	Pass	9001
12000	20000	1	RMS	19999	-27.83	-13	Pass	8001



20.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.83	-13	Pass	2986
30	1000	0.1	RMS	925.6	-62.27	-13	Pass	9701
1000	1700	1	RMS	1694	-51.13	-13	Pass	701
1700	1790	1	RMS	1777.175	22.8	60	Pass	401
1790	3000	1	RMS	2650	-46.28	-13	Pass	1211
3000	12000	1	RMS	11944	-40.22	-13	Pass	9001
12000	20000	1	RMS	19998	-27.85	-13	Pass	8001



20.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.63	-13	Pass	2986
30	1000	0.1	RMS	930	-62.22	-13	Pass	9701
1000	1700	1	RMS	1698	-51.15	-13	Pass	701
1700	1790	1	RMS	1777.175	21.89	60	Pass	401
1790	3000	1	RMS	2648	-46.33	-13	Pass	1211
3000	12000	1	RMS	11848	-40.3	-13	Pass	9001
12000	20000	1	RMS	19999	-27.74	-13	Pass	8001



20.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.28	-13	Pass	2986
30	1000	0.1	RMS	939.4	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-49.93	-13	Pass	701
1700	1790	1	RMS	1710.35	22.77	60	Pass	401
1790	3000	1	RMS	2653	-46.26	-13	Pass	1211
3000	12000	1	RMS	11957	-40.26	-13	Pass	9001
12000	20000	1	RMS	19999	-27.78	-13	Pass	8001



20.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.9	-13	Pass	2986
30	1000	0.1	RMS	918.1	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-50.15	-13	Pass	701
1700	1790	1	RMS	1710.35	21.89	60	Pass	401
1790	3000	1	RMS	2647	-46.35	-13	Pass	1211
3000	12000	1	RMS	11850	-40.23	-13	Pass	9001
12000	20000	1	RMS	19998	-27.78	-13	Pass	8001



20.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.17	-13	Pass	2986
30	1000	0.1	RMS	907.9	-62.16	-13	Pass	9701
1000	1700	1	RMS	1693	-51.11	-13	Pass	701
1700	1790	1	RMS	1742.75	22.66	60	Pass	401
1790	3000	1	RMS	2654	-46.37	-13	Pass	1211
3000	12000	1	RMS	11853	-40.29	-13	Pass	9001
12000	20000	1	RMS	19996	-27.85	-13	Pass	8001



20.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.54	-13	Pass	2986
30	1000	0.1	RMS	927.6	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-51.13	-13	Pass	701
1700	1790	1	RMS	1742.75	21.85	60	Pass	401
1790	3000	1	RMS	2647	-46.37	-13	Pass	1211
3000	12000	1	RMS	11980	-40.23	-13	Pass	9001
12000	20000	1	RMS	19996	-27.88	-13	Pass	8001



20.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.35	-13	Pass	2986
30	1000	0.1	RMS	923.6	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-51.14	-13	Pass	701
1700	1790	1	RMS	1775.375	22.88	60	Pass	401
1790	3000	1	RMS	2644	-46.35	-13	Pass	1211
3000	12000	1	RMS	11938	-40.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.84	-13	Pass	8001



20.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.99	-13	Pass	2986
30	1000	0.1	RMS	889.8	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-51.16	-13	Pass	701
1700	1790	1	RMS	1775.375	22.11	60	Pass	401
1790	3000	1	RMS	3000	-46.29	-13	Pass	1211
3000	12000	1	RMS	11948	-40.23	-13	Pass	9001
12000	20000	1	RMS	19999	-27.82	-13	Pass	8001



20.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.19	-13	Pass	2986
30	1000	0.1	RMS	923.2	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-49.77	-13	Pass	701
1700	1790	1	RMS	1710.575	22.74	60	Pass	401
1790	3000	1	RMS	2653	-46.35	-13	Pass	1211
3000	12000	1	RMS	11950	-40.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.79	-13	Pass	8001



20.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.65	-13	Pass	2986
30	1000	0.1	RMS	930.5	-62.22	-13	Pass	9701
1000	1700	1	RMS	1700	-49.9	-13	Pass	701
1700	1790	1	RMS	1710.575	21.94	60	Pass	401
1790	3000	1	RMS	2652	-46.33	-13	Pass	1211
3000	12000	1	RMS	11952	-40.26	-13	Pass	9001
12000	20000	1	RMS	20000	-27.86	-13	Pass	8001



20.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38	-13	Pass	2986
30	1000	0.1	RMS	958.9	-62.17	-13	Pass	9701
1000	1700	1	RMS	1697	-51.15	-13	Pass	701
1700	1790	1	RMS	1740.5	22.7	60	Pass	401
1790	3000	1	RMS	2654	-46.31	-13	Pass	1211
3000	12000	1	RMS	11841	-40.26	-13	Pass	9001
12000	20000	1	RMS	19999	-27.89	-13	Pass	8001



20.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.08	-13	Pass	2986
30	1000	0.1	RMS	934.4	-62.19	-13	Pass	9701
1000	1700	1	RMS	1676	-51.14	-13	Pass	701
1700	1790	1	RMS	1740.5	21.79	60	Pass	401
1790	3000	1	RMS	3000	-46.38	-13	Pass	1211
3000	12000	1	RMS	11940	-40.23	-13	Pass	9001
12000	20000	1	RMS	20000	-27.77	-13	Pass	8001



20.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-39.05	-13	Pass	2986
30	1000	0.1	RMS	915.7	-61.92	-13	Pass	9701
1000	1700	1	RMS	1593	-51.17	-13	Pass	701
1700	1790	1	RMS	1770.65	22.93	60	Pass	401
1790	3000	1	RMS	2652	-46.34	-13	Pass	1211
3000	12000	1	RMS	11929	-40.27	-13	Pass	9001
12000	20000	1	RMS	20000	-27.84	-13	Pass	8001



20.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.54	-13	Pass	2986
30	1000	0.1	RMS	934.6	-62.02	-13	Pass	9701
1000	1700	1	RMS	1616	-51.13	-13	Pass	701
1700	1790	1	RMS	1770.65	21.96	60	Pass	401
1790	3000	1	RMS	2649	-46.35	-13	Pass	1211
3000	12000	1	RMS	11864	-40.25	-13	Pass	9001
12000	20000	1	RMS	19999	-27.85	-13	Pass	8001



20.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.78	-13	Pass	2986
30	1000	0.1	RMS	965	-62.16	-13	Pass	9701
1000	1700	1	RMS	1698	-48.68	-13	Pass	701
1700	1790	1	RMS	1710.8	22.79	60	Pass	401
1790	3000	1	RMS	2650	-46.34	-13	Pass	1211
3000	12000	1	RMS	11963	-40.24	-13	Pass	9001
12000	20000	1	RMS	19996	-27.79	-13	Pass	8001



20.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.65	-13	Pass	2986
30	1000	0.1	RMS	920.5	-62.08	-13	Pass	9701
1000	1700	1	RMS	1698	-49.21	-13	Pass	701
1700	1790	1	RMS	1710.8	21.96	60	Pass	401
1790	3000	1	RMS	2997	-46.39	-13	Pass	1211
3000	12000	1	RMS	11843	-40.25	-13	Pass	9001
12000	20000	1	RMS	20000	-27.83	-13	Pass	8001



20.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.39	-13	Pass	2986
30	1000	0.1	RMS	943.9	-62.07	-13	Pass	9701
1000	1700	1	RMS	1698	-51.12	-13	Pass	701
1700	1790	1	RMS	1738.25	22.73	60	Pass	401
1790	3000	1	RMS	2652	-46.35	-13	Pass	1211
3000	12000	1	RMS	11949	-40.23	-13	Pass	9001
12000	20000	1	RMS	19996	-27.88	-13	Pass	8001



20.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.51	-13	Pass	2986
30	1000	0.1	RMS	936.4	-62.15	-13	Pass	9701
1000	1700	1	RMS	1694	-51.16	-13	Pass	701
1700	1790	1	RMS	1738.25	21.8	60	Pass	401
1790	3000	1	RMS	2660	-46.29	-13	Pass	1211
3000	12000	1	RMS	11933	-40.27	-13	Pass	9001
12000	20000	1	RMS	19999	-27.82	-13	Pass	8001



20.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.04	-13	Pass	2986
30	1000	0.1	RMS	908.9	-62.1	-13	Pass	9701
1000	1700	1	RMS	1597	-51.11	-13	Pass	701
1700	1790	1	RMS	1765.925	22.86	60	Pass	401
1790	3000	1	RMS	2652	-46.3	-13	Pass	1211
3000	12000	1	RMS	11966	-40.29	-13	Pass	9001
12000	20000	1	RMS	20000	-27.7	-13	Pass	8001



20.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.95	-13	Pass	2986
30	1000	0.1	RMS	911	-62.17	-13	Pass	9701
1000	1700	1	RMS	1687	-51.13	-13	Pass	701
1700	1790	1	RMS	1765.925	22.11	60	Pass	401
1790	3000	1	RMS	3000	-46.32	-13	Pass	1211
3000	12000	1	RMS	11947	-40.28	-13	Pass	9001
12000	20000	1	RMS	19998	-27.72	-13	Pass	8001



20.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-39.43	-13	Pass	2986
30	1000	0.1	RMS	910.4	-62.24	-13	Pass	9701
1000	1700	1	RMS	1700	-47.42	-13	Pass	701
1700	1790	1	RMS	1711.025	22.79	60	Pass	401
1790	3000	1	RMS	2655	-46.34	-13	Pass	1211
3000	12000	1	RMS	11957	-40.26	-13	Pass	9001
12000	20000	1	RMS	20000	-27.79	-13	Pass	8001



20.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.92	-13	Pass	2986
30	1000	0.1	RMS	973.6	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-47.97	-13	Pass	701
1700	1790	1	RMS	1711.025	22.12	60	Pass	401
1790	3000	1	RMS	2653	-46.35	-13	Pass	1211
3000	12000	1	RMS	11936	-40.23	-13	Pass	9001
12000	20000	1	RMS	19996	-27.79	-13	Pass	8001



20.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-39.55	-13	Pass	2986
30	1000	0.1	RMS	897.8	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-50.82	-13	Pass	701
1700	1790	1	RMS	1736	22.74	60	Pass	401
1790	3000	1	RMS	2999	-46.35	-13	Pass	1211
3000	12000	1	RMS	11837	-40.26	-13	Pass	9001
12000	20000	1	RMS	20000	-27.85	-13	Pass	8001



20.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.17	-13	Pass	2986
30	1000	0.1	RMS	944.8	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-50.72	-13	Pass	701
1700	1790	1	RMS	1736	21.83	60	Pass	401
1790	3000	1	RMS	2651	-46.31	-13	Pass	1211
3000	12000	1	RMS	11935	-40.25	-13	Pass	9001
12000	20000	1	RMS	20000	-27.72	-13	Pass	8001



20.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.79	-13	Pass	2986
30	1000	0.1	RMS	904.3	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.16	-13	Pass	701
1700	1790	1	RMS	1760.975	22.72	60	Pass	401
1790	3000	1	RMS	2656	-46.35	-13	Pass	1211
3000	12000	1	RMS	11931	-40.27	-13	Pass	9001
12000	20000	1	RMS	19994	-27.82	-13	Pass	8001



20.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.78	-13	Pass	2986
30	1000	0.1	RMS	926.2	-62.13	-13	Pass	9701
1000	1700	1	RMS	1698	-51.12	-13	Pass	701
1700	1790	1	RMS	1761.2	21.79	60	Pass	401
1790	3000	1	RMS	2999	-46.35	-13	Pass	1211
3000	12000	1	RMS	11929	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.74	-13	Pass	8001



21. LTE_Band71


21.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.74	-13	Pass	2986
30	653	0.1	RMS	652.6	-63.5	-13	Pass	6231
653	709	0.1	RMS	663.3	20.69	60	Pass	561
709	1000	0.1	RMS	913.6	-62.17	-13	Pass	2911
1000	3000	1	RMS	2649	-46.29	-13	Pass	2001
3000	10000	1	RMS	7726	-41.99	-13	Pass	7001




21.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.5	-13	Pass	2986
30	653	0.1	RMS	462.7	-63.57	-13	Pass	6231
653	709	0.1	RMS	663.3	19.92	60	Pass	561
709	1000	0.1	RMS	944.3	-62.23	-13	Pass	2911
1000	3000	1	RMS	3000	-46.25	-13	Pass	2001
3000	10000	1	RMS	9543	-41.99	-13	Pass	7001




21.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.65	-13	Pass	2986
30	653	0.1	RMS	498.1	-63.5	-13	Pass	6231
653	709	0.1	RMS	678.3	20.6	60	Pass	561
709	1000	0.1	RMS	842.2	-62.11	-13	Pass	2911
1000	3000	1	RMS	2653	-46.24	-13	Pass	2001
3000	10000	1	RMS	7730	-41.96	-13	Pass	7001




21.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-39.05	-13	Pass	2986
30	653	0.1	RMS	651.5	-63.58	-13	Pass	6231
653	709	0.1	RMS	678.3	19.64	60	Pass	561
709	1000	0.1	RMS	907.9	-62.23	-13	Pass	2911
1000	3000	1	RMS	2659	-46.29	-13	Pass	2001
3000	10000	1	RMS	9544	-42	-13	Pass	7001




21.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.35	-13	Pass	2986
30	653	0.1	RMS	518.2	-63.49	-13	Pass	6231
653	709	0.1	RMS	693.3	20.57	60	Pass	561
709	1000	0.1	RMS	927.7	-62.23	-13	Pass	2911
1000	3000	1	RMS	2653	-46.26	-13	Pass	2001
3000	10000	1	RMS	7733	-42.01	-13	Pass	7001




21.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-45.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.03	-13	Pass	2986
30	653	0.1	RMS	507.5	-63.44	-13	Pass	6231
653	709	0.1	RMS	693.3	19.86	60	Pass	561
709	1000	0.1	RMS	886.5	-62.23	-13	Pass	2911
1000	3000	1	RMS	2646	-46.28	-13	Pass	2001
3000	10000	1	RMS	7756	-42.01	-13	Pass	7001




21.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.06	-13	Pass	2986
30	653	0.1	RMS	650.6	-63.52	-13	Pass	6231
653	709	0.1	RMS	663.6	21.07	60	Pass	561
709	1000	0.1	RMS	922.2	-62.18	-13	Pass	2911
1000	3000	1	RMS	1327	-46.22	-13	Pass	2001
3000	10000	1	RMS	7751	-42	-13	Pass	7001




21.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.21	-13	Pass	2986
30	653	0.1	RMS	510.7	-63.62	-13	Pass	6231
653	709	0.1	RMS	663.6	20.36	60	Pass	561
709	1000	0.1	RMS	943.7	-62.17	-13	Pass	2911
1000	3000	1	RMS	2649	-46.29	-13	Pass	2001
3000	10000	1	RMS	7740	-42	-13	Pass	7001



21.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.08	-13	Pass	2986
30	653	0.1	RMS	519	-63.58	-13	Pass	6231
653	709	0.1	RMS	676.1	21.11	60	Pass	561
709	1000	0.1	RMS	939.7	-62.22	-13	Pass	2911
1000	3000	1	RMS	2653	-46.23	-13	Pass	2001
3000	10000	1	RMS	7732	-41.97	-13	Pass	7001



21.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.26	-13	Pass	2986
30	653	0.1	RMS	633.9	-63.57	-13	Pass	6231
653	709	0.1	RMS	676.1	19.88	60	Pass	561
709	1000	0.1	RMS	912	-62.17	-13	Pass	2911
1000	3000	1	RMS	2653	-46.33	-13	Pass	2001
3000	10000	1	RMS	7738	-41.99	-13	Pass	7001



21.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.53	-13	Pass	2986
30	653	0.1	RMS	516.5	-63.46	-13	Pass	6231
653	709	0.1	RMS	688.6	20.96	60	Pass	561
709	1000	0.1	RMS	916.4	-62.13	-13	Pass	2911
1000	3000	1	RMS	2648	-46.27	-13	Pass	2001
3000	10000	1	RMS	7727	-41.96	-13	Pass	7001



21.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.5	-13	Pass	2986
30	653	0.1	RMS	510.1	-63.58	-13	Pass	6231
653	709	0.1	RMS	688.6	20.11	60	Pass	561
709	1000	0.1	RMS	911.6	-62.32	-13	Pass	2911
1000	3000	1	RMS	2651	-46.3	-13	Pass	2001
3000	10000	1	RMS	7734	-41.94	-13	Pass	7001



21.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-38.59	-13	Pass	2986
30	653	0.1	RMS	650.1	-63.49	-13	Pass	6231
653	709	0.1	RMS	663.8	20.55	60	Pass	561
709	1000	0.1	RMS	957.9	-62.23	-13	Pass	2911
1000	3000	1	RMS	2646	-46.26	-13	Pass	2001
3000	10000	1	RMS	7733	-41.97	-13	Pass	7001



21.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.19	-13	Pass	2986
30	653	0.1	RMS	652.3	-63.56	-13	Pass	6231
653	709	0.1	RMS	663.8	19.86	60	Pass	561
709	1000	0.1	RMS	931.1	-62.22	-13	Pass	2911
1000	3000	1	RMS	2649	-46.29	-13	Pass	2001
3000	10000	1	RMS	7734	-41.99	-13	Pass	7001



21.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.48	-13	Pass	2986
30	653	0.1	RMS	508.4	-63.55	-13	Pass	6231
653	709	0.1	RMS	673.8	20.54	60	Pass	561
709	1000	0.1	RMS	943.4	-62.07	-13	Pass	2911
1000	3000	1	RMS	2655	-46.28	-13	Pass	2001
3000	10000	1	RMS	7738	-41.99	-13	Pass	7001



21.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.47	-13	Pass	2986
30	653	0.1	RMS	505	-63.58	-13	Pass	6231
653	709	0.1	RMS	673.8	19.64	60	Pass	561
709	1000	0.1	RMS	919.3	-62.09	-13	Pass	2911
1000	3000	1	RMS	2652	-46.28	-13	Pass	2001
3000	10000	1	RMS	7747	-42.01	-13	Pass	7001



21.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.86	-13	Pass	2986
30	653	0.1	RMS	646.9	-63.5	-13	Pass	6231
653	709	0.1	RMS	683.8	20.48	60	Pass	561
709	1000	0.1	RMS	916.7	-62.12	-13	Pass	2911
1000	3000	1	RMS	2654	-46.28	-13	Pass	2001
3000	10000	1	RMS	7732	-41.99	-13	Pass	7001



21.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-37.27	-13	Pass	2986
30	653	0.1	RMS	522.7	-63.5	-13	Pass	6231
653	709	0.1	RMS	683.8	19.63	60	Pass	561
709	1000	0.1	RMS	934.6	-62.13	-13	Pass	2911
1000	3000	1	RMS	2653	-46.29	-13	Pass	2001
3000	10000	1	RMS	7726	-42.01	-13	Pass	7001



21.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.09	-13	Pass	2986
30	653	0.1	RMS	459.5	-63.57	-13	Pass	6231
653	709	0.1	RMS	664.1	21.22	60	Pass	561
709	1000	0.1	RMS	904.2	-62.31	-13	Pass	2911
1000	3000	1	RMS	1328	-46.17	-13	Pass	2001
3000	10000	1	RMS	7727	-42.03	-13	Pass	7001



21.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-37.7	-13	Pass	2986
30	653	0.1	RMS	643.9	-63.6	-13	Pass	6231
653	709	0.1	RMS	664.1	20.5	60	Pass	561
709	1000	0.1	RMS	919.5	-62.24	-13	Pass	2911
1000	3000	1	RMS	2660	-46.32	-13	Pass	2001
3000	10000	1	RMS	7745	-41.98	-13	Pass	7001



21.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.01	-13	Pass	2986
30	653	0.1	RMS	509.7	-63.51	-13	Pass	6231
653	709	0.1	RMS	674.1	20.95	60	Pass	561
709	1000	0.1	RMS	994.1	-62.13	-13	Pass	2911
1000	3000	1	RMS	2650	-46.28	-13	Pass	2001
3000	10000	1	RMS	7732	-42.03	-13	Pass	7001



21.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.75	-13	Pass	2986
30	653	0.1	RMS	526.7	-63.55	-13	Pass	6231
653	709	0.1	RMS	674.1	20.11	60	Pass	561
709	1000	0.1	RMS	912.8	-62.3	-13	Pass	2911
1000	3000	1	RMS	2651	-46.29	-13	Pass	2001
3000	10000	1	RMS	7738	-41.9	-13	Pass	7001



21.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.37	-13	Pass	2986
30	653	0.1	RMS	485.3	-63.58	-13	Pass	6231
653	709	0.1	RMS	679.1	21.02	60	Pass	561
709	1000	0.1	RMS	940.5	-62.06	-13	Pass	2911
1000	3000	1	RMS	2657	-46.25	-13	Pass	2001
3000	10000	1	RMS	7739	-42.01	-13	Pass	7001



21.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-38.21	-13	Pass	2986
30	653	0.1	RMS	505.5	-63.56	-13	Pass	6231
653	709	0.1	RMS	679.1	20.23	60	Pass	561
709	1000	0.1	RMS	905.7	-62.15	-13	Pass	2911
1000	3000	1	RMS	2657	-46.3	-13	Pass	2001
3000	10000	1	RMS	7746	-42.04	-13	Pass	7001




22. n2 15kHz

22.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.45	-13	Pass	2986
30	1000	0.1	RMS	961.4	-60.89	-13	Pass	9701
1000	1840	1	RMS	1840	-38.91	-13	Pass	841
1840	1920	1	RMS	1853.2	11.85	60	Pass	401
1920	3000	1	RMS	2677	-47.17	-13	Pass	1081
3000	6500	1	RMS	6220	-64.78	-13	Pass	3501
6500	20000	1	RMS	6508	-49.03	-13	Pass	13501




**22.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	1000	0.1	RMS	940.3	-60.98	-13	Pass	9701
1000	1840	1	RMS	1840	-49.24	-13	Pass	841
1840	1920	1	RMS	1850.4	17.94	60	Pass	401
1920	3000	1	RMS	2690	-47.14	-13	Pass	1081
3000	6500	1	RMS	6219	-64.82	-13	Pass	3501
6500	20000	1	RMS	6512	-49.01	-13	Pass	13501




**22.3. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.54	-13	Pass	2986
30	1000	0.1	RMS	973.4	-60.92	-13	Pass	9701
1000	1840	1	RMS	1840	-50.13	-13	Pass	841
1840	1920	1	RMS	1854.6	18.08	60	Pass	401
1920	3000	1	RMS	2694	-47.15	-13	Pass	1081
3000	6500	1	RMS	6220	-64.83	-13	Pass	3501
6500	20000	1	RMS	6510	-49.05	-13	Pass	13501




**22.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.63	-13	Pass	2986
30	1000	0.1	RMS	977.7	-60.77	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1920	1	RMS	1879.4	11.73	60	Pass	401
1920	3000	1	RMS	2698	-47.14	-13	Pass	1081
3000	6500	1	RMS	6220	-64.77	-13	Pass	3501
6500	20000	1	RMS	6507	-49.09	-13	Pass	13501




**22.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.82	-13	Pass	2986
30	1000	0.1	RMS	951.3	-60.91	-13	Pass	9701
1000	1840	1	RMS	1839	-50.63	-13	Pass	841
1840	1920	1	RMS	1877.8	17.89	60	Pass	401
1920	3000	1	RMS	2677	-47.14	-13	Pass	1081
3000	6500	1	RMS	6219	-64.75	-13	Pass	3501
6500	20000	1	RMS	6510	-49.06	-13	Pass	13501



**22.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.14	-13	Pass	2986
30	1000	0.1	RMS	940.8	-60.8	-13	Pass	9701
1000	1840	1	RMS	1810	-50.69	-13	Pass	841
1840	1920	1	RMS	1882.2	17.72	60	Pass	401
1920	3000	1	RMS	2677	-47.15	-13	Pass	1081
3000	6500	1	RMS	6219	-64.69	-13	Pass	3501
6500	20000	1	RMS	6510	-49.04	-13	Pass	13501



22.7. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.36	-13	Pass	2986
30	1000	0.1	RMS	970	-60.8	-13	Pass	9701
1000	1840	1	RMS	1804	-50.7	-13	Pass	841
1840	1920	1	RMS	1906.4	11.44	60	Pass	401
1920	3000	1	RMS	1920	-40.8	-13	Pass	1081
3000	6500	1	RMS	6220	-64.75	-13	Pass	3501
6500	20000	1	RMS	6510	-49.05	-13	Pass	13501




**22.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.15	-13	Pass	2986
30	1000	0.1	RMS	970.9	-60.89	-13	Pass	9701
1000	1840	1	RMS	1838	-50.69	-13	Pass	841
1840	1920	1	RMS	1905.4	17.48	60	Pass	401
1920	3000	1	RMS	2681	-47.13	-13	Pass	1081
3000	6500	1	RMS	6219	-64.8	-13	Pass	3501
6500	20000	1	RMS	6506	-49.09	-13	Pass	13501




**22.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.64	-13	Pass	2986
30	1000	0.1	RMS	953.4	-60.8	-13	Pass	9701
1000	1840	1	RMS	1800	-50.68	-13	Pass	841
1840	1920	1	RMS	1909.6	17.52	60	Pass	401
1920	3000	1	RMS	2682	-47.14	-13	Pass	1081
3000	6500	1	RMS	6220	-64.77	-13	Pass	3501
6500	20000	1	RMS	6509	-48.93	-13	Pass	13501




**22.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.58	-13	Pass	2986
30	1000	0.1	RMS	947.3	-60.9	-13	Pass	9701
1000	1840	1	RMS	1840	-36.34	-13	Pass	841
1840	1920	1	RMS	1855.2	7.14	60	Pass	401
1920	3000	1	RMS	2679	-47.14	-13	Pass	1081
3000	6500	1	RMS	6220	-64.77	-13	Pass	3501
6500	20000	1	RMS	6510	-49.06	-13	Pass	13501




**22.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.96	-13	Pass	2986
30	1000	0.1	RMS	942.7	-60.92	-13	Pass	9701
1000	1840	1	RMS	1840	-48.8	-13	Pass	841
1840	1920	1	RMS	1850.4	17.98	60	Pass	401
1920	3000	1	RMS	2677	-47.17	-13	Pass	1081
3000	6500	1	RMS	6216	-64.76	-13	Pass	3501
6500	20000	1	RMS	6506	-49.04	-13	Pass	13501




**22.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.71	-13	Pass	2986
30	1000	0.1	RMS	948.3	-60.89	-13	Pass	9701
1000	1840	1	RMS	1836	-50.37	-13	Pass	841
1840	1920	1	RMS	1864.6	17.85	60	Pass	401
1920	3000	1	RMS	2688	-47.13	-13	Pass	1081
3000	6500	1	RMS	6219	-64.72	-13	Pass	3501
6500	20000	1	RMS	6505	-49.05	-13	Pass	13501




**22.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.11	-13	Pass	2986
30	1000	0.1	RMS	906.7	-60.94	-13	Pass	9701
1000	1840	1	RMS	1840	-45.16	-13	Pass	841
1840	1920	1	RMS	1881.6	6.82	60	Pass	401
1920	3000	1	RMS	1920	-44.12	-13	Pass	1081
3000	6500	1	RMS	6219	-64.72	-13	Pass	3501
6500	20000	1	RMS	6511	-48.96	-13	Pass	13501




**22.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.87	-13	Pass	2986
30	1000	0.1	RMS	931.5	-60.86	-13	Pass	9701
1000	1840	1	RMS	1840	-50.68	-13	Pass	841
1840	1920	1	RMS	1873	17.99	60	Pass	401
1920	3000	1	RMS	2693	-47.13	-13	Pass	1081
3000	6500	1	RMS	6220	-64.73	-13	Pass	3501
6500	20000	1	RMS	6508	-49.04	-13	Pass	13501




**22.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.9	-13	Pass	2986
30	1000	0.1	RMS	942.8	-60.9	-13	Pass	9701
1000	1840	1	RMS	1797	-50.65	-13	Pass	841
1840	1920	1	RMS	1887	17.67	60	Pass	401
1920	3000	1	RMS	2690	-47.15	-13	Pass	1081
3000	6500	1	RMS	6219	-64.79	-13	Pass	3501
6500	20000	1	RMS	6507	-49.14	-13	Pass	13501




**22.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:380500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.78	-13	Pass	2986
30	1000	0.1	RMS	991.3	-60.82	-13	Pass	9701
1000	1840	1	RMS	1840	-50.01	-13	Pass	841
1840	1920	1	RMS	1901	6.7	60	Pass	401
1920	3000	1	RMS	1920	-35.44	-13	Pass	1081
3000	6500	1	RMS	6219	-64.77	-13	Pass	3501
6500	20000	1	RMS	6506	-49.09	-13	Pass	13501




**22.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:380500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.92	-13	Pass	2986
30	1000	0.1	RMS	942.7	-60.76	-13	Pass	9701
1000	1840	1	RMS	1840	-50.59	-13	Pass	841
1840	1920	1	RMS	1895.4	17.48	60	Pass	401
1920	3000	1	RMS	2692	-47.13	-13	Pass	1081
3000	6500	1	RMS	6220	-64.8	-13	Pass	3501
6500	20000	1	RMS	6508	-49.04	-13	Pass	13501




**22.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.57	-13	Pass	2986
30	1000	0.1	RMS	967.5	-60.92	-13	Pass	9701
1000	1840	1	RMS	1803	-50.7	-13	Pass	841
1840	1920	1	RMS	1909.6	17.48	60	Pass	401
1920	3000	1	RMS	2673	-47.16	-13	Pass	1081
3000	6500	1	RMS	6220	-64.81	-13	Pass	3501
6500	20000	1	RMS	6507	-49.09	-13	Pass	13501




**22.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.88	-13	Pass	2986
30	1000	0.1	RMS	973.7	-60.94	-13	Pass	9701
1000	1840	1	RMS	1840	-36.38	-13	Pass	841
1840	1920	1	RMS	1857.4	5.95	60	Pass	401
1920	3000	1	RMS	1920	-46.96	-13	Pass	1081
3000	6500	1	RMS	6220	-64.76	-13	Pass	3501
6500	20000	1	RMS	6508	-49.11	-13	Pass	13501




**22.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.94	-13	Pass	2986
30	1000	0.1	RMS	958.6	-60.87	-13	Pass	9701
1000	1840	1	RMS	1840	-46.88	-13	Pass	841
1840	1920	1	RMS	1850.6	17.95	60	Pass	401
1920	3000	1	RMS	2658	-47.18	-13	Pass	1081
3000	6500	1	RMS	6219	-64.81	-13	Pass	3501
6500	20000	1	RMS	6504	-49.08	-13	Pass	13501




**22.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.87	-13	Pass	2986
30	1000	0.1	RMS	929.4	-60.94	-13	Pass	9701
1000	1840	1	RMS	1840	-50.62	-13	Pass	841
1840	1920	1	RMS	1869.4	18.04	60	Pass	401
1920	3000	1	RMS	2695	-47.09	-13	Pass	1081
3000	6500	1	RMS	6219	-64.71	-13	Pass	3501
6500	20000	1	RMS	6508	-49.02	-13	Pass	13501




**22.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.92	-13	Pass	2986
30	1000	0.1	RMS	961.4	-60.9	-13	Pass	9701
1000	1840	1	RMS	1840	-50.69	-13	Pass	841
1840	1920	1	RMS	1889.4	17.49	60	Pass	401
1920	3000	1	RMS	2700	-47.16	-13	Pass	1081
3000	6500	1	RMS	6222	-64.78	-13	Pass	3501
6500	20000	1	RMS	6508	-49.03	-13	Pass	13501




**22.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.83	-13	Pass	2986
30	1000	0.1	RMS	933	-60.92	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1920	1	RMS	1870.6	17.83	60	Pass	401
1920	3000	1	RMS	2693	-47.15	-13	Pass	1081
3000	6500	1	RMS	6219	-64.77	-13	Pass	3501
6500	20000	1	RMS	6512	-49.12	-13	Pass	13501




**22.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.8	-13	Pass	2986
30	1000	0.1	RMS	991.1	-60.82	-13	Pass	9701
1000	1840	1	RMS	1839	-50.68	-13	Pass	841
1840	1920	1	RMS	1889.4	17.48	60	Pass	401
1920	3000	1	RMS	2676	-47.13	-13	Pass	1081
3000	6500	1	RMS	6220	-64.76	-13	Pass	3501
6500	20000	1	RMS	6510	-48.96	-13	Pass	13501




**22.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:380000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.29	-13	Pass	2986
30	1000	0.1	RMS	955.5	-60.85	-13	Pass	9701
1000	1840	1	RMS	1840	-48.06	-13	Pass	841
1840	1920	1	RMS	1901.6	5.39	60	Pass	401
1920	3000	1	RMS	1920	-36.9	-13	Pass	1081
3000	6500	1	RMS	6223	-64.81	-13	Pass	3501
6500	20000	1	RMS	6509	-48.99	-13	Pass	13501




**22.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:380000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.17	-54.78	-13	Pass	2986
30	1000	0.1	RMS	974.9	-60.61	-13	Pass	9701
1000	1840	1	RMS	1816	-50.69	-13	Pass	841
1840	1920	1	RMS	1890.6	17.4	60	Pass	401
1920	3000	1	RMS	2670	-47.16	-13	Pass	1081
3000	6500	1	RMS	6222	-64.75	-13	Pass	3501
6500	20000	1	RMS	6508	-49.1	-13	Pass	13501



**22.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.21	-13	Pass	2986
30	1000	0.1	RMS	972.8	-60.87	-13	Pass	9701
1000	1840	1	RMS	1802	-50.7	-13	Pass	841
1840	1920	1	RMS	1909.4	17.49	60	Pass	401
1920	3000	1	RMS	2692	-47.1	-13	Pass	1081
3000	6500	1	RMS	6220	-64.7	-13	Pass	3501
6500	20000	1	RMS	6510	-49.15	-13	Pass	13501



23. n5

23.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.2	-13	Pass	2986
30	814	0.1	RMS	814	-59.31	-13	Pass	7841
814	859	0.1	RMS	824.7	3.32	60	Pass	451
859	1000	0.1	RMS	965.1	-62.19	-13	Pass	1411
1000	3000	1	RMS	2672	-46.72	-13	Pass	2001
3000	10000	1	RMS	9528	-62.51	-13	Pass	7001



23.2. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.66	-13	Pass	2986
30	814	0.1	RMS	813.3	-61.08	-13	Pass	7841
814	859	0.1	RMS	824.3	16.39	60	Pass	451
859	1000	0.1	RMS	992.1	-62.22	-13	Pass	1411
1000	3000	1	RMS	2683	-46.66	-13	Pass	2001
3000	10000	1	RMS	9528	-62.45	-13	Pass	7001



23.3. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.26	-13	Pass	2986
30	814	0.1	RMS	812.8	-61.18	-13	Pass	7841
814	859	0.1	RMS	828.6	15.82	60	Pass	451
859	1000	0.1	RMS	998.7	-62.17	-13	Pass	1411
1000	3000	1	RMS	2689	-46.71	-13	Pass	2001
3000	10000	1	RMS	9525	-62.48	-13	Pass	7001



23.4. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.35	-13	Pass	2986
30	814	0.1	RMS	804.2	-61.29	-13	Pass	7841
814	859	0.1	RMS	836.9	3.26	60	Pass	451
859	1000	0.1	RMS	948.6	-62.22	-13	Pass	1411
1000	3000	1	RMS	2675	-46.71	-13	Pass	2001
3000	10000	1	RMS	9533	-62.53	-13	Pass	7001



23.5. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.2	-13	Pass	2986
30	814	0.1	RMS	808.2	-61.25	-13	Pass	7841
814	859	0.1	RMS	834.3	16.5	60	Pass	451
859	1000	0.1	RMS	941.3	-62.18	-13	Pass	1411
1000	3000	1	RMS	2693	-46.71	-13	Pass	2001
3000	10000	1	RMS	9533	-62.47	-13	Pass	7001



**23.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.09	-13	Pass	2986
30	814	0.1	RMS	811.3	-61.33	-13	Pass	7841
814	859	0.1	RMS	838.6	15.89	60	Pass	451
859	1000	0.1	RMS	939.3	-62.24	-13	Pass	1411
1000	3000	1	RMS	2680	-46.72	-13	Pass	2001
3000	10000	1	RMS	9527	-62.51	-13	Pass	7001



23.7. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.9	-13	Pass	2986
30	814	0.1	RMS	810.1	-61.25	-13	Pass	7841
814	859	0.1	RMS	844.7	3.41	60	Pass	451
859	1000	0.1	RMS	967.1	-62.23	-13	Pass	1411
1000	3000	1	RMS	2695	-46.72	-13	Pass	2001
3000	10000	1	RMS	9527	-62.48	-13	Pass	7001



23.8. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.55	-13	Pass	2986
30	814	0.1	RMS	812.2	-61.24	-13	Pass	7841
814	859	0.1	RMS	844.3	16.52	60	Pass	451
859	1000	0.1	RMS	982.4	-62.12	-13	Pass	1411
1000	3000	1	RMS	2686	-46.7	-13	Pass	2001
3000	10000	1	RMS	9530	-62.54	-13	Pass	7001



23.9. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.79	-13	Pass	2986
30	814	0.1	RMS	807.7	-61.35	-13	Pass	7841
814	859	0.1	RMS	848.6	16.05	60	Pass	451
859	1000	0.1	RMS	933	-62.14	-13	Pass	1411
1000	3000	1	RMS	2695	-46.7	-13	Pass	2001
3000	10000	1	RMS	9531	-62.47	-13	Pass	7001




**23.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-13	Pass	2986
30	814	0.1	RMS	813.8	-52.82	-13	Pass	7841
814	859	0.1	RMS	833.2	-1.54	60	Pass	451
859	1000	0.1	RMS	969.6	-62.16	-13	Pass	1411
1000	3000	1	RMS	2678	-46.71	-13	Pass	2001
3000	10000	1	RMS	9528	-62.48	-13	Pass	7001




**23.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.6	-13	Pass	2986
30	814	0.1	RMS	810.4	-52.06	-13	Pass	7841
814	859	0.1	RMS	824.5	16.49	60	Pass	451
859	1000	0.1	RMS	974.4	-62.28	-13	Pass	1411
1000	3000	1	RMS	2680	-46.7	-13	Pass	2001
3000	10000	1	RMS	9528	-62.48	-13	Pass	7001




**23.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.58	-13	Pass	2986
30	814	0.1	RMS	810.5	-55.19	-13	Pass	7841
814	859	0.1	RMS	838.5	16.78	60	Pass	451
859	1000	0.1	RMS	994.8	-62.34	-13	Pass	1411
1000	3000	1	RMS	2695	-46.71	-13	Pass	2001
3000	10000	1	RMS	9534	-62.55	-13	Pass	7001



**23.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.73	-13	Pass	2986
30	814	0.1	RMS	813.7	-54.05	-13	Pass	7841
814	859	0.1	RMS	835.3	-1.35	60	Pass	451
859	1000	0.1	RMS	932.4	-62.16	-13	Pass	1411
1000	3000	1	RMS	2694	-46.71	-13	Pass	2001
3000	10000	1	RMS	9524	-62.57	-13	Pass	7001



23.14. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.87	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.04	-13	Pass	7841
814	859	0.1	RMS	829.5	16.44	60	Pass	451
859	1000	0.1	RMS	969.7	-62.2	-13	Pass	1411
1000	3000	1	RMS	2694	-46.68	-13	Pass	2001
3000	10000	1	RMS	9530	-62.52	-13	Pass	7001




**23.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.02	-13	Pass	2986
30	814	0.1	RMS	802.1	-61.27	-13	Pass	7841
814	859	0.1	RMS	843.5	16.79	60	Pass	451
859	1000	0.1	RMS	983.3	-62.25	-13	Pass	1411
1000	3000	1	RMS	2693	-46.68	-13	Pass	2001
3000	10000	1	RMS	9530	-62.55	-13	Pass	7001




**23.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.48	-13	Pass	2986
30	814	0.1	RMS	813.9	-57.52	-13	Pass	7841
814	859	0.1	RMS	836.8	-1.04	60	Pass	451
859	1000	0.1	RMS	961.6	-62.28	-13	Pass	1411
1000	3000	1	RMS	2694	-46.7	-13	Pass	2001
3000	10000	1	RMS	9528	-62.51	-13	Pass	7001




**23.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.12	-13	Pass	2986
30	814	0.1	RMS	785.9	-61.31	-13	Pass	7841
814	859	0.1	RMS	834.5	16.59	60	Pass	451
859	1000	0.1	RMS	943.1	-62.29	-13	Pass	1411
1000	3000	1	RMS	2692	-46.7	-13	Pass	2001
3000	10000	1	RMS	9529	-62.47	-13	Pass	7001




**23.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.06	-13	Pass	2986
30	814	0.1	RMS	791.8	-61.3	-13	Pass	7841
814	859	0.1	RMS	848.5	16.58	60	Pass	451
859	1000	0.1	RMS	924.7	-62.14	-13	Pass	1411
1000	3000	1	RMS	2694	-46.7	-13	Pass	2001
3000	10000	1	RMS	9529	-62.53	-13	Pass	7001



**23.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.95	-13	Pass	2986
30	814	0.1	RMS	814	-51.61	-13	Pass	7841
814	859	0.1	RMS	835.5	-2.28	60	Pass	451
859	1000	0.1	RMS	943.1	-62.21	-13	Pass	1411
1000	3000	1	RMS	2695	-46.71	-13	Pass	2001
3000	10000	1	RMS	9534	-62.58	-13	Pass	7001



23.21. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.07	-13	Pass	2986
30	814	0.1	RMS	814	-55.45	-13	Pass	7841
814	859	0.1	RMS	824.5	16.15	60	Pass	451
859	1000	0.1	RMS	934.8	-62.22	-13	Pass	1411
1000	3000	1	RMS	2699	-46.69	-13	Pass	2001
3000	10000	1	RMS	9526	-62.54	-13	Pass	7001




**23.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.24	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.21	-13	Pass	7841
814	859	0.1	RMS	843.4	16.21	60	Pass	451
859	1000	0.1	RMS	959.1	-62.18	-13	Pass	1411
1000	3000	1	RMS	2694	-46.71	-13	Pass	2001
3000	10000	1	RMS	9529	-62.48	-13	Pass	7001




**23.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.18	-13	Pass	2986
30	814	0.1	RMS	813.9	-52.43	-13	Pass	7841
814	859	0.1	RMS	834	-2.27	60	Pass	451
859	1000	0.1	RMS	983.5	-62.26	-13	Pass	1411
1000	3000	1	RMS	2692	-46.69	-13	Pass	2001
3000	10000	1	RMS	9531	-62.48	-13	Pass	7001




**23.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.03	-13	Pass	2986
30	814	0.1	RMS	808.1	-57.16	-13	Pass	7841
814	859	0.1	RMS	827	16.16	60	Pass	451
859	1000	0.1	RMS	963.8	-62.17	-13	Pass	1411
1000	3000	1	RMS	2695	-46.75	-13	Pass	2001
3000	10000	1	RMS	9530	-62.45	-13	Pass	7001




**23.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.16	-13	Pass	2986
30	814	0.1	RMS	801.4	-61.16	-13	Pass	7841
814	859	0.1	RMS	845.9	16.29	60	Pass	451
859	1000	0.1	RMS	981.7	-62.22	-13	Pass	1411
1000	3000	1	RMS	2693	-46.71	-13	Pass	2001
3000	10000	1	RMS	9528	-62.51	-13	Pass	7001




**23.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.96	-13	Pass	2986
30	814	0.1	RMS	813.8	-52.42	-13	Pass	7841
814	859	0.1	RMS	835.6	-2.23	60	Pass	451
859	1000	0.1	RMS	920.2	-62.32	-13	Pass	1411
1000	3000	1	RMS	2677	-46.7	-13	Pass	2001
3000	10000	1	RMS	9530	-62.49	-13	Pass	7001




**23.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.73	-13	Pass	2986
30	814	0.1	RMS	810.6	-51.29	-13	Pass	7841
814	859	0.1	RMS	829.5	16.27	60	Pass	451
859	1000	0.1	RMS	961.8	-62.14	-13	Pass	1411
1000	3000	1	RMS	2693	-46.69	-13	Pass	2001
3000	10000	1	RMS	9533	-62.52	-13	Pass	7001



**23.28. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.84	-13	Pass	2986
30	814	0.1	RMS	812.9	-61.28	-13	Pass	7841
814	859	0.1	RMS	848.4	16.2	60	Pass	451
859	1000	0.1	RMS	906.1	-62.22	-13	Pass	1411
1000	3000	1	RMS	2676	-46.72	-13	Pass	2001
3000	10000	1	RMS	9532	-62.54	-13	Pass	7001



24. n7


24.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.74	-25	Pass	2986
30	1000	0.1	RMS	981.7	-60.76	-25	Pass	9701
1000	2495	1	RMS	2495	-37.64	-25	Pass	1496
2495	2575	1	RMS	2503.8	12.51	60	Pass	401
2575	3000	1	RMS	2690	-47.41	-25	Pass	426
3000	6500	1	RMS	6220	-64.7	-25	Pass	3501
6500	26000	1	RMS	25338	-44.65	-25	Pass	19501




**24.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.9	-25	Pass	2986
30	1000	0.1	RMS	947.1	-60.88	-25	Pass	9701
1000	2495	1	RMS	2495	-45.15	-25	Pass	1496
2495	2575	1	RMS	2500.4	18.55	60	Pass	401
2575	3000	1	RMS	2695	-47.44	-25	Pass	426
3000	6500	1	RMS	6221	-64.79	-25	Pass	3501
6500	26000	1	RMS	25322	-44.67	-25	Pass	19501



**24.3. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.15	-25	Pass	2986
30	1000	0.1	RMS	948.7	-60.97	-25	Pass	9701
1000	2495	1	RMS	2494	-46.15	-25	Pass	1496
2495	2575	1	RMS	2504.6	18.5	60	Pass	401
2575	3000	1	RMS	2689	-47.43	-25	Pass	426
3000	6500	1	RMS	6222	-64.75	-25	Pass	3501
6500	26000	1	RMS	25340	-44.69	-25	Pass	19501



24.4. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.4	-25	Pass	2986
30	1000	0.1	RMS	926.3	-60.74	-25	Pass	9701
1000	2495	1	RMS	2495	-48.03	-25	Pass	1496
2495	2575	1	RMS	2534	12.53	60	Pass	401
2575	3000	1	RMS	2692	-47.4	-25	Pass	426
3000	6500	1	RMS	6220	-64.72	-25	Pass	3501
6500	26000	1	RMS	25347	-44.65	-25	Pass	19501




**24.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.71	-25	Pass	2986
30	1000	0.1	RMS	908.6	-60.78	-25	Pass	9701
1000	2495	1	RMS	2493	-48.06	-25	Pass	1496
2495	2575	1	RMS	2532.8	18.68	60	Pass	401
2575	3000	1	RMS	2698	-47.44	-25	Pass	426
3000	6500	1	RMS	6218	-64.69	-25	Pass	3501
6500	26000	1	RMS	25329	-44.62	-25	Pass	19501



**24.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.48	-25	Pass	2986
30	1000	0.1	RMS	942.3	-60.94	-25	Pass	9701
1000	2495	1	RMS	2495	-47.95	-25	Pass	1496
2495	2575	1	RMS	2537.2	18.59	60	Pass	401
2575	3000	1	RMS	2678	-47.44	-25	Pass	426
3000	6500	1	RMS	6220	-64.76	-25	Pass	3501
6500	26000	1	RMS	25343	-44.6	-25	Pass	19501



24.7. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.39	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.78	-25	Pass	2986
30	1000	0.1	RMS	957.6	-60.86	-25	Pass	9701
1000	2495	1	RMS	2493	-48.04	-25	Pass	1496
2495	2575	1	RMS	2568.2	12.88	60	Pass	401
2575	3000	1	RMS	2575	-35.3	-25	Pass	426
3000	6500	1	RMS	6221	-64.69	-25	Pass	3501
6500	26000	1	RMS	25348	-44.64	-25	Pass	19501




**24.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.95	-25	Pass	2986
30	1000	0.1	RMS	946.7	-60.86	-25	Pass	9701
1000	2495	1	RMS	2495	-48.04	-25	Pass	1496
2495	2575	1	RMS	2565.4	18.82	60	Pass	401
2575	3000	1	RMS	2575	-46.9	-25	Pass	426
3000	6500	1	RMS	6219	-64.64	-25	Pass	3501
6500	26000	1	RMS	25314	-44.71	-25	Pass	19501




**24.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.59	-25	Pass	2986
30	1000	0.1	RMS	987.9	-60.93	-25	Pass	9701
1000	2495	1	RMS	2490	-48.1	-25	Pass	1496
2495	2575	1	RMS	2569.6	19.06	60	Pass	401
2575	3000	1	RMS	2575	-45.34	-25	Pass	426
3000	6500	1	RMS	6220	-64.78	-25	Pass	3501
6500	26000	1	RMS	25342	-44.61	-25	Pass	19501




**24.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.21	-25	Pass	2986
30	1000	0.1	RMS	947.4	-60.83	-25	Pass	9701
1000	2475	1	RMS	2440	-48.29	-25	Pass	1476
2475	2595	1	RMS	2516.7	5.67	60	Pass	401
2595	3000	1	RMS	2697	-47.46	-25	Pass	406
3000	6500	1	RMS	6220	-64.67	-25	Pass	3501
6500	26000	1	RMS	25351	-44.67	-25	Pass	19501




**24.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-25	Pass	2986
30	1000	0.1	RMS	980.4	-60.82	-25	Pass	9701
1000	2475	1	RMS	2449	-48.23	-25	Pass	1476
2475	2595	1	RMS	2500.5	18.64	60	Pass	401
2595	3000	1	RMS	2695	-47.43	-25	Pass	406
3000	6500	1	RMS	6214	-64.76	-25	Pass	3501
6500	26000	1	RMS	25342	-44.67	-25	Pass	19501




**24.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:502500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.57	-25	Pass	2986
30	1000	0.1	RMS	915.9	-60.89	-25	Pass	9701
1000	2475	1	RMS	2443	-48.26	-25	Pass	1476
2475	2595	1	RMS	2524.5	18.54	60	Pass	401
2595	3000	1	RMS	2683	-47.47	-25	Pass	406
3000	6500	1	RMS	6220	-64.66	-25	Pass	3501
6500	26000	1	RMS	25343	-44.67	-25	Pass	19501




**24.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.31	-25	Pass	2986
30	1000	0.1	RMS	912.4	-60.85	-25	Pass	9701
1000	2475	1	RMS	2442	-48.27	-25	Pass	1476
2475	2595	1	RMS	2527.2	5.56	60	Pass	401
2595	3000	1	RMS	2686	-47.43	-25	Pass	406
3000	6500	1	RMS	6219	-64.72	-25	Pass	3501
6500	26000	1	RMS	25347	-44.74	-25	Pass	19501




**24.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.38	-25	Pass	2986
30	1000	0.1	RMS	919.6	-60.92	-25	Pass	9701
1000	2475	1	RMS	2434	-48.26	-25	Pass	1476
2475	2595	1	RMS	2523	18.63	60	Pass	401
2595	3000	1	RMS	2697	-47.47	-25	Pass	406
3000	6500	1	RMS	6214	-64.78	-25	Pass	3501
6500	26000	1	RMS	25328	-44.71	-25	Pass	19501




**24.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.89	-25	Pass	2986
30	1000	0.1	RMS	952.2	-60.74	-25	Pass	9701
1000	2475	1	RMS	2436	-48.3	-25	Pass	1476
2475	2595	1	RMS	2547	18.74	60	Pass	401
2595	3000	1	RMS	2684	-47.46	-25	Pass	406
3000	6500	1	RMS	6219	-64.72	-25	Pass	3501
6500	26000	1	RMS	25330	-44.56	-25	Pass	19501




**24.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:511500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.59	-25	Pass	2986
30	1000	0.1	RMS	960.9	-60.86	-25	Pass	9701
1000	2475	1	RMS	2444	-48.25	-25	Pass	1476
2475	2595	1	RMS	2555.7	5.75	60	Pass	401
2595	3000	1	RMS	2595	-46.6	-25	Pass	406
3000	6500	1	RMS	6219	-64.67	-25	Pass	3501
6500	26000	1	RMS	25342	-44.6	-25	Pass	19501




**24.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:511500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.91	-25	Pass	2986
30	1000	0.1	RMS	960.2	-60.89	-25	Pass	9701
1000	2475	1	RMS	2474	-48.29	-25	Pass	1476
2475	2595	1	RMS	2545.5	18.71	60	Pass	401
2595	3000	1	RMS	2695	-47.43	-25	Pass	406
3000	6500	1	RMS	6220	-64.76	-25	Pass	3501
6500	26000	1	RMS	25342	-44.69	-25	Pass	19501




**24.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:511500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.61	-25	Pass	2986
30	1000	0.1	RMS	974.1	-60.85	-25	Pass	9701
1000	2475	1	RMS	2440	-48.23	-25	Pass	1476
2475	2595	1	RMS	2569.5	18.95	60	Pass	401
2595	3000	1	RMS	2695	-47.45	-25	Pass	406
3000	6500	1	RMS	6217	-64.73	-25	Pass	3501
6500	26000	1	RMS	25309	-44.68	-25	Pass	19501




**24.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:504000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.5	-25	Pass	2986
30	1000	0.1	RMS	935.5	-60.82	-25	Pass	9701
1000	2460	1	RMS	2435	-48.31	-25	Pass	1461
2460	2610	1	RMS	2517	3.9	60	Pass	401
2610	3000	1	RMS	2693.85	-47.43	-25	Pass	401
3000	6500	1	RMS	6219	-64.73	-25	Pass	3501
6500	26000	1	RMS	25342	-44.68	-25	Pass	19501




**24.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:504000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-25	Pass	2986
30	1000	0.1	RMS	968.8	-60.91	-25	Pass	9701
1000	2460	1	RMS	2443	-48.28	-25	Pass	1461
2460	2610	1	RMS	2500.5	18.39	60	Pass	401
2610	3000	1	RMS	2677.275	-47.45	-25	Pass	401
3000	6500	1	RMS	6216	-64.77	-25	Pass	3501
6500	26000	1	RMS	25324	-44.69	-25	Pass	19501




**24.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:504000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.04	-25	Pass	2986
30	1000	0.1	RMS	963.6	-60.94	-25	Pass	9701
1000	2460	1	RMS	2447	-48.27	-25	Pass	1461
2460	2610	1	RMS	2539.5	18.34	60	Pass	401
2610	3000	1	RMS	2679.225	-47.43	-25	Pass	401
3000	6500	1	RMS	6219	-64.77	-25	Pass	3501
6500	26000	1	RMS	25343	-44.63	-25	Pass	19501




**24.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54	-25	Pass	2986
30	1000	0.1	RMS	906.4	-60.97	-25	Pass	9701
1000	2460	1	RMS	2443	-48.33	-25	Pass	1461
2460	2610	1	RMS	2531.625	3.68	60	Pass	401
2610	3000	1	RMS	2691.9	-47.45	-25	Pass	401
3000	6500	1	RMS	6218	-64.76	-25	Pass	3501
6500	26000	1	RMS	25335	-44.63	-25	Pass	19501




**24.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.55	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.54	-25	Pass	2986
30	1000	0.1	RMS	959.7	-60.81	-25	Pass	9701
1000	2460	1	RMS	2443	-48.25	-25	Pass	1461
2460	2610	1	RMS	2515.5	18.38	60	Pass	401
2610	3000	1	RMS	2691.9	-47.45	-25	Pass	401
3000	6500	1	RMS	6220	-64.78	-25	Pass	3501
6500	26000	1	RMS	25329	-44.68	-25	Pass	19501




**24.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.5	-25	Pass	2986
30	1000	0.1	RMS	951.4	-60.82	-25	Pass	9701
1000	2460	1	RMS	2436	-48.28	-25	Pass	1461
2460	2610	1	RMS	2554.5	18.47	60	Pass	401
2610	3000	1	RMS	2684.1	-47.46	-25	Pass	401
3000	6500	1	RMS	6220	-64.71	-25	Pass	3501
6500	26000	1	RMS	25334	-44.65	-25	Pass	19501




**24.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:510000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.17	-25	Pass	2986
30	1000	0.1	RMS	912	-60.92	-25	Pass	9701
1000	2460	1	RMS	2445	-48.17	-25	Pass	1461
2460	2610	1	RMS	2548.125	3.97	60	Pass	401
2610	3000	1	RMS	2688	-47.45	-25	Pass	401
3000	6500	1	RMS	6219	-64.75	-25	Pass	3501
6500	26000	1	RMS	25327	-44.59	-25	Pass	19501




**24.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:510000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.97	-25	Pass	2986
30	1000	0.1	RMS	978.2	-60.98	-25	Pass	9701
1000	2460	1	RMS	2448	-48.32	-25	Pass	1461
2460	2610	1	RMS	2530.5	18.59	60	Pass	401
2610	3000	1	RMS	2695.8	-47.43	-25	Pass	401
3000	6500	1	RMS	6219	-64.77	-25	Pass	3501
6500	26000	1	RMS	25332	-44.68	-25	Pass	19501



**24.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:510000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.38	-25	Pass	2986
30	1000	0.1	RMS	924	-60.85	-25	Pass	9701
1000	2460	1	RMS	2450	-48.27	-25	Pass	1461
2460	2610	1	RMS	2569.5	18.73	60	Pass	401
2610	3000	1	RMS	2686.05	-47.43	-25	Pass	401
3000	6500	1	RMS	6220	-64.75	-25	Pass	3501
6500	26000	1	RMS	25324	-44.65	-25	Pass	19501



25. n12 15kHz

**25.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.76	-13	Pass	2986
30	689	0.1	RMS	689	-60.52	-13	Pass	6591
689	726	0.1	RMS	699.823	3.68	60	Pass	401
726	1000	0.1	RMS	939.7	-61.77	-13	Pass	2741
1000	3000	1	RMS	2691	-46.68	-13	Pass	2001
3000	10000	1	RMS	9522	-62.54	-13	Pass	7001



25.2. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.23	-13	Pass	2986
30	689	0.1	RMS	688.8	-62.13	-13	Pass	6591
689	726	0.1	RMS	699.36	17	60	Pass	401
726	1000	0.1	RMS	915.7	-62.06	-13	Pass	2741
1000	3000	1	RMS	2677	-46.71	-13	Pass	2001
3000	10000	1	RMS	9529	-62.55	-13	Pass	7001



25.3. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.61	-13	Pass	2986
30	689	0.1	RMS	687.1	-62.15	-13	Pass	6591
689	726	0.1	RMS	703.615	16.58	60	Pass	401
726	1000	0.1	RMS	994.2	-61.96	-13	Pass	2741
1000	3000	1	RMS	2698	-46.69	-13	Pass	2001
3000	10000	1	RMS	9531	-62.5	-13	Pass	7001



25.4. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.5	-13	Pass	2986
30	689	0.1	RMS	688.7	-61.9	-13	Pass	6591
689	726	0.1	RMS	705.743	3.65	60	Pass	401
726	1000	0.1	RMS	898.6	-61.97	-13	Pass	2741
1000	3000	1	RMS	2694	-46.69	-13	Pass	2001
3000	10000	1	RMS	9525	-62.51	-13	Pass	7001



25.5. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.54	-13	Pass	2986
30	689	0.1	RMS	673.7	-62.18	-13	Pass	6591
689	726	0.1	RMS	705.373	16.51	60	Pass	401
726	1000	0.1	RMS	931	-61.91	-13	Pass	2741
1000	3000	1	RMS	2699	-46.68	-13	Pass	2001
3000	10000	1	RMS	9530	-62.49	-13	Pass	7001



25.6. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.18	-13	Pass	2986
30	689	0.1	RMS	686.9	-62.15	-13	Pass	6591
689	726	0.1	RMS	709.628	16.83	60	Pass	401
726	1000	0.1	RMS	948.4	-62.05	-13	Pass	2741
1000	3000	1	RMS	2688	-46.71	-13	Pass	2001
3000	10000	1	RMS	9532	-62.46	-13	Pass	7001



25.7. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.06	-13	Pass	2986
30	689	0.1	RMS	680.5	-62.1	-13	Pass	6591
689	726	0.1	RMS	711.755	3.51	60	Pass	401
726	1000	0.1	RMS	918.1	-62.08	-13	Pass	2741
1000	3000	1	RMS	2695	-46.69	-13	Pass	2001
3000	10000	1	RMS	9530	-62.49	-13	Pass	7001



25.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:142700, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.67	-13	Pass	2986
30	689	0.1	RMS	686	-62.23	-13	Pass	6591
689	726	0.1	RMS	711.293	16.6	60	Pass	401
726	1000	0.1	RMS	911.6	-62.09	-13	Pass	2741
1000	3000	1	RMS	2689	-46.69	-13	Pass	2001
3000	10000	1	RMS	9527	-62.47	-13	Pass	7001



25.9. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.99	-13	Pass	2986
30	689	0.1	RMS	687.6	-62.23	-13	Pass	6591
689	726	0.1	RMS	715.64	16.84	60	Pass	401
726	1000	0.1	RMS	942	-61.93	-13	Pass	2741
1000	3000	1	RMS	2693	-46.68	-13	Pass	2001
3000	10000	1	RMS	9529	-62.48	-13	Pass	7001




**25.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.35	-13	Pass	2986
30	689	0.1	RMS	689	-55.27	-13	Pass	6591
689	726	0.1	RMS	704.54	0.51	60	Pass	401
726	1000	0.1	RMS	966.4	-61.97	-13	Pass	2741
1000	3000	1	RMS	2676	-46.7	-13	Pass	2001
3000	10000	1	RMS	9530	-62.5	-13	Pass	7001




**25.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.16	-13	Pass	2986
30	689	0.1	RMS	688.8	-62.13	-13	Pass	6591
689	726	0.1	RMS	699.36	16.52	60	Pass	401
726	1000	0.1	RMS	894.8	-62.04	-13	Pass	2741
1000	3000	1	RMS	2692	-46.71	-13	Pass	2001
3000	10000	1	RMS	9531	-62.52	-13	Pass	7001




**25.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:140800, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.79	-13	Pass	2986
30	689	0.1	RMS	685.7	-62.28	-13	Pass	6591
689	726	0.1	RMS	708.61	16.76	60	Pass	401
726	1000	0.1	RMS	920.9	-61.91	-13	Pass	2741
1000	3000	1	RMS	2693	-46.69	-13	Pass	2001
3000	10000	1	RMS	9530	-62.46	-13	Pass	7001



**25.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.32	-13	Pass	2986
30	689	0.1	RMS	688.9	-57.96	-13	Pass	6591
689	726	0.1	RMS	706.298	0.56	60	Pass	401
726	1000	0.1	RMS	926.7	-62.04	-13	Pass	2741
1000	3000	1	RMS	2696	-46.69	-13	Pass	2001
3000	10000	1	RMS	9529	-62.52	-13	Pass	7001



25.14. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.67	-13	Pass	2986
30	689	0.1	RMS	670.1	-62.12	-13	Pass	6591
689	726	0.1	RMS	702.875	16.81	60	Pass	401
726	1000	0.1	RMS	932.9	-62	-13	Pass	2741
1000	3000	1	RMS	2699	-46.71	-13	Pass	2001
3000	10000	1	RMS	9526	-62.55	-13	Pass	7001




**25.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.66	-13	Pass	2986
30	689	0.1	RMS	689	-62.23	-13	Pass	6591
689	726	0.1	RMS	712.125	16.35	60	Pass	401
726	1000	0.1	RMS	912.7	-61.91	-13	Pass	2741
1000	3000	1	RMS	2693	-46.67	-13	Pass	2001
3000	10000	1	RMS	9529	-62.53	-13	Pass	7001




**25.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.7	-13	Pass	2986
30	689	0.1	RMS	689	-57.22	-13	Pass	6591
689	726	0.1	RMS	708.703	0.58	60	Pass	401
726	1000	0.1	RMS	960.4	-61.87	-13	Pass	2741
1000	3000	1	RMS	2692	-46.7	-13	Pass	2001
3000	10000	1	RMS	9537	-62.56	-13	Pass	7001




**25.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.01	-13	Pass	2986
30	689	0.1	RMS	670.8	-62.23	-13	Pass	6591
689	726	0.1	RMS	706.39	16.87	60	Pass	401
726	1000	0.1	RMS	966.7	-61.76	-13	Pass	2741
1000	3000	1	RMS	2677	-46.7	-13	Pass	2001
3000	10000	1	RMS	9530	-62.53	-13	Pass	7001




**25.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.65	-13	Pass	2986
30	689	0.1	RMS	675.7	-62.25	-13	Pass	6591
689	726	0.1	RMS	715.548	16.41	60	Pass	401
726	1000	0.1	RMS	932.7	-61.97	-13	Pass	2741
1000	3000	1	RMS	2690	-46.69	-13	Pass	2001
3000	10000	1	RMS	9531	-62.53	-13	Pass	7001




**25.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.49	-13	Pass	2986
30	689	0.1	RMS	688.8	-50.56	-13	Pass	6591
689	726	0.1	RMS	708.24	-1.19	60	Pass	401
726	1000	0.1	RMS	924.6	-62.01	-13	Pass	2741
1000	3000	1	RMS	2694	-46.69	-13	Pass	2001
3000	10000	1	RMS	9529	-62.52	-13	Pass	7001




**25.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.27	-13	Pass	2986
30	689	0.1	RMS	583.8	-61.62	-13	Pass	6591
689	726	0.1	RMS	699.453	17.25	60	Pass	401
726	1000	0.1	RMS	957.7	-62.02	-13	Pass	2741
1000	3000	1	RMS	2696	-46.69	-13	Pass	2001
3000	10000	1	RMS	9530	-62.54	-13	Pass	7001




**25.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:141300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.72	-13	Pass	2986
30	689	0.1	RMS	678.7	-62.26	-13	Pass	6591
689	726	0.1	RMS	713.513	16.86	60	Pass	401
726	1000	0.1	RMS	979	-61.03	-13	Pass	2741
1000	3000	1	RMS	2678	-46.71	-13	Pass	2001
3000	10000	1	RMS	9527	-62.51	-13	Pass	7001




**25.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.19	-13	Pass	2986
30	689	0.1	RMS	688.8	-52.69	-13	Pass	6591
689	726	0.1	RMS	707.685	-1.23	60	Pass	401
726	1000	0.1	RMS	921.2	-61.84	-13	Pass	2741
1000	3000	1	RMS	2698	-46.71	-13	Pass	2001
3000	10000	1	RMS	9534	-62.56	-13	Pass	7001




**25.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.33	-13	Pass	2986
30	689	0.1	RMS	590	-60.9	-13	Pass	6591
689	726	0.1	RMS	700.47	17.28	60	Pass	401
726	1000	0.1	RMS	959.8	-61.96	-13	Pass	2741
1000	3000	1	RMS	2700	-46.68	-13	Pass	2001
3000	10000	1	RMS	9525	-62.54	-13	Pass	7001




**25.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-13	Pass	2986
30	689	0.1	RMS	679.7	-62.13	-13	Pass	6591
689	726	0.1	RMS	714.53	16.7	60	Pass	401
726	1000	0.1	RMS	932.4	-61.98	-13	Pass	2741
1000	3000	1	RMS	2687	-46.73	-13	Pass	2001
3000	10000	1	RMS	9527	-62.44	-13	Pass	7001




**25.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:141700, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.6	-13	Pass	2986
30	689	0.1	RMS	689	-53.93	-13	Pass	6591
689	726	0.1	RMS	708.24	-1.21	60	Pass	401
726	1000	0.1	RMS	933.4	-61.96	-13	Pass	2741
1000	3000	1	RMS	2679	-46.69	-13	Pass	2001
3000	10000	1	RMS	9532	-62.48	-13	Pass	7001




**25.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:141700, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.08	-13	Pass	2986
30	689	0.1	RMS	689	-61.99	-13	Pass	6591
689	726	0.1	RMS	701.488	17.07	60	Pass	401
726	1000	0.1	RMS	927	-62.03	-13	Pass	2741
1000	3000	1	RMS	2690	-46.73	-13	Pass	2001
3000	10000	1	RMS	9535	-62.5	-13	Pass	7001



**25.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.64	-13	Pass	2986
30	689	0.1	RMS	637.4	-62.33	-13	Pass	6591
689	726	0.1	RMS	715.548	16.51	60	Pass	401
726	1000	0.1	RMS	951.3	-61.91	-13	Pass	2741
1000	3000	1	RMS	2695	-46.71	-13	Pass	2001
3000	10000	1	RMS	9527	-62.57	-13	Pass	7001



26. n14 15kHz

26.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:158100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.88	-13	Pass	2986
30	778	0.1	RMS	770.2	-62.68	-13	Pass	7481
778	808	0.1	RMS	788.425	3.36	60	Pass	401
808	1000	0.1	RMS	808	-59.68	-13	Pass	1921
1000	3000	1	RMS	2689	-46.71	-13	Pass	2001
3000	10000	1	RMS	9540	-62.68	-13	Pass	7001



26.2. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.57	-13	Pass	2986
30	778	0.1	RMS	774.5	-62.62	-13	Pass	7481
778	808	0.1	RMS	788.35	16.95	60	Pass	401
808	1000	0.1	RMS	990.4	-62.11	-13	Pass	1921
1000	3000	1	RMS	2694	-46.71	-13	Pass	2001
3000	10000	1	RMS	9529	-62.52	-13	Pass	7001



26.3. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.7	-13	Pass	2986
30	778	0.1	RMS	769.4	-62.56	-13	Pass	7481
778	808	0.1	RMS	792.625	16.88	60	Pass	401
808	1000	0.1	RMS	978.5	-62.14	-13	Pass	1921
1000	3000	1	RMS	2689	-46.71	-13	Pass	2001
3000	10000	1	RMS	9530	-62.63	-13	Pass	7001



26.4. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.54	-13	Pass	2986
30	778	0.1	RMS	775.5	-62.55	-13	Pass	7481
778	808	0.1	RMS	791.275	3.43	60	Pass	401
808	1000	0.1	RMS	808	-58.73	-13	Pass	1921
1000	3000	1	RMS	2674	-46.7	-13	Pass	2001
3000	10000	1	RMS	9529	-62.62	-13	Pass	7001



**26.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:158600, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.38	-13	Pass	2986
30	778	0.1	RMS	776	-62.61	-13	Pass	7481
778	808	0.1	RMS	790.825	16.81	60	Pass	401
808	1000	0.1	RMS	966.8	-62.12	-13	Pass	1921
1000	3000	1	RMS	2697	-46.71	-13	Pass	2001
3000	10000	1	RMS	9532	-62.6	-13	Pass	7001



26.6. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54	-13	Pass	2986
30	778	0.1	RMS	774.9	-62.68	-13	Pass	7481
778	808	0.1	RMS	795.175	16.9	60	Pass	401
808	1000	0.1	RMS	969.5	-62.19	-13	Pass	1921
1000	3000	1	RMS	2695	-46.69	-13	Pass	2001
3000	10000	1	RMS	9525	-62.64	-13	Pass	7001



26.7. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.52	-13	Pass	2986
30	778	0.1	RMS	777.9	-62.59	-13	Pass	7481
778	808	0.1	RMS	793.375	3.38	60	Pass	401
808	1000	0.1	RMS	808	-54.74	-13	Pass	1921
1000	3000	1	RMS	2688	-46.69	-13	Pass	2001
3000	10000	1	RMS	9531	-62.63	-13	Pass	7001



26.8. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.14	-13	Pass	2986
30	778	0.1	RMS	772.5	-62.64	-13	Pass	7481
778	808	0.1	RMS	793.3	16.81	60	Pass	401
808	1000	0.1	RMS	983.9	-62.25	-13	Pass	1921
1000	3000	1	RMS	2692	-46.72	-13	Pass	2001
3000	10000	1	RMS	9522	-62.63	-13	Pass	7001



26.9. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.38	-13	Pass	2986
30	778	0.1	RMS	773.2	-62.53	-13	Pass	7481
778	808	0.1	RMS	797.65	16.97	60	Pass	401
808	1000	0.1	RMS	988.5	-62.24	-13	Pass	1921
1000	3000	1	RMS	2676	-46.7	-13	Pass	2001
3000	10000	1	RMS	9534	-62.66	-13	Pass	7001




**26.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:158600, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.75	-13	Pass	2986
30	778	0.1	RMS	778	-62.19	-13	Pass	7481
778	808	0.1	RMS	791.65	0.48	60	Pass	401
808	1000	0.1	RMS	808.1	-45.65	-13	Pass	1921
1000	3000	1	RMS	2696	-46.71	-13	Pass	2001
3000	10000	1	RMS	9531	-62.64	-13	Pass	7001




**26.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:158600, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.59	-13	Pass	2986
30	778	0.1	RMS	776.4	-62.58	-13	Pass	7481
778	808	0.1	RMS	788.425	16.93	60	Pass	401
808	1000	0.1	RMS	959.1	-62.1	-13	Pass	1921
1000	3000	1	RMS	2696	-46.71	-13	Pass	2001
3000	10000	1	RMS	9527	-62.59	-13	Pass	7001



**26.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:158600, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.84	-13	Pass	2986
30	778	0.1	RMS	776.6	-62.68	-13	Pass	7481
778	808	0.1	RMS	797.575	16.91	60	Pass	401
808	1000	0.1	RMS	960	-62.09	-13	Pass	1921
1000	3000	1	RMS	2673	-46.71	-13	Pass	2001
3000	10000	1	RMS	9529	-62.61	-13	Pass	7001



27. n25 15kHz


**27.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.12	-13	Pass	2986
30	1000	0.1	RMS	983.1	-60.84	-13	Pass	9701
1000	1840	1	RMS	1840	-39.46	-13	Pass	841
1840	1925	1	RMS	1852.75	12	60	Pass	401
1925	3000	1	RMS	2686	-47.14	-13	Pass	1076
3000	6500	1	RMS	6220	-64.73	-13	Pass	3501
6500	20000	1	RMS	6508	-49.03	-13	Pass	13501




**27.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.35	-13	Pass	2986
30	1000	0.1	RMS	981.2	-60.71	-13	Pass	9701
1000	1840	1	RMS	1840	-48.03	-13	Pass	841
1840	1925	1	RMS	1850.413	17.97	60	Pass	401
1925	3000	1	RMS	2676	-47.13	-13	Pass	1076
3000	6500	1	RMS	6220	-64.72	-13	Pass	3501
6500	20000	1	RMS	6504	-49.03	-13	Pass	13501




**27.3. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.1	-13	Pass	2986
30	1000	0.1	RMS	937.1	-60.89	-13	Pass	9701
1000	1840	1	RMS	1840	-50.05	-13	Pass	841
1840	1925	1	RMS	1854.663	18.14	60	Pass	401
1925	3000	1	RMS	2688	-47.09	-13	Pass	1076
3000	6500	1	RMS	6220	-64.66	-13	Pass	3501
6500	20000	1	RMS	6509	-49.1	-13	Pass	13501




**27.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.35	-13	Pass	2986
30	1000	0.1	RMS	961.1	-60.88	-13	Pass	9701
1000	1840	1	RMS	1837	-50.6	-13	Pass	841
1840	1925	1	RMS	1883.138	11.76	60	Pass	401
1925	3000	1	RMS	2691	-47.15	-13	Pass	1076
3000	6500	1	RMS	6220	-64.74	-13	Pass	3501
6500	20000	1	RMS	6508	-49	-13	Pass	13501




**27.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.47	-13	Pass	2986
30	1000	0.1	RMS	960.1	-60.78	-13	Pass	9701
1000	1840	1	RMS	1839	-50.67	-13	Pass	841
1840	1925	1	RMS	1880.375	17.8	60	Pass	401
1925	3000	1	RMS	2700	-47.1	-13	Pass	1076
3000	6500	1	RMS	6218	-64.72	-13	Pass	3501
6500	20000	1	RMS	6509	-49.05	-13	Pass	13501




**27.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.87	-13	Pass	2986
30	1000	0.1	RMS	958.6	-60.87	-13	Pass	9701
1000	1840	1	RMS	1804	-50.68	-13	Pass	841
1840	1925	1	RMS	1884.625	17.88	60	Pass	401
1925	3000	1	RMS	2696	-47.13	-13	Pass	1076
3000	6500	1	RMS	6219	-64.76	-13	Pass	3501
6500	20000	1	RMS	6507	-49.08	-13	Pass	13501




**27.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:382500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.78	-13	Pass	2986
30	1000	0.1	RMS	949.9	-60.93	-13	Pass	9701
1000	1840	1	RMS	1839	-50.62	-13	Pass	841
1840	1925	1	RMS	1911.613	11.57	60	Pass	401
1925	3000	1	RMS	2678	-47.08	-13	Pass	1076
3000	6500	1	RMS	6219	-64.75	-13	Pass	3501
6500	20000	1	RMS	6506	-49.05	-13	Pass	13501




**27.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:382500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2986
30	1000	0.1	RMS	958.5	-60.95	-13	Pass	9701
1000	1840	1	RMS	1840	-50.65	-13	Pass	841
1840	1925	1	RMS	1910.338	17.62	60	Pass	401
1925	3000	1	RMS	2700	-47.14	-13	Pass	1076
3000	6500	1	RMS	6219	-64.7	-13	Pass	3501
6500	20000	1	RMS	6510	-49.04	-13	Pass	13501




**27.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:382500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-13	Pass	2986
30	1000	0.1	RMS	997	-60.72	-13	Pass	9701
1000	1840	1	RMS	1834	-50.7	-13	Pass	841
1840	1925	1	RMS	1914.588	17.7	60	Pass	401
1925	3000	1	RMS	2686	-47.17	-13	Pass	1076
3000	6500	1	RMS	6219	-64.82	-13	Pass	3501
6500	20000	1	RMS	6511	-49.01	-13	Pass	13501




**27.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-13	Pass	2986
30	1000	0.1	RMS	964.9	-60.72	-13	Pass	9701
1000	1840	1	RMS	1840	-36.5	-13	Pass	841
1840	1925	1	RMS	1857	6.19	60	Pass	401
1925	3000	1	RMS	2677	-47.11	-13	Pass	1076
3000	6500	1	RMS	6217	-64.79	-13	Pass	3501
6500	20000	1	RMS	6507	-49.04	-13	Pass	13501




**27.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.57	-13	Pass	2986
30	1000	0.1	RMS	992.7	-60.87	-13	Pass	9701
1000	1840	1	RMS	1840	-47.45	-13	Pass	841
1840	1925	1	RMS	1850.625	18.21	60	Pass	401
1925	3000	1	RMS	2674	-47.14	-13	Pass	1076
3000	6500	1	RMS	6223	-64.78	-13	Pass	3501
6500	20000	1	RMS	6508	-49.01	-13	Pass	13501




**27.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.37	-13	Pass	2986
30	1000	0.1	RMS	947.8	-60.86	-13	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	Pass	841
1840	1925	1	RMS	1869.325	17.98	60	Pass	401
1925	3000	1	RMS	2678	-47.15	-13	Pass	1076
3000	6500	1	RMS	6219	-64.76	-13	Pass	3501
6500	20000	1	RMS	6511	-49.05	-13	Pass	13501




**27.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.49	-13	Pass	2986
30	1000	0.1	RMS	931.9	-60.88	-13	Pass	9701
1000	1840	1	RMS	1840	-43.47	-13	Pass	841
1840	1925	1	RMS	1883.775	5.94	60	Pass	401
1925	3000	1	RMS	2667	-47.18	-13	Pass	1076
3000	6500	1	RMS	6221	-64.75	-13	Pass	3501
6500	20000	1	RMS	6509	-49.05	-13	Pass	13501




**27.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.21	-13	Pass	2986
30	1000	0.1	RMS	977.7	-60.96	-13	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	Pass	841
1840	1925	1	RMS	1873.15	18.13	60	Pass	401
1925	3000	1	RMS	2698	-47.15	-13	Pass	1076
3000	6500	1	RMS	6222	-64.78	-13	Pass	3501
6500	20000	1	RMS	6512	-49.06	-13	Pass	13501




**27.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.14	-13	Pass	2986
30	1000	0.1	RMS	961.3	-60.8	-13	Pass	9701
1000	1840	1	RMS	1808	-50.66	-13	Pass	841
1840	1925	1	RMS	1891.85	17.64	60	Pass	401
1925	3000	1	RMS	2668	-47.13	-13	Pass	1076
3000	6500	1	RMS	6219	-64.76	-13	Pass	3501
6500	20000	1	RMS	6509	-49.05	-13	Pass	13501




**27.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:381000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.11	-13	Pass	2986
30	1000	0.1	RMS	962.9	-60.84	-13	Pass	9701
1000	1840	1	RMS	1840	-48.95	-13	Pass	841
1840	1925	1	RMS	1902.475	5.66	60	Pass	401
1925	3000	1	RMS	2699	-47.18	-13	Pass	1076
3000	6500	1	RMS	6221	-64.77	-13	Pass	3501
6500	20000	1	RMS	6510	-49.05	-13	Pass	13501




**27.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:381000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.61	-13	Pass	2986
30	1000	0.1	RMS	948.8	-60.9	-13	Pass	9701
1000	1840	1	RMS	1800	-50.68	-13	Pass	841
1840	1925	1	RMS	1895.463	17.76	60	Pass	401
1925	3000	1	RMS	2684	-47.15	-13	Pass	1076
3000	6500	1	RMS	6219	-64.74	-13	Pass	3501
6500	20000	1	RMS	6507	-49	-13	Pass	13501




**27.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:381000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.44	-13	Pass	2986
30	1000	0.1	RMS	995.5	-60.9	-13	Pass	9701
1000	1840	1	RMS	1807	-50.68	-13	Pass	841
1840	1925	1	RMS	1914.375	17.49	60	Pass	401
1925	3000	1	RMS	2676	-47.11	-13	Pass	1076
3000	6500	1	RMS	6220	-64.64	-13	Pass	3501
6500	20000	1	RMS	6506	-49.04	-13	Pass	13501




**27.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:374000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.37	-13	Pass	2986
30	1000	0.1	RMS	957.3	-60.9	-13	Pass	9701
1000	1840	1	RMS	1840	-36.34	-13	Pass	841
1840	1925	1	RMS	1859.55	3.05	60	Pass	401
1925	3000	1	RMS	2696	-47.15	-13	Pass	1076
3000	6500	1	RMS	6219	-64.75	-13	Pass	3501
6500	20000	1	RMS	6509	-49.13	-13	Pass	13501




**27.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:374000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.5	-13	Pass	2986
30	1000	0.1	RMS	954.6	-60.84	-13	Pass	9701
1000	1840	1	RMS	1840	-47.23	-13	Pass	841
1840	1925	1	RMS	1850.625	18.49	60	Pass	401
1925	3000	1	RMS	2692	-47.17	-13	Pass	1076
3000	6500	1	RMS	6219	-64.78	-13	Pass	3501
6500	20000	1	RMS	6508	-49.01	-13	Pass	13501




**27.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:374000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.47	-13	Pass	2986
30	1000	0.1	RMS	971.4	-60.99	-13	Pass	9701
1000	1840	1	RMS	1812	-50.56	-13	Pass	841
1840	1925	1	RMS	1889.3	17.99	60	Pass	401
1925	3000	1	RMS	2670	-47.17	-13	Pass	1076
3000	6500	1	RMS	6219	-64.8	-13	Pass	3501
6500	20000	1	RMS	6504	-49.02	-13	Pass	13501




**27.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.56	-13	Pass	2986
30	1000	0.1	RMS	959.5	-60.84	-13	Pass	9701
1000	1840	1	RMS	1840	-39	-13	Pass	841
1840	1925	1	RMS	1883.138	3.27	60	Pass	401
1925	3000	1	RMS	2685	-47.11	-13	Pass	1076
3000	6500	1	RMS	6220	-64.77	-13	Pass	3501
6500	20000	1	RMS	6509	-49.09	-13	Pass	13501




**27.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.76	-13	Pass	2986
30	1000	0.1	RMS	980.3	-60.86	-13	Pass	9701
1000	1840	1	RMS	1839	-49.01	-13	Pass	841
1840	1925	1	RMS	1863.163	18.28	60	Pass	401
1925	3000	1	RMS	2683	-47.1	-13	Pass	1076
3000	6500	1	RMS	6221	-64.73	-13	Pass	3501
6500	20000	1	RMS	6510	-49.08	-13	Pass	13501




**27.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.83	-13	Pass	2986
30	1000	0.1	RMS	992.6	-60.85	-13	Pass	9701
1000	1840	1	RMS	1839	-50.6	-13	Pass	841
1840	1925	1	RMS	1901.838	18.19	60	Pass	401
1925	3000	1	RMS	2673	-47.16	-13	Pass	1076
3000	6500	1	RMS	6220	-64.74	-13	Pass	3501
6500	20000	1	RMS	6510	-49.01	-13	Pass	13501




**27.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:379000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.99	-13	Pass	2986
30	1000	0.1	RMS	958.7	-60.87	-13	Pass	9701
1000	1840	1	RMS	1840	-40.4	-13	Pass	841
1840	1925	1	RMS	1887.6	3.09	60	Pass	401
1925	3000	1	RMS	2672	-47.16	-13	Pass	1076
3000	6500	1	RMS	6221	-64.71	-13	Pass	3501
6500	20000	1	RMS	6510	-49.03	-13	Pass	13501




**27.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:379000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.39	-13	Pass	2986
30	1000	0.1	RMS	938.8	-60.89	-13	Pass	9701
1000	1840	1	RMS	1837	-50.2	-13	Pass	841
1840	1925	1	RMS	1875.7	18.27	60	Pass	401
1925	3000	1	RMS	2695	-47.18	-13	Pass	1076
3000	6500	1	RMS	6220	-64.73	-13	Pass	3501
6500	20000	1	RMS	6506	-49.05	-13	Pass	13501



**27.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:379000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.14	-13	Pass	2986
30	1000	0.1	RMS	994.6	-60.95	-13	Pass	9701
1000	1840	1	RMS	1837	-49.73	-13	Pass	841
1840	1925	1	RMS	1914.375	17.91	60	Pass	401
1925	3000	1	RMS	2675	-47.19	-13	Pass	1076
3000	6500	1	RMS	6219	-64.74	-13	Pass	3501
6500	20000	1	RMS	6511	-49.04	-13	Pass	13501



28. n41


**28.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.82	-25	Pass	2986
30	1000	0.1	RMS	944	-60.88	-25	Pass	9701
1000	2476	1	RMS	2476	-48.12	-25	Pass	1477
2476	2710	1	RMS	2505.835	10.13	60	Pass	401
2710	3000	1	RMS	2710.725	-47.58	-25	Pass	401
3000	6500	1	RMS	6220	-64.75	-25	Pass	3501
6500	26500	1	RMS	26428	-44.59	-25	Pass	20001



**28.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.62	-25	Pass	2986
30	1000	0.1	RMS	970.3	-60.88	-25	Pass	9701
1000	2476	1	RMS	2445	-48.25	-25	Pass	1477
2476	2710	1	RMS	2497.06	21.31	60	Pass	401
2710	3000	1	RMS	2710	-47.56	-25	Pass	401
3000	6500	1	RMS	6222	-64.85	-25	Pass	3501
6500	26500	1	RMS	26426	-44.68	-25	Pass	20001



28.3. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.87	-25	Pass	2986
30	1000	0.1	RMS	958.2	-60.83	-25	Pass	9701
1000	2476	1	RMS	2467	-48.26	-25	Pass	1477
2476	2710	1	RMS	2515.195	20.66	60	Pass	401
2710	3000	1	RMS	2710	-47.58	-25	Pass	401
3000	6500	1	RMS	6220	-64.78	-25	Pass	3501
6500	26500	1	RMS	26431	-44.55	-25	Pass	20001



28.4. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.55	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.68	-25	Pass	2986
30	1000	0.1	RMS	957.3	-60.82	-25	Pass	9701
1000	2476	1	RMS	2442	-48.26	-25	Pass	1477
2476	2710	1	RMS	2589.49	10.02	60	Pass	401
2710	3000	1	RMS	2712.175	-47.58	-25	Pass	401
3000	6500	1	RMS	6217	-64.71	-25	Pass	3501
6500	26500	1	RMS	26430	-44.51	-25	Pass	20001



**28.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.63	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.45	-25	Pass	2986
30	1000	0.1	RMS	961.5	-60.91	-25	Pass	9701
1000	2476	1	RMS	2448	-48.29	-25	Pass	1477
2476	2710	1	RMS	2584.225	20.65	60	Pass	401
2710	3000	1	RMS	2710	-47.64	-25	Pass	401
3000	6500	1	RMS	6215	-64.8	-25	Pass	3501
6500	26500	1	RMS	26431	-44.5	-25	Pass	20001



28.6. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.41	-25	Pass	2986
30	1000	0.1	RMS	959.8	-60.92	-25	Pass	9701
1000	2476	1	RMS	2441	-48.29	-25	Pass	1477
2476	2710	1	RMS	2601.775	20.73	60	Pass	401
2710	3000	1	RMS	2711.45	-47.63	-25	Pass	401
3000	6500	1	RMS	6221	-64.79	-25	Pass	3501
6500	26500	1	RMS	26426	-44.58	-25	Pass	20001




**28.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:535998, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.04	-25	Pass	2986
30	1000	0.1	RMS	914.2	-60.95	-25	Pass	9701
1000	2476	1	RMS	2413	-48.28	-25	Pass	1477
2476	2710	1	RMS	2678.41	9.79	60	Pass	401
2710	3000	1	RMS	2710	-34.25	-25	Pass	401
3000	6500	1	RMS	6220	-64.78	-25	Pass	3501
6500	26500	1	RMS	26427	-44.45	-25	Pass	20001




**28.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:535998, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.57	-25	Pass	2986
30	1000	0.1	RMS	945.4	-60.88	-25	Pass	9701
1000	2476	1	RMS	2451	-48.27	-25	Pass	1477
2476	2710	1	RMS	2670.805	20.67	60	Pass	401
2710	3000	1	RMS	2711.45	-47.57	-25	Pass	401
3000	6500	1	RMS	6220	-64.8	-25	Pass	3501
6500	26500	1	RMS	26430	-44.68	-25	Pass	20001




**28.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.72	-25	Pass	2986
30	1000	0.1	RMS	988.3	-60.93	-25	Pass	9701
1000	2476	1	RMS	2440	-48.23	-25	Pass	1477
2476	2710	1	RMS	2688.94	20.84	60	Pass	401
2710	3000	1	RMS	2710	-47.45	-25	Pass	401
3000	6500	1	RMS	6218	-64.81	-25	Pass	3501
6500	26500	1	RMS	26427	-44.62	-25	Pass	20001




**28.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53	-25	Pass	2986
30	1000	0.1	RMS	944.3	-60.85	-25	Pass	9701
1000	2436	1	RMS	2421	-48.35	-25	Pass	1437
2436	2750	1	RMS	2515.285	5.03	60	Pass	401
2750	3000	1	RMS	2790	-47.7	-25	Pass	401
3000	6500	1	RMS	6221	-64.83	-25	Pass	3501
6500	26500	1	RMS	26429	-44.61	-25	Pass	20001




**28.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.27	-25	Pass	2986
30	1000	0.1	RMS	953.1	-60.87	-25	Pass	9701
1000	2436	1	RMS	2423	-48.32	-25	Pass	1437
2436	2750	1	RMS	2497.23	20.55	60	Pass	401
2750	3000	1	RMS	2792.5	-47.73	-25	Pass	401
3000	6500	1	RMS	6216	-64.76	-25	Pass	3501
6500	26500	1	RMS	26428	-44.38	-25	Pass	20001




**28.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.15	-25	Pass	2986
30	1000	0.1	RMS	995.3	-60.87	-25	Pass	9701
1000	2436	1	RMS	2418	-48.31	-25	Pass	1437
2436	2750	1	RMS	2555.32	19.59	60	Pass	401
2750	3000	1	RMS	2788.75	-47.69	-25	Pass	401
3000	6500	1	RMS	6220	-64.78	-25	Pass	3501
6500	26500	1	RMS	26430	-44.38	-25	Pass	20001




**28.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.02	-25	Pass	2986
30	1000	0.1	RMS	980.9	-60.95	-25	Pass	9701
1000	2436	1	RMS	2432	-48.31	-25	Pass	1437
2436	2750	1	RMS	2570.235	5.25	60	Pass	401
2750	3000	1	RMS	2792.5	-47.72	-25	Pass	401
3000	6500	1	RMS	6217	-64.77	-25	Pass	3501
6500	26500	1	RMS	26429	-44.47	-25	Pass	20001




**28.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.36	-25	Pass	2986
30	1000	0.1	RMS	996.5	-60.93	-25	Pass	9701
1000	2436	1	RMS	2427	-48.33	-25	Pass	1437
2436	2750	1	RMS	2563.955	20.82	60	Pass	401
2750	3000	1	RMS	2790.625	-47.7	-25	Pass	401
3000	6500	1	RMS	6221	-64.75	-25	Pass	3501
6500	26500	1	RMS	26432	-44.39	-25	Pass	20001




**28.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.89	-25	Pass	2986
30	1000	0.1	RMS	932.7	-60.86	-25	Pass	9701
1000	2436	1	RMS	2421	-48.35	-25	Pass	1437
2436	2750	1	RMS	2622.045	20.72	60	Pass	401
2750	3000	1	RMS	2787.5	-47.74	-25	Pass	401
3000	6500	1	RMS	6218	-64.75	-25	Pass	3501
6500	26500	1	RMS	26425	-44.42	-25	Pass	20001




**28.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.97	-25	Pass	2986
30	1000	0.1	RMS	963.8	-60.83	-25	Pass	9701
1000	2436	1	RMS	2422	-48.32	-25	Pass	1437
2436	2750	1	RMS	2636.175	4.88	60	Pass	401
2750	3000	1	RMS	2792.5	-47.77	-25	Pass	401
3000	6500	1	RMS	6217	-64.74	-25	Pass	3501
6500	26500	1	RMS	26430	-44.51	-25	Pass	20001




**28.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.18	-25	Pass	2986
30	1000	0.1	RMS	977.8	-60.85	-25	Pass	9701
1000	2436	1	RMS	2435	-48.35	-25	Pass	1437
2436	2750	1	RMS	2630.68	19.88	60	Pass	401
2750	3000	1	RMS	2790.625	-47.75	-25	Pass	401
3000	6500	1	RMS	6220	-64.75	-25	Pass	3501
6500	26500	1	RMS	26430	-44.5	-25	Pass	20001




**28.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.59	-25	Pass	2986
30	1000	0.1	RMS	952.4	-60.95	-25	Pass	9701
1000	2436	1	RMS	2420	-48.3	-25	Pass	1437
2436	2750	1	RMS	2688.77	20.26	60	Pass	401
2750	3000	1	RMS	2790.625	-47.74	-25	Pass	401
3000	6500	1	RMS	6220	-64.73	-25	Pass	3501
6500	26500	1	RMS	26426	-44.5	-25	Pass	20001




**28.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.85	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.61	-25	Pass	2986
30	1000	0.1	RMS	986.6	-60.9	-25	Pass	9701
1000	2396	1	RMS	2393	-48.55	-25	Pass	1397
2396	2790	1	RMS	2533.9	2.87	60	Pass	401
2790	3000	1	RMS	2790.525	-47.72	-25	Pass	401
3000	6500	1	RMS	6218	-64.74	-25	Pass	3501
6500	26500	1	RMS	26430	-44.47	-25	Pass	20001




**28.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.91	-25	Pass	2986
30	1000	0.1	RMS	968.3	-60.75	-25	Pass	9701
1000	2396	1	RMS	2394	-48.6	-25	Pass	1397
2396	2790	1	RMS	2497.455	18.34	60	Pass	401
2790	3000	1	RMS	2791.575	-47.74	-25	Pass	401
3000	6500	1	RMS	6213	-64.81	-25	Pass	3501
6500	26500	1	RMS	26425	-44.51	-25	Pass	20001




**28.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.06	-25	Pass	2986
30	1000	0.1	RMS	943.2	-60.93	-25	Pass	9701
1000	2396	1	RMS	2393	-48.61	-25	Pass	1397
2396	2790	1	RMS	2594.97	20.36	60	Pass	401
2790	3000	1	RMS	2791.05	-47.69	-25	Pass	401
3000	6500	1	RMS	6219	-64.65	-25	Pass	3501
6500	26500	1	RMS	26429	-44.56	-25	Pass	20001




**28.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.11	-25	Pass	2986
30	1000	0.1	RMS	941.6	-60.94	-25	Pass	9701
1000	2396	1	RMS	2392	-48.58	-25	Pass	1397
2396	2790	1	RMS	2583.15	3.3	60	Pass	401
2790	3000	1	RMS	2790.525	-47.69	-25	Pass	401
3000	6500	1	RMS	6215	-64.73	-25	Pass	3501
6500	26500	1	RMS	26431	-44.47	-25	Pass	20001




**28.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.18	-25	Pass	2986
30	1000	0.1	RMS	963.1	-60.92	-25	Pass	9701
1000	2396	1	RMS	2391	-48.71	-25	Pass	1397
2396	2790	1	RMS	2543.75	20.2	60	Pass	401
2790	3000	1	RMS	2790.525	-47.73	-25	Pass	401
3000	6500	1	RMS	6219	-64.63	-25	Pass	3501
6500	26500	1	RMS	26428	-44.53	-25	Pass	20001




**28.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-25	Pass	2986
30	1000	0.1	RMS	936.7	-60.8	-25	Pass	9701
1000	2396	1	RMS	2395	-48.62	-25	Pass	1397
2396	2790	1	RMS	2642.25	19.22	60	Pass	401
2790	3000	1	RMS	2790.525	-47.76	-25	Pass	401
3000	6500	1	RMS	6217	-64.75	-25	Pass	3501
6500	26500	1	RMS	26423	-44.49	-25	Pass	20001




**28.28. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.63	-25	Pass	2986
30	1000	0.1	RMS	950.8	-60.92	-25	Pass	9701
1000	2396	1	RMS	2396	-48.59	-25	Pass	1397
2396	2790	1	RMS	2620.58	2.85	60	Pass	401
2790	3000	1	RMS	2790	-47.74	-25	Pass	401
3000	6500	1	RMS	6220	-64.73	-25	Pass	3501
6500	26500	1	RMS	26427	-44.43	-25	Pass	20001




**28.29. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-25	Pass	2986
30	1000	0.1	RMS	926.2	-60.83	-25	Pass	9701
1000	2396	1	RMS	2395	-48.61	-25	Pass	1397
2396	2790	1	RMS	2591.03	20.72	60	Pass	401
2790	3000	1	RMS	2790.525	-47.73	-25	Pass	401
3000	6500	1	RMS	6220	-64.76	-25	Pass	3501
6500	26500	1	RMS	26432	-44.53	-25	Pass	20001



**28.30. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.84	-25	Pass	2986
30	1000	0.1	RMS	943.2	-60.77	-25	Pass	9701
1000	2396	1	RMS	2394	-48.59	-25	Pass	1397
2396	2790	1	RMS	2688.545	18.1	60	Pass	401
2790	3000	1	RMS	2790.525	-47.76	-25	Pass	401
3000	6500	1	RMS	6220	-64.69	-25	Pass	3501
6500	26500	1	RMS	26430	-44.47	-25	Pass	20001




29. n66 15kHz

29.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.05	-13	Pass	2986
30	1000	0.1	RMS	949.5	-60.84	-13	Pass	9701
1000	1700	1	RMS	1700	-45.99	-13	Pass	701
1700	1790	1	RMS	1713.05	12.37	60	Pass	401
1790	3000	1	RMS	2676	-47.17	-13	Pass	1211
3000	6500	1	RMS	6217	-64.71	-13	Pass	3501
6500	20000	1	RMS	6510	-49.09	-13	Pass	13501




**29.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.5	-13	Pass	2986
30	1000	0.1	RMS	959.5	-60.91	-13	Pass	9701
1000	1700	1	RMS	1700	-50.73	-13	Pass	701
1700	1790	1	RMS	1710.35	18.54	60	Pass	401
1790	3000	1	RMS	2701	-47.14	-13	Pass	1211
3000	6500	1	RMS	6220	-64.8	-13	Pass	3501
6500	20000	1	RMS	6507	-48.91	-13	Pass	13501




**29.3. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.69	-13	Pass	2986
30	1000	0.1	RMS	965.2	-60.83	-13	Pass	9701
1000	1700	1	RMS	1700	-50.91	-13	Pass	701
1700	1790	1	RMS	1714.625	18.64	60	Pass	401
1790	3000	1	RMS	2693	-47.12	-13	Pass	1211
3000	6500	1	RMS	6221	-64.83	-13	Pass	3501
6500	20000	1	RMS	6507	-48.96	-13	Pass	13501




**29.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.92	-13	Pass	2986
30	1000	0.1	RMS	933	-60.82	-13	Pass	9701
1000	1700	1	RMS	1697	-51.04	-13	Pass	701
1700	1790	1	RMS	1745.45	12.31	60	Pass	401
1790	3000	1	RMS	2689	-47.13	-13	Pass	1211
3000	6500	1	RMS	6219	-64.77	-13	Pass	3501
6500	20000	1	RMS	6510	-48.96	-13	Pass	13501




**29.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.32	-13	Pass	2986
30	1000	0.1	RMS	959.4	-60.85	-13	Pass	9701
1000	1700	1	RMS	1665	-51.04	-13	Pass	701
1700	1790	1	RMS	1742.75	18.4	60	Pass	401
1790	3000	1	RMS	2677	-47.14	-13	Pass	1211
3000	6500	1	RMS	6220	-64.73	-13	Pass	3501
6500	20000	1	RMS	6510	-48.92	-13	Pass	13501




**29.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.69	-13	Pass	2986
30	1000	0.1	RMS	967.3	-60.96	-13	Pass	9701
1000	1700	1	RMS	1667	-51.07	-13	Pass	701
1700	1790	1	RMS	1747.025	18.42	60	Pass	401
1790	3000	1	RMS	2693	-47.16	-13	Pass	1211
3000	6500	1	RMS	6220	-64.7	-13	Pass	3501
6500	20000	1	RMS	6510	-48.96	-13	Pass	13501




**29.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.92	-13	Pass	2986
30	1000	0.1	RMS	929.2	-60.8	-13	Pass	9701
1000	1700	1	RMS	1658	-51.05	-13	Pass	701
1700	1790	1	RMS	1778.3	12.34	60	Pass	401
1790	3000	1	RMS	1790	-42.84	-13	Pass	1211
3000	6500	1	RMS	6220	-64.71	-13	Pass	3501
6500	20000	1	RMS	6508	-49.08	-13	Pass	13501




**29.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.08	-13	Pass	2986
30	1000	0.1	RMS	918.6	-60.94	-13	Pass	9701
1000	1700	1	RMS	1644	-51.04	-13	Pass	701
1700	1790	1	RMS	1775.375	18.4	60	Pass	401
1790	3000	1	RMS	2684	-47.19	-13	Pass	1211
3000	6500	1	RMS	6217	-64.77	-13	Pass	3501
6500	20000	1	RMS	6510	-49.06	-13	Pass	13501




**29.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.74	-13	Pass	2986
30	1000	0.1	RMS	976.6	-60.93	-13	Pass	9701
1000	1700	1	RMS	1699	-51.07	-13	Pass	701
1700	1790	1	RMS	1779.65	18.47	60	Pass	401
1790	3000	1	RMS	2694	-47.15	-13	Pass	1211
3000	6500	1	RMS	6219	-64.8	-13	Pass	3501
6500	20000	1	RMS	6511	-49.06	-13	Pass	13501




**29.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.15	-13	Pass	2986
30	1000	0.1	RMS	985.5	-60.98	-13	Pass	9701
1000	1700	1	RMS	1700	-38.08	-13	Pass	701
1700	1790	1	RMS	1727.9	6.67	60	Pass	401
1790	3000	1	RMS	2700	-47.16	-13	Pass	1211
3000	6500	1	RMS	6220	-64.73	-13	Pass	3501
6500	20000	1	RMS	6509	-49.11	-13	Pass	13501




**29.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.43	-13	Pass	2986
30	1000	0.1	RMS	977.1	-60.99	-13	Pass	9701
1000	1700	1	RMS	1700	-49.5	-13	Pass	701
1700	1790	1	RMS	1710.575	18.67	60	Pass	401
1790	3000	1	RMS	2681	-47.11	-13	Pass	1211
3000	6500	1	RMS	6222	-64.74	-13	Pass	3501
6500	20000	1	RMS	6507	-49.07	-13	Pass	13501




**29.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2986
30	1000	0.1	RMS	977.2	-60.88	-13	Pass	9701
1000	1700	1	RMS	1670	-51.03	-13	Pass	701
1700	1790	1	RMS	1729.475	18.54	60	Pass	401
1790	3000	1	RMS	2690	-47.14	-13	Pass	1211
3000	6500	1	RMS	6222	-64.81	-13	Pass	3501
6500	20000	1	RMS	6506	-48.99	-13	Pass	13501




**29.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.38	-13	Pass	2986
30	1000	0.1	RMS	921.9	-60.94	-13	Pass	9701
1000	1700	1	RMS	1700	-48.13	-13	Pass	701
1700	1790	1	RMS	1736.45	6.71	60	Pass	401
1790	3000	1	RMS	1790	-46.38	-13	Pass	1211
3000	6500	1	RMS	6218	-64.67	-13	Pass	3501
6500	20000	1	RMS	6506	-48.96	-13	Pass	13501




**29.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.56	-13	Pass	2986
30	1000	0.1	RMS	993.2	-60.9	-13	Pass	9701
1000	1700	1	RMS	1648	-51.04	-13	Pass	701
1700	1790	1	RMS	1735.55	18.58	60	Pass	401
1790	3000	1	RMS	2690	-47.12	-13	Pass	1211
3000	6500	1	RMS	6220	-64.75	-13	Pass	3501
6500	20000	1	RMS	6509	-49.11	-13	Pass	13501




**29.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.13	-13	Pass	2986
30	1000	0.1	RMS	933.3	-60.83	-13	Pass	9701
1000	1700	1	RMS	1670	-51.04	-13	Pass	701
1700	1790	1	RMS	1754.45	18.39	60	Pass	401
1790	3000	1	RMS	2696	-47.17	-13	Pass	1211
3000	6500	1	RMS	6220	-64.76	-13	Pass	3501
6500	20000	1	RMS	6508	-48.98	-13	Pass	13501




**29.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.12	-13	Pass	2986
30	1000	0.1	RMS	947.8	-60.81	-13	Pass	9701
1000	1700	1	RMS	1700	-50.27	-13	Pass	701
1700	1790	1	RMS	1763.9	7.16	60	Pass	401
1790	3000	1	RMS	1790	-34.44	-13	Pass	1211
3000	6500	1	RMS	6220	-64.7	-13	Pass	3501
6500	20000	1	RMS	6508	-48.94	-13	Pass	13501




**29.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.75	-13	Pass	2986
30	1000	0.1	RMS	933	-60.89	-13	Pass	9701
1000	1700	1	RMS	1674	-51.05	-13	Pass	701
1700	1790	1	RMS	1760.525	18.76	60	Pass	401
1790	3000	1	RMS	2679	-47.13	-13	Pass	1211
3000	6500	1	RMS	6220	-64.67	-13	Pass	3501
6500	20000	1	RMS	6505	-49.08	-13	Pass	13501




**29.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.1	-13	Pass	2986
30	1000	0.1	RMS	965.4	-60.87	-13	Pass	9701
1000	1700	1	RMS	1699	-51.07	-13	Pass	701
1700	1790	1	RMS	1779.425	18.47	60	Pass	401
1790	3000	1	RMS	2682	-47.15	-13	Pass	1211
3000	6500	1	RMS	6218	-64.77	-13	Pass	3501
6500	20000	1	RMS	6505	-49.1	-13	Pass	13501




**29.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.49	-13	Pass	2986
30	1000	0.1	RMS	945.8	-60.79	-13	Pass	9701
1000	1700	1	RMS	1700	-39.61	-13	Pass	701
1700	1790	1	RMS	1730.15	4.38	60	Pass	401
1790	3000	1	RMS	1790	-47.01	-13	Pass	1211
3000	6500	1	RMS	6221	-64.74	-13	Pass	3501
6500	20000	1	RMS	6507	-49.11	-13	Pass	13501




**29.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.82	-13	Pass	2986
30	1000	0.1	RMS	965.1	-60.91	-13	Pass	9701
1000	1700	1	RMS	1700	-50.27	-13	Pass	701
1700	1790	1	RMS	1710.575	18.67	60	Pass	401
1790	3000	1	RMS	2670	-47.16	-13	Pass	1211
3000	6500	1	RMS	6221	-64.72	-13	Pass	3501
6500	20000	1	RMS	6508	-49.13	-13	Pass	13501




**29.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.76	-13	Pass	2986
30	1000	0.1	RMS	956.7	-60.9	-13	Pass	9701
1000	1700	1	RMS	1670	-51.08	-13	Pass	701
1700	1790	1	RMS	1749.275	18.6	60	Pass	401
1790	3000	1	RMS	2677	-47.16	-13	Pass	1211
3000	6500	1	RMS	6220	-64.77	-13	Pass	3501
6500	20000	1	RMS	6510	-49.06	-13	Pass	13501




**29.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.38	-13	Pass	2986
30	1000	0.1	RMS	972.1	-60.83	-13	Pass	9701
1000	1700	1	RMS	1700	-41.38	-13	Pass	701
1700	1790	1	RMS	1732.625	3.73	60	Pass	401
1790	3000	1	RMS	1790	-43.8	-13	Pass	1211
3000	6500	1	RMS	6218	-64.76	-13	Pass	3501
6500	20000	1	RMS	6505	-49.12	-13	Pass	13501




**29.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.61	-13	Pass	2986
30	1000	0.1	RMS	989.7	-60.74	-13	Pass	9701
1000	1700	1	RMS	1700	-50.94	-13	Pass	701
1700	1790	1	RMS	1725.65	18.6	60	Pass	401
1790	3000	1	RMS	2687	-47.1	-13	Pass	1211
3000	6500	1	RMS	6220	-64.79	-13	Pass	3501
6500	20000	1	RMS	6509	-49.01	-13	Pass	13501




**29.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.05	-13	Pass	2986
30	1000	0.1	RMS	955.1	-60.88	-13	Pass	9701
1000	1700	1	RMS	1641	-51.07	-13	Pass	701
1700	1790	1	RMS	1764.35	18.68	60	Pass	401
1790	3000	1	RMS	2649	-47.14	-13	Pass	1211
3000	6500	1	RMS	6219	-64.76	-13	Pass	3501
6500	20000	1	RMS	6507	-49.1	-13	Pass	13501




**29.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.66	-13	Pass	2986
30	1000	0.1	RMS	962.9	-60.8	-13	Pass	9701
1000	1700	1	RMS	1700	-46.82	-13	Pass	701
1700	1790	1	RMS	1760.525	4.38	60	Pass	401
1790	3000	1	RMS	1790	-34.77	-13	Pass	1211
3000	6500	1	RMS	6219	-64.77	-13	Pass	3501
6500	20000	1	RMS	6508	-49.04	-13	Pass	13501




**29.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.58	-13	Pass	2986
30	1000	0.1	RMS	972	-60.85	-13	Pass	9701
1000	1700	1	RMS	1693	-51.09	-13	Pass	701
1700	1790	1	RMS	1740.5	18.67	60	Pass	401
1790	3000	1	RMS	2690	-47.12	-13	Pass	1211
3000	6500	1	RMS	6219	-64.73	-13	Pass	3501
6500	20000	1	RMS	6511	-49.13	-13	Pass	13501



**29.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.93	-13	Pass	2986
30	1000	0.1	RMS	989.4	-60.91	-13	Pass	9701
1000	1700	1	RMS	1699	-51.05	-13	Pass	701
1700	1790	1	RMS	1779.425	18.61	60	Pass	401
1790	3000	1	RMS	2682	-47.14	-13	Pass	1211
3000	6500	1	RMS	6218	-64.71	-13	Pass	3501
6500	20000	1	RMS	6510	-49.13	-13	Pass	13501



30. n71 15kHz

**30.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.01	-13	Pass	2986
30	653	0.1	RMS	560	-62.48	-13	Pass	6231
653	708	0.1	RMS	663.7	3.5	60	Pass	551
708	1000	0.1	RMS	966.1	-62.05	-13	Pass	2921
1000	3000	1	RMS	2691	-46.64	-13	Pass	2001
3000	10000	1	RMS	9528	-62.51	-13	Pass	7001



30.2. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.18	-13	Pass	2986
30	653	0.1	RMS	532	-62.46	-13	Pass	6231
653	708	0.1	RMS	663.3	16.61	60	Pass	551
708	1000	0.1	RMS	938.8	-61.95	-13	Pass	2921
1000	3000	1	RMS	2677	-46.72	-13	Pass	2001
3000	10000	1	RMS	9531	-62.57	-13	Pass	7001



30.3. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.34	-13	Pass	2986
30	653	0.1	RMS	538	-62.49	-13	Pass	6231
653	708	0.1	RMS	667.7	16.08	60	Pass	551
708	1000	0.1	RMS	909.2	-61.91	-13	Pass	2921
1000	3000	1	RMS	2683	-46.71	-13	Pass	2001
3000	10000	1	RMS	9529	-62.47	-13	Pass	7001



**30.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.11	-13	Pass	2986
30	653	0.1	RMS	533	-62.43	-13	Pass	6231
653	708	0.1	RMS	678.4	3.45	60	Pass	551
708	1000	0.1	RMS	982.2	-62.04	-13	Pass	2921
1000	3000	1	RMS	2695	-46.71	-13	Pass	2001
3000	10000	1	RMS	9528	-62.5	-13	Pass	7001



30.5. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.83	-13	Pass	2986
30	653	0.1	RMS	649.9	-62.38	-13	Pass	6231
653	708	0.1	RMS	678.3	16.54	60	Pass	551
708	1000	0.1	RMS	975	-62.06	-13	Pass	2921
1000	3000	1	RMS	2697	-46.7	-13	Pass	2001
3000	10000	1	RMS	9530	-62.52	-13	Pass	7001



30.6. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.15	-13	Pass	2986
30	653	0.1	RMS	545.2	-62.46	-13	Pass	6231
653	708	0.1	RMS	682.6	16	60	Pass	551
708	1000	0.1	RMS	980.1	-62.06	-13	Pass	2921
1000	3000	1	RMS	2696	-46.7	-13	Pass	2001
3000	10000	1	RMS	9533	-62.47	-13	Pass	7001




**30.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:139100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.72	-13	Pass	2986
30	653	0.1	RMS	636.9	-62.42	-13	Pass	6231
653	708	0.1	RMS	695.7	3.57	60	Pass	551
708	1000	0.1	RMS	708	-61.32	-13	Pass	2921
1000	3000	1	RMS	2693	-46.7	-13	Pass	2001
3000	10000	1	RMS	9531	-62.45	-13	Pass	7001




**30.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:139100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.52	-13	Pass	2986
30	653	0.1	RMS	517.5	-62.47	-13	Pass	6231
653	708	0.1	RMS	693.3	16.71	60	Pass	551
708	1000	0.1	RMS	942.2	-61.87	-13	Pass	2921
1000	3000	1	RMS	2685	-46.67	-13	Pass	2001
3000	10000	1	RMS	9534	-62.57	-13	Pass	7001



**30.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.64	-13	Pass	2986
30	653	0.1	RMS	528.4	-62.46	-13	Pass	6231
653	708	0.1	RMS	697.6	16.17	60	Pass	551
708	1000	0.1	RMS	950.9	-62	-13	Pass	2921
1000	3000	1	RMS	2695	-46.68	-13	Pass	2001
3000	10000	1	RMS	9528	-62.42	-13	Pass	7001



**30.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-13	Pass	2986
30	653	0.1	RMS	652.8	-62.23	-13	Pass	6231
653	708	0.1	RMS	676	-0.84	60	Pass	551
708	1000	0.1	RMS	708	-58.95	-13	Pass	2921
1000	3000	1	RMS	2692	-46.66	-13	Pass	2001
3000	10000	1	RMS	9530	-62.54	-13	Pass	7001

