



**30.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.04	-13	Pass	2986
30	653	0.1	RMS	526.5	-62.32	-13	Pass	6231
653	708	0.1	RMS	663.5	16.8	60	Pass	551
708	1000	0.1	RMS	949.4	-61.87	-13	Pass	2921
1000	3000	1	RMS	2693	-46.7	-13	Pass	2001
3000	10000	1	RMS	9530	-62.49	-13	Pass	7001




**30.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:134100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.51	-13	Pass	2986
30	653	0.1	RMS	509.8	-62.4	-13	Pass	6231
653	708	0.1	RMS	677.5	16.9	60	Pass	551
708	1000	0.1	RMS	987.3	-62.04	-13	Pass	2921
1000	3000	1	RMS	2688	-46.68	-13	Pass	2001
3000	10000	1	RMS	9532	-62.5	-13	Pass	7001




**30.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.09	-13	Pass	2986
30	653	0.1	RMS	549.6	-62.5	-13	Pass	6231
653	708	0.1	RMS	679.4	-1.16	60	Pass	551
708	1000	0.1	RMS	708	-54.3	-13	Pass	2921
1000	3000	1	RMS	2688	-46.69	-13	Pass	2001
3000	10000	1	RMS	9524	-62.47	-13	Pass	7001




**30.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.95	-13	Pass	2986
30	653	0.1	RMS	532.4	-62.36	-13	Pass	6231
653	708	0.1	RMS	673.5	16.89	60	Pass	551
708	1000	0.1	RMS	944.7	-61.94	-13	Pass	2921
1000	3000	1	RMS	2689	-46.65	-13	Pass	2001
3000	10000	1	RMS	9528	-62.44	-13	Pass	7001




**30.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.71	-13	Pass	2986
30	653	0.1	RMS	565.7	-62	-13	Pass	6231
653	708	0.1	RMS	687.5	16.82	60	Pass	551
708	1000	0.1	RMS	945.6	-61.99	-13	Pass	2921
1000	3000	1	RMS	2694	-46.68	-13	Pass	2001
3000	10000	1	RMS	9529	-62.5	-13	Pass	7001




**30.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:138100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.14	-13	Pass	2986
30	653	0.1	RMS	527.4	-62.45	-13	Pass	6231
653	708	0.1	RMS	689.3	-1.13	60	Pass	551
708	1000	0.1	RMS	708.1	-52.74	-13	Pass	2921
1000	3000	1	RMS	2691	-46.67	-13	Pass	2001
3000	10000	1	RMS	9527	-62.51	-13	Pass	7001




**30.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:138100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.87	-13	Pass	2986
30	653	0.1	RMS	521	-62.39	-13	Pass	6231
653	708	0.1	RMS	683.5	16.73	60	Pass	551
708	1000	0.1	RMS	961.4	-62.05	-13	Pass	2921
1000	3000	1	RMS	2696	-46.7	-13	Pass	2001
3000	10000	1	RMS	9536	-62.5	-13	Pass	7001




**30.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.09	-13	Pass	2986
30	653	0.1	RMS	633.6	-62.4	-13	Pass	6231
653	708	0.1	RMS	697.5	16.82	60	Pass	551
708	1000	0.1	RMS	929	-62.08	-13	Pass	2921
1000	3000	1	RMS	2676	-46.7	-13	Pass	2001
3000	10000	1	RMS	9527	-62.42	-13	Pass	7001




**30.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-13	Pass	2986
30	653	0.1	RMS	651.8	-62.26	-13	Pass	6231
653	708	0.1	RMS	675.9	-1.98	60	Pass	551
708	1000	0.1	RMS	708.1	-55.12	-13	Pass	2921
1000	3000	1	RMS	2695	-46.69	-13	Pass	2001
3000	10000	1	RMS	9528	-62.52	-13	Pass	7001




**30.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-13	Pass	2986
30	653	0.1	RMS	652.1	-62.47	-13	Pass	6231
653	708	0.1	RMS	663.5	16.65	60	Pass	551
708	1000	0.1	RMS	967.4	-61.78	-13	Pass	2921
1000	3000	1	RMS	2686	-46.69	-13	Pass	2001
3000	10000	1	RMS	9533	-62.48	-13	Pass	7001




**30.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:134600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.63	-13	Pass	2986
30	653	0.1	RMS	638.9	-62.37	-13	Pass	6231
653	708	0.1	RMS	682.4	16.55	60	Pass	551
708	1000	0.1	RMS	996.6	-61.96	-13	Pass	2921
1000	3000	1	RMS	2698	-46.71	-13	Pass	2001
3000	10000	1	RMS	9529	-62.51	-13	Pass	7001




**30.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.41	-13	Pass	2986
30	653	0.1	RMS	523.2	-62.23	-13	Pass	6231
653	708	0.1	RMS	677.1	-2.22	60	Pass	551
708	1000	0.1	RMS	708	-50.52	-13	Pass	2921
1000	3000	1	RMS	2675	-46.69	-13	Pass	2001
3000	10000	1	RMS	9528	-62.53	-13	Pass	7001




**30.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.17	-13	Pass	2986
30	653	0.1	RMS	642.4	-62.45	-13	Pass	6231
653	708	0.1	RMS	671	16.63	60	Pass	551
708	1000	0.1	RMS	962.8	-61.94	-13	Pass	2921
1000	3000	1	RMS	2695	-46.68	-13	Pass	2001
3000	10000	1	RMS	9530	-62.52	-13	Pass	7001




**30.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.3	-13	Pass	2986
30	653	0.1	RMS	644.4	-62.49	-13	Pass	6231
653	708	0.1	RMS	689.9	16.42	60	Pass	551
708	1000	0.1	RMS	939.9	-61.84	-13	Pass	2921
1000	3000	1	RMS	2692	-46.71	-13	Pass	2001
3000	10000	1	RMS	9533	-62.5	-13	Pass	7001




**30.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:137600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54	-13	Pass	2986
30	653	0.1	RMS	549.8	-62.48	-13	Pass	6231
653	708	0.1	RMS	689.5	-2.17	60	Pass	551
708	1000	0.1	RMS	708	-46.2	-13	Pass	2921
1000	3000	1	RMS	2675	-46.71	-13	Pass	2001
3000	10000	1	RMS	9530	-62.48	-13	Pass	7001




**30.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:137600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.43	-13	Pass	2986
30	653	0.1	RMS	567.3	-62.47	-13	Pass	6231
653	708	0.1	RMS	678.5	16.5	60	Pass	551
708	1000	0.1	RMS	979.9	-62.02	-13	Pass	2921
1000	3000	1	RMS	2680	-46.71	-13	Pass	2001
3000	10000	1	RMS	9529	-62.53	-13	Pass	7001



**30.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.32	-13	Pass	2986
30	653	0.1	RMS	546.6	-62.4	-13	Pass	6231
653	708	0.1	RMS	697.4	16.49	60	Pass	551
708	1000	0.1	RMS	948.9	-61.82	-13	Pass	2921
1000	3000	1	RMS	2694	-46.68	-13	Pass	2001
3000	10000	1	RMS	9530	-62.47	-13	Pass	7001



31. n77 30kHz(3450-3550)

**31.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	1000	0.1	RMS	955.3	-58.47	-13	Pass	9701
1000	3000	1	RMS	2689	-46.35	-13	Pass	2001
3000	3440	1	RMS	3440	-32.97	-13	Pass	441
3440	3560	1	RMS	3465.8	9.04	60	Pass	401
3560	6500	1	RMS	3563	-54.17	-13	Pass	2941
6500	26500	1	RMS	26432	-43.51	-13	Pass	20001



31.2. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.19	-13	Pass	2986
30	1000	0.1	RMS	916.7	-58.4	-13	Pass	9701
1000	3000	1	RMS	2672	-46.47	-13	Pass	2001
3000	3440	1	RMS	3277	-44.07	-13	Pass	441
3440	3560	1	RMS	3451.1	20.42	60	Pass	401
3560	6500	1	RMS	3625	-58.15	-13	Pass	2941
6500	26500	1	RMS	25340	-43.5	-13	Pass	20001



31.3. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.36	-13	Pass	2986
30	1000	0.1	RMS	959.1	-58.45	-13	Pass	9701
1000	3000	1	RMS	2689	-46.46	-13	Pass	2001
3000	3440	1	RMS	3277	-44.39	-13	Pass	441
3440	3560	1	RMS	3469.1	20.41	60	Pass	401
3560	6500	1	RMS	3661	-58.53	-13	Pass	2941
6500	26500	1	RMS	25387	-43.73	-13	Pass	20001



**31.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.91	-13	Pass	2986
30	1000	0.1	RMS	927.6	-58.01	-13	Pass	9701
1000	3000	1	RMS	2686	-46.41	-13	Pass	2001
3000	3440	1	RMS	3440	-43.85	-13	Pass	441
3440	3560	1	RMS	3500	8.98	60	Pass	401
3560	6500	1	RMS	3560	-44.37	-13	Pass	2941
6500	26500	1	RMS	26429	-43.7	-13	Pass	20001



31.5. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.49	-13	Pass	2986
30	1000	0.1	RMS	914	-58.58	-13	Pass	9701
1000	3000	1	RMS	2664	-46.5	-13	Pass	2001
3000	3440	1	RMS	3277	-44.24	-13	Pass	441
3440	3560	1	RMS	3491	20.33	60	Pass	401
3560	6500	1	RMS	3705	-58.94	-13	Pass	2941
6500	26500	1	RMS	25331	-43.52	-13	Pass	20001



31.6. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.6	-13	Pass	2986
30	1000	0.1	RMS	956	-58.23	-13	Pass	9701
1000	3000	1	RMS	2699	-46.48	-13	Pass	2001
3000	3440	1	RMS	3277	-44.52	-13	Pass	441
3440	3560	1	RMS	3509	20.34	60	Pass	401
3560	6500	1	RMS	3741	-59.32	-13	Pass	2941
6500	26500	1	RMS	25356	-43.48	-13	Pass	20001



31.7. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-13	Pass	2986
30	1000	0.1	RMS	935.4	-58.54	-13	Pass	9701
1000	3000	1	RMS	2681	-46.49	-13	Pass	2001
3000	3440	1	RMS	3277	-44.39	-13	Pass	441
3440	3560	1	RMS	3543.5	8.93	60	Pass	401
3560	6500	1	RMS	3560	-33.57	-13	Pass	2941
6500	26500	1	RMS	26429	-43.72	-13	Pass	20001



31.8. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.44	-13	Pass	2986
30	1000	0.1	RMS	984.1	-58.58	-13	Pass	9701
1000	3000	1	RMS	2699	-46.51	-13	Pass	2001
3000	3440	1	RMS	3277	-44.2	-13	Pass	441
3440	3560	1	RMS	3530.9	20.22	60	Pass	401
3560	6500	1	RMS	3686	-57.74	-13	Pass	2941
6500	26500	1	RMS	26438	-43.67	-13	Pass	20001



31.9. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.31	-13	Pass	401
0.15	30	0.01	RMS	0.18	-55.22	-13	Pass	2986
30	1000	0.1	RMS	948.7	-58.21	-13	Pass	9701
1000	3000	1	RMS	2694	-46.45	-13	Pass	2001
3000	3440	1	RMS	3277	-44.43	-13	Pass	441
3440	3560	1	RMS	3548.9	20.17	60	Pass	401
3560	6500	1	RMS	3561	-50.96	-13	Pass	2941
6500	26500	1	RMS	25325	-43.6	-13	Pass	20001




**31.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.47	-13	Pass	2986
30	1000	0.1	RMS	906.8	-58.16	-13	Pass	9701
1000	3000	1	RMS	2665	-46.43	-13	Pass	2001
3000	3440	1	RMS	3436	-35.05	-13	Pass	441
3440	3560	1	RMS	3474.5	4.76	60	Pass	401
3560	6500	1	RMS	3595	-39.41	-13	Pass	2941
6500	26500	1	RMS	25335	-43.83	-13	Pass	20001




**31.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.38	-13	Pass	2986
30	1000	0.1	RMS	997.1	-58.08	-13	Pass	9701
1000	3000	1	RMS	2674	-46.43	-13	Pass	2001
3000	3440	1	RMS	3277	-41.13	-13	Pass	441
3440	3560	1	RMS	3451.1	20.24	60	Pass	401
3560	6500	1	RMS	3686	-51.89	-13	Pass	2941
6500	26500	1	RMS	25330	-43.76	-13	Pass	20001




**31.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.83	-13	Pass	401
0.15	30	0.01	RMS	0.18	-54.78	-13	Pass	2986
30	1000	0.1	RMS	996.2	-57.99	-13	Pass	9701
1000	3000	1	RMS	2694	-46.5	-13	Pass	2001
3000	3440	1	RMS	3277	-41.36	-13	Pass	441
3440	3560	1	RMS	3498.8	20.29	60	Pass	401
3560	6500	1	RMS	3686	-50.98	-13	Pass	2941
6500	26500	1	RMS	26441	-43.37	-13	Pass	20001




**31.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-13	Pass	2986
30	1000	0.1	RMS	896.1	-58.88	-13	Pass	9701
1000	3000	1	RMS	2657	-46.48	-13	Pass	2001
3000	3440	1	RMS	3440	-39.83	-13	Pass	441
3440	3560	1	RMS	3499.4	4.72	60	Pass	401
3560	6500	1	RMS	3560	-39.56	-13	Pass	2941
6500	26500	1	RMS	25311	-43.55	-13	Pass	20001




**31.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.23	-13	Pass	2986
30	1000	0.1	RMS	840.9	-58.94	-13	Pass	9701
1000	3000	1	RMS	2692	-46.42	-13	Pass	2001
3000	3440	1	RMS	3277	-41.28	-13	Pass	441
3440	3560	1	RMS	3476.3	20.21	60	Pass	401
3560	6500	1	RMS	3686	-51.69	-13	Pass	2941
6500	26500	1	RMS	26315	-43.87	-13	Pass	20001




**31.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.3	-13	Pass	2986
30	1000	0.1	RMS	941.2	-58.5	-13	Pass	9701
1000	3000	1	RMS	2652	-46.38	-13	Pass	2001
3000	3440	1	RMS	3277	-41.41	-13	Pass	441
3440	3560	1	RMS	3523.7	20.11	60	Pass	401
3560	6500	1	RMS	3686	-50.5	-13	Pass	2941
6500	26500	1	RMS	26430	-43.65	-13	Pass	20001




**31.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.71	-13	Pass	2986
30	1000	0.1	RMS	982.3	-58.21	-13	Pass	9701
1000	3000	1	RMS	2690	-46.4	-13	Pass	2001
3000	3440	1	RMS	3427	-40.34	-13	Pass	441
3440	3560	1	RMS	3531.8	4.44	60	Pass	401
3560	6500	1	RMS	3560	-34.88	-13	Pass	2941
6500	26500	1	RMS	26429	-43.65	-13	Pass	20001




**31.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.91	-13	Pass	2986
30	1000	0.1	RMS	991.3	-57.65	-13	Pass	9701
1000	3000	1	RMS	2691	-46.46	-13	Pass	2001
3000	3440	1	RMS	3277	-41.38	-13	Pass	441
3440	3560	1	RMS	3501.2	20.29	60	Pass	401
3560	6500	1	RMS	3686	-50.25	-13	Pass	2941
6500	26500	1	RMS	26429	-43.73	-13	Pass	20001




**31.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.9	-13	Pass	2986
30	1000	0.1	RMS	929.3	-58.17	-13	Pass	9701
1000	3000	1	RMS	2684	-46.47	-13	Pass	2001
3000	3440	1	RMS	3277	-41.78	-13	Pass	441
3440	3560	1	RMS	3548.6	19.94	60	Pass	401
3560	6500	1	RMS	3568	-45.4	-13	Pass	2941
6500	26500	1	RMS	26430	-43.54	-13	Pass	20001




**31.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.39	-13	Pass	2986
30	1000	0.1	RMS	947.2	-57.98	-13	Pass	9701
1000	3000	1	RMS	2674	-46.39	-13	Pass	2001
3000	3440	1	RMS	3435	-36.48	-13	Pass	441
3440	3560	1	RMS	3486.2	1.82	60	Pass	401
3560	6500	1	RMS	3560	-35.37	-13	Pass	2941
6500	26500	1	RMS	25298	-43.54	-13	Pass	20001




**31.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.23	-13	Pass	2986
30	1000	0.1	RMS	960.8	-58.45	-13	Pass	9701
1000	3000	1	RMS	2650	-46.46	-13	Pass	2001
3000	3440	1	RMS	3277	-42.63	-13	Pass	441
3440	3560	1	RMS	3451.1	20.36	60	Pass	401
3560	6500	1	RMS	3686	-48.49	-13	Pass	2941
6500	26500	1	RMS	26430	-43.62	-13	Pass	20001



**31.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.53	-13	Pass	2986
30	1000	0.1	RMS	914.6	-58.19	-13	Pass	9701
1000	3000	1	RMS	2686	-46.5	-13	Pass	2001
3000	3440	1	RMS	3277	-42.45	-13	Pass	441
3440	3560	1	RMS	3548.9	20.33	60	Pass	401
3560	6500	1	RMS	3686	-46.22	-13	Pass	2941
6500	26500	1	RMS	26424	-43.74	-13	Pass	20001



32. n77 30kHz(3700-3980)


**32.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.7	-13	Pass	2986
30	1000	0.1	RMS	994.6	-58.55	-13	Pass	9701
1000	3000	1	RMS	2683	-46.32	-13	Pass	2001
3000	3690	1	RMS	3690	-36.65	-13	Pass	691
3690	3990	1	RMS	3715.5	4.49	60	Pass	401
3990	6500	1	RMS	4301	-61.92	-13	Pass	2511
6500	26500	1	RMS	25259	-43.63	-13	Pass	20001



**32.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.76	-13	Pass	2986
30	1000	0.1	RMS	974.1	-58.27	-13	Pass	9701
1000	3000	1	RMS	2662	-46.45	-13	Pass	2001
3000	3690	1	RMS	3600	-43.14	-13	Pass	691
3690	3990	1	RMS	3701.25	15.11	60	Pass	401
3990	6500	1	RMS	4125	-57.57	-13	Pass	2511
6500	26500	1	RMS	25299	-43.37	-13	Pass	20001



32.3. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.45	-13	Pass	2986
30	1000	0.1	RMS	900.1	-58.41	-13	Pass	9701
1000	3000	1	RMS	2676	-46.54	-13	Pass	2001
3000	3690	1	RMS	3602	-43.16	-13	Pass	691
3690	3990	1	RMS	3719.25	14.9	60	Pass	401
3990	6500	1	RMS	4161	-57.67	-13	Pass	2511
6500	26500	1	RMS	26417	-43.31	-13	Pass	20001



32.4. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.93	-13	Pass	2986
30	1000	0.1	RMS	936.9	-58.67	-13	Pass	9701
1000	3000	1	RMS	2676	-46.48	-13	Pass	2001
3000	3690	1	RMS	3607	-43.13	-13	Pass	691
3690	3990	1	RMS	3847.5	5.33	60	Pass	401
3990	6500	1	RMS	4003	-52.84	-13	Pass	2511
6500	26500	1	RMS	26424	-43.7	-13	Pass	20001



32.5. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.72	-13	Pass	2986
30	1000	0.1	RMS	941.4	-57.83	-13	Pass	9701
1000	3000	1	RMS	2684	-46.29	-13	Pass	2001
3000	3690	1	RMS	3600	-43.14	-13	Pass	691
3690	3990	1	RMS	3831	16.14	60	Pass	401
3990	6500	1	RMS	4180	-60.77	-13	Pass	2511
6500	26500	1	RMS	26427	-43.82	-13	Pass	20001



32.6. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.65	-13	Pass	2986
30	1000	0.1	RMS	947.3	-58.79	-13	Pass	9701
1000	3000	1	RMS	2695	-46.49	-13	Pass	2001
3000	3690	1	RMS	3605	-43.16	-13	Pass	691
3690	3990	1	RMS	3849	16.45	60	Pass	401
3990	6500	1	RMS	4012	-60.86	-13	Pass	2511
6500	26500	1	RMS	25268	-43.75	-13	Pass	20001



32.7. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.59	-13	Pass	2986
30	1000	0.1	RMS	783.3	-58.05	-13	Pass	9701
1000	3000	1	RMS	2706	-46.38	-13	Pass	2001
3000	3690	1	RMS	3601	-43.24	-13	Pass	691
3690	3990	1	RMS	3975.75	5.49	60	Pass	401
3990	6500	1	RMS	3990	-37.08	-13	Pass	2511
6500	26500	1	RMS	26410	-43.58	-13	Pass	20001



32.8. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:2, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.32	-13	Pass	2986
30	1000	0.1	RMS	913.3	-58.62	-13	Pass	9701
1000	3000	1	RMS	2692	-46.49	-13	Pass	2001
3000	3690	1	RMS	3602	-43.17	-13	Pass	691
3690	3990	1	RMS	3960.75	16.89	60	Pass	401
3990	6500	1	RMS	4301	-58.18	-13	Pass	2511
6500	26500	1	RMS	26430	-43.59	-13	Pass	20001




**32.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:664666, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.73	-13	Pass	2986
30	1000	0.1	RMS	981.9	-57.96	-13	Pass	9701
1000	3000	1	RMS	2688	-46.58	-13	Pass	2001
3000	3690	1	RMS	3605	-43.16	-13	Pass	691
3690	3990	1	RMS	3978.75	16.94	60	Pass	401
3990	6500	1	RMS	3992	-52.18	-13	Pass	2511
6500	26500	1	RMS	25340	-43.48	-13	Pass	20001




**32.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.49	-13	Pass	2986
30	1000	0.1	RMS	803.1	-58.37	-13	Pass	9701
1000	3000	1	RMS	2697	-46.46	-13	Pass	2001
3000	3690	1	RMS	3686	-38.5	-13	Pass	691
3690	3990	1	RMS	3729.75	0.2	60	Pass	401
3990	6500	1	RMS	3990	-51.06	-13	Pass	2511
6500	26500	1	RMS	25350	-43.88	-13	Pass	20001




**32.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.71	-13	Pass	2986
30	1000	0.1	RMS	706.9	-58.67	-13	Pass	9701
1000	3000	1	RMS	2670	-46.4	-13	Pass	2001
3000	3690	1	RMS	3686	-40.48	-13	Pass	691
3690	3990	1	RMS	3701.25	15.45	60	Pass	401
3990	6500	1	RMS	4126	-57.65	-13	Pass	2511
6500	26500	1	RMS	25285	-43.68	-13	Pass	20001




**32.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.39	-13	Pass	2986
30	1000	0.1	RMS	937.1	-58.29	-13	Pass	9701
1000	3000	1	RMS	2646	-46.39	-13	Pass	2001
3000	3690	1	RMS	3686	-41.7	-13	Pass	691
3690	3990	1	RMS	3748.5	15.01	60	Pass	401
3990	6500	1	RMS	4221	-58.39	-13	Pass	2511
6500	26500	1	RMS	25307	-43.62	-13	Pass	20001




**32.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.61	-13	Pass	2986
30	1000	0.1	RMS	996.9	-58.58	-13	Pass	9701
1000	3000	1	RMS	2681	-46.41	-13	Pass	2001
3000	3690	1	RMS	3686	-41.67	-13	Pass	691
3690	3990	1	RMS	3854.25	0.75	60	Pass	401
3990	6500	1	RMS	3990	-40.81	-13	Pass	2511
6500	26500	1	RMS	26431	-43.37	-13	Pass	20001




**32.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.16	-13	Pass	2986
30	1000	0.1	RMS	871.1	-58.35	-13	Pass	9701
1000	3000	1	RMS	2694	-46.5	-13	Pass	2001
3000	3690	1	RMS	3611	-43.15	-13	Pass	691
3690	3990	1	RMS	3816	15.26	60	Pass	401
3990	6500	1	RMS	4021	-55.19	-13	Pass	2511
6500	26500	1	RMS	25743	-43.96	-13	Pass	20001




**32.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.46	-13	Pass	401
0.15	30	0.01	RMS	0.18	-54.34	-13	Pass	2986
30	1000	0.1	RMS	887.2	-58.34	-13	Pass	9701
1000	3000	1	RMS	2689	-46.46	-13	Pass	2001
3000	3690	1	RMS	3604	-43.18	-13	Pass	691
3690	3990	1	RMS	3864	15.89	60	Pass	401
3990	6500	1	RMS	3996	-47.62	-13	Pass	2511
6500	26500	1	RMS	25300	-43.64	-13	Pass	20001




**32.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:663666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.34	-13	Pass	2986
30	1000	0.1	RMS	997.8	-58.54	-13	Pass	9701
1000	3000	1	RMS	2688	-46.41	-13	Pass	2001
3000	3690	1	RMS	3686	-42.06	-13	Pass	691
3690	3990	1	RMS	3971.25	0.79	60	Pass	401
3990	6500	1	RMS	4080	-41.19	-13	Pass	2511
6500	26500	1	RMS	26412	-43.88	-13	Pass	20001




**32.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:663666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.42	-13	Pass	2986
30	1000	0.1	RMS	837.5	-58.6	-13	Pass	9701
1000	3000	1	RMS	2692	-46.52	-13	Pass	2001
3000	3690	1	RMS	3686	-42.51	-13	Pass	691
3690	3990	1	RMS	3931.5	15.85	60	Pass	401
3990	6500	1	RMS	4067	-47.67	-13	Pass	2511
6500	26500	1	RMS	25302	-43.34	-13	Pass	20001



**32.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.65	-13	Pass	2986
30	1000	0.1	RMS	964.6	-58.44	-13	Pass	9701
1000	3000	1	RMS	2703	-46.48	-13	Pass	2001
3000	3690	1	RMS	3686	-42.52	-13	Pass	691
3690	3990	1	RMS	3978.75	17.16	60	Pass	401
3990	6500	1	RMS	4110	-46.91	-13	Pass	2511
6500	26500	1	RMS	26430	-43.83	-13	Pass	20001



32.19. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.38	-13	Pass	2986
30	1000	0.1	RMS	930.2	-58.1	-13	Pass	9701
1000	3000	1	RMS	2643	-46.48	-13	Pass	2001
3000	3690	1	RMS	3593	-36.6	-13	Pass	691
3690	3990	1	RMS	3744.75	-2.54	60	Pass	401
3990	6500	1	RMS	3994	-39.51	-13	Pass	2511
6500	26500	1	RMS	25296	-43.67	-13	Pass	20001




**32.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.22	-13	Pass	2986
30	1000	0.1	RMS	886.4	-58.5	-13	Pass	9701
1000	3000	1	RMS	2676	-46.39	-13	Pass	2001
3000	3690	1	RMS	3686	-40.33	-13	Pass	691
3690	3990	1	RMS	3701.25	14.95	60	Pass	401
3990	6500	1	RMS	4125	-57.54	-13	Pass	2511
6500	26500	1	RMS	25768	-43.64	-13	Pass	20001




**32.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.17	-51.72	-13	Pass	2986
30	1000	0.1	RMS	933	-58.03	-13	Pass	9701
1000	3000	1	RMS	2678	-46.51	-13	Pass	2001
3000	3690	1	RMS	3686	-41.33	-13	Pass	691
3690	3990	1	RMS	3798.75	14.43	60	Pass	401
3990	6500	1	RMS	4209	-59.16	-13	Pass	2511
6500	26500	1	RMS	25258	-43.5	-13	Pass	20001




32.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.6	-13	Pass	2986
30	1000	0.1	RMS	936	-57.62	-13	Pass	9701
1000	3000	1	RMS	2699	-46.35	-13	Pass	2001
3000	3690	1	RMS	3593	-37	-13	Pass	691
3690	3990	1	RMS	3842.25	-1.93	60	Pass	401
3990	6500	1	RMS	4007	-36.44	-13	Pass	2511
6500	26500	1	RMS	25299	-43.7	-13	Pass	20001




**32.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.87	-13	Pass	2986
30	1000	0.1	RMS	978	-58	-13	Pass	9701
1000	3000	1	RMS	2707	-46.44	-13	Pass	2001
3000	3690	1	RMS	3686	-41.01	-13	Pass	691
3690	3990	1	RMS	3791.25	15.28	60	Pass	401
3990	6500	1	RMS	4301	-57.81	-13	Pass	2511
6500	26500	1	RMS	26421	-43.51	-13	Pass	20001




**32.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.23	-13	Pass	2986
30	1000	0.1	RMS	884	-57.77	-13	Pass	9701
1000	3000	1	RMS	2693	-46.42	-13	Pass	2001
3000	3690	1	RMS	3686	-41.79	-13	Pass	691
3690	3990	1	RMS	3888.75	15.82	60	Pass	401
3990	6500	1	RMS	4023	-48.98	-13	Pass	2511
6500	26500	1	RMS	25349	-43.7	-13	Pass	20001




**32.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-50.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.24	-13	Pass	2986
30	1000	0.1	RMS	745.8	-58.88	-13	Pass	9701
1000	3000	1	RMS	2690	-46.51	-13	Pass	2001
3000	3690	1	RMS	3686	-38.54	-13	Pass	691
3690	3990	1	RMS	3911.25	-1.37	60	Pass	401
3990	6500	1	RMS	4052	-36.15	-13	Pass	2511
6500	26500	1	RMS	26441	-43.73	-13	Pass	20001




**32.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.83	-13	Pass	2986
30	1000	0.1	RMS	971.4	-58.5	-13	Pass	9701
1000	3000	1	RMS	2692	-46.59	-13	Pass	2001
3000	3690	1	RMS	3686	-42.24	-13	Pass	691
3690	3990	1	RMS	3881.25	15.6	60	Pass	401
3990	6500	1	RMS	4011	-48.76	-13	Pass	2511
6500	26500	1	RMS	25318	-43.63	-13	Pass	20001



**32.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.25	-13	Pass	2986
30	1000	0.1	RMS	958.7	-58.31	-13	Pass	9701
1000	3000	1	RMS	2641	-46.53	-13	Pass	2001
3000	3690	1	RMS	3686	-41.13	-13	Pass	691
3690	3990	1	RMS	3978.75	16.68	60	Pass	401
3990	6500	1	RMS	4271	-49.45	-13	Pass	2511
6500	26500	1	RMS	25733	-43.46	-13	Pass	20001



33. n78 30kHz(3450-3550)

**33.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.15	-13	Pass	2986
30	1000	0.1	RMS	831.4	-58.29	-13	Pass	9701
1000	3000	1	RMS	2658	-46.54	-13	Pass	2001
3000	3440	1	RMS	3440	-33.1	-13	Pass	441
3440	3560	1	RMS	3465.2	9.12	60	Pass	401
3560	6500	1	RMS	3561	-54.09	-13	Pass	2941
6500	26500	1	RMS	25352	-43.46	-13	Pass	20001



33.2. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.5	-13	Pass	2986
30	1000	0.1	RMS	957.6	-58.41	-13	Pass	9701
1000	3000	1	RMS	2678	-46.31	-13	Pass	2001
3000	3440	1	RMS	3277	-43.77	-13	Pass	441
3440	3560	1	RMS	3451.1	20.42	60	Pass	401
3560	6500	1	RMS	3625	-57.5	-13	Pass	2941
6500	26500	1	RMS	26413	-43.73	-13	Pass	20001



33.3. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.21	-13	Pass	401
0.15	30	0.01	RMS	0.17	-53.54	-13	Pass	2986
30	1000	0.1	RMS	893	-58.52	-13	Pass	9701
1000	3000	1	RMS	2659	-46.43	-13	Pass	2001
3000	3440	1	RMS	3277	-44.04	-13	Pass	441
3440	3560	1	RMS	3469.1	20.53	60	Pass	401
3560	6500	1	RMS	3661	-57.85	-13	Pass	2941
6500	26500	1	RMS	26405	-43.63	-13	Pass	20001



**33.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.25	-13	Pass	2986
30	1000	0.1	RMS	943.1	-58.73	-13	Pass	9701
1000	3000	1	RMS	2667	-46.43	-13	Pass	2001
3000	3440	1	RMS	3277	-43.69	-13	Pass	441
3440	3560	1	RMS	3499.7	8.95	60	Pass	401
3560	6500	1	RMS	3560	-43.71	-13	Pass	2941
6500	26500	1	RMS	26435	-43.11	-13	Pass	20001



33.5. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.81	-13	Pass	2986
30	1000	0.1	RMS	900.5	-58.01	-13	Pass	9701
1000	3000	1	RMS	2656	-46.36	-13	Pass	2001
3000	3440	1	RMS	3277	-43.73	-13	Pass	441
3440	3560	1	RMS	3491	20.48	60	Pass	401
3560	6500	1	RMS	3705	-57.67	-13	Pass	2941
6500	26500	1	RMS	25345	-43.28	-13	Pass	20001



33.6. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.56	-13	Pass	2986
30	1000	0.1	RMS	927.6	-58.35	-13	Pass	9701
1000	3000	1	RMS	2699	-46.53	-13	Pass	2001
3000	3440	1	RMS	3277	-43.98	-13	Pass	441
3440	3560	1	RMS	3509	20.39	60	Pass	401
3560	6500	1	RMS	3741	-58.32	-13	Pass	2941
6500	26500	1	RMS	26428	-43.41	-13	Pass	20001



33.7. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.93	-13	Pass	2986
30	1000	0.1	RMS	938.7	-57.74	-13	Pass	9701
1000	3000	1	RMS	2666	-46.39	-13	Pass	2001
3000	3440	1	RMS	3277	-43.8	-13	Pass	441
3440	3560	1	RMS	3545.9	8.94	60	Pass	401
3560	6500	1	RMS	3560	-33.04	-13	Pass	2941
6500	26500	1	RMS	26428	-43.08	-13	Pass	20001



**33.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:636000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.92	-13	Pass	2986
30	1000	0.1	RMS	921.4	-58.27	-13	Pass	9701
1000	3000	1	RMS	2677	-46.52	-13	Pass	2001
3000	3440	1	RMS	3277	-43.84	-13	Pass	441
3440	3560	1	RMS	3530.9	20.33	60	Pass	401
3560	6500	1	RMS	3686	-57.28	-13	Pass	2941
6500	26500	1	RMS	25732	-43.74	-13	Pass	20001



33.9. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.01	-13	Pass	2986
30	1000	0.1	RMS	963.7	-58.14	-13	Pass	9701
1000	3000	1	RMS	2686	-46.24	-13	Pass	2001
3000	3440	1	RMS	3277	-43.91	-13	Pass	441
3440	3560	1	RMS	3548.9	20.25	60	Pass	401
3560	6500	1	RMS	3561	-51.02	-13	Pass	2941
6500	26500	1	RMS	26422	-43.84	-13	Pass	20001




**33.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.34	-13	Pass	2986
30	1000	0.1	RMS	946	-58.52	-13	Pass	9701
1000	3000	1	RMS	2696	-46.38	-13	Pass	2001
3000	3440	1	RMS	3440	-33.78	-13	Pass	441
3440	3560	1	RMS	3474.5	4.77	60	Pass	401
3560	6500	1	RMS	3592	-39.44	-13	Pass	2941
6500	26500	1	RMS	26430	-43.38	-13	Pass	20001




**33.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.31	-13	Pass	2986
30	1000	0.1	RMS	970.7	-58.04	-13	Pass	9701
1000	3000	1	RMS	2695	-46.41	-13	Pass	2001
3000	3440	1	RMS	3277	-39.99	-13	Pass	441
3440	3560	1	RMS	3451.1	20.3	60	Pass	401
3560	6500	1	RMS	3586	-47.54	-13	Pass	2941
6500	26500	1	RMS	26431	-43.54	-13	Pass	20001




**33.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.99	-13	Pass	2986
30	1000	0.1	RMS	987.4	-58.16	-13	Pass	9701
1000	3000	1	RMS	2678	-46.32	-13	Pass	2001
3000	3440	1	RMS	3277	-39.65	-13	Pass	441
3440	3560	1	RMS	3498.8	20.26	60	Pass	401
3560	6500	1	RMS	3686	-48.93	-13	Pass	2941
6500	26500	1	RMS	26399	-43.82	-13	Pass	20001




**33.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.59	-13	Pass	2986
30	1000	0.1	RMS	872.1	-57.87	-13	Pass	9701
1000	3000	1	RMS	2651	-46.4	-13	Pass	2001
3000	3440	1	RMS	3277	-39.38	-13	Pass	441
3440	3560	1	RMS	3499.4	4.72	60	Pass	401
3560	6500	1	RMS	3560	-39.08	-13	Pass	2941
6500	26500	1	RMS	26429	-43.21	-13	Pass	20001




**33.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.17	-53.32	-13	Pass	2986
30	1000	0.1	RMS	894.2	-58.45	-13	Pass	9701
1000	3000	1	RMS	2691	-46.54	-13	Pass	2001
3000	3440	1	RMS	3277	-40.4	-13	Pass	441
3440	3560	1	RMS	3476.3	20.36	60	Pass	401
3560	6500	1	RMS	3686	-50.29	-13	Pass	2941
6500	26500	1	RMS	25287	-43.5	-13	Pass	20001




**33.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-51.3	-13	Pass	401
0.15	30	0.01	RMS	0.18	-54.46	-13	Pass	2986
30	1000	0.1	RMS	952.3	-58.45	-13	Pass	9701
1000	3000	1	RMS	2707	-46.45	-13	Pass	2001
3000	3440	1	RMS	3277	-39.83	-13	Pass	441
3440	3560	1	RMS	3523.7	20.18	60	Pass	401
3560	6500	1	RMS	3686	-48.89	-13	Pass	2941
6500	26500	1	RMS	26422	-43.62	-13	Pass	20001




**33.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.3	-13	Pass	2986
30	1000	0.1	RMS	925.8	-58.7	-13	Pass	9701
1000	3000	1	RMS	2686	-46.43	-13	Pass	2001
3000	3440	1	RMS	3277	-40.24	-13	Pass	441
3440	3560	1	RMS	3524.6	4.58	60	Pass	401
3560	6500	1	RMS	3562	-35.11	-13	Pass	2941
6500	26500	1	RMS	25769	-43.79	-13	Pass	20001




**33.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.39	-13	Pass	2986
30	1000	0.1	RMS	974.6	-57.88	-13	Pass	9701
1000	3000	1	RMS	2696	-46.51	-13	Pass	2001
3000	3440	1	RMS	3277	-40.35	-13	Pass	441
3440	3560	1	RMS	3501.2	20.39	60	Pass	401
3560	6500	1	RMS	3686	-48.75	-13	Pass	2941
6500	26500	1	RMS	25344	-43.67	-13	Pass	20001




**33.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-53.69	-13	Pass	2986
30	1000	0.1	RMS	905.1	-58.57	-13	Pass	9701
1000	3000	1	RMS	2691	-46.42	-13	Pass	2001
3000	3440	1	RMS	3277	-40.82	-13	Pass	441
3440	3560	1	RMS	3548.6	20.01	60	Pass	401
3560	6500	1	RMS	3562	-47.31	-13	Pass	2941
6500	26500	1	RMS	26428	-43.42	-13	Pass	20001




**33.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.17	-52.52	-13	Pass	2986
30	1000	0.1	RMS	977.7	-58.29	-13	Pass	9701
1000	3000	1	RMS	2664	-46.52	-13	Pass	2001
3000	3440	1	RMS	3435	-35.51	-13	Pass	441
3440	3560	1	RMS	3501.8	1.79	60	Pass	401
3560	6500	1	RMS	3560	-34.61	-13	Pass	2941
6500	26500	1	RMS	25335	-43.68	-13	Pass	20001




**33.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.6	-13	Pass	2986
30	1000	0.1	RMS	969.8	-58.69	-13	Pass	9701
1000	3000	1	RMS	2690	-46.56	-13	Pass	2001
3000	3440	1	RMS	3277	-41.2	-13	Pass	441
3440	3560	1	RMS	3451.1	20.51	60	Pass	401
3560	6500	1	RMS	3686	-46.38	-13	Pass	2941
6500	26500	1	RMS	25295	-43.59	-13	Pass	20001



**33.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.83	-13	Pass	2986
30	1000	0.1	RMS	842.9	-58.52	-13	Pass	9701
1000	3000	1	RMS	2700	-46.37	-13	Pass	2001
3000	3440	1	RMS	3277	-41.75	-13	Pass	441
3440	3560	1	RMS	3548.9	20.44	60	Pass	401
3560	6500	1	RMS	3686	-45.06	-13	Pass	2941
6500	26500	1	RMS	25768	-43.75	-13	Pass	20001



34. n78 30kHz(3700-3800)

34.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.32	-13	Pass	2986
30	1000	0.1	RMS	796.5	-58.32	-13	Pass	9701
1000	3000	1	RMS	2657	-46.37	-13	Pass	2001
3000	3690	1	RMS	3690	-34.54	-13	Pass	691
3690	3810	1	RMS	3709.8	4.85	60	Pass	401
3810	6500	1	RMS	3810	-56.19	-13	Pass	2691
6500	26500	1	RMS	25363	-43.8	-13	Pass	20001



34.2. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.1	-13	Pass	2986
30	1000	0.1	RMS	921.6	-58.41	-13	Pass	9701
1000	3000	1	RMS	2703	-46.45	-13	Pass	2001
3000	3690	1	RMS	3603	-43.23	-13	Pass	691
3690	3810	1	RMS	3701.1	16.29	60	Pass	401
3810	6500	1	RMS	3920	-55.52	-13	Pass	2691
6500	26500	1	RMS	25251	-43.42	-13	Pass	20001



34.3. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.36	-13	Pass	2986
30	1000	0.1	RMS	923.5	-58.55	-13	Pass	9701
1000	3000	1	RMS	2673	-46.41	-13	Pass	2001
3000	3690	1	RMS	3608	-43.29	-13	Pass	691
3690	3810	1	RMS	3719.1	16.1	60	Pass	401
3810	6500	1	RMS	3956	-55.45	-13	Pass	2691
6500	26500	1	RMS	25759	-43.86	-13	Pass	20001



34.4. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.4	-13	Pass	2986
30	1000	0.1	RMS	838.9	-58.63	-13	Pass	9701
1000	3000	1	RMS	2696	-46.44	-13	Pass	2001
3000	3690	1	RMS	3600	-43.15	-13	Pass	691
3690	3810	1	RMS	3749.4	4.77	60	Pass	401
3810	6500	1	RMS	3810	-48.55	-13	Pass	2691
6500	26500	1	RMS	25350	-43.56	-13	Pass	20001



34.5. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-13	Pass	2986
30	1000	0.1	RMS	829.4	-58.04	-13	Pass	9701
1000	3000	1	RMS	2691	-46.48	-13	Pass	2001
3000	3690	1	RMS	3600	-43.07	-13	Pass	691
3690	3810	1	RMS	3741	16.35	60	Pass	401
3810	6500	1	RMS	4000	-55.41	-13	Pass	2691
6500	26500	1	RMS	25351	-43.7	-13	Pass	20001



34.6. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.36	-13	Pass	2986
30	1000	0.1	RMS	964.6	-57.89	-13	Pass	9701
1000	3000	1	RMS	2656	-46.45	-13	Pass	2001
3000	3690	1	RMS	3602	-43.12	-13	Pass	691
3690	3810	1	RMS	3759	16.18	60	Pass	401
3810	6500	1	RMS	4036	-56.49	-13	Pass	2691
6500	26500	1	RMS	26419	-43.61	-13	Pass	20001



34.7. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.87	-13	Pass	2986
30	1000	0.1	RMS	993.4	-58.55	-13	Pass	9701
1000	3000	1	RMS	2653	-46.4	-13	Pass	2001
3000	3690	1	RMS	3607	-43.15	-13	Pass	691
3690	3810	1	RMS	3795.9	4.25	60	Pass	401
3810	6500	1	RMS	3810	-34.16	-13	Pass	2691
6500	26500	1	RMS	25746	-43.87	-13	Pass	20001



**34.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:652666, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.04	-13	Pass	2986
30	1000	0.1	RMS	953	-58.44	-13	Pass	9701
1000	3000	1	RMS	2699	-46.37	-13	Pass	2001
3000	3690	1	RMS	3600	-43.17	-13	Pass	691
3690	3810	1	RMS	3780.9	16.3	60	Pass	401
3810	6500	1	RMS	4080	-58.34	-13	Pass	2691
6500	26500	1	RMS	25346	-43.87	-13	Pass	20001



34.9. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.67	-13	Pass	2986
30	1000	0.1	RMS	999.5	-58.57	-13	Pass	9701
1000	3000	1	RMS	2697	-46.49	-13	Pass	2001
3000	3690	1	RMS	3603	-43.17	-13	Pass	691
3690	3810	1	RMS	3798.9	16.5	60	Pass	401
3810	6500	1	RMS	3817	-52.02	-13	Pass	2691
6500	26500	1	RMS	26408	-43.59	-13	Pass	20001




**34.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.43	-13	Pass	2986
30	1000	0.1	RMS	951.3	-58.42	-13	Pass	9701
1000	3000	1	RMS	2674	-46.43	-13	Pass	2001
3000	3690	1	RMS	3686	-36.49	-13	Pass	691
3690	3810	1	RMS	3724.8	0.57	60	Pass	401
3810	6500	1	RMS	3844	-43.05	-13	Pass	2691
6500	26500	1	RMS	25316	-43.8	-13	Pass	20001




**34.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.64	-13	Pass	2986
30	1000	0.1	RMS	849.9	-58.78	-13	Pass	9701
1000	3000	1	RMS	2675	-46.55	-13	Pass	2001
3000	3690	1	RMS	3686	-39.65	-13	Pass	691
3690	3810	1	RMS	3701.1	16.25	60	Pass	401
3810	6500	1	RMS	4126	-56.07	-13	Pass	2691
6500	26500	1	RMS	26430	-43.51	-13	Pass	20001




**34.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.52	-13	Pass	2986
30	1000	0.1	RMS	733.4	-58.44	-13	Pass	9701
1000	3000	1	RMS	2665	-46.48	-13	Pass	2001
3000	3690	1	RMS	3686	-40.72	-13	Pass	691
3690	3810	1	RMS	3748.8	16.17	60	Pass	401
3810	6500	1	RMS	3811	-51.1	-13	Pass	2691
6500	26500	1	RMS	25349	-43.17	-13	Pass	20001




**34.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-13	Pass	401
0.15	30	0.01	RMS	0.17	-54.77	-13	Pass	2986
30	1000	0.1	RMS	977.7	-58.57	-13	Pass	9701
1000	3000	1	RMS	2663	-46.4	-13	Pass	2001
3000	3690	1	RMS	3690	-39.01	-13	Pass	691
3690	3810	1	RMS	3749.4	0.59	60	Pass	401
3810	6500	1	RMS	3811	-39.97	-13	Pass	2691
6500	26500	1	RMS	26437	-43.64	-13	Pass	20001




**34.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.24	-13	Pass	2986
30	1000	0.1	RMS	964.3	-58.58	-13	Pass	9701
1000	3000	1	RMS	2690	-46.44	-13	Pass	2001
3000	3690	1	RMS	3277	-41.78	-13	Pass	691
3690	3810	1	RMS	3726.3	16.19	60	Pass	401
3810	6500	1	RMS	4176	-53.71	-13	Pass	2691
6500	26500	1	RMS	26413	-43.74	-13	Pass	20001




**34.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.74	-13	Pass	2986
30	1000	0.1	RMS	964.3	-58.53	-13	Pass	9701
1000	3000	1	RMS	2652	-46.48	-13	Pass	2001
3000	3690	1	RMS	3277	-42.23	-13	Pass	691
3690	3810	1	RMS	3773.7	16.14	60	Pass	401
3810	6500	1	RMS	3861	-52.4	-13	Pass	2691
6500	26500	1	RMS	25262	-43.59	-13	Pass	20001




**34.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:651666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.35	-13	Pass	2986
30	1000	0.1	RMS	918.6	-58.36	-13	Pass	9701
1000	3000	1	RMS	2669	-46.52	-13	Pass	2001
3000	3690	1	RMS	3686	-40.42	-13	Pass	691
3690	3810	1	RMS	3774.6	0.42	60	Pass	401
3810	6500	1	RMS	3811	-37.7	-13	Pass	2691
6500	26500	1	RMS	25343	-43.56	-13	Pass	20001




**34.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:651666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.33	-13	Pass	2986
30	1000	0.1	RMS	924	-58.16	-13	Pass	9701
1000	3000	1	RMS	2693	-46.48	-13	Pass	2001
3000	3690	1	RMS	3277	-41.85	-13	Pass	691
3690	3810	1	RMS	3751.2	16.24	60	Pass	401
3810	6500	1	RMS	3816	-54.17	-13	Pass	2691
6500	26500	1	RMS	26424	-43.64	-13	Pass	20001




**34.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.49	-13	Pass	2986
30	1000	0.1	RMS	936.2	-58.31	-13	Pass	9701
1000	3000	1	RMS	2787	-46.52	-13	Pass	2001
3000	3690	1	RMS	3277	-42.53	-13	Pass	691
3690	3810	1	RMS	3798.6	16.28	60	Pass	401
3810	6500	1	RMS	3810	-49.34	-13	Pass	2691
6500	26500	1	RMS	26415	-43.74	-13	Pass	20001




**34.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.17	-53.29	-13	Pass	2986
30	1000	0.1	RMS	947.4	-58.23	-13	Pass	9701
1000	3000	1	RMS	2677	-46.34	-13	Pass	2001
3000	3690	1	RMS	3594	-35.97	-13	Pass	691
3690	3810	1	RMS	3733.5	-2.16	60	Pass	401
3810	6500	1	RMS	3813	-36.09	-13	Pass	2691
6500	26500	1	RMS	25344	-43.68	-13	Pass	20001




**34.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.2	-13	Pass	401
0.15	30	0.01	RMS	0.19	-57.18	-13	Pass	2986
30	1000	0.1	RMS	771.5	-58.49	-13	Pass	9701
1000	3000	1	RMS	2692	-46.46	-13	Pass	2001
3000	3690	1	RMS	3686	-39.28	-13	Pass	691
3690	3810	1	RMS	3701.1	16.49	60	Pass	401
3810	6500	1	RMS	4125	-55.95	-13	Pass	2691
6500	26500	1	RMS	25379	-43.78	-13	Pass	20001



**34.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.97	-13	Pass	2986
30	1000	0.1	RMS	948	-58.74	-13	Pass	9701
1000	3000	1	RMS	2702	-46.55	-13	Pass	2001
3000	3690	1	RMS	3686	-40.61	-13	Pass	691
3690	3810	1	RMS	3798.9	15.86	60	Pass	401
3810	6500	1	RMS	3911	-49.11	-13	Pass	2691
6500	26500	1	RMS	26418	-43.54	-13	Pass	20001



--BLANK BELOW--