


29.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1760.7	4.37	30	Pass	401
1780	1781	0.39	RMS	1780	-33.5	-13	Pass	401
1781	1825	1	RMS	1781	-30.95	-13	Pass	401



30. n71 15kHz


30.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-20.81	-13	Pass	401
662.9	663	0.03	RMS	663	-20.25	-13	Pass	401
663	668	0.1	RMS	663.325	17.07	30	Pass	401




30.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-31.69	-13	Pass	401
662.9	663	0.03	RMS	663	-32.67	-13	Pass	401
663	668	0.1	RMS	666.438	3.62	30	Pass	401




30.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	697.663	17.14	30	Pass	401
698	698.1	0.03	RMS	698.001	-21.28	-13	Pass	401
698.1	708	0.1	RMS	698.1	-22.35	-13	Pass	401




30.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	693.788	3.64	30	Pass	401
698	698.1	0.03	RMS	698.002	-33.71	-13	Pass	401
698.1	708	0.1	RMS	698.1	-32.51	-13	Pass	401




30.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-25.87	-13	Pass	401
662.9	663	0.03	RMS	663	-25.76	-13	Pass	401
663	678	0.1	RMS	663.45	17.21	30	Pass	401




30.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-34.13	-13	Pass	401
662.9	663	0.03	RMS	662.963	-37.93	-13	Pass	401
663	678	0.1	RMS	676.013	-0.82	30	Pass	401




30.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	697.513	17.11	30	Pass	401
698	698.1	0.03	RMS	698.001	-26.79	-13	Pass	401
698.1	718	0.1	RMS	698.1	-26.69	-13	Pass	401




30.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	690.163	-1.24	30	Pass	401
698	698.1	0.03	RMS	698.052	-38.21	-13	Pass	401
698.1	718	0.1	RMS	698.1	-34.27	-13	Pass	401




30.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-29.63	-13	Pass	401
662.9	663	0.03	RMS	663	-29.43	-13	Pass	401
663	683	0.1	RMS	663.55	17.14	30	Pass	401




30.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-35.21	-13	Pass	401
662.9	663	0.03	RMS	662.973	-39.9	-13	Pass	401
663	683	0.1	RMS	675.9	-2.2	30	Pass	401




30.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	697.45	17.19	30	Pass	401
698	698.1	0.03	RMS	698.002	-30.51	-13	Pass	401
698.1	723	0.1	RMS	698.1	-30.95	-13	Pass	401



30.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	689.5	-2.29	30	Pass	401
698	698.1	0.03	RMS	698.028	-39.4	-13	Pass	401
698.1	723	0.1	RMS	698.162	-34.58	-13	Pass	401



31. n77 30kHz(3450-3550)

31.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3425	3445	1	RMS	3444.05	-44.43	-13	Pass	401
3445	3449	0.62	RMS	3448.98	-35.24	-13	Pass	401
3449	3450	0.2	RMS	3450	-20.81	-13	Pass	401
3450	3470	1	RMS	3451.05	20.66	30	Pass	401




31.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-31.14	-13	Pass	401
3445	3449	0.62	RMS	3448.98	-30.56	-13	Pass	401
3449	3450	0.2	RMS	3450	-33.13	-13	Pass	401
3450	3470	1	RMS	3465.65	9.16	30	Pass	401



31.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	1	RMS	3549.05	20.44	30	Pass	401
3550	3551	0.2	RMS	3550	-19.49	-13	Pass	401
3551	3555	0.62	RMS	3551	-34.74	-13	Pass	401
3555	3575	1	RMS	3555.35	-42.41	-13	Pass	401




31.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	1	RMS	3546.2	8.96	30	Pass	401
3550	3551	0.2	RMS	3550.013	-32.97	-13	Pass	401
3551	3555	0.62	RMS	3551.07	-31.37	-13	Pass	401
3555	3575	1	RMS	3555.05	-32.22	-13	Pass	401




31.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3395	3445	1	RMS	3444.125	-41.11	-13	Pass	401
3445	3449	0.62	RMS	3449	-37.21	-13	Pass	401
3449	3450	0.2	RMS	3449.995	-28.21	-13	Pass	401
3450	3500	1	RMS	3451.25	20.62	30	Pass	401




31.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3395	3445	1	RMS	3443	-34.49	-13	Pass	401
3445	3449	0.62	RMS	3447.34	-35.46	-13	Pass	401
3449	3450	0.2	RMS	3449.988	-40.01	-13	Pass	401
3450	3500	1	RMS	3474.625	4.88	30	Pass	401




31.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	20.32	30	Pass	401
3550	3551	0.2	RMS	3550.003	-27.57	-13	Pass	401
3551	3555	0.62	RMS	3551.02	-38.73	-13	Pass	401
3555	3605	1	RMS	3555.25	-39.66	-13	Pass	401




31.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3550	1	RMS	3529.125	4.59	30	Pass	401
3550	3551	0.2	RMS	3550.023	-39.8	-13	Pass	401
3551	3555	0.62	RMS	3552.07	-35.75	-13	Pass	401
3555	3605	1	RMS	3556.5	-36.04	-13	Pass	401




31.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3443.5	-44.57	-13	Pass	401
3445	3449	0.62	RMS	3449	-35.54	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-21.31	-13	Pass	401
3450	3550	1	RMS	3451	20.58	30	Pass	401




31.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3417.75	-35.6	-13	Pass	401
3445	3449	0.62	RMS	3446.02	-35.23	-13	Pass	401
3449	3450	0.2	RMS	3450	-39.76	-13	Pass	401
3450	3550	1	RMS	3472.25	2.29	30	Pass	401




31.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.32	30	Pass	401
3550	3551	0.2	RMS	3550	-22.66	-13	Pass	401
3551	3555	0.62	RMS	3551.02	-34.45	-13	Pass	401
3555	3655	1	RMS	3555.25	-42.81	-13	Pass	401



31.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3497.75	1.93	30	Pass	401
3550	3551	0.2	RMS	3550.563	-39.25	-13	Pass	401
3551	3555	0.62	RMS	3551.3	-34.23	-13	Pass	401
3555	3655	1	RMS	3555.75	-37.2	-13	Pass	401



32. n77 30kHz(3700-3980)


32.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3675	3695	1	RMS	3686.4	-44.2	-13	Pass	401
3695	3699	0.62	RMS	3698.98	-39.59	-13	Pass	401
3699	3700	0.39	RMS	3699.998	-20.54	-13	Pass	401
3700	3720	1	RMS	3701.05	16.29	30	Pass	401




32.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3675	3695	1	RMS	3693.75	-33.88	-13	Pass	401
3695	3699	0.62	RMS	3698.91	-33.83	-13	Pass	401
3699	3700	0.39	RMS	3700	-33.45	-13	Pass	401
3700	3720	1	RMS	3715.4	4.76	30	Pass	401




32.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3960	3980	1	RMS	3979	17.87	30	Pass	401
3980	3981	0.39	RMS	3980.008	-18.63	-13	Pass	401
3981	3985	0.62	RMS	3981.04	-36.55	-13	Pass	401
3985	4005	1	RMS	3987.75	-43.63	-13	Pass	401




32.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3960	3980	1	RMS	3970.8	5.35	30	Pass	401
3980	3981	0.39	RMS	3980.008	-29.95	-13	Pass	401
3981	3985	0.62	RMS	3981.05	-30.21	-13	Pass	401
3985	4005	1	RMS	3985	-34.32	-13	Pass	401



32.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3695	1	RMS	3686.25	-39.82	-13	Pass	401
3695	3699	0.62	RMS	3698.98	-42.04	-13	Pass	401
3699	3700	0.39	RMS	3699.995	-27.7	-13	Pass	401
3700	3750	1	RMS	3701.25	15.68	30	Pass	401




32.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3695	1	RMS	3686.375	-36.88	-13	Pass	401
3695	3699	0.62	RMS	3697.62	-38.22	-13	Pass	401
3699	3700	0.39	RMS	3699.998	-39.4	-13	Pass	401
3700	3750	1	RMS	3732.5	0	30	Pass	401




32.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3930	3980	1	RMS	3978.75	17.45	30	Pass	401
3980	3981	0.39	RMS	3980.003	-26.19	-13	Pass	401
3981	3985	0.62	RMS	3981.01	-37.95	-13	Pass	401
3985	4035	1	RMS	3986	-42.45	-13	Pass	401




32.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3930	3980	1	RMS	3970	0.81	30	Pass	401
3980	3981	0.39	RMS	3980	-38.6	-13	Pass	401
3981	3985	0.62	RMS	3981.06	-37.53	-13	Pass	401
3985	4035	1	RMS	3988	-38.59	-13	Pass	401




32.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3686.5	-39.24	-13	Pass	401
3695	3699	0.62	RMS	3698.98	-39.58	-13	Pass	401
3699	3700	0.39	RMS	3699.988	-21.63	-13	Pass	401
3700	3800	1	RMS	3701	16.24	30	Pass	401




32.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3686.5	-37.43	-13	Pass	401
3695	3699	0.62	RMS	3698.63	-38.68	-13	Pass	401
3699	3700	0.39	RMS	3700	-39.55	-13	Pass	401
3700	3800	1	RMS	3745.5	-1.88	30	Pass	401



32.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	16.97	30	Pass	401
3980	3981	0.39	RMS	3980.008	-21.54	-13	Pass	401
3981	3985	0.62	RMS	3981.03	-37.67	-13	Pass	401
3985	4085	1	RMS	3985.5	-44.38	-13	Pass	401



32.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3909.75	-0.94	30	Pass	401
3980	3981	0.39	RMS	3980.04	-38.13	-13	Pass	401
3981	3985	0.62	RMS	3981.31	-36.72	-13	Pass	401
3985	4085	1	RMS	4050.75	-35.59	-13	Pass	401



33. n78 30kHz(3450-3550)

33.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3425	3445	1	RMS	3444.25	-44.39	-13	Pass	401
3445	3449	0.62	RMS	3448.99	-35.05	-13	Pass	401
3449	3450	0.2	RMS	3449.995	-21.08	-13	Pass	401
3450	3470	1	RMS	3451	20.67	30	Pass	401




33.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-30.23	-13	Pass	401
3445	3449	0.62	RMS	3449	-29.76	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-33.46	-13	Pass	401
3450	3470	1	RMS	3467.85	9.17	30	Pass	401



33.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	1	RMS	3548.95	20.47	30	Pass	401
3550	3551	0.2	RMS	3550	-19.52	-13	Pass	401
3551	3555	0.62	RMS	3551.04	-35.18	-13	Pass	401
3555	3575	1	RMS	3555.25	-42.92	-13	Pass	401




33.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	1	RMS	3546.05	9.04	30	Pass	401
3550	3551	0.2	RMS	3550	-32.45	-13	Pass	401
3551	3555	0.62	RMS	3551.28	-30.79	-13	Pass	401
3555	3575	1	RMS	3556.2	-31.89	-13	Pass	401




33.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3395	3445	1	RMS	3440.75	-41.07	-13	Pass	401
3445	3449	0.62	RMS	3449	-36.47	-13	Pass	401
3449	3450	0.2	RMS	3450	-27.44	-13	Pass	401
3450	3500	1	RMS	3451.25	20.6	30	Pass	401




33.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-33.26	-13	Pass	401
3445	3449	0.62	RMS	3447.49	-34.25	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-39.17	-13	Pass	401
3450	3500	1	RMS	3474.125	4.91	30	Pass	401




33.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	20.29	30	Pass	401
3550	3551	0.2	RMS	3550.003	-28.44	-13	Pass	401
3551	3555	0.62	RMS	3551.03	-37.55	-13	Pass	401
3555	3605	1	RMS	3555.125	-40.1	-13	Pass	401




33.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3550	1	RMS	3524.375	4.63	30	Pass	401
3550	3551	0.2	RMS	3550.843	-39.72	-13	Pass	401
3551	3555	0.62	RMS	3551.63	-35.77	-13	Pass	401
3555	3605	1	RMS	3555.5	-36.46	-13	Pass	401




33.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-44.78	-13	Pass	401
3445	3449	0.62	RMS	3448.99	-35.22	-13	Pass	401
3449	3450	0.2	RMS	3449.995	-21.37	-13	Pass	401
3450	3550	1	RMS	3451	20.58	30	Pass	401




33.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3440.75	-34.74	-13	Pass	401
3445	3449	0.62	RMS	3447.33	-36.23	-13	Pass	401
3449	3450	0.2	RMS	3450	-39.84	-13	Pass	401
3450	3550	1	RMS	3497.75	1.88	30	Pass	401



33.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.43	30	Pass	401
3550	3551	0.2	RMS	3550	-22.45	-13	Pass	401
3551	3555	0.62	RMS	3551.06	-35.19	-13	Pass	401
3555	3655	1	RMS	3559.25	-42.65	-13	Pass	401



33.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3488.75	1.97	30	Pass	401
3550	3551	0.2	RMS	3550.445	-38.7	-13	Pass	401
3551	3555	0.62	RMS	3551.83	-36.16	-13	Pass	401
3555	3655	1	RMS	3555.5	-34.84	-13	Pass	401



34. n78 30kHz(3700-3800)

34.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3675	3695	1	RMS	3686.4	-44.34	-13	Pass	401
3695	3699	0.62	RMS	3698.99	-38.81	-13	Pass	401
3699	3700	0.39	RMS	3699.995	-20.86	-13	Pass	401
3700	3720	1	RMS	3700.95	16.63	30	Pass	401




34.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3675	3695	1	RMS	3695	-32.61	-13	Pass	401
3695	3699	0.62	RMS	3698.91	-32.42	-13	Pass	401
3699	3700	0.39	RMS	3699.985	-32.4	-13	Pass	401
3700	3720	1	RMS	3712.75	5.04	30	Pass	401




34.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3780	3800	1	RMS	3798.95	16.9	30	Pass	401
3800	3801	0.39	RMS	3800.013	-19.36	-13	Pass	401
3801	3805	0.62	RMS	3801.03	-36.38	-13	Pass	401
3805	3825	1	RMS	3808.05	-44.7	-13	Pass	401




34.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3780	3800	1	RMS	3796.8	4.42	30	Pass	401
3800	3801	0.39	RMS	3800.013	-30.37	-13	Pass	401
3801	3805	0.62	RMS	3801.12	-30.51	-13	Pass	401
3805	3825	1	RMS	3805.05	-32.53	-13	Pass	401




34.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3695	1	RMS	3686.375	-38.42	-13	Pass	401
3695	3699	0.62	RMS	3698.99	-41.33	-13	Pass	401
3699	3700	0.39	RMS	3700	-26.89	-13	Pass	401
3700	3750	1	RMS	3701.25	16.34	30	Pass	401




34.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3695	1	RMS	3645.25	-44.38	-13	Pass	401
3695	3699	0.62	RMS	3695.42	-47.78	-13	Pass	401
3699	3700	0.39	RMS	3699.983	-38.39	-13	Pass	401
3700	3750	1	RMS	3723.625	0.25	30	Pass	401




34.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3750	3800	1	RMS	3798.75	16.07	30	Pass	401
3800	3801	0.39	RMS	3800.003	-27.04	-13	Pass	401
3801	3805	0.62	RMS	3801.02	-39.59	-13	Pass	401
3805	3855	1	RMS	3809.25	-43.57	-13	Pass	401




34.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3750	3800	1	RMS	3790	0.2	30	Pass	401
3800	3801	0.39	RMS	3800.028	-37.94	-13	Pass	401
3801	3805	0.62	RMS	3801.36	-36.57	-13	Pass	401
3805	3855	1	RMS	3806.5	-36.62	-13	Pass	401




34.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3686.25	-38.16	-13	Pass	401
3695	3699	0.62	RMS	3699	-39.64	-13	Pass	401
3699	3700	0.39	RMS	3700	-21.59	-13	Pass	401
3700	3800	1	RMS	3701	16.72	30	Pass	401




34.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3686.5	-35.86	-13	Pass	401
3695	3699	0.62	RMS	3698.64	-37.57	-13	Pass	401
3699	3700	0.39	RMS	3699.973	-38.57	-13	Pass	401
3700	3800	1	RMS	3740	-1.95	30	Pass	401



34.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	16.04	30	Pass	401
3800	3801	0.39	RMS	3800.008	-21.65	-13	Pass	401
3801	3805	0.62	RMS	3801.01	-38.89	-13	Pass	401
3805	3905	1	RMS	3896.75	-44.84	-13	Pass	401



34.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3747.5	-1.73	30	Pass	401
3800	3801	0.39	RMS	3800.695	-39.24	-13	Pass	401
3801	3805	0.62	RMS	3801.27	-38.16	-13	Pass	401
3805	3905	1	RMS	3903.75	-36.16	-13	Pass	401



--BLANK BELOW--