



RF TEST REPORT

Report No.: 20250317G05164X-W11

Product Name: 5G Mobile Phone

Model No.: VTL-202402

FCC ID: 2BGHD-VTL202402

Applicant: Chengdu Xiaochen Technology Co., Ltd

3rd Floor, Building B15, Ganzhizhongguo Chengdu Center, No. 777

Address: Huafu Avenue Shuangliu County, Chengdu City, Sichuan province, China

Dates of Testing: 03/18/2025 - 05/18/2025

Issued by: CCIC Southern Testing Co., Ltd.

Lab Location: Electronic Testing Building, No.43, Shahe Road, Xili Street,
Nanshan District, Shenzhen, Guangdong, China.

Query E-Mail: manager@ccic-set.com

Feedback E-Mail: integrity@ccic-set.com

Report Query Tel: 0755-26627338


Feedback Tel: 0755-86185963


This test report consists of 265 pages in total. It may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced except in full, without the written approval of our laboratory. The client should not use it to claim product endorsement by CCIC-SET. The test results in the report only apply to the tested sample. The test report shall be invalid without all the signatures of testing engineers, reviewer and approver. Any objections must be raised to CCIC-SET within 15 days since the date when the report is received. It will not be taken into consideration beyond this limit.



Test Report

Product.....: 5G Mobile Phone
Brand Name: Vertu
Applicant.....: Chengdu Xiaochen Technology Co., Ltd
Applicant Address.....: 3rd Floor, Building B15, Ganzhizhongguo Chengdu Center, No. 777 Huafu Avenue Shuangliu County, Chengdu City, Sichuan province, China
Manufacturer.....: VERTU INTERNATIONAL CORPORATION LIMITED
Manufacturer Address.....: Chase Business Centre 39-41 Chase Side London England N14 5BP
Test Standards.....: 47 CFR Part 2/22/24/27/90
Test Result.....: Pass

Tested by:  2025.05.18
Chuiwang Zhang, Test Engineer

Reviewed by.....:  2025.05.18
Sun Jiaohui, Senior Engineer


Approved by.....:  2025.05.18
Chris You, Manager



Table of Contents

1. GENERAL INFORMATION	5
1.1. EUT Description	5
1.2. EUT Antenna Information	6
1.3. Maximum ERP/EIRP, Frequency Tolerance and Emission Designator	7
1.4. Test Standards and Results	11
1.5. Test Configuration of Equipment Under Test	13
1.6. Laboratory Facilities and Accreditation Certificate	16
1.7. Test Environment Conditions	16
2. 47 CFR PART 2 REQUIREMENTS	17
2.1. Conducted Output Power and ERP/EIRP	17
2.2. Peak-to-average power ratio (PAPR)	19
2.3. 99% Occupied Bandwidth and 26dB Emission Bandwidth	21
2.4. Conducted Band Edge	23
2.5. Conducted Spurious Emission	27
2.6. Radiated Spurious Emission	29
2.7. Frequency Stability	39
3. LIST OF MEASURING EQUIPMENT	41
4. UNCERTAINTY OF EVALUATION	42
APPENDIX A	43



Change History		
Issue	Date	Reason for change
1.0	2025.05.18	First edition

1. GENERAL INFORMATION

1.1. EUT Description

Product Name	5G Mobile Phone	
Model No.	VTL-202402	
Hardware Version	P10	
Software Version	15.0.0_4.02.02.01	
EUT supports Radios application	LTE Band 2/4/5/7/12/17/25/26/41(Class 2&Class 3)/66 LTE Band 7C/41C	
Frequency Range(Tx)	LTE Band 2: 1850MHz~1910MHz LTE Band 4: 1710MHz~1755MHz LTE Band 5: 824MHz~849MHz LTE Band 7/7C: 2500MHz~2570MHz LTE Band 12: 699MHz~716MHz LTE Band 17: 704MHz~716MHz LTE Band 25: 1850MHz~1915MHz LTE Band 26(Part 90): 814MHz~824MHz LTE Band 26(Part 22): 824MHz~849MHz LTE Band 41/41C: 2496MHz~2690MHz LTE Band 66: 1710MHz~1780MHz	
Channel Bandwidth	LTE Band 2/4/25/66: 1.4MHz/3MHz/5MHz/10MHz/15MHz/20MHz LTE Band 5/12/26(Part 90): 1.4MHz/3MHz/5MHz/10MHz LTE Band 7: 5MHz/10MHz/15MHz/20MHz LTE Band 17: 5MHz/10MHz LTE Band 26(Part 22): 1.4MHz/3MHz/5MHz/10MHz/15MHz LTE Band 41: 5MHz/10MHz/15MHz/20MHz LTE Band 7C: 10MHz+20MHz/15MHz+10MHz/15MHz+15MHz/ 15MHz+20MHz/20MHz+10MHz/20MHz+15MHz/20MHz+20MHz LTE Band 41C: 5MHz+20MHz/10MHz+15MHz/10MHz+20MHz/ 15MHz+10MHz/15MHz+15MHz/15MHz+20MHz/20MHz+5MHz/ 20MHz+10MHz/20MHz+15MHz/20MHz+20MHz	
Modulation Type	QPSK/16QAM/64QAM(downlink only)	
Maximum ERP/EIRP	LTE Band 2: 23.37dBm LTE Band 4: 22.98dBm LTE Band 5: 19.47dBm LTE Band 7: 22.04dBm LTE Band 12: 19.41dBm LTE Band 17: 19.28dBm	LTE Band 26(Part 22): 19.39dBm LTE Band 26(Part 90): 19.45dBm LTE Band 41: 23.37dBm LTE Band 66: 23.00dBm LTE Band 7C: 22.03dBm LTE Band 41C: 23.35dBm



	LTE Band 25: 23.58dBm	
Antenna Type	Internal Antenna	
Power supply	Upper:	Rechargeable Li-ion Polymer Battery DC3.93V/3370mAh
	Bottom:	Rechargeable Li-ion Polymer Battery DC3.93V/885mAh

1.2. EUT Antenna Information

The antenna gains and types provided by the manufacturer are as follows:

LTE Bands	Frequency Range (MHz)	Antenna Gain (dBi)				
		Ant 11	Ant 8	Ant 1	Ant 3	Ant 9
Band 2/25	1850~1910	-2.7	-1.3	/	/	/
Band 4/66	1710~1755	-2.1	-2.7	/	/	/
Band 5/26	824~849	/	/	-3.5	-5.5	/
Band 7/7C	2500~2570	-4.0	-2.2	/	/	/
Band 12/17	699~716	/	/	-3.6	-5.0	/
Band 41/41C	2496~2690	-4.0	-2.2	-6.3	/	-1.6

Note 1: The information of antenna gain and cable loss is provided by the manufacturer and our lab is not responsible for the accuracy of the antenna gain and cable loss information.

1.3. Maximum ERP/EIRP, Frequency Tolerance and Emission Designator

LTE Bands	Type of Modulation	Bandwidth (MHz)	Emission Designator	Frequency Tolerance (ppm)	Maximum EIRP(W)
LTE Band 2	QPSK	1.4	1M10G7D	—	0.215
LTE Band 2	16QAM	1.4	1M10W7D	—	0.172
LTE Band 2	QPSK	3	2M69G7D	—	0.217
LTE Band 2	16QAM	3	2M68W7D	—	0.171
LTE Band 2	QPSK	5	4M52G7D	—	0.211
LTE Band 2	16QAM	5	4M52W7D	—	0.170
LTE Band 2	QPSK	10	8M95G7D	0.004255	0.212
LTE Band 2	16QAM	10	8M94W7D	—	0.169
LTE Band 2	QPSK	15	13M5G7D	—	0.212
LTE Band 2	16QAM	15	13M5W7D	—	0.173
LTE Band 2	QPSK	20	17M9G7D	—	0.215
LTE Band 2	16QAM	20	17M9W7D	—	0.171
LTE Band 4	QPSK	1.4	1M11G7D	—	0.194
LTE Band 4	16QAM	1.4	1M10W7D	—	0.158
LTE Band 4	QPSK	3	2M69G7D	—	0.198
LTE Band 4	16QAM	3	2M69W7D	—	0.157
LTE Band 4	QPSK	5	4M52G7D	—	0.196
LTE Band 4	16QAM	5	4M52W7D	—	0.157
LTE Band 4	QPSK	10	8M95G7D	0.003700	0.199
LTE Band 4	16QAM	10	8M96W7D	—	0.160
LTE Band 4	QPSK	15	13M5G7D	—	0.194
LTE Band 4	16QAM	15	13M5W7D	—	0.159
LTE Band 4	QPSK	20	18M0G7D	—	0.196
LTE Band 4	16QAM	20	17M9W7D	—	0.158
LTE Band 7	QPSK	5	4M52G7D	—	0.156
LTE Band 7	16QAM	5	4M53W7D	—	0.125
LTE Band 7	QPSK	10	8M95G7D	0.002552	0.159
LTE Band 7	16QAM	10	8M95W7D	—	0.130
LTE Band 7	QPSK	15	13M5G7D	—	0.157
LTE Band 7	16QAM	15	13M5W7D	—	0.125
LTE Band 7	QPSK	20	17M9G7D	—	0.160
LTE Band 7	16QAM	20	17M9W7D	—	0.125
LTE Band 25	QPSK	1.4	1M10G7D	—	0.219
LTE Band 25	16QAM	1.4	1M10W7D	—	0.173
LTE Band 25	QPSK	3	2M69G7D	—	0.215
LTE Band 25	16QAM	3	2M69W7D	—	0.173
LTE Band 25	QPSK	5	4M52G7D	—	0.228
LTE Band 25	16QAM	5	4M52W7D	—	0.190



LTE Band 25	QPSK	10	8M97G7D	-0.003665	0.224
LTE Band 25	16QAM	10	8M95W7D	—	0.181
LTE Band 25	QPSK	15	13M5G7D	—	0.217
LTE Band 25	16QAM	15	13M5W7D	—	0.170
LTE Band 25	QPSK	20	18M0G7D	—	0.219
LTE Band 25	16QAM	20	17M9W7D	—	0.171
LTE Band 41	QPSK	5	4M52G7D	—	0.217
LTE Band 41	16QAM	5	4M52W7D	—	0.175
LTE Band 41	QPSK	10	8M94G7D	0.002626	0.217
LTE Band 41	16QAM	10	8M95W7D	—	0.170
LTE Band 41	QPSK	15	13M5G7D	—	0.215
LTE Band 41	16QAM	15	13M5W7D	—	0.169
LTE Band 41	QPSK	20	17M9G7D	—	0.213
LTE Band 41	16QAM	20	17M9W7D	—	0.173
LTE Band 66	QPSK	1.4	1M10G7D	—	0.196
LTE Band 66	16QAM	1.4	1M10W7D	—	0.156
LTE Band 66	QPSK	3	2M69G7D	—	0.200
LTE Band 66	16QAM	3	2M69W7D	—	0.166
LTE Band 66	QPSK	5	4M52G7D	—	0.200
LTE Band 66	16QAM	5	4M52W7D	—	0.158
LTE Band 66	QPSK	10	8M95G7D	0.002080	0.195
LTE Band 66	16QAM	10	8M95W7D	—	0.157
LTE Band 66	QPSK	15	13M5G7D	—	0.194
LTE Band 66	16QAM	15	13M5W7D	—	0.155
LTE Band 66	QPSK	20	17M9G7D	—	0.192
LTE Band 66	16QAM	20	18M0W7D	—	0.155
LTE Band 7C	QPSK	10+20	27M9G7D	—	0.157
LTE Band 7C	16QAM	10+20	27M8W7D	—	0.128
LTE Band 7C	QPSK	15+10	23M2G7D	—	0.155
LTE Band 7C	16QAM	15+10	23M2W7D	—	0.125
LTE Band 7C	QPSK	15+15	28M4G7D	—	0.155
LTE Band 7C	16QAM	15+15	28M4W7D	—	0.124
LTE Band 7C	QPSK	15+20	32M8G7D	—	0.152
LTE Band 7C	16QAM	15+20	32M7W7D	—	0.128
LTE Band 7C	QPSK	20+10	27M9G7D	—	0.160
LTE Band 7C	16QAM	20+10	27M8W7D	—	0.126
LTE Band 7C	QPSK	20+15	32M8G7D	—	0.156
LTE Band 7C	16QAM	20+15	32M7W7D	—	0.134
LTE Band 7C	QPSK	20+20	37M7G7D	0.017251	0.155
LTE Band 7C	16QAM	20+20	37M7W7D	—	0.125
LTE Band 41C	QPSK	5+20	23M0G7D	—	0.215
LTE Band 41C	16QAM	5+20	23M0W7D	—	0.169
LTE Band 41C	QPSK	10+15	23M2G7D	—	0.214



LTE Band 41C	16QAM	10+15	23M2W7D	—	0.169
LTE Band 41C	QPSK	10+20	27M8G7D	—	0.216
LTE Band 41C	16QAM	10+20	27M9W7D	—	0.173
LTE Band 41C	QPSK	15+10	23M2G7D	—	0.212
LTE Band 41C	16QAM	15+10	23M2W7D	—	0.166
LTE Band 41C	QPSK	15+15	28M4G7D	—	0.211
LTE Band 41C	16QAM	15+15	28M5W7D	—	0.165
LTE Band 41C	QPSK	15+20	32M9G7D	—	0.205
LTE Band 41C	16QAM	15+20	32M8W7D	—	0.165
LTE Band 41C	QPSK	20+5	23M0G7D	—	0.212
LTE Band 41C	16QAM	20+5	23M0W7D	—	0.178
LTE Band 41C	QPSK	20+10	27M9G7D	—	0.211
LTE Band 41C	16QAM	20+10	27M9W7D	—	0.169
LTE Band 41C	QPSK	20+15	32M8G7D	—	0.210
LTE Band 41C	16QAM	20+15	32M8W7D	—	0.174
LTE Band 41C	QPSK	20+20	37M8G7D	0.011424	0.214
LTE Band 41C	16QAM	20+20	37M8W7D	—	0.173

LTE Band	Type of Modulation	Bandwidth (MHz)	Emission Designator	Frequency Tolerance (ppm)	Maximum ERP(W)
LTE Band 5	QPSK	1.4	1M10G7D	—	0.088
LTE Band 5	16QAM	1.4	1M10W7D	—	0.068
LTE Band 5	QPSK	3	2M69G7D	—	0.089
LTE Band 5	16QAM	3	2M69W7D	—	0.070
LTE Band 5	QPSK	5	4M52G7D	—	0.088
LTE Band 5	16QAM	5	4M52W7D	—	0.071
LTE Band 5	QPSK	10	8M96G7D	-0.010616	0.088
LTE Band 5	16QAM	10	8M96W7D	—	0.070
LTE Band 12	QPSK	1.4	1M10G7D	—	0.084
LTE Band 12	16QAM	1.4	1M10W7D	—	0.066
LTE Band 12	QPSK	3	2M69G7D	—	0.086
LTE Band 12	16QAM	3	2M69W7D	—	0.068
LTE Band 12	QPSK	5	4M52G7D	—	0.087
LTE Band 12	16QAM	5	4M51W7D	—	0.069
LTE Band 12	QPSK	10	8M94G7D	0.004367	0.085
LTE Band 12	16QAM	10	8M96W7D	—	0.069
LTE Band 17	QPSK	5	4M52G7D	—	0.085
LTE Band 17	16QAM	5	4M52W7D	—	0.068
LTE Band 17	QPSK	10	8M94G7D	0.004775	0.084
LTE Band 17	16QAM	10	8M95W7D	—	0.068
LTE Band 26(Part 22)	QPSK	1.4	1M10G7D	—	0.085
LTE Band 26(Part 22)	16QAM	1.4	1M11W7D	—	0.068
LTE Band 26(Part 22)	QPSK	3	2M69G7D	—	0.086
LTE Band 26(Part 22)	16QAM	3	2M68W7D	—	0.069
LTE Band 26(Part 22)	QPSK	5	4M53G7D	—	0.087
LTE Band 26(Part 22)	16QAM	5	4M51W7D	—	0.072
LTE Band 26(Part 22)	QPSK	10	8M96G7D	-0.004794	0.086
LTE Band 26(Part 22)	16QAM	10	8M96W7D	—	0.069
LTE Band 26(Part 22)	QPSK	15	13M5G7D	—	0.086
LTE Band 26(Part 22)	16QAM	15	13M5W7D	—	0.069
LTE Band 26(Part 90)	QPSK	1.4	1M10G7D	—	0.087
LTE Band 26(Part 90)	16QAM	1.4	1M10W7D	—	0.068
LTE Band 26(Part 90)	QPSK	3	2M69G7D	—	0.088
LTE Band 26(Part 90)	16QAM	3	2M68W7D	—	0.070
LTE Band 26(Part 90)	QPSK	5	4M52G7D	—	0.087
LTE Band 26(Part 90)	16QAM	5	4M51W7D	—	0.070
LTE Band 26(Part 90)	QPSK	10	8M93G7D	0.003126	0.085
LTE Band 26(Part 90)	16QAM	10	8M95W7D	—	0.069

1.4. Test Standards and Results

The purpose of the report is to conduct testing according to the following FCC certification standards:

No.	Identity	Document Title
1	47 CFR Part 2	Frequency Allocations and Radio Treaty Matters; General Rules and Regulations
2	47 CFR Part 22	Public Mobile Services
3	47 CFR Part 24	Personal Communications Services
4	47 CFR Part 27	Miscellaneous Wireless Communications Services
5	47 CFR Part 90	Private Land Mobile Radio Services
6	KDB 971168 D01 Power Meas License Digital Systems v03r01	Measurement Guidance For Certification of Licensed Digital Transmitters
7	KDB 412172 D01 Determining ERP and EIRP v01r01	Guidelines for Determining the Effective Radiated Power (ERP) and Equivalent Isotropic Radiated Power (EIRP) of an RF Transmitting Systems
8	ANSI/TIA-603-E-2016	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards
9	ANSI C63.26-2015	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services

Test detailed items/section required by FCC rules and results are as below:

No.	FCC Rule	Description	Limit	Result
1	2.1046	Conducted Output Power	Reporting Only	PASS
2	22.913 (d) 24.232 (d) 27.50 (d)(5)	Peak to Average Radio	< 13dB	PASS
3	24.232 (c)	Equivalent Isotropic Radiated Power (Band 2/25)	EIRP < 2W	PASS
	27.50 (d)(4)	Equivalent Isotropic Radiated Power (Band 4/66)	EIRP < 1W	PASS
	90.635 (b)	Effective Radiated Power (Band 26_Part 90)	ERP < 100W	PASS
	22.913 (a)(5)	Effective Radiated Power (Band 5/26_Part 22)	ERP < 7W	PASS
	27.50 (h)(2)	Equivalent Isotropic Radiated Power (Band 7/7C/41/41C)	EIRP < 2W	PASS
	27.50 (c)(10)	Effective Radiated Power (Band 12/17)	ERP < 3W	PASS
4	2.1049	Occupied Bandwidth	Reporting Only	PASS
5	2.1051 22.917 (a) 24.238 (a)	Conducted Spurious Emission and Conducted Band Edge (Band 2/4/5/12/17/25/26/66)	< 43+10log10(P[watt])	PASS



	27.53 (h) 27.53 (g) 27.53 (m)(4) 90.691 (a)	Conducted Spurious Emission and Conducted Band Edge (Band 7/7C/41/41C)	Refer to 27.53(m)(4)	PASS
6	2.1053 22.917 (a) 24.238 (a)	Radiated Spurious Emission (Band 2/4/5/12/17/25/26/66)	$< 43 + 10\log_{10}(P[\text{Watts}])$	PASS
	27.53 (h) 27.53 (g) 27.53 (m)(4) 90.691 (a)	Radiated Spurious Emission (Band 7/7C/41/41C)	$< 55 + 10\log_{10}(P[\text{watt}])$	PASS
7	2.1055 22.355	Frequency Stability (Band 5/26)	$< \pm 2.5\text{ppm}$	PASS
	24.235 27.54 90.213 (a)	Frequency Stability (Band 2/4/12/17/25/41/66/7/7C/41/41C)	Within the Authorized Band	PASS

Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.

1.5. Test Configuration of Equipment Under Test

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas License Digital Systems v03r01 with maximum output power.

Radiated measurements are performed by rotating the EUT in three(X: flat, Y: portrait, Z: landscape) different orthogonal test planes to find the maximum emission.

LTE Bands	Conducted Measurement	Radiated Measurement	Antenna Direction(Axis)
LTE Band 5/12/17/26	Ant1	Ant 1	Y
LTE Band 2/25	Ant11	Ant 8	Y
LTE Band 4/66	Ant11	Ant 11	Y
LTE Band 7/7C	Ant11	Ant 8	Y
LTE Band 41/41C	Ant11	Ant 9	Y
Note: Conducted output power is measured on all antenna ports, other conducted items are measured on the maximum output power port.			

Test Items	Band	Bandwidth(MHz)						Modulation		RB Configuration			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full	L	M	H
Conducted Output Power and ERP/EIRP	2/25	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	4/66	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	5/12	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓
	7/41			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	17			✓	✓			✓	✓	✓	✓	✓	✓	✓	✓
	26 (Part 22)	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓
	26 (Part 90)	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓
Peak-to-Average Ratio	2/25						✓		✓	✓		✓	✓	✓	✓
	4/66						✓		✓	✓		✓	✓	✓	✓
	5/12				✓				✓	✓		✓	✓	✓	✓
	7/41						✓		✓	✓		✓	✓	✓	✓
	17				✓				✓	✓		✓	✓	✓	✓
	26 (Part 22)				✓				✓	✓		✓	✓	✓	✓
	26 (Part 90)				✓				✓	✓		✓	✓	✓	✓
99% OBW and 26dB EBW	2/25	✓	✓	✓	✓	✓	✓	✓	✓			✓		✓	
	4/66	✓	✓	✓	✓	✓	✓	✓	✓			✓		✓	
	5/12	✓	✓	✓	✓			✓	✓			✓		✓	
	7/41			✓	✓	✓	✓	✓	✓			✓		✓	
	17			✓	✓			✓	✓			✓		✓	
	26 (Part 22)	✓	✓	✓	✓	✓		✓	✓			✓		✓	
	26	✓	✓	✓	✓			✓	✓			✓		✓	



	(Part 90)														
Conducted Band Edge	2/25	✓	✓	✓	✓	✓	✓	✓		✓		✓	✓		✓
	4/66	✓	✓	✓	✓	✓	✓	✓		✓		✓	✓		✓
	5/12	✓	✓	✓	✓			✓		✓		✓	✓		✓
	7/41			✓	✓	✓	✓	✓		✓		✓	✓		✓
	17			✓	✓			✓		✓		✓	✓		✓
	26 (Part 22)	✓	✓	✓	✓	✓		✓		✓		✓	✓		✓
	26 (Part 90)	✓	✓	✓	✓			✓		✓		✓	✓		✓
Conducted Spurious Emission	2/25						✓	✓		✓			✓	✓	✓
	4/66						✓	✓		✓			✓	✓	✓
	5/12				✓			✓		✓			✓	✓	✓
	7/41						✓	✓		✓			✓	✓	✓
	17				✓			✓		✓			✓	✓	✓
	26 (Part 22)				✓			✓		✓			✓	✓	✓
	26 (Part 90)				✓			✓		✓			✓	✓	✓
Frequency Stability	2/25				✓			✓				✓		✓	
	4/66				✓			✓				✓		✓	
	5/12				✓			✓				✓		✓	
	7/41				✓			✓				✓		✓	
	17				✓			✓				✓		✓	
	26 (Part 22)				✓			✓				✓		✓	
	26 (Part 90)				✓			✓				✓		✓	
Radiated Spurious Emission	2	Worst case												✓	
	4	Worst case												✓	
	5	Worst case												✓	
	7	Worst case												✓	
	12	Worst case												✓	
	17	Worst case												✓	
	25	Worst case												✓	
	26 (Part 22)	Worst case												✓	
	26 (Part 90)	Worst case												✓	
	41	Worst case												✓	
	66	Worst case												✓	

Note 1: The mark“✓”means that this configuration is chosen for testing.

Note 2: The EUT performs radiated spurious emission tests from 30MHz to 10 times the fundamental signal under different RB configurations and modulation types. Only worst-case data is reported.

LTE Band 7C:

Test Items	Band	Bandwidth(MHz)	Modulation	RB Configuration	Test Channel
Conducted Output Power and ERP/EIRP	41C	10+20, 15+10, 15+15, 15+20, 20+10, 20+15, 20+20	QPSK, 16QAM	1RB, Half, Full	L, M, H
Peak-to-Average Ratio	41C	20+20	QPSK, 16QAM	Full	M
99% OBW and 26dB EBW	41C	5+20, 10+15, 10+20, 15+10, 15+15, 15+20, 20+5, 20+10, 20+15, 20+20	QPSK, 16QAM	Full	M
Conducted Band Edge	41C	10+20, 15+10, 15+15, 15+20, 20+10, 20+15, 20+20	QPSK	1RB, Full	L, H
Conducted Spurious Emission	41C	20+20	QPSK	1RB	L, M, H
Frequency Stability	41C	20+20	QPSK	Full	M
Radiated Spurious Emission	41C	20+20	QPSK	1RB	M

LTE Band 41C:

Test Items	Band	Bandwidth(MHz)	Modulation	RB Configuration	Test Channel
Conducted Output Power and ERP/EIRP	41C	5+20, 10+15, 10+20, 15+10, 15+15, 15+20, 20+5, 20+10, 20+15, 20+20	QPSK, 16QAM	1RB, Half, Full	L, M, H
Peak-to-Average Ratio	41C	20+20	QPSK, 16QAM	Full	M
99% OBW and 26dB EBW	41C	5+20, 10+15, 10+20, 15+10, 15+15, 15+20, 20+5, 20+10, 20+15, 20+20	QPSK, 16QAM	Full	M
Conducted Band Edge	41C	5+20, 10+15, 10+20, 15+10, 15+15, 15+20, 20+5, 20+10, 20+15, 20+20	QPSK	1RB, Full	L, H
Conducted Spurious Emission	41C	20+20	QPSK	1RB	L, M, H
Frequency Stability	41C	20+20	QPSK	Full	M
Radiated Spurious Emission	41C	20+20	QPSK	1RB	M



1.6. Laboratory Facilities and Accreditation Certificate

☒ CCIC-SET Lab 1

Address: Electronic Testing Building, No.43, Shahe Road, Xili Street, Nanshan District, Shenzhen, Guangdong, China

FCC-Registration No.: CN1283

CCIC Southern Testing Co., Ltd EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files. Designation Number: CN1283, valid time is until Jun. 30th, 2025.

ISED Registration: 11185A, CAB number: CN0064

CCIC Southern Testing Co., Ltd. EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for the performance of radiated measurements with Registration No. 11185A on Aug. 04, 2016, valid time is until Jun. 30th, 2025.

A2LA Code: 5721.01

CCIC-SET is a third party testing organization accredited by A2LA according to ISO/IEC 17025. The accreditation certificate number is 5721.01.

CNAS L1659

CCIC Southern Testing Co., Ltd. CCIC is a third party testing organization accredited by China National Accreditation Service for Conformity Assessment (CNAS) according to ISO/IEC 17025. The accreditation certificate number is L1659.

☐ CCIC-SET Lab 4

Address: No.125, Hongmei Section, Wangsha Road, Hongmei Town, Dongguan City, Guangdong Province, China

CNAS L1659

CCIC Southern Testing Co., Ltd. CCIC is a third party testing organization accredited by China National Accreditation Service for Conformity Assessment (CNAS) according to ISO/IEC 17025. The accreditation certificate number is L1659.

1.7. Test Environment Conditions

During the measurement, the environmental conditions were within the listed ranges:

Temperature (°C):	15°C- 35°C
Relative Humidity (%):	30% -60%
Atmospheric Pressure (kPa):	86kPa-106kPa

2. 47 CFR Part 2 Requirements

2.1. Conducted Output Power and ERP/EIRP

2.1.1. Requirement

According to FCC section 2.1046(a), for transmitters other than single sideband, independent sideband and controlled carrier radiotelephone, power output shall be measured at the RF output terminals when the transmitter is adjusted in accordance with the tune-up procedure to give the values of current and voltage on the circuit elements specified in FCC section 2.1033(c)(8).

The EIRP of mobile transmitters must not exceed 2 Watts for LTE Band 2/25/7/7C/41/41C.

The EIRP of mobile transmitters must not exceed 1 Watts for LTE Band 4/66.

The ERP of mobile transmitters must not exceed 7 Watts for LTE Band 5/26_Part 22.

The ERP of mobile transmitters must not exceed 100 Watts for LTE Band 26_Part 90.

The ERP of mobile transmitters must not exceed 3 Watts for LTE Band 12/17.

According to KDB 412172 D01 Determining ERP and EIRP v01r01.

$EIRP = P_T + G_T - L_C$, $ERP = EIRP - 2.15$, where

P_T = transmitter output power in dBm;


G_T = gain of the transmitting antenna in dBi;

L_C = signal attenuation in the connecting cable between the transmitter and antenna in dB.

2.1.2. Measuring Instruments

The measuring equipment is listed in the section 3 of this test report.

2.1.3. Test Setup



2.1.4. Test Procedures

1. The transmitter output port was connected to the system simulator.
2. Set EUT at maximum power through system simulator.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Measure and record the power level from the system simulator.



2.1.5. Test Results of Conducted Output Power and ERP/EIRP

Please refer to Appendix A for detail.

2.2. Peak-to-average power ratio (PAPR)

2.2.1. Requirement


Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth.

In measuring transmissions in this band using an average power technique, the Peak-to-average power ratio (PAPR) of the transmission may not exceed 13 dB.

2.2.2. Measuring Instruments

The measuring equipment is listed in the section 3 of this test report.

2.2.3. Test Description



2.2.4. Test Procedures

1. The testing follows the of KDB 971168 D01 v03r01 Section 5.7.2 and ANSI C63.26-2015 Section 5.2.3.4.
2. The EUT was connected to spectrum analyzer and system simulator via a power divider, Path loss compensation is then performed on the spectrum analyzer and the system simulator respectively.
3. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
4. Set resolution/measurement bandwidth $\geq$ OBW or specified reference bandwidth.
5. Set the number of counts to a value that stabilizes the measured CCDF curve.
6. Set the EUT working in highest power level, measured and recorded the 0.1% as PAPR level.
7. Repeat step 3~6 at other frequency and modulations.



2.2.5. Test Results of Peak-to-average power ratio (PAPR)

Please refer to Appendix A for detail.

2.3. 99% Occupied Bandwidth and 26dB Emission Bandwidth

2.3.1. Requirement


The Occupied Bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers are each equal to 0.5% of the total mean power of the given emission.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

2.3.2. Measuring Instruments

The measuring equipment is listed in the section 3 of this test report.

2.3.3. Test Setup



2.3.4. Test Procedures

1. The testing follows the of KDB 971168 D01 v03r01 Section 4 and ANSI C63.26-2015 Section 5.4.
2. The EUT was connected to spectrum analyzer and system simulator via a power divider, Path loss compensation is then performed on the spectrum analyzer and the system simulator respectively.
3. The spectrum analyzer center frequency is set to the nominal EUT channel center frequency.
4. Set span to be approximately 1.5 to 5 times the OBW.
5. The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW.
6. Set $VBW \geq 3 \times RBW$.
7. Set Detection mode = peak.
8. Set Trace mode = max hold.
9. Allow trace to stabilize.
10. Repeat step 3~9 at other frequency and modulations.



2.3.5. Test Result of 99% Occupied Bandwidth and 26dB Emission Bandwidth

Please refer to Appendix A for detail.

2.4. Conducted Band Edge

2.4.1. Requirement

For Band 2&25 [Part 24.238 (a)]:

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log(P)$ dB.

For Band 4&66 [Part 27.53 (h)]:

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log(P)$ dB.

For Band 5&26 [Part 22.917(a)]:

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

In the spectrum below 1 GHz, instrumentation should employ a reference bandwidth of 100 kHz or greater. In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy, provided that the measured power is integrated over the full required reference bandwidth (i.e., 100 kHz or 1 percent of emission bandwidth, as specified).

For Band 7&7C&41&41C [Part 27.53 (m)(4)]:

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

For Band 12&17 [Part 27.53 (g)]:

For operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth

of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

For Band 26 [Part 90.691 (a)]:

Out-of-band emission requirement shall apply only to the “outer” channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:


(1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.

(2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz. (4) Compliance with the provisions of paragraphs (e)(1) and (2) of this section is based on the use of measurement instrumentation such that the reading taken with any resolution bandwidth setting should be adjusted to indicate spectral energy in a 6.25 kHz segment.

2.4.2. Measuring Instruments

The measuring equipment is listed in the section 3 of this test report.

2.4.3. Test Setup



2.4.4. Test Procedures

1. The testing follows the of KDB 971168 D01 v03r01 Section 6 and ANSI C63.26-2015 Section 5.7.
2. The EUT was connected to spectrum analyzer and system simulator via a power divider, Path loss compensation is then performed on the spectrum analyzer and the system simulator respectively.
3. Span was set large enough so as to capture all out of band emissions near the Channel Edge.
4. Use $RBW \geq 1\% \text{ EBW}$ in the 1 megahertz bands immediately outside and adjacent to the licensee's

authorized frequency channel, and use RBW = 1 MHz outside 1 MHz of the authorized frequency channel.

5. Set $VBW \geq 3 \times RBW$
6. Set Detector = power averaging (rms).
7. Set the number of points in sweep $\geq 2 \times \text{span} / RBW$.
8. Set sweep trigger to “free run.”
9. Set the Sweep time $> (\text{number of points in sweep}) \times (\text{transmitter period})$ (i.e., the transmit on-time + the off-time).
10. Perform a trace average of at least 100 traces.
11. Repeat step 3~10 at other frequency and modulations.



2.4.5. Test Result of Conducted Band Edge

Please refer to Appendix A for detail.

2.5. Conducted Spurious Emission

2.5.1. Requirement

For Band 2 & 4 & 5 & 12 & 17 & 25 & 26 & 66:

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.


For Band 7 & 7C & 41 & 41C:

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

2.5.2. Measuring Instruments

The measuring equipment is listed in the section 3 of this test report.

2.5.3. Test Setup



2.5.4. Test Procedures

1. The testing follows the of KDB 971168 D01 v03r01 Section 6 and ANSI C63.26-2015 Section 5.7.
2. The EUT was connected to spectrum analyzer and system simulator via a power divider, Path loss compensation is then performed on the spectrum analyzer and the system simulator respectively.
3. Set the spectrum analyzer start frequency to 9kHz and stop frequency to the tenth harmonic of the highest fundamental frequency.
4. Set RBW = 1kHz (9kHz~150kHz), 10kHz (150kHz~30MHz), 100kHz (30MHz~1GHz), 1MHz (Above 1 GHz), VBW $\geq 3 \times$ RBW
5. Set Detector = RMS, Trace mode = Averaging.
6. For duty cycle $\geq 98\%$, set Sweep time = (number of points in sweep) $\times$ (symbol period).
7. For duty cycle $< 98\%$, set Sweep time = (number of points in sweep) $\times$ (transmitter period).
8. Identify and measure the highest spurious emission levels in each frequency range.
9. Compare the results with the corresponding limit in the applicable regulation.

10. Repeat step 3~9 at other frequency and modulations.

Note: For 9 kHz to 30MHz: the amplitude of spurious emissions is attenuated by more than 20dB below the permissible value, so we not provide the test result here.

2.5.5. Test Result of Conducted Spurious Emission

Please refer to Appendix A for detail.

2.6. Radiated Spurious Emission

2.6.1. Requirement

The radiated spurious emission was measured by substitution method according to ANSI/TIA-603-E-2016.

For Band 2 & 4 & 5 & 12 & 17 & 25 & 26 & 66:

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For Band 7 & 7C & 41 & 41C:


The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

2.6.2. Measuring Instruments


The measuring equipment is listed in the section 3 of this test report.

2.6.3. Test Setup


For radiated emissions from 9kHz to 30MHz



For radiated emissions from 30MHz to 1GHz



For radiated emissions above 1GHz



2.6.4. Test Procedures

1. The EUT was placed on a rotatable wooden table with 0.8 meter (for below 1GHz) / 1.5 meters (for above 1GHz) above ground.
2. The EUT was set 3 meters from the receiving antenna, which was mounted on the antenna tower.
3. The table was rotated 360 degrees to determine the position of the highest spurious emission.
4. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations.
5. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
6. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
7. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
8. Taking the record of output power at antenna port.
9. Repeat step 7 to step 8 for another polarization.
10. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
11. All Spurious Emission tests were performed in X, Y, Z axis direction and low, middle, high channel. And only the worst axis test condition was recorded in this test report.
12. The spectrum is measured from 9 kHz to the 10th harmonic of the fundamental frequency of the transmitter using CISPR quasi peak detector below 1GHz. The worst case emissions are reported however emissions whose levels were not within 20dB of the respective limits were not reported.
13. The maximum RB configurations of the Radiated Spurious Emissions as RB Size full, RB Offset 0.

2.6.5. Test Result of Radiated Spurious Emission

Note: 1. The emission levels of above 18GHz are lower than the limit 20dB and not show in test report.

Note: 2. Absolute Level = Reading Level + Factor.

LTE Band 2 QPSK 20MHz BW Middle Channel							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	39.70	-94.07	-72.42	-13.00	59.42	21.65	Horizontal
2	104.24	-93.11	-73.75	-13.00	60.75	19.36	Horizontal
3	140.64	-94.31	-73.65	-13.00	60.65	20.66	Horizontal
4	4871.72	-59.13	-44.39	-13.00	31.39	14.74	Horizontal
5	6982.45	-60.78	-43.50	-13.00	30.50	17.28	Horizontal
6	16300.7	-64.87	-39.64	-13.00	26.64	25.23	Horizontal
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-90.64	-70.25	-13.00	57.25	20.39	Vertical
2	51.35	-93.22	-74.23	-13.00	61.23	18.99	Vertical
3	111.04	-88.70	-65.28	-13.00	52.28	23.42	Vertical
4	4791.56	-59.03	-44.42	-13.00	31.42	14.61	Vertical
5	7500.55	-60.33	-40.66	-13.00	27.66	19.67	Vertical
6	12866.7	-62.73	-39.50	-13.00	26.50	23.23	Vertical

LTE Band 4 QPSK 20MHz BW Middle Channel							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	63.97	-85.89	-66.55	-13.00	53.55	19.34	Horizontal
2	98.90	-88.63	-69.42	-13.00	56.42	19.21	Horizontal
3	300.28	-91.83	-65.92	-13.00	52.92	25.91	Horizontal
4	7559.78	-60.64	-41.00	-13.00	28.00	19.64	Horizontal
5	12747.6	-62.82	-39.78	-13.00	26.78	23.04	Horizontal
6	17351.3	-66.32	-37.23	-13.00	24.23	29.09	Horizontal
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	62.51	-85.47	-65.12	-13.00	52.12	20.35	Vertical
2	99.87	-88.41	-63.98	-13.00	50.98	24.43	Vertical
3	298.82	-93.74	-68.43	-13.00	55.43	25.31	Vertical
4	4785.26	-59.20	-44.67	-13.00	31.67	14.53	Vertical
5	7482.15	-60.96	-41.29	-13.00	28.29	19.67	Vertical
6	14063.9	-63.41	-39.69	-13.00	26.69	23.72	Vertical

LTE Band 5 QPSK 10MHz BW Middle Channel							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-90.05	-68.05	-13.00	55.05	22.00	Horizontal
2	104.24	-92.98	-73.62	-13.00	60.62	19.36	Horizontal
3	442.94	-98.27	-69.71	-13.00	56.71	28.56	Horizontal
4	2038.85	-54.34	-52.63	-13.00	39.63	1.71	Horizontal
5	4784.21	-58.89	-44.38	-13.00	31.38	14.51	Horizontal
6	13682.1	-63.15	-39.31	-13.00	26.31	23.84	Horizontal
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-89.31	-68.92	-13.00	55.92	20.39	Vertical
2	51.84	-91.55	-72.50	-13.00	59.50	19.05	Vertical
3	102.79	-94.49	-70.31	-13.00	57.31	24.18	Vertical
4	2040.75	-53.49	-51.77	-13.00	38.77	1.72	Vertical
5	7193.48	-59.79	-40.82	-13.00	27.82	18.97	Vertical
6	14285.3	-63.86	-39.15	-13.00	26.15	24.71	Vertical

LTE Band 7 QPSK 20MHz BW Middle Channel							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-90.39	-68.39	-25.00	43.39	22.00	Horizontal
2	104.24	-92.87	-73.51	-25.00	48.51	19.36	Horizontal
3	163.44	-95.27	-73.62	-25.00	48.62	21.65	Horizontal
4	7440.75	-58.47	-38.78	-25.00	13.78	19.69	Horizontal
5	12769.5	-61.24	-38.19	-25.00	13.19	23.05	Horizontal
6	17315.7	-65.25	-36.37	-25.00	11.37	28.88	Horizontal
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-89.91	-69.52	-25.00	44.52	20.39	Vertical
2	51.84	-91.42	-72.37	-25.00	47.37	19.05	Vertical
3	104.24	-93.43	-69.39	-25.00	44.39	24.04	Vertical
4	4988.62	-58.98	-44.74	-25.00	19.74	14.24	Vertical
5	7148.63	-61.32	-42.77	-25.00	17.77	18.55	Vertical
6	11870.7	-62.59	-38.86	-25.00	13.86	23.73	Vertical

LTE Band 12 QPSK 10MHz BW Middle Channel							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	40.19	-85.04	-63.51	-13.00	50.51	21.53	Horizontal
2	62.03	-86.66	-67.33	-13.00	54.33	19.33	Horizontal
3	293.00	-93.88	-68.63	-13.00	55.63	25.25	Horizontal
4	5091.18	-59.15	-44.57	-13.00	31.57	14.58	Horizontal
5	7377.49	-60.57	-41.09	-13.00	28.09	19.48	Horizontal
6	13643.5	-63.70	-39.66	-13.00	26.66	24.04	Horizontal
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-83.07	-62.68	-13.00	49.68	20.39	Vertical
2	63.00	-81.43	-61.03	-13.00	48.03	20.40	Vertical
3	98.90	-88.88	-64.56	-13.00	51.56	24.32	Vertical
4	297.85	-92.81	-67.52	-13.00	54.52	25.29	Vertical
5	5099.58	-58.35	-43.73	-13.00	30.73	14.62	Vertical
6	10786.8	-61.44	-38.81	-13.00	25.81	22.63	Vertical

LTE Band 17 QPSK 10MHz BW Middle Channel							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-83.83	-61.83	-13.00	48.83	22.00	Horizontal
2	62.03	-86.24	-66.91	-13.00	53.91	19.33	Horizontal
3	298.34	-98.43	-72.69	-13.00	59.69	25.74	Horizontal
4	4872.94	-58.78	-44.04	-13.00	31.04	14.74	Horizontal
5	7713.31	-59.56	-40.26	-13.00	27.26	19.30	Horizontal
6	17363.4	-65.75	-36.59	-13.00	23.59	29.16	Horizontal
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	62.03	-85.84	-65.55	-13.00	52.55	20.29	Vertical
2	102.79	-88.93	-64.75	-13.00	51.75	24.18	Vertical
3	306.10	-91.66	-66.22	-13.00	53.22	25.44	Vertical
4	3032.90	-57.52	-50.22	-13.00	37.22	7.30	Vertical
5	7636.83	-59.67	-40.17	-13.00	27.17	19.50	Vertical
6	13159.4	-62.71	-39.45	-13.00	26.45	23.26	Vertical

LTE Band 25 QPSK 20MHz BW Middle Channel							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-85.13	-63.13	-13.00	50.13	22.00	Horizontal
2	99.39	-88.45	-69.25	-13.00	56.25	19.20	Horizontal
3	320.66	-95.58	-68.38	-13.00	55.38	27.20	Horizontal
4	1323.32	-49.51	-51.84	-13.00	38.84	-2.33	Horizontal
5	2410.17	-53.84	-50.59	-13.00	37.59	3.25	Horizontal
6	14023.1	-62.89	-39.20	-13.00	26.20	23.69	Horizontal
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	63.48	-86.22	-65.76	-13.00	52.76	20.46	Vertical
2	99.39	-88.28	-63.91	-13.00	50.91	24.37	Vertical
3	294.94	-90.58	-65.35	-13.00	52.35	25.23	Vertical
4	3312.22	-57.19	-50.17	-13.00	37.17	7.02	Vertical
5	5769.86	-55.05	-41.00	-13.00	28.00	14.05	Vertical
6	10593.0	-61.25	-38.55	-13.00	25.55	22.70	Vertical

LTE Band 26(Part 22) QPSK 15MHz BW Middle Channel							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-89.78	-67.78	-13.00	54.78	22.00	Horizontal
2	109.09	-94.48	-74.95	-13.00	61.95	19.53	Horizontal
3	290.09	-96.00	-71.01	-13.00	58.01	24.99	Horizontal
4	2541.88	-54.73	-50.92	-13.00	37.92	3.81	Horizontal
5	7722.51	-60.01	-40.72	-13.00	27.72	19.29	Horizontal
6	12474.5	-62.36	-39.51	-13.00	26.51	22.85	Horizontal
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-89.91	-69.52	-13.00	56.52	20.39	Vertical
2	105.70	-93.31	-69.40	-13.00	56.40	23.91	Vertical
3	629.76	-104.70	-71.65	-13.00	58.65	33.05	Vertical
4	4906.02	-59.04	-44.33	-13.00	31.33	14.71	Vertical
5	7777.71	-59.78	-40.53	-13.00	27.53	19.25	Vertical
6	12234.7	-62.80	-40.04	-13.00	27.04	22.76	Vertical

LTE Band 26(Part 90) QPSK 10MHz BW Middle Channel							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-87.66	-65.66	-13.00	52.66	22.00	Horizontal
2	112.49	-95.54	-75.88	-13.00	62.88	19.66	Horizontal
3	355.11	-98.37	-69.53	-13.00	56.53	28.84	Horizontal
4	2541.88	-53.13	-49.32	-13.00	36.32	3.81	Horizontal
5	5768.99	-56.92	-42.87	-13.00	29.87	14.05	Horizontal
6	11921.3	-62.83	-39.31	-13.00	26.31	23.52	Horizontal
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-89.71	-69.32	-13.00	56.32	20.39	Vertical
2	51.35	-91.74	-72.75	-13.00	59.75	18.99	Vertical
3	104.24	-93.17	-69.13	-13.00	56.13	24.04	Vertical
4	2040.95	-54.92	-53.20	-13.00	40.20	1.72	Vertical
5	7585.08	-60.85	-41.22	-13.00	28.22	19.63	Vertical
6	10137.6	-61.37	-39.46	-13.00	26.46	21.91	Vertical

LTE Band 41 QPSK 20MHz BW Middle Channel							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	40.19	-92.88	-71.35	-25.00	46.35	21.53	Horizontal
2	53.78	-98.46	-79.19	-25.00	54.19	19.27	Horizontal
3	104.24	-93.15	-73.79	-25.00	48.79	19.36	Horizontal
4	2766.69	-51.25	-46.03	-25.00	21.03	5.22	Horizontal
5	10896.6	-59.94	-36.87	-25.00	11.87	23.07	Horizontal
6	17171.3	-65.89	-37.76	-25.00	12.76	28.13	Horizontal
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-89.15	-68.76	-25.00	43.76	20.39	Vertical
2	51.84	-93.74	-74.69	-25.00	49.69	19.05	Vertical
3	104.24	-92.44	-68.40	-25.00	43.40	24.04	Vertical
4	2780.79	-53.53	-48.25	-25.00	23.25	5.28	Vertical
5	12238.2	-62.09	-39.34	-25.00	14.34	22.75	Vertical
6	16656.7	-64.59	-38.43	-25.00	13.43	26.16	Vertical

LTE Band 66 QPSK 20MHz BW Middle Channel							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-89.04	-67.04	-13.00	54.04	22.00	Horizontal
2	111.04	-90.12	-70.52	-13.00	57.52	19.60	Horizontal
3	1086.70	-48.01	-49.99	-13.00	36.99	-1.98	Horizontal
4	2830.69	-55.91	-50.35	-13.00	37.35	5.56	Horizontal
5	7899.62	-61.07	-41.52	-13.00	28.52	19.55	Horizontal
6	11831.6	-63.10	-39.50	-13.00	26.50	23.60	Horizontal
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	64.45	-95.48	-74.91	-13.00	61.91	20.57	Vertical
2	104.24	-92.82	-68.78	-13.00	55.78	24.04	Vertical
3	1010.70	-56.16	-57.43	-13.00	44.43	-1.27	Vertical
4	3003.33	-59.32	-51.95	-13.00	38.95	7.37	Vertical
5	11937.4	-62.89	-39.61	-13.00	26.61	23.28	Vertical
6	17348.4	-66.37	-37.30	-13.00	24.30	29.07	Vertical

LTE Band 7C QPSK 20MHz BW Middle Channel							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-88.30	-66.30	-25.00	41.30	22.00	Horizontal
2	111.04	-89.03	-69.43	-25.00	44.43	19.60	Horizontal
3	2035.35	-51.60	-49.91	-25.00	24.91	1.69	Horizontal
4	5012.08	-58.53	-44.29	-25.00	19.29	14.24	Horizontal
5	10993.8	-62.51	-39.80	-25.00	14.80	22.71	Horizontal
6	14268.0	-64.08	-39.49	-25.00	14.49	24.59	Horizontal
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-90.16	-69.77	-25.00	44.77	20.39	Vertical
2	51.84	-93.23	-74.18	-25.00	49.18	19.05	Vertical
3	104.24	-92.84	-68.80	-25.00	43.80	24.04	Vertical
4	5089.43	-58.61	-44.04	-25.00	19.04	14.57	Vertical
5	7440.17	-60.72	-41.04	-25.00	16.04	19.68	Vertical
6	13363.5	-63.32	-39.70	-25.00	14.70	23.62	Vertical

LTE Band 41C QPSK 20MHz BW Middle Channel							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	36.79	-91.65	-69.30	-25.00	44.30	22.35	Horizontal
2	105.70	-94.73	-75.32	-25.00	50.32	19.41	Horizontal
3	661.30	-104.91	-70.10	-25.00	45.10	34.81	Horizontal
4	2767.19	-48.62	-43.40	-25.00	18.40	5.22	Horizontal
5	11865.0	-63.65	-39.94	-25.00	14.94	23.71	Horizontal
6	17254.7	-65.69	-37.14	-25.00	12.14	28.55	Horizontal
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	38.25	-89.56	-69.17	-25.00	44.17	20.39	Vertical
2	51.84	-91.78	-72.73	-25.00	47.73	19.05	Vertical
3	104.24	-93.56	-69.52	-25.00	44.52	24.04	Vertical
4	2781.99	-51.60	-46.31	-25.00	21.31	5.29	Vertical
5	5762.86	-54.21	-40.15	-25.00	15.15	14.06	Vertical
6	12277.3	-61.66	-38.94	-25.00	13.94	22.72	Vertical

2.7. Frequency Stability

2.7.1. Requirement


According to FCC requirement, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ ($\pm 2.5\text{ppm}$) of the center frequency. According to FCC section 2.1055, the test conditions are:

- (1) The temperature is varied from -30°C to $+50^{\circ}\text{C}$ at intervals of not more than 10°C .
- (2) For hand carried battery powered equipment, the primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacture. The supply voltage shall be measured at the input to the cable normally provided with the equipment, or at the power supply terminals if cables are not normally provided.

2.7.2. Measuring Instruments

The measuring equipment is listed in the section 3 of this test report.

2.7.3. Test Setup



2.7.4. Test Procedures

1. The EUT was set up in the thermal chamber and connected with the system simulator.
2. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
3. With power OFF, the temperature was raised in 10°C step up to 50°C . The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.
4. The nominal, highest and lowest extreme voltages were tested, which are specified by the applicant; the normal temperature here used is 20°C .
5. The variation in frequency was measured for the worst case.



2.7.5. Test Result of Frequency Stability

Please refer to Appendix A for detail.

3. List of measuring equipment

Item	Test Equipment	Manufacturer	Model No.	Serial No.	Cal Date	Due Date
1	EMI Test Receiver	ROHDE&SCHWARZ	ESW26	A180502935	2024.05.23	2025.05.22
2	5M Anechoic Chamber	Albatross	SAC-5MAC 12.8x6.8x6.4m	A0304210	2022.06.09	2026.06.08
3	Loop Antenna	SCHWARZBECK	FMZB 1519-60 C	A240204134	2023.12.13	2026.12.12
4	Broadband antenna (30MHz~1GHz)	R&S	HL562	A0304224	2023.06.08	2026.06.07
5	EMI Horn Ant. (1-18G)	ETC	MCTD-1209	A150402241	2023.05.16	2026.05.15
6	Horn antenna (18GHz~26.5GHz)	AR	AT4510	A0804450	2023.06.01	2026.05.31
7	Amplifier 30M~1GHz	MILMEGA	80RF1000-1000	A140101634	2024.09.05	2025.09.04
8	Amplifier 1G~18GHz	MILMEGA	AS0104R-800/400	A160302517	2024.05.25	2025.05.24
9	Spectrum Analyzer	KEYSIGHT	N9030A	A160702554	2024.12.31	2025.12.30
10	Test Receiver	R&S	ESIB7	A0501375	2025.01.13	2026.01.12
11	Broadband Ant.	ETC	MCTD 2786	A150402240	2023.05.22	2026.05.21
12	3M Anechoic Chamber	Albatross	SAC-3MAC 9*6*6m	A0412375	2024.02.27	2027.02.26
13	Constant Temperature Humidity Chamber	ESPEC	SU-642	A150802409	2025.01.03	2026.01.02
14	Wideband Radio Communication tester	R&S	CMW500	A130101034	2024.06.18	2025.06.17
15	Wideband Radio Communication tester	R&S	CMW500	A150802214	2024.10.22	2025.10.21
16	Test Receiver	KEYSIGHT	N9038A	A141202036	2024.06.05	2025.06.04
17	LISN	ROHDE&SCHWARZ	ENV216	A140701847	2024.05.23	2025.05.22
18	Power Supply	R&S	WYJ-60100	A141102031	2023.07.12	2026.07.11
19	Cable(9kHz~30MHz)	/	/	C230800587	2023.08.21	2026.08.20
20	Cable(30MHz~18GHz)	/	XSMJA750-SMN M(RA)-12M	C230800588	2023.08.21	2026.08.20
21	Cable(18GHz~40GHz)	/	SUCOFLEX102	C230800590	2023.08.21	2026.08.20

4. Uncertainty of Evaluation

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.26-2015. All the measurement uncertainty value were shown with a coverage $K=2$ to indicate 95% level of confidence . The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

Uncertainty of Conducted Emission Measurement (150kHz~30MHz)

Measuring Uncertainty for a level of confidence of 95%($U=2U_c(y)$)	2.8dB
--	-------

Uncertainty of Radiated Emission Measurement (9kHz~30MHz)

Measuring Uncertainty for a level of confidence of 95%($U=2U_c(y)$)	3.5dB
--	-------

Uncertainty of Radiated Emission Measurement (30MHz~1GHz)

Measuring Uncertainty for a level of confidence of 95%($U=2U_c(y)$)	3.91dB
--	--------

Uncertainty of Radiated Emission Measurement (1GHz~18GHz)

Measuring Uncertainty for a level of confidence of 95%($U=2U_c(y)$)	4.5dB
--	-------

Uncertainty of Radiated Emission Measurement (18GHz~40GHz)

Measuring Uncertainty for a level of confidence of 95%($U=2U_c(y)$)	4.9dB
--	-------

Uncertainty of RF Conducted Measurement (9kHz~40GHz)

Measuring Uncertainty for a level of confidence of 95%($U=2U_c(y)$)	1.2dB
--	-------

APPENDIX A

Conducted Output Power and ERP/EIRP

Test Result and Data

LTE Band 2-Ant11:

LTE Band 2 - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			18607	18900	19193			
			1850.7MHz	1880.0MHz	1909.3MHz			
QPSK	1	0	24.70	24.92	24.77	-2.70	22.22	33.00
	1	2	24.80	24.89	24.71			
	1	5	24.67	24.87	24.75			
	3	0	24.76	24.87	24.60			
	3	1	24.79	24.81	24.72			
	3	2	24.68	24.83	24.80			
	6	0	23.75	23.89	23.81			
16QAM	1	0	23.76	23.85	23.73	-2.70	21.19	33.00
	1	2	23.81	23.89	23.89			
	1	5	23.56	23.87	23.83			
	3	0	22.85	22.92	22.70			
	3	1	22.73	22.95	22.74			
	3	2	22.71	22.94	22.83			
	6	0	22.78	22.91	22.73			
LTE Band 2 - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			18615	18900	19185			
			1851.5MHz	1880.0MHz	1908.5MHz			
QPSK	1	0	24.89	24.94	24.81	-2.70	22.36	33.00
	1	7	24.97	25.06	24.95			
	1	14	24.88	25.02	24.83			
	8	0	23.89	23.95	23.93			
	8	4	24.01	23.98	23.92			
	8	7	23.96	24.07	23.92			
	15	0	23.96	23.94	23.81			
16QAM	1	0	23.91	23.93	23.90	-2.70	21.32	33.00
	1	7	23.95	23.92	23.92			
	1	14	24.02	23.87	23.93			
	8	0	22.88	22.96	22.90			
	8	4	23.07	22.96	22.95			
	8	7	22.89	23.05	22.95			
	15	0	22.94	22.97	22.94			

LTE Band 2 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			18625	18900	19175			
			1852.5MHz	1880.0MHz	1907.5MHz			
QPSK	1	0	24.96	25.03	24.92	-2.70	22.51	33.00
	1	12	25.07	25.21	25.03			
	1	24	24.96	25.09	24.84			
	12	0	23.95	23.96	23.86			
	12	6	23.97	23.97	23.87			
	12	11	23.98	24.07	23.91			
	25	0	23.94	23.97	23.86			
16QAM	1	0	23.81	24.11	23.71	-2.70	21.54	33.00
	1	12	23.89	24.24	23.85			
	1	24	24.00	24.07	23.97			
	12	0	22.87	22.96	22.79			
	12	6	22.91	22.99	22.85			
	12	11	22.95	23.11	22.95			
	25	0	22.89	22.96	22.83			
LTE Band 2 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			18650	18900	19150			
			1855.0MHz	1880.0MHz	1905.0MHz			
QPSK	1	0	24.81	24.92	24.90	-2.70	22.51	33.00
	1	24	24.87	25.21	24.88			
	1	49	24.96	25.03	24.83			
	25	0	23.95	24.02	23.90			
	25	12	24.02	24.06	24.00			
	25	24	24.04	24.07	23.97			
	50	0	23.99	24.03	23.96			
16QAM	1	0	24.00	24.14	23.80	-2.70	21.44	33.00
	1	24	24.14	24.01	23.99			
	1	49	24.02	24.02	23.69			
	25	0	22.93	23.02	22.92			
	25	12	23.00	23.01	22.97			
	25	24	23.05	23.09	22.97			
	50	0	23.01	23.09	22.98			

LTE Band 2 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			18675	18900	19125			
			1857.5MHz	1880.0MHz	1902.5MHz			
QPSK	1	0	25.01	25.01	24.99	-2.70	22.33	33.00
	1	37	24.99	25.02	24.94			
	1	74	24.79	25.03	24.86			
	36	0	23.96	23.95	23.88			
	36	16	24.03	24.01	23.89			
	36	35	23.98	23.95	23.88			
	75	0	23.97	23.95	23.84			
16QAM	1	0	23.90	23.85	23.68	-2.70	21.34	33.00
	1	37	24.04	24.04	23.85			
	1	74	23.96	24.04	23.96			
	36	0	23.94	23.99	23.85			
	36	16	23.00	23.04	22.89			
	36	35	23.94	23.98	23.82			
	75	0	22.97	22.90	22.92			
LTE Band 2 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			18700	18900	19100			
			1860.0MHz	1880.0MHz	1900.0MHz			
QPSK	1	0	24.86	25.09	24.98	-2.70	22.44	33.00
	1	49	24.96	25.09	25.07			
	1	99	25.14	25.01	24.84			
	50	0	23.93	24.01	23.94			
	50	24	24.06	24.06	24.02			
	50	49	24.03	24.09	23.97			
	100	0	23.94	23.95	24.00			
16QAM	1	0	23.92	24.01	23.76	-2.70	21.67	33.00
	1	49	24.00	24.37	23.95			
	1	99	23.98	24.29	23.85			
	50	0	22.94	23.02	22.96			
	50	24	23.01	23.01	23.02			
	50	49	23.06	23.05	22.97			
	100	0	22.95	22.96	23.08			

LTE Band 2-Ant8:

LTE Band 2 - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			18607	18900	19193			
			1850.7MHz	1880.0MHz	1909.3MHz			
QPSK	1	0	24.40	24.58	24.39	-1.30	23.33	33.00
	1	2	24.31	24.63	24.51			
	1	5	24.38	24.38	24.59			
	3	0	23.38	23.54	23.48			
	3	1	23.26	23.59	23.43			
	3	2	23.30	23.52	23.59			
	6	0	23.34	23.50	23.53			
16QAM	1	0	23.44	23.38	23.65	-1.30	22.36	33.00
	1	2	23.36	23.52	23.53			
	1	5	23.31	23.58	23.66			
	3	0	22.46	22.58	22.61			
	3	1	22.33	22.69	22.57			
	3	2	22.41	22.63	22.66			
	6	0	22.42	22.67	22.65			
LTE Band 2 - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			18615	18900	19185			
			1851.5MHz	1880.0MHz	1908.5MHz			
QPSK	1	0	24.41	24.66	24.42	-1.30	23.37	33.00
	1	7	24.43	24.67	24.56			
	1	14	24.44	24.62	24.52			
	8	0	23.58	23.61	23.57			
	8	4	23.49	23.67	23.64			
	8	7	23.59	23.73	23.79			
	15	0	23.43	23.63	23.53			
16QAM	1	0	23.33	23.44	23.36	-1.30	22.34	33.00
	1	7	23.46	23.64	23.52			
	1	14	23.44	23.53	23.51			
	8	0	22.46	22.60	22.49			
	8	4	22.63	22.62	22.58			
	8	7	22.62	22.59	22.62			
	15	0	22.48	22.58	22.60			

LTE Band 2 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			18625	18900	19175			
			1852.5MHz	1880.0MHz	1907.5MHz			
QPSK	1	0	24.26	24.55	24.22	-1.30	23.25	33.00
	1	12	24.32	24.47	24.30			
	1	24	24.33	24.43	24.38			
	12	0	23.34	23.42	23.26			
	12	6	23.42	23.48	23.36			
	12	11	23.31	23.56	23.59			
	25	0	23.27	23.45	23.22			
16QAM	1	0	23.31	23.41	23.32	-1.30	22.30	33.00
	1	12	23.42	23.58	23.07			
	1	24	23.23	23.60	23.41			
	12	0	22.37	22.36	22.20			
	12	6	22.48	22.49	22.36			
	12	11	22.33	22.56	22.66			
	25	0	22.31	22.48	22.39			
LTE Band 2 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			18650	18900	19150			
			1855.0MHz	1880.0MHz	1905.0MHz			
QPSK	1	0	24.30	24.54	24.29	-1.30	23.26	33.00
	1	24	24.27	24.45	24.24			
	1	49	24.54	24.56	24.35			
	25	0	23.40	23.54	23.28			
	25	12	23.39	23.57	23.28			
	25	24	23.35	23.62	23.40			
	50	0	23.07	23.30	22.93			
16QAM	1	0	22.88	23.40	23.28	-1.30	22.28	33.00
	1	24	23.30	23.56	23.12			
	1	49	23.58	23.53	23.46			
	25	0	22.41	22.61	22.24			
	25	12	22.35	22.59	22.34			
	25	24	22.43	22.63	22.42			
	50	0	22.19	22.50	22.07			

LTE Band 2 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			18675	18900	19125			
			1857.5MHz	1880.0MHz	1902.5MHz			
QPSK	1	0	24.34	24.50	24.51	-1.30	23.26	33.00
	1	37	24.48	24.53	24.37			
	1	74	24.56	24.48	24.33			
	36	0	23.26	23.42	23.14			
	36	16	23.46	23.52	23.34			
	36	35	23.18	23.47	23.15			
	75	0	23.20	23.35	23.12			
16QAM	1	0	23.06	23.58	23.61	-1.30	22.38	33.00
	1	37	23.37	23.56	23.25			
	1	74	23.44	23.68	23.40			
	36	0	22.32	22.41	22.24			
	36	16	22.45	22.54	22.35			
	36	35	22.29	22.50	22.17			
	75	0	22.28	22.48	22.18			
LTE Band 2 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			18700	18900	19100			
			1860.0MHz	1880.0MHz	1900.0MHz			
QPSK	1	0	24.40	24.56	24.63	-1.30	23.33	33.00
	1	49	24.54	24.45	24.46			
	1	99	24.50	24.57	24.49			
	50	0	23.48	23.52	23.67			
	50	24	23.56	23.53	23.44			
	50	49	23.68	23.58	23.37			
	100	0	23.34	23.54	23.24			
16QAM	1	0	23.39	23.45	23.43	-1.30	22.33	33.00
	1	49	23.63	23.43	23.29			
	1	99	23.57	23.56	23.39			
	50	0	22.51	22.53	22.68			
	50	24	22.71	22.56	22.64			
	50	49	22.67	22.61	22.38			
	100	0	22.43	22.48	22.41			

LTE Band 4-Ant11:

LTE Band 4 - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			19957	20175	20393			
			1710.7MHz	1732.5MHz	1754.3MHz			
QPSK	1	0	24.85	24.80	24.78	-2.10	22.88	30.00
	1	2	24.91	24.85	24.76			
	1	5	24.85	24.98	24.90			
	3	0	23.82	23.93	23.94			
	3	1	23.86	23.95	23.87			
	3	2	23.91	23.90	23.86			
	6	0	23.90	23.93	23.89			
16QAM	1	0	23.87	23.88	23.86	-2.10	21.98	30.00
	1	2	24.08	23.95	23.81			
	1	5	23.81	23.80	23.84			
	3	0	22.83	22.86	22.97			
	3	1	22.92	22.92	22.87			
	3	2	22.88	22.90	22.91			
	6	0	22.85	22.87	22.91			
LTE Band 4 - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			19965	20175	20385			
			1711.5MHz	1732.5MHz	1753.5MHz			
QPSK	1	0	24.90	24.79	24.76	-2.10	22.96	30.00
	1	7	25.03	24.99	25.06			
	1	14	24.94	24.91	24.90			
	8	0	24.05	23.94	23.91			
	8	4	24.15	24.08	24.11			
	8	7	24.08	24.05	24.05			
	15	0	24.04	23.96	23.87			
16QAM	1	0	23.88	23.86	23.87	-2.10	21.95	30.00
	1	7	23.90	23.97	23.91			
	1	14	24.05	23.91	23.97			
	8	0	23.06	22.90	22.87			
	8	4	23.10	23.08	23.11			
	8	7	23.14	23.05	23.02			
	15	0	23.04	22.94	22.90			

LTE Band 4 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			19975	20175	20375			
			1712.5MHz	1732.5MHz	1752.5MHz			
QPSK	1	0	24.88	24.99	24.94	-2.10	22.93	30.00
	1	12	25.02	25.01	24.97			
	1	24	25.03	25.03	24.96			
	12	0	24.07	23.92	23.89			
	12	6	24.14	24.01	24.04			
	12	11	24.05	24.04	24.00			
	25	0	24.04	23.93	23.97			
16QAM	1	0	23.91	23.92	23.83	-2.10	21.97	30.00
	1	12	23.89	24.07	23.77			
	1	24	24.07	23.97	23.89			
	12	0	23.09	22.89	22.91			
	12	6	23.12	22.99	23.15			
	12	11	23.09	23.02	23.04			
	25	0	23.06	22.92	22.99			
LTE Band 4 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			20000	20175	20350			
			1715.0MHz	1732.5MHz	1750.0MHz			
QPSK	1	0	24.88	24.96	24.92	-2.10	22.98	30.00
	1	24	25.03	25.04	24.97			
	1	49	24.96	24.97	25.08			
	25	0	24.03	24.01	23.98			
	25	12	24.04	23.99	24.01			
	25	24	24.09	24.06	23.95			
	50	0	23.90	23.98	23.97			
16QAM	1	0	23.87	23.94	23.89	-2.10	22.03	30.00
	1	24	24.08	23.91	23.75			
	1	49	24.13	23.98	23.89			
	25	0	23.10	22.96	22.93			
	25	12	23.12	22.99	23.07			
	25	24	23.09	23.04	22.96			
	50	0	22.98	22.94	22.99			

LTE Band 4 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			20025	20175	20325			
			1717.5MHz	1732.5MHz	1747.5MHz			
QPSK	1	0	24.87	24.95	24.96	-2.10	22.88	30.00
	1	37	24.98	24.91	24.92			
	1	74	24.88	24.86	24.84			
	36	0	23.88	23.90	23.96			
	36	16	24.01	23.95	23.99			
	36	35	23.99	23.90	23.97			
	75	0	24.00	23.91	23.92			
16QAM	1	0	23.98	24.11	24.03	-2.10	22.01	30.00
	1	37	23.87	24.01	23.90			
	1	74	23.89	23.92	23.89			
	36	0	22.90	22.94	22.98			
	36	16	23.07	22.95	23.00			
	36	35	22.99	22.89	22.96			
	75	0	22.90	23.03	22.95			
LTE Band 4 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			20050	20175	20300			
			1720.0MHz	1732.5MHz	1745.0MHz			
QPSK	1	0	24.94	24.87	24.97	-2.10	22.93	30.00
	1	49	24.95	25.03	24.91			
	1	99	24.89	24.80	24.81			
	50	0	23.95	23.98	23.95			
	50	24	24.08	24.00	23.98			
	50	49	24.02	24.02	23.99			
	100	0	24.02	23.92	23.94			
16QAM	1	0	23.80	24.00	23.81	-2.10	22.00	30.00
	1	49	24.02	24.10	23.71			
	1	99	23.82	23.85	23.48			
	50	0	22.99	22.97	22.91			
	50	24	23.10	22.96	23.02			
	50	49	23.05	22.98	22.94			
	100	0	23.02	23.01	23.01			

LTE Band 4-Ant8:

LTE Band 4 - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			19957	20175	20393			
			1710.7MHz	1732.5MHz	1754.3MHz			
QPSK	1	0	24.24	24.58	24.29	-2.70	21.88	30.00
	1	2	24.29	24.54	24.35			
	1	5	24.20	24.53	24.25			
	3	0	23.29	23.51	23.32			
	3	1	23.33	23.54	23.31			
	3	2	23.28	23.62	23.29			
	6	0	23.29	23.56	23.31			
16QAM	1	0	23.26	23.47	23.38	-2.70	20.82	30.00
	1	2	23.30	23.35	23.36			
	1	5	23.35	23.52	23.40			
	3	0	22.32	22.66	22.43			
	3	1	22.33	22.61	22.33			
	3	2	22.43	23.50	22.45			
	6	0	22.45	22.63	22.46			
LTE Band 4 - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			19965	20175	20385			
			1711.5MHz	1732.5MHz	1753.5MHz			
QPSK	1	0	24.38	24.41	24.30	-2.70	21.91	30.00
	1	7	24.41	24.61	24.31			
	1	14	24.33	24.56	24.25			
	8	0	23.32	23.42	23.42			
	8	4	23.43	23.56	23.42			
	8	7	23.41	23.58	23.48			
	15	0	23.34	23.53	23.35			
16QAM	1	0	23.39	23.43	23.46	-2.70	20.86	30.00
	1	7	23.45	23.56	23.38			
	1	14	23.32	23.51	23.36			
	8	0	22.38	22.68	22.41			
	8	4	22.42	22.75	22.46			
	8	7	22.39	22.75	22.48			
	15	0	22.37	22.64	22.43			

LTE Band 4 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			19975	20175	20375			
			1712.5MHz	1732.5MHz	1752.5MHz			
QPSK	1	0	24.26	24.49	24.29	-2.70	21.91	30.00
	1	12	24.34	24.61	24.34			
	1	24	24.42	24.59	24.23			
	12	0	23.39	23.50	23.49			
	12	6	23.44	23.57	23.41			
	12	11	23.46	23.62	23.49			
	25	0	23.35	23.47	23.39			
16QAM	1	0	23.16	23.49	23.30	-2.70	20.91	30.00
	1	12	23.36	23.61	23.49			
	1	24	23.58	23.56	23.24			
	12	0	22.45	22.55	22.48			
	12	6	22.52	22.55	22.58			
	12	11	22.53	22.64	22.55			
	25	0	22.29	22.48	22.39			
LTE Band 4 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			20000	20175	20350			
			1715.0MHz	1732.5MHz	1750.0MHz			
QPSK	1	0	24.20	24.52	24.30	-2.70	21.83	30.00
	1	24	24.24	24.53	24.48			
	1	49	24.30	24.49	24.28			
	25	0	23.33	23.56	23.59			
	25	12	23.36	23.54	23.45			
	25	24	23.38	23.63	23.43			
	50	0	22.98	23.51	23.19			
16QAM	1	0	23.47	23.40	23.34	-2.70	20.85	30.00
	1	24	23.39	23.54	23.55			
	1	49	23.41	23.38	23.29			
	25	0	22.43	22.58	22.59			
	25	12	22.39	22.62	22.44			
	25	24	22.46	22.57	22.52			
	50	0	22.35	22.52	22.36			

LTE Band 4 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			20025	20175	20325			
			1717.5MHz	1732.5MHz	1747.5MHz			
QPSK	1	0	24.29	24.58	24.35	-2.70	22.17	30.00
	1	37	24.33	24.87	24.38			
	1	74	24.47	24.69	24.41			
	36	0	23.40	23.59	23.31			
	36	16	23.35	23.66	23.40			
	36	35	23.44	23.56	23.20			
	75	0	23.41	23.59	23.27			
16QAM	1	0	23.45	23.51	23.39	-2.70	21.04	30.00
	1	37	23.41	23.74	23.34			
	1	74	23.60	23.57	23.47			
	36	0	22.59	22.59	22.36			
	36	16	22.42	22.66	22.49			
	36	35	22.57	22.46	22.24			
	75	0	22.41	22.62	22.38			
LTE Band 4 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			20050	20175	20300			
			1720.0MHz	1732.5MHz	1745.0MHz			
QPSK	1	0	24.37	24.45	24.40	-2.70	21.89	30.00
	1	49	24.29	24.56	24.59			
	1	99	24.56	24.54	24.45			
	50	0	23.47	23.57	23.66			
	50	24	23.36	23.56	23.61			
	50	49	23.49	23.58	23.43			
	100	0	23.33	23.43	23.41			
16QAM	1	0	23.42	23.49	23.43	-2.70	20.95	30.00
	1	49	23.50	23.52	23.56			
	1	99	23.65	23.55	23.58			
	50	0	22.44	22.50	22.59			
	50	24	22.49	22.61	22.55			
	50	49	22.57	22.49	22.43			
	100	0	22.43	22.51	22.50			

LTE Band 5-Ant1:

LTE Band 5 - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			20407	20525	20643			
			824.7MHz	836.5MHz	848.3MHz			
QPSK	1	0	24.88	24.90	24.88	-3.50	19.45	38.45
	1	2	24.80	25.10	24.84			
	1	5	24.86	24.82	24.90			
	3	0	23.87	23.87	23.87			
	3	1	23.88	23.89	23.81			
	3	2	24.90	23.95	24.01			
	6	0	23.80	23.93	23.86			
16QAM	1	0	23.87	23.84	23.97	-3.50	18.32	38.45
	1	2	23.95	23.88	23.82			
	1	5	23.96	23.82	23.95			
	3	0	23.86	23.97	23.85			
	3	1	23.88	23.95	23.90			
	3	2	23.94	23.93	23.82			
	6	0	22.92	22.90	22.87			
LTE Band 5 - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			20415	20525	20635			
			825.5MHz	836.5MHz	847.5MHz			
QPSK	1	0	24.83	24.98	24.91	-3.50	19.47	38.45
	1	7	24.91	25.02	25.12			
	1	14	24.80	24.99	24.86			
	8	0	23.94	24.06	23.97			
	8	4	23.90	23.99	23.98			
	8	7	23.91	24.05	24.01			
	15	0	23.89	23.96	23.93			
16QAM	1	0	23.84	24.04	23.85	-3.50	18.45	38.45
	1	7	24.01	24.10	24.08			
	1	14	23.70	23.94	23.75			
	8	0	22.96	23.06	22.96			
	8	4	22.90	23.02	22.93			
	8	7	22.95	23.06	23.00			
	15	0	22.90	23.02	22.96			

LTE Band 5 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			20425	20525	20625			
			826.5MHz	836.5MHz	846.5MHz			
QPSK	1	0	24.98	25.11	25.07	-3.50	19.46	38.45
	1	12	24.95	25.07	25.10			
	1	24	24.83	25.07	25.08			
	12	0	23.88	23.99	23.92			
	12	6	24.00	24.06	24.07			
	12	11	23.94	24.09	23.97			
	25	0	23.93	23.95	24.02			
16QAM	1	0	23.94	24.07	24.03	-3.50	18.52	38.45
	1	12	24.02	24.17	24.04			
	1	24	23.82	24.10	23.99			
	12	0	22.87	22.99	23.02			
	12	6	22.96	23.03	23.06			
	12	11	22.91	23.08	22.99			
	25	0	22.93	23.01	23.02			
LTE Band 5 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			20450	20525	20600			
			829.0MHz	836.5MHz	844.0MHz			
QPSK	1	0	24.82	24.96	25.04	-3.50	19.45	38.45
	1	24	24.97	25.03	25.01			
	1	49	25.10	25.03	25.01			
	25	0	23.90	24.06	24.04			
	25	12	24.04	24.05	24.00			
	25	24	24.03	24.10	24.06			
	50	0	23.98	24.05	23.97			
16QAM	1	0	23.86	24.02	23.96	-3.50	18.46	38.45
	1	24	23.91	24.10	24.02			
	1	49	24.04	24.11	23.93			
	25	0	22.91	22.99	22.99			
	25	12	23.00	23.09	23.02			
	25	24	23.00	23.12	23.04			
	50	0	22.94	23.05	22.97			

LTE Band 5-Ant3:

LTE Band 5 - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			20407	20525	20643			
			824.7MHz	836.5MHz	848.3MHz			
QPSK	1	0	24.27	24.35	24.39	-5.50	16.74	38.45
	1	2	24.35	24.37	24.34			
	1	5	24.26	24.28	24.27			
	3	0	23.21	23.42	23.27			
	3	1	23.29	23.35	23.29			
	3	2	23.23	23.37	23.32			
	6	0	23.28	23.32	23.25			
16QAM	1	0	23.27	23.33	23.25	-5.50	15.69	38.45
	1	2	23.24	23.24	23.20			
	1	5	23.34	23.28	23.24			
	3	0	22.22	22.35	22.30			
	3	1	22.23	22.36	22.24			
	3	2	22.31	22.45	22.27			
	6	0	22.28	22.29	22.22			
LTE Band 5 - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			20415	20525	20635			
			825.5MHz	836.5MHz	847.5MHz			
QPSK	1	0	24.30	24.40	24.31	-5.50	16.87	38.45
	1	7	24.36	24.52	24.44			
	1	14	24.26	24.36	24.30			
	8	0	23.33	23.44	23.38			
	8	4	23.35	23.49	23.40			
	8	7	23.35	23.53	23.44			
	15	0	23.35	23.44	23.36			
16QAM	1	0	23.30	23.56	23.55	-5.50	15.91	38.45
	1	7	23.50	23.51	23.35			
	1	14	23.34	23.35	23.30			
	8	0	22.38	22.50	22.35			
	8	4	22.42	22.50	22.36			
	8	7	22.34	22.54	22.47			
	15	0	22.35	22.45	22.37			

LTE Band 5 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			20425	20525	20625			
			826.5MHz	836.5MHz	846.5MHz			
QPSK	1	0	24.30	24.55	24.61	-5.50	16.96	38.45
	1	12	24.46	24.53	24.49			
	1	24	24.34	24.57	24.46			
	12	0	23.28	23.45	23.42			
	12	6	23.44	23.49	23.51			
	12	11	23.34	23.52	23.40			
	25	0	23.39	23.39	23.45			
16QAM	1	0	23.29	23.58	23.41	-5.50	15.93	38.45
	1	12	23.38	23.38	23.40			
	1	24	23.40	23.40	23.51			
	12	0	22.31	22.45	22.39			
	12	6	22.41	22.51	22.49			
	12	11	22.39	22.51	22.44			
	25	0	22.38	22.43	22.43			
LTE Band 5 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			20450	20525	20600			
			829.0MHz	836.5MHz	844.0MHz			
QPSK	1	0	24.35	24.32	24.44	-5.50	16.84	38.45
	1	24	24.32	24.49	24.43			
	1	49	24.48	24.41	24.38			
	25	0	23.36	23.47	23.42			
	25	12	23.52	23.53	23.46			
	25	24	23.50	23.55	23.50			
	50	0	23.46	23.42	23.43			
16QAM	1	0	23.53	23.28	23.43	-5.50	15.96	38.45
	1	24	23.46	23.61	23.43			
	1	49	23.34	23.51	23.43			
	25	0	22.40	22.48	22.43			
	25	12	22.44	22.52	22.48			
	25	24	22.44	22.47	22.51			
	50	0	22.39	22.43	22.46			

LTE Band 7-Ant11:

LTE Band 7 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			20775	21100	21425			
			2502.5MHz	2535.0MHz	2567.5MHz			
QPSK	1	0	24.30	24.48	24.38	-4.00	20.54	33.00
	1	12	24.28	24.54	24.43			
	1	24	24.30	24.34	24.43			
	12	0	23.27	23.30	23.37			
	12	6	23.33	23.39	23.40			
	12	11	23.29	23.47	23.54			
	25	0	23.32	23.32	23.38			
16QAM	1	0	23.42	23.50	23.69	-4.00	19.69	33.00
	1	12	23.49	23.40	23.39			
	1	24	23.44	23.50	23.56			
	12	0	22.29	22.36	22.32			
	12	6	22.31	22.36	22.43			
	12	11	22.30	22.44	22.54			
	25	0	22.31	22.36	22.39			
LTE Band 7 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			20800	21100	21400			
			2505.0MHz	2535.0MHz	2565.0MHz			
QPSK	1	0	24.40	24.33	24.36	-4.00	20.51	33.00
	1	24	24.44	24.51	24.39			
	1	49	24.42	24.30	24.40			
	25	0	23.46	23.42	23.51			
	25	12	23.59	23.44	23.55			
	25	24	23.51	23.54	23.47			
	50	0	23.54	23.47	23.44			
16QAM	1	0	23.37	23.45	23.49	-4.00	19.49	33.00
	1	24	23.39	23.36	23.46			
	1	49	23.45	23.47	23.42			
	25	0	22.42	22.34	22.35			
	25	12	22.49	22.35	22.37			
	25	24	22.55	22.40	22.48			
	50	0	22.47	22.34	22.37			

LTE Band 7 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			20825	21100	21375			
			2507.5MHz	2535.0MHz	2562.5MHz			
QPSK	1	0	24.57	24.48	24.46	-4.00	20.57	33.00
	1	37	24.49	24.53	24.35			
	1	74	24.42	24.36	24.42			
	36	0	23.48	23.42	23.50			
	36	16	23.47	23.47	23.52			
	36	35	23.42	23.41	23.51			
	75	0	23.36	23.42	23.45			
16QAM	1	0	23.41	23.41	23.38	-4.00	19.46	33.00
	1	37	23.36	23.45	23.42			
	1	74	23.39	23.42	23.46			
	36	0	22.36	22.47	22.36			
	36	16	22.40	22.35	22.47			
	36	35	22.38	22.52	22.41			
	75	0	22.34	22.41	22.46			
LTE Band 7 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			20850	21100	21350			
			2510.0MHz	2535.0MHz	2560.0MHz			
QPSK	1	0	24.23	24.23	24.31	-4.00	20.47	33.00
	1	49	24.29	24.37	24.39			
	1	99	24.28	24.36	24.47			
	50	0	23.24	23.27	23.32			
	50	24	23.32	23.33	23.47			
	50	49	23.29	23.38	23.42			
	100	0	23.23	23.28	23.35			
16QAM	1	0	23.25	23.29	23.31	-4.00	19.62	33.00
	1	49	23.46	23.62	23.05			
	1	99	23.20	23.52	23.46			
	50	0	22.21	22.31	22.33			
	50	24	22.36	22.38	22.45			
	50	49	22.30	22.41	22.47			
	100	0	22.33	22.31	22.53			

LTE Band 7-Ant8:

LTE Band 7 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			20775	21100	21425			
			2502.5MHz	2535.0MHz	2567.5MHz			
QPSK	1	0	23.86	24.10	24.03	-2.20	21.93	33.00
	1	12	24.13	24.13	24.10			
	1	24	24.13	24.12	24.11			
	12	0	23.11	23.06	23.08			
	12	6	23.16	23.09	23.09			
	12	11	23.17	23.20	23.15			
	25	0	23.11	23.09	23.02			
16QAM	1	0	23.00	23.12	23.00	-2.20	20.96	33.00
	1	12	23.04	23.11	23.15			
	1	24	22.94	23.16	22.95			
	12	0	22.08	22.01	22.05			
	12	6	22.15	22.13	22.03			
	12	11	22.13	22.15	22.21			
	25	0	22.18	22.06	22.04			
LTE Band 7 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			20800	21100	21400			
			2505.0MHz	2535.0MHz	2565.0MHz			
QPSK	1	0	23.75	24.07	24.15	-2.20	22.01	33.00
	1	24	24.02	24.13	24.21			
	1	49	24.05	24.17	24.07			
	25	0	23.06	23.06	23.07			
	25	12	23.12	23.09	23.09			
	25	24	23.15	23.17	23.17			
	50	0	23.13	23.08	23.03			
16QAM	1	0	23.04	22.98	23.03	-2.20	21.15	33.00
	1	24	23.35	23.03	23.16			
	1	49	23.18	23.21	22.98			
	25	0	22.07	22.10	22.04			
	25	12	22.14	22.06	22.10			
	25	24	22.19	22.18	22.13			
	50	0	22.21	22.10	22.14			

LTE Band 7 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			20825	21100	21375			
			2507.5MHz	2535.0MHz	2562.5MHz			
QPSK	1	0	23.89	24.02	24.04	-2.20	21.96	33.00
	1	37	24.16	24.07	24.07			
	1	74	24.12	24.09	24.09			
	36	0	23.06	23.03	23.06			
	36	16	23.11	23.07	23.13			
	36	35	23.11	23.01	23.06			
	75	0	23.03	23.01	23.07			
16QAM	1	0	22.94	23.15	23.05	-2.20	20.96	33.00
	1	37	23.16	22.94	22.98			
	1	74	23.09	23.09	22.92			
	36	0	23.07	23.02	23.08			
	36	16	22.14	22.10	22.13			
	36	35	23.02	23.02	23.09			
	75	0	22.10	22.04	22.14			
LTE Band 7 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			20850	21100	21350			
			2510.0MHz	2535.0MHz	2560.0MHz			
QPSK	1	0	23.82	24.09	24.07	-2.20	22.04	33.00
	1	49	24.07	24.24	24.06			
	1	99	24.04	24.10	24.07			
	50	0	23.03	23.09	23.08			
	50	24	23.13	23.09	23.16			
	50	49	23.13	23.18	23.12			
	100	0	23.08	23.11	23.07			
16QAM	1	0	22.97	23.01	23.09	-2.20	20.96	33.00
	1	49	23.15	23.16	23.10			
	1	99	23.00	23.14	22.99			
	50	0	22.08	22.05	22.06			
	50	24	22.16	22.07	22.18			
	50	49	22.11	22.16	22.15			
	100	0	22.17	22.12	22.13			

LTE Band 12-Ant1:

LTE Band 12 - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			23017	23095	23173			
			699.7MHz	707.5MHz	715.3MHz			
QPSK	1	0	24.82	24.84	24.87	-3.60	19.23	33.77
	1	2	24.98	24.89	24.95			
	1	5	24.94	24.95	24.92			
	3	0	23.80	23.80	23.87			
	3	1	23.95	23.86	23.88			
	3	2	23.83	23.84	23.85			
	6	0	23.86	23.90	23.94			
16QAM	1	0	23.85	23.83	23.93	-3.60	18.18	33.77
	1	2	23.77	23.91	23.89			
	1	5	23.80	23.81	23.83			
	3	0	22.75	22.83	22.91			
	3	1	22.92	22.90	23.01			
	3	2	22.87	22.93	22.96			
	6	0	22.89	22.81	23.00			
LTE Band 12 - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			23025	23095	23165			
			700.5MHz	707.5MHz	714.5MHz			
QPSK	1	0	24.89	24.85	24.94	-3.60	19.32	33.77
	1	7	24.95	24.95	25.07			
	1	14	24.83	24.79	24.81			
	8	0	23.97	23.91	23.99			
	8	4	24.04	24.05	24.07			
	8	7	23.98	23.99	24.02			
	15	0	23.97	23.93	24.02			
16QAM	1	0	23.88	23.72	23.93	-3.60	18.33	33.77
	1	7	24.08	23.91	24.03			
	1	14	23.91	23.83	23.86			
	8	0	22.94	23.02	23.01			
	8	4	23.00	23.02	23.04			
	8	7	22.99	23.00	23.05			
	15	0	22.99	22.94	23.00			

LTE Band 12 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			23035	23095	23155			
			701.5MHz	707.5MHz	713.5MHz			
QPSK	1	0	24.96	24.99	25.16	-3.60	19.41	33.77
	1	12	25.10	25.03	25.07			
	1	24	24.93	24.93	25.08			
	12	0	23.91	23.95	23.95			
	12	6	24.03	24.00	24.04			
	12	11	23.98	24.02	24.00			
	25	0	23.97	23.95	23.95			
16QAM	1	0	23.88	24.02	23.99	-3.60	18.38	33.77
	1	12	24.13	23.98	24.08			
	1	24	23.82	23.94	23.99			
	12	0	22.96	23.01	23.01			
	12	6	23.03	23.01	22.98			
	12	11	22.97	22.99	23.03			
	25	0	22.98	22.93	22.97			
LTE Band 12 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			23060	23095	23130			
			704.0MHz	707.5MHz	711.0MHz			
QPSK	1	0	24.99	24.95	25.02	-3.60	19.27	33.77
	1	24	24.94	24.97	24.94			
	1	49	24.90	24.86	24.90			
	25	0	23.96	23.95	23.98			
	25	12	24.05	24.01	24.03			
	25	24	24.08	24.07	24.09			
	50	0	24.07	24.01	23.96			
16QAM	1	0	24.11	23.94	23.88	-3.60	18.36	33.77
	1	24	23.94	23.98	24.01			
	1	49	23.95	23.95	23.91			
	25	0	22.92	22.98	22.98			
	25	12	23.08	23.02	23.05			
	25	24	23.08	23.09	23.09			
	50	0	23.11	22.93	22.97			

LTE Band 12-Ant3:

LTE Band 12 - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			23017	23095	23173			
			699.7MHz	707.5MHz	715.3MHz			
QPSK	1	0	24.35	24.28	24.37	-5.00	17.27	33.77
	1	2	24.33	24.41	24.34			
	1	5	24.38	24.41	24.24			
	3	0	23.28	24.39	24.33			
	3	1	23.36	24.32	24.42			
	3	2	23.29	24.38	24.34			
	6	0	23.34	23.42	23.35			
16QAM	1	0	23.38	23.37	23.38	-5.00	16.30	33.77
	1	2	23.45	23.39	23.31			
	1	5	23.30	23.31	23.34			
	3	0	22.43	22.40	22.33			
	3	1	22.38	22.41	22.27			
	3	2	22.39	22.40	22.39			
	6	0	22.34	22.37	22.35			
LTE Band 12 - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			23025	23095	23165			
			700.5MHz	707.5MHz	714.5MHz			
QPSK	1	0	24.31	24.32	24.33	-5.00	17.37	33.77
	1	7	24.52	24.47	24.51			
	1	14	24.34	24.36	24.45			
	8	0	23.46	23.43	23.50			
	8	4	23.49	23.52	23.55			
	8	7	23.44	23.55	23.54			
	15	0	23.48	23.44	23.52			
16QAM	1	0	23.36	23.50	23.27	-5.00	16.45	33.77
	1	7	23.50	23.43	23.60			
	1	14	23.42	23.38	23.37			
	8	0	22.51	22.43	22.46			
	8	4	22.50	22.53	22.43			
	8	7	22.41	22.51	22.53			
	15	0	22.48	22.43	22.49			

LTE Band 12 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			23035	23095	23155			
			701.5MHz	707.5MHz	713.5MHz			
QPSK	1	0	24.36	24.53	24.54	-5.00	17.39	33.77
	1	12	24.49	24.48	24.51			
	1	24	24.39	24.47	24.49			
	12	0	23.41	23.44	23.47			
	12	6	23.56	23.49	23.51			
	12	11	23.42	23.48	23.52			
	25	0	23.51	23.42	23.44			
16QAM	1	0	23.43	23.50	23.55	-5.00	16.51	33.77
	1	12	23.61	23.66	23.46			
	1	24	23.38	23.53	23.50			
	12	0	22.40	22.51	22.44			
	12	6	22.53	22.46	22.52			
	12	11	22.44	22.47	22.46			
	25	0	22.45	22.46	22.39			
LTE Band 12 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			23060	23095	23130			
			704.0MHz	707.5MHz	711.0MHz			
QPSK	1	0	24.42	24.46	24.43	-5.00	17.35	33.77
	1	24	24.50	24.42	24.46			
	1	49	24.43	24.47	24.43			
	25	0	23.42	23.49	23.50			
	25	12	23.51	23.48	23.52			
	25	24	23.51	23.54	23.59			
	50	0	23.49	23.48	23.51			
16QAM	1	0	23.48	23.50	23.56	-5.00	16.55	33.77
	1	24	23.49	23.38	23.48			
	1	49	23.56	23.47	23.70			
	25	0	22.45	22.54	22.45			
	25	12	22.54	22.51	22.57			
	25	24	22.60	22.54	22.58			
	50	0	22.46	22.50	22.51			

LTE Band 17-Ant1:

LTE Band 17 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			23755	23790	23825			
			706.5MHz	710.0MHz	713.5MHz			
QPSK	1	0	24.93	25.03	24.93	-3.60	19.28	33.77
	1	12	24.98	25.01	24.96			
	1	24	24.90	24.93	24.99			
	12	0	23.89	23.95	23.94			
	12	6	23.97	23.95	24.00			
	12	11	23.95	23.97	23.96			
	25	0	23.93	23.91	23.90			
16QAM	1	0	23.83	23.88	23.87	-3.60	18.30	33.77
	1	12	24.00	24.03	24.05			
	1	24	23.89	23.91	24.04			
	12	0	22.89	22.92	22.97			
	12	6	23.09	23.01	22.99			
	12	11	22.96	23.03	22.90			
	25	0	22.94	22.90	22.96			
LTE Band 17 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			23780	23790	23800			
			709.0MHz	710.0MHz	711.0MHz			
QPSK	1	0	24.81	24.84	24.98	-3.60	19.23	33.77
	1	24	24.92	24.96	24.97			
	1	49	24.85	24.95	24.87			
	25	0	23.88	23.90	23.93			
	25	12	24.03	23.98	23.98			
	25	24	24.04	24.02	24.06			
	50	0	23.86	23.90	23.92			
16QAM	1	0	23.75	23.82	23.76	-3.60	18.31	33.77
	1	24	24.03	23.85	23.91			
	1	49	24.02	24.06	23.90			
	25	0	22.93	22.94	22.92			
	25	12	23.03	22.99	22.96			
	25	24	23.09	23.01	23.00			
	50	0	22.90	22.92	22.96			

LTE Band 17-Ant3:

LTE Band 17 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			23755	23790	23825			
			706.5MHz	710.0MHz	713.5MHz			
QPSK	1	0	24.42	24.60	24.62	-5.00	17.47	33.77
	1	12	24.51	24.58	24.59			
	1	24	24.39	24.54	24.52			
	12	0	23.44	23.53	23.53			
	12	6	23.57	23.53	23.53			
	12	11	23.47	23.53	23.54			
	25	0	23.49	23.48	23.47			
16QAM	1	0	23.41	23.70	23.43	-5.00	16.55	33.77
	1	12	23.57	23.64	23.57			
	1	24	23.46	23.53	23.42			
	12	0	22.49	22.53	22.54			
	12	6	22.55	22.51	22.56			
	12	11	22.45	22.61	22.55			
	25	0	22.44	22.44	22.47			
LTE Band 17 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			23780	23790	23800			
			709.0MHz	710.0MHz	711.0MHz			
QPSK	1	0	24.37	24.34	24.63	-5.00	17.48	33.77
	1	24	24.47	24.49	24.51			
	1	49	24.47	24.37	24.48			
	25	0	23.46	23.50	23.55			
	25	12	23.56	23.49	23.56			
	25	24	23.59	23.55	23.63			
	50	0	23.47	23.48	23.50			
16QAM	1	0	23.51	23.40	23.37	-5.00	16.48	33.77
	1	24	23.63	23.59	23.46			
	1	49	23.33	23.46	23.36			
	25	0	22.50	22.46	22.51			
	25	12	22.59	22.56	22.54			
	25	24	22.56	22.55	22.63			
	50	0	22.54	22.53	22.51			

LTE Band 25-Ant11:

LTE Band 25 - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			26047	26365	26683			
			1850.7MHz	1882.5MHz	1914.3MHz			
QPSK	1	0	24.86	25.09	24.87	-2.70	22.39	33.00
	1	2	24.84	25.01	24.85			
	1	5	24.80	24.94	24.84			
	3	0	23.84	24.00	23.84			
	3	1	23.91	24.04	23.82			
	3	2	23.83	23.98	23.89			
	6	0	23.88	24.02	23.86			
16QAM	1	0	23.85	24.04	23.82	-2.70	21.34	33.00
	1	2	23.96	23.88	23.87			
	1	5	23.88	23.97	23.83			
	3	0	22.98	23.01	22.91			
	3	1	22.82	23.05	22.92			
	3	2	22.90	22.95	22.80			
	6	0	22.94	23.00	22.85			
LTE Band 25 - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			26055	26365	26675			
			1851.5MHz	1882.5MHz	1913.5MHz			
QPSK	1	0	24.83	24.92	24.83	-2.70	22.50	33.00
	1	7	25.01	25.20	24.99			
	1	14	24.88	25.07	24.98			
	8	0	23.95	24.01	23.96			
	8	4	23.97	24.07	24.00			
	8	7	24.03	24.12	23.98			
	15	0	23.94	24.05	23.97			
16QAM	1	0	23.96	23.90	23.87	-2.70	21.33	33.00
	1	7	23.97	24.02	24.03			
	1	14	23.92	23.95	23.97			
	8	0	22.97	23.01	22.95			
	8	4	23.08	23.09	23.01			
	8	7	23.01	23.16	22.98			
	15	0	22.93	23.07	22.88			

LTE Band 25 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			26065	26365	26665			
			1852.5MHz	1882.5MHz	1912.5MHz			
QPSK	1	0	24.92	25.06	25.05	-2.70	22.42	33.00
	1	12	24.99	25.12	25.07			
	1	24	24.92	25.11	24.94			
	12	0	23.97	24.04	23.90			
	12	6	24.03	24.10	24.03			
	12	11	24.02	24.11	23.99			
	25	0	24.00	24.03	23.89			
16QAM	1	0	23.93	24.14	23.90	-2.70	21.44	33.00
	1	12	23.91	24.09	23.95			
	1	24	23.99	24.13	24.09			
	12	0	22.98	23.05	22.92			
	12	6	23.04	23.08	23.00			
	12	11	23.01	23.08	22.95			
	25	0	22.98	23.02	22.90			
LTE Band 25 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			26090	26365	26640			
			1855.0MHz	1882.5MHz	1910.0MHz			
QPSK	1	0	24.85	25.07	25.02	-2.70	22.45	33.00
	1	24	24.90	25.05	24.99			
	1	49	25.00	25.15	24.96			
	25	0	24.00	24.12	24.03			
	25	12	24.02	24.10	24.03			
	25	24	24.06	24.12	23.98			
	50	0	24.01	24.07	24.04			
16QAM	1	0	24.10	24.09	24.04	-2.70	21.45	33.00
	1	24	24.04	24.15	24.07			
	1	49	23.88	24.03	23.96			
	25	0	23.01	23.05	23.03			
	25	12	23.14	23.11	23.00			
	25	24	23.03	23.05	23.00			
	50	0	23.03	23.07	23.02			

LTE Band 25 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			26115	26365	26615			
			1857.5MHz	1882.5MHz	1907.5MHz			
QPSK	1	0	24.98	25.08	24.95	-2.70	22.38	33.00
	1	37	25.07	25.02	24.96			
	1	74	24.91	25.07	24.98			
	36	0	24.01	24.04	23.86			
	36	16	24.09	24.09	23.91			
	36	35	24.02	24.03	23.90			
	75	0	23.99	24.02	23.86			
16QAM	1	0	24.14	23.98	24.05	-2.70	21.44	33.00
	1	37	24.09	24.04	24.01			
	1	74	24.03	24.08	23.82			
	36	0	23.02	23.01	22.87			
	36	16	23.09	23.04	22.92			
	36	35	22.98	23.02	23.88			
	75	0	22.99	23.00	22.86			
LTE Band 25 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			26140	26365	26590			
			1860.0MHz	1882.5MHz	1905.0MHz			
QPSK	1	0	25.10	25.05	24.99	-2.70	22.43	33.00
	1	49	25.11	25.13	25.05			
	1	99	24.98	25.06	24.89			
	50	0	24.03	24.07	23.99			
	50	24	24.13	24.12	23.96			
	50	49	24.08	24.12	24.02			
	100	0	24.04	24.05	23.94			
16QAM	1	0	23.91	24.06	24.05	-2.70	21.43	33.00
	1	49	24.06	24.13	23.97			
	1	99	24.02	24.05	23.98			
	50	0	22.98	23.08	22.95			
	50	24	23.03	23.01	23.00			
	50	49	23.06	23.06	23.05			
	100	0	23.01	22.99	22.94			

LTE Band 25-Ant8:

LTE Band 25 - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			26047	26365	26683			
			1850.7MHz	1882.5MHz	1914.3MHz			
QPSK	1	0	24.52	24.60	24.63	-1.30	23.40	33.00
	1	2	24.55	24.55	24.68			
	1	5	24.44	24.63	24.54			
	3	0	24.46	24.65	24.56			
	3	1	24.52	24.70	24.54			
	3	2	24.41	24.61	24.50			
	6	0	23.51	23.67	23.68			
16QAM	1	0	23.32	23.68	23.64	-1.30	22.38	33.00
	1	2	23.27	23.51	23.54			
	1	5	23.43	23.44	23.47			
	3	0	23.55	23.49	23.61			
	3	1	23.52	23.53	23.64			
	3	2	23.55	23.53	23.59			
	6	0	22.59	22.45	22.62			
LTE Band 25 - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			26055	26365	26675			
			1851.5MHz	1882.5MHz	1913.5MHz			
QPSK	1	0	24.44	24.44	24.59	-1.30	23.33	33.00
	1	7	24.58	24.55	24.63			
	1	14	24.47	24.58	24.59			
	8	0	23.48	23.56	23.57			
	8	4	23.49	23.62	23.66			
	8	7	23.46	23.53	23.60			
	15	0	23.53	23.54	23.55			
16QAM	1	0	23.48	23.43	23.39	-1.30	22.38	33.00
	1	7	23.55	23.66	23.68			
	1	14	23.50	23.64	23.45			
	8	0	22.44	22.62	22.60			
	8	4	22.48	22.64	22.60			
	8	7	22.56	22.61	22.62			
	15	0	22.43	22.57	22.55			

LTE Band 25 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			26065	26365	26665			
			1852.5MHz	1882.5MHz	1912.5MHz			
QPSK	1	0	24.45	24.78	24.77	-1.30	23.58	33.00
	1	12	24.54	24.88	24.77			
	1	24	24.61	24.78	24.69			
	12	0	23.65	23.79	23.67			
	12	6	23.56	23.79	23.79			
	12	11	23.68	23.91	23.76			
	25	0	23.65	23.81	23.68			
16QAM	1	0	23.52	23.80	23.69	-1.30	22.79	33.00
	1	12	23.60	23.88	23.92			
	1	24	23.47	24.09	23.67			
	12	0	22.58	22.71	22.68			
	12	6	22.67	22.80	22.73			
	12	11	22.67	22.90	22.80			
	25	0	22.64	22.77	22.70			
LTE Band 25 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			26090	26365	26640			
			1855.0MHz	1882.5MHz	1910.0MHz			
QPSK	1	0	24.14	24.79	24.59	-1.30	23.51	33.00
	1	24	24.37	24.81	24.72			
	1	49	24.71	24.78	24.65			
	25	0	23.69	23.83	23.74			
	25	12	23.68	23.85	23.83			
	25	24	23.75	23.90	23.79			
	50	0	23.49	23.85	23.84			
16QAM	1	0	23.26	23.82	23.56	-1.30	22.58	33.00
	1	24	23.46	23.87	23.79			
	1	49	23.51	23.88	23.49			
	25	0	22.60	22.85	22.79			
	25	12	22.73	22.90	22.85			
	25	24	22.73	22.94	22.80			
	50	0	22.60	22.84	22.78			

LTE Band 25 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			26115	26365	26615			
			1857.5MHz	1882.5MHz	1907.5MHz			
QPSK	1	0	24.14	24.66	24.46	-1.30	23.36	33.00
	1	37	24.56	24.63	24.64			
	1	74	24.46	24.64	24.47			
	36	0	23.32	23.56	23.54			
	36	16	23.60	23.64	23.56			
	36	35	23.33	23.57	23.52			
	75	0	23.34	23.58	23.50			
16QAM	1	0	23.26	23.45	23.44	-1.30	22.30	33.00
	1	37	23.58	23.51	23.60			
	1	74	23.55	23.53	23.41			
	36	0	22.40	22.55	22.51			
	36	16	22.56	22.65	22.61			
	36	35	22.32	23.55	22.54			
	75	0	22.47	22.68	22.53			
LTE Band 25 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			26140	26365	26590			
			1860.0MHz	1882.5MHz	1905.0MHz			
QPSK	1	0	24.50	24.68	24.51	-1.30	23.40	33.00
	1	49	24.59	24.64	24.41			
	1	99	24.70	24.65	24.58			
	50	0	23.55	23.59	23.59			
	50	24	23.65	23.68	23.64			
	50	49	23.58	23.72	23.72			
	100	0	23.47	23.59	23.59			
16QAM	1	0	23.61	23.56	23.48	-1.30	22.34	33.00
	1	49	23.62	23.64	23.38			
	1	99	23.58	23.44	23.22			
	50	0	22.51	22.45	22.58			
	50	24	22.59	22.44	22.58			
	50	49	22.62	22.50	22.68			
	100	0	22.59	22.41	22.58			

LTE Band 26(Part 90)-Ant1:

LTE Band 26 (Part 90) - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26697	26740	26783			
			814.7MHz	819.0MHz	823.3MHz			
QPSK	1	0	24.84	24.90	24.88	-3.50	19.39	50.00
	1	2	24.90	24.93	24.99			
	1	5	24.77	25.04	24.90			
	3	0	23.90	23.90	23.96			
	3	1	23.88	23.95	23.96			
	3	2	23.92	23.88	23.92			
	6	0	23.91	23.93	23.86			
16QAM	1	0	23.84	23.82	23.91	-3.50	18.32	50.00
	1	2	23.97	23.91	23.92			
	1	5	23.90	23.92	23.78			
	3	0	22.85	23.01	22.99			
	3	1	22.85	22.94	22.86			
	3	2	22.91	22.95	22.89			
	6	0	22.90	22.87	22.84			
LTE Band 26 (Part 90) - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26705	26740	26775			
			815.5MHz	819.0MHz	822.5MHz			
QPSK	1	0	24.98	24.87	24.91	-3.50	19.45	50.00
	1	7	24.97	25.10	24.95			
	1	14	24.87	24.92	24.85			
	8	0	23.99	23.99	24.02			
	8	4	23.96	23.97	23.95			
	8	7	23.94	23.99	23.95			
	15	0	23.94	23.97	23.95			
16QAM	1	0	23.85	23.86	23.81	-3.50	18.42	50.00
	1	7	24.07	23.99	23.98			
	1	14	23.78	23.92	23.71			
	8	0	23.03	22.96	22.95			
	8	4	22.93	22.98	22.97			
	8	7	22.95	22.86	22.97			
	15	0	22.91	22.97	22.98			

LTE Band 26 (Part 90) - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26715	26740	26765			
			816.5MHz	819.0MHz	821.5MHz			
QPSK	1	0	24.97	25.05	25.03	-3.50	19.41	50.00
	1	12	24.94	25.02	25.00			
	1	24	25.06	25.00	24.95			
	12	0	23.95	23.98	23.94			
	12	6	24.02	23.98	24.03			
	12	11	23.99	24.02	23.97			
	25	0	24.02	24.02	23.98			
16QAM	1	0	23.91	24.07	23.98	-3.50	18.46	50.00
	1	12	23.86	24.03	23.84			
	1	24	23.90	24.11	23.94			
	12	0	22.92	22.99	22.93			
	12	6	23.01	23.04	23.03			
	12	11	23.04	23.07	23.02			
	25	0	22.94	22.99	23.02			
LTE Band 26 (Part 90) - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			/	26740	/			
			/	819.0MHz	/			
QPSK	1	0	/	24.96	/	-3.50	19.31	50.00
	1	24	/	24.92	/			
	1	49	/	24.89	/			
	25	0	/	23.93	/			
	25	12	/	24.06	/			
	25	24	/	24.04	/			
	50	0	/	24.01	/			
16QAM	1	0	/	23.97	/	-3.50	18.38	50.00
	1	24	/	24.03	/			
	1	49	/	23.94	/			
	25	0	/	22.96	/			
	25	12	/	23.05	/			
	25	24	/	22.99	/			
	50	0	/	23.04	/			

LTE Band 26(Part 90)-Ant3:

LTE Band 26 (Part 90) - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26697	26740	26783			
			814.7MHz	819.0MHz	823.3MHz			
QPSK	1	0	24.25	24.21	24.29	-5.50	16.81	50.00
	1	2	24.36	24.46	24.35			
	1	5	24.35	24.40	24.33			
	3	0	24.35	24.42	24.36			
	3	1	24.40	24.42	24.36			
	3	2	24.35	24.39	24.36			
	6	0	23.35	23.36	23.32			
16QAM	1	0	23.32	23.46	23.42	-5.50	15.84	50.00
	1	2	23.37	23.46	23.48			
	1	5	23.21	23.49	23.32			
	3	0	23.35	23.33	23.37			
	3	1	23.35	23.30	23.33			
	3	2	23.40	23.41	23.26			
	6	0	22.38	22.33	22.34			
LTE Band 26 (Part 90) - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26705	26740	26775			
			815.5MHz	819.0MHz	822.5MHz			
QPSK	1	0	24.46	24.38	24.40	-5.50	16.81	50.00
	1	7	24.42	24.40	24.41			
	1	14	24.34	24.36	24.37			
	8	0	23.43	23.41	23.42			
	8	4	23.42	23.41	23.42			
	8	7	23.42	23.44	23.39			
	15	0	23.39	23.39	23.39			
16QAM	1	0	23.46	23.48	23.41	-5.50	15.89	50.00
	1	7	23.44	23.54	23.37			
	1	14	23.43	23.39	23.36			
	8	0	22.38	22.49	22.42			
	8	4	22.40	22.40	22.35			
	8	7	22.43	22.41	22.45			
	15	0	22.43	22.39	22.34			

LTE Band 26 (Part 90) - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26715	26740	26765			
			816.5MHz	819.0MHz	821.5MHz			
QPSK	1	0	24.50	24.43	24.44	-5.50	16.89	50.00
	1	12	24.43	24.54	24.45			
	1	24	24.48	24.50	24.42			
	12	0	23.37	23.43	23.38			
	12	6	23.48	23.49	23.44			
	12	11	23.43	23.46	23.45			
	25	0	23.43	23.48	23.45			
16QAM	1	0	23.48	23.52	23.30	-5.50	15.88	50.00
	1	12	23.41	23.48	23.35			
	1	24	23.30	23.53	23.51			
	12	0	22.43	22.35	22.42			
	12	6	22.45	22.46	22.48			
	12	11	22.48	22.45	22.53			
	25	0	22.46	22.50	22.44			
LTE Band 26 (Part 90) - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			/	26740	/			
			/	819.0MHz	/			
QPSK	1	0	/	24.38	/	-5.50	16.97	50.00
	1	24	/	24.36	/			
	1	49	/	24.62	/			
	25	0	/	23.37	/			
	25	12	/	23.50	/			
	25	24	/	23.49	/			
	50	0	/	23.48	/			
16QAM	1	0	/	23.36	/	-5.50	15.94	50.00
	1	24	/	23.50	/			
	1	49	/	23.59	/			
	25	0	/	22.38	/			
	25	12	/	22.51	/			
	25	24	/	22.52	/			
	50	0	/	22.45	/			

LTE Band 26(Part 22)-Ant1:

LTE Band 26 (Part 22) - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26797	26915	27033			
			824.7MHz	836.5MHz	848.3MHz			
QPSK	1	0	24.87	24.88	24.79	-3.50	19.31	38.45
	1	2	24.88	24.87	24.85			
	1	5	24.96	24.93	24.82			
	3	0	23.94	23.86	23.89			
	3	1	23.98	23.91	23.78			
	3	2	23.90	23.93	23.81			
	6	0	23.93	23.93	23.89			
16QAM	1	0	23.92	23.95	23.86	-3.50	18.35	38.45
	1	2	24.00	23.86	23.90			
	1	5	23.86	23.98	23.87			
	3	0	22.89	22.98	22.87			
	3	1	22.97	22.83	22.97			
	3	2	22.79	23.01	22.90			
	6	0	22.88	22.96	22.82			
LTE Band 26 (Part 22) - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26805	26915	27025			
			825.5MHz	836.5MHz	847.5MHz			
QPSK	1	0	24.90	24.83	24.83	-3.50	19.36	38.45
	1	7	25.01	24.97	24.97			
	1	14	24.91	24.95	24.83			
	8	0	23.88	23.90	23.83			
	8	4	23.92	23.99	23.92			
	8	7	23.90	23.94	23.93			
	15	0	23.90	23.95	23.93			
16QAM	1	0	24.01	23.96	23.88	-3.50	18.39	38.45
	1	7	24.04	23.92	23.91			
	1	14	24.04	23.95	23.80			
	8	0	22.85	22.91	22.83			
	8	4	22.96	23.01	22.95			
	8	7	22.96	22.94	22.89			
	15	0	22.92	22.94	22.89			

LTE Band 26 (Part 22) - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26815	26915	27015			
			826.5MHz	836.5MHz	846.5MHz			
QPSK	1	0	24.90	25.00	25.00	-3.50	19.39	38.45
	1	12	24.96	24.97	25.02			
	1	24	25.04	24.94	24.95			
	12	0	23.95	23.97	23.93			
	12	6	23.98	24.03	23.95			
	12	11	23.96	23.97	23.95			
	25	0	23.94	23.96	23.94			
16QAM	1	0	23.94	23.98	24.03	-3.50	18.56	38.45
	1	12	23.89	24.19	23.90			
	1	24	24.00	24.21	23.98			
	12	0	22.96	22.89	22.94			
	12	6	23.11	23.04	22.97			
	12	11	22.96	23.00	22.92			
	25	0	23.04	22.96	23.00			
LTE Band 26 (Part 22) - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26840	26915	26990			
			829.0MHz	836.5MHz	844.0MHz			
QPSK	1	0	24.87	24.91	24.89	-3.50	19.34	38.45
	1	24	24.88	24.93	24.92			
	1	49	24.92	24.99	24.86			
	25	0	23.95	23.94	23.89			
	25	12	24.00	24.05	23.89			
	25	24	24.01	24.00	23.98			
	50	0	23.98	24.00	23.89			
16QAM	1	0	24.05	23.94	23.89	-3.50	18.40	38.45
	1	24	24.02	23.78	23.93			
	1	49	23.95	23.92	23.85			
	25	0	22.96	22.98	22.93			
	25	12	23.05	23.02	22.95			
	25	24	22.99	23.01	22.93			
	50	0	23.08	23.00	22.97			



LTE Band 26 (Part 22) - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26865	26915	26965			
			831.5MHz	836.5MHz	841.5MHz			
QPSK	1	0	24.93	24.95	25.00	-3.50	19.35	38.45
	1	37	24.92	24.96	24.92			
	1	74	24.92	24.93	24.85			
	36	0	23.83	23.94	23.94			
	36	16	23.89	23.92	24.03			
	36	35	23.89	23.94	24.00			
	75	0	23.85	23.95	23.93			
16QAM	1	0	23.89	23.91	24.04	-3.50	18.39	38.45
	1	37	24.01	23.92	23.92			
	1	74	23.91	23.92	23.92			
	36	0	23.89	23.98	23.97			
	36	16	22.94	22.89	23.03			
	36	35	23.87	23.95	23.99			
	75	0	22.89	23.01	23.06			

LTE Band 26(Part 22)-Ant3:

LTE Band 26 (Part 22) - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26797	26915	27033			
			824.7MHz	836.5MHz	848.3MHz			
QPSK	1	0	24.28	24.26	24.31	-5.50	16.73	38.45
	1	2	24.27	24.38	24.28			
	1	5	24.33	24.29	24.23			
	3	0	23.37	23.37	23.33			
	3	1	23.38	23.42	23.35			
	3	2	23.34	23.41	23.34			
	6	0	23.34	23.34	23.33			
16QAM	1	0	23.31	23.33	23.25	-5.50	15.76	38.45
	1	2	23.35	23.20	23.41			
	1	5	23.27	23.26	23.28			
	3	0	22.36	22.29	22.40			
	3	1	22.30	22.43	22.35			
	3	2	22.32	22.37	22.34			
	6	0	22.31	22.29	22.27			
LTE Band 26 (Part 22) - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26805	26915	27025			
			825.5MHz	836.5MHz	847.5MHz			
QPSK	1	0	24.33	24.29	24.26	-5.50	16.81	38.45
	1	7	24.37	24.44	24.35			
	1	14	24.31	24.37	24.28			
	8	0	23.38	23.34	23.29			
	8	4	23.36	23.42	23.34			
	8	7	23.38	23.40	23.39			
	15	0	23.42	23.36	23.39			
16QAM	1	0	23.32	23.46	23.28	-5.50	15.89	38.45
	1	7	23.32	23.51	23.46			
	1	14	23.37	23.33	23.32			
	8	0	22.35	22.39	22.39			
	8	4	22.44	22.48	22.30			
	8	7	22.41	22.38	22.37			
	15	0	22.42	22.42	22.33			

LTE Band 26 (Part 22) - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26815	26915	27015			
			826.5MHz	836.5MHz	846.5MHz			
QPSK	1	0	24.37	24.33	24.39	-5.50	16.89	38.45
	1	12	24.42	24.36	24.30			
	1	24	24.37	24.45	24.43			
	12	0	23.39	23.39	23.41			
	12	6	23.42	23.47	23.41			
	12	11	23.44	23.42	23.47			
	25	0	23.40	23.43	23.40			
16QAM	1	0	23.47	23.36	23.48	-5.50	15.88	38.45
	1	12	23.55	23.25	23.49			
	1	24	23.40	23.45	23.42			
	12	0	22.32	22.40	22.34			
	12	6	22.46	22.45	22.52			
	12	11	22.39	22.41	22.43			
	25	0	22.41	22.45	22.39			
LTE Band 26 (Part 22) - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26840	26915	26990			
			829.0MHz	836.5MHz	844.0MHz			
QPSK	1	0	24.30	24.34	24.37	-5.50	16.80	38.45
	1	24	24.37	24.40	24.42			
	1	49	24.45	24.37	24.32			
	25	0	23.40	23.34	23.38			
	25	12	23.45	23.51	23.37			
	25	24	23.48	23.46	23.43			
	50	0	23.52	23.43	23.36			
16QAM	1	0	23.59	23.25	23.46	-5.50	16.01	38.45
	1	24	23.31	23.36	23.46			
	1	49	23.46	23.32	23.66			
	25	0	22.39	22.39	22.37			
	25	12	22.45	22.46	22.39			
	25	24	22.39	22.48	22.38			
	50	0	22.49	22.40	22.33			



LTE Band 26 (Part 22) - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. ERP (dBm)	ERP Limit (dBm)
			26865	26915	26965			
			831.5MHz	836.5MHz	841.5MHz			
QPSK	1	0	24.30	24.36	24.33	-5.50	16.76	38.45
	1	37	24.29	24.37	24.39			
	1	74	24.28	24.26	24.41			
	36	0	23.30	23.41	23.39			
	36	16	23.32	23.38	23.45			
	36	35	23.28	23.41	23.38			
	75	0	23.30	23.38	23.40			
16QAM	1	0	23.35	23.45	23.29	-5.50	15.90	38.45
	1	37	23.30	23.55	23.51			
	1	74	23.38	23.47	23.36			
	36	0	22.31	22.43	22.37			
	36	16	22.39	22.38	22.47			
	36	35	22.30	22.39	22.37			
	75	0	22.36	22.42	22.41			

LTE Band 41 (Class 3)-Ant11:

LTE Band 41 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39675	40620	41565			
			2498.5MHz	2593.0MHz	2687.5MHz			
QPSK	1	0	24.80	24.86	24.89	-4.00	21.04	33.00
	1	12	24.82	24.98	24.98			
	1	24	24.85	24.95	25.04			
	12	0	23.90	23.88	23.93			
	12	6	23.90	23.92	24.02			
	12	11	23.82	23.99	23.95			
	25	0	23.86	23.85	23.99			
16QAM	1	0	23.74	23.88	24.04	-4.00	20.04	33.00
	1	12	23.80	23.80	23.96			
	1	24	23.75	23.91	23.99			
	12	0	22.90	22.89	22.99			
	12	6	22.97	22.91	23.00			
	12	11	22.81	22.96	22.92			
	25	0	22.87	22.90	23.02			
LTE Band 41 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39700	40620	41540			
			2501.0MHz	2593.0MHz	2685.0MHz			
QPSK	1	0	24.76	24.97	24.80	-4.00	20.98	33.00
	1	24	24.86	24.89	24.92			
	1	49	24.71	24.82	24.98			
	25	0	23.82	23.87	23.79			
	25	12	23.90	23.90	24.01			
	25	24	23.87	23.96	24.08			
	50	0	23.86	23.89	23.99			
16QAM	1	0	23.81	23.78	23.86	-4.00	19.98	33.00
	1	24	23.96	23.98	23.87			
	1	49	23.88	23.80	23.80			
	25	0	22.84	22.82	22.89			
	25	12	22.90	22.90	23.05			
	25	24	22.81	22.97	23.05			
	50	0	22.91	22.92	22.95			

LTE Band 41 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39725	40620	41515			
			2503.5MHz	2593.0MHz	2682.5MHz			
QPSK	1	0	24.82	24.80	24.83	-4.00	20.93	33.00
	1	37	24.84	24.93	24.87			
	1	74	24.77	24.85	24.93			
	36	0	23.84	23.78	23.86			
	36	16	23.89	23.89	23.92			
	36	35	23.82	23.79	23.87			
	75	0	23.85	23.80	23.89			
16QAM	1	0	23.80	23.83	24.00	-4.00	20.05	33.00
	1	37	23.85	24.05	23.81			
	1	74	23.96	23.71	23.95			
	36	0	23.81	23.79	23.87			
	36	16	22.96	22.91	22.94			
	36	35	23.81	23.78	23.84			
	75	0	22.93	22.79	22.85			
LTE Band 41 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39750	40620	41490			
			2506.0MHz	2593.0MHz	2680.0MHz			
QPSK	1	0	24.81	24.94	24.85	-4.00	20.98	33.00
	1	49	24.89	24.98	24.91			
	1	99	24.84	24.87	24.88			
	50	0	23.81	23.87	23.88			
	50	24	23.95	23.95	23.98			
	50	49	23.92	23.94	24.00			
	100	0	23.86	23.89	23.91			
16QAM	1	0	23.69	23.94	23.75	-4.00	19.95	33.00
	1	49	23.82	23.95	23.83			
	1	99	23.79	23.95	23.92			
	50	0	22.86	22.84	22.84			
	50	24	22.97	22.94	22.96			
	50	49	22.89	22.97	22.96			
	100	0	22.92	22.82	22.94			

LTE Band 41 (Class 3)-Ant8:

LTE Band 41 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39675	40620	41565			
			2498.5MHz	2593.0MHz	2687.5MHz			
QPSK	1	0	24.50	24.48	24.51	-2.20	22.45	33.00
	1	12	24.54	24.54	24.65			
	1	24	24.55	24.46	24.54			
	12	0	23.50	23.45	23.48			
	12	6	23.50	23.45	23.58			
	12	11	23.51	23.50	23.51			
	25	0	23.49	23.43	23.48			
16QAM	1	0	23.49	23.40	23.46	-2.20	21.40	33.00
	1	12	23.43	23.60	23.49			
	1	24	23.57	23.47	23.37			
	12	0	22.56	22.42	22.47			
	12	6	22.50	22.48	22.61			
	12	11	22.53	22.50	22.49			
	25	0	22.55	22.50	22.54			
LTE Band 41 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39700	40620	41540			
			2501.0MHz	2593.0MHz	2685.0MHz			
QPSK	1	0	24.51	24.40	24.40	-2.20	22.32	33.00
	1	24	24.45	24.46	24.50			
	1	49	24.52	24.38	24.48			
	25	0	23.48	23.45	23.43			
	25	12	23.56	23.47	23.52			
	25	24	23.52	23.53	23.54			
	50	0	23.56	23.44	23.58			
16QAM	1	0	23.53	23.52	23.49	-2.20	21.34	33.00
	1	24	23.45	23.51	23.32			
	1	49	23.54	23.43	23.51			
	25	0	22.45	22.41	22.46			
	25	12	22.59	22.43	22.55			
	25	24	22.63	22.56	22.54			
	50	0	22.51	22.51	22.46			

LTE Band 41 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39725	40620	41515			
			2503.5MHz	2593.0MHz	2682.5MHz			
QPSK	1	0	24.49	24.40	24.51	-2.20	22.31	33.00
	1	37	24.47	24.46	24.48			
	1	74	24.37	24.41	24.45			
	36	0	23.46	23.37	23.38			
	36	16	23.58	23.44	23.46			
	36	35	23.44	23.37	23.40			
	75	0	23.46	23.34	23.37			
16QAM	1	0	23.45	23.42	23.33	-2.20	21.43	33.00
	1	37	23.63	23.44	23.44			
	1	74	23.49	23.41	23.61			
	36	0	23.46	23.40	23.37			
	36	16	22.56	22.44	22.50			
	36	35	23.44	23.37	23.39			
	75	0	22.56	22.36	22.50			
LTE Band 41 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39750	40620	41490			
			2506.0MHz	2593.0MHz	2680.0MHz			
QPSK	1	0	24.49	24.34	24.31	-2.20	22.37	33.00
	1	49	24.57	24.51	24.52			
	1	99	24.51	24.38	24.43			
	50	0	23.50	23.44	23.40			
	50	24	23.56	23.49	23.45			
	50	49	23.53	23.50	23.53			
	100	0	23.51	23.42	23.42			
16QAM	1	0	23.59	23.28	23.33	-2.20	21.43	33.00
	1	49	23.63	23.59	23.38			
	1	99	23.61	23.51	23.52			
	50	0	22.48	22.44	22.42			
	50	24	22.57	22.47	22.50			
	50	49	22.52	22.49	22.56			
	100	0	22.46	22.41	22.54			

LTE Band 41 (Class 3)-Ant9:

LTE Band 41 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39675	40620	41565			
			2498.5MHz	2593.0MHz	2687.5MHz			
QPSK	1	0	24.82	24.83	24.79	-1.60	23.36	33.00
	1	12	24.96	24.81	24.90			
	1	24	24.83	24.80	24.74			
	12	0	23.84	23.82	23.84			
	12	6	23.80	23.84	23.81			
	12	11	23.70	23.69	23.76			
	25	0	23.79	23.80	23.83			
16QAM	1	0	23.92	23.69	23.59	-1.60	22.42	33.00
	1	12	24.02	23.83	23.76			
	1	24	23.88	23.65	23.75			
	12	0	22.84	22.83	22.79			
	12	6	22.93	22.85	22.91			
	12	11	22.73	22.68	22.80			
	25	0	22.78	22.83	22.87			
LTE Band 41 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39700	40620	41540			
			2501.0MHz	2593.0MHz	2685.0MHz			
QPSK	1	0	24.85	24.79	24.83	-1.60	23.37	33.00
	1	24	24.81	24.81	24.97			
	1	49	24.70	24.88	24.81			
	25	0	23.84	23.74	23.73			
	25	12	23.68	23.79	23.83			
	25	24	23.73	23.70	23.80			
	50	0	23.79	23.82	23.88			
16QAM	1	0	23.83	23.80	23.86	-1.60	22.31	33.00
	1	24	23.88	23.79	23.75			
	1	49	23.91	23.84	23.78			
	25	0	22.95	22.89	22.87			
	25	12	22.83	22.72	22.80			
	25	24	22.78	22.89	22.91			
	50	0	22.70	22.85	22.86			

LTE Band 41 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39725	40620	41515			
			2503.5MHz	2593.0MHz	2682.5MHz			
QPSK	1	0	24.85	24.76	24.78	-1.60	23.33	33.00
	1	37	24.87	24.81	24.76			
	1	74	24.93	24.83	24.84			
	36	0	23.80	23.86	23.85			
	36	16	23.79	23.85	23.80			
	36	35	23.82	23.74	23.78			
	75	0	23.89	23.88	23.77			
16QAM	1	0	23.80	23.76	23.76	-1.60	2374.40	33.00
	1	37	23.74	23.87	23.88			
	1	74	23.72	23.69	23.82			
	36	0	22.80	22.83	22.80			
	36	16	22.82	22.90	22.87			
	36	35	22.83	22.75	22.76			
	75	0	22.76	22.89	22.77			
LTE Band 41 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39750	40620	41490			
			2506.0MHz	2593.0MHz	2680.0MHz			
QPSK	1	0	24.79	24.84	24.78	-1.60	23.29	33.00
	1	49	24.89	24.88	24.86			
	1	99	24.80	24.84	24.87			
	50	0	23.89	23.93	23.82			
	50	24	23.83	23.91	23.92			
	50	49	23.83	23.90	23.95			
	100	0	23.78	23.84	23.89			
16QAM	1	0	23.81	23.65	23.69	-1.60	22.37	33.00
	1	49	23.79	23.97	23.92			
	1	99	23.73	23.90	23.83			
	50	0	22.82	22.85	22.77			
	50	24	22.88	22.95	22.99			
	50	49	22.83	22.82	22.90			
	100	0	22.85	22.95	22.88			

LTE Band 41 (Class 3)-Ant1:

LTE Band 41 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39675	40620	41565			
			2498.5MHz	2593.0MHz	2687.5MHz			
QPSK	1	0	23.29	23.30	23.49	-6.30	17.33	33.00
	1	12	23.35	23.36	23.63			
	1	24	23.38	23.27	23.58			
	12	0	22.30	22.33	22.60			
	12	6	22.37	22.29	22.66			
	12	11	22.25	22.22	22.57			
	25	0	22.30	22.26	22.61			
16QAM	1	0	22.32	22.31	22.50	-6.30	16.20	33.00
	1	12	22.34	22.38	22.47			
	1	24	22.41	22.36	22.40			
	12	0	21.39	21.40	21.58			
	12	6	21.45	21.39	21.54			
	12	11	21.32	21.32	21.65			
	25	0	21.36	21.32	21.60			
LTE Band 41 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39700	40620	41540			
			2501.0MHz	2593.0MHz	2685.0MHz			
QPSK	1	0	23.26	23.30	23.41	-6.30	17.25	33.00
	1	24	23.36	23.32	23.55			
	1	49	23.38	23.29	23.50			
	25	0	22.32	22.37	22.51			
	25	12	22.39	22.32	22.59			
	25	24	22.23	22.30	22.68			
	50	0	22.25	22.38	22.60			
16QAM	1	0	22.41	22.49	22.51	-6.30	16.39	33.00
	1	24	22.32	22.52	22.69			
	1	49	22.27	22.39	22.39			
	25	0	21.30	21.37	21.56			
	25	12	21.31	21.41	21.67			
	25	24	21.41	21.39	21.75			
	50	0	21.21	21.38	21.68			

LTE Band 41 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39725	40620	41515			
			2503.5MHz	2593.0MHz	2682.5MHz			
QPSK	1	0	23.25	23.15	23.43	-6.30	17.24	33.00
	1	37	23.37	23.27	23.54			
	1	74	23.42	23.28	23.50			
	36	0	22.42	22.38	22.47			
	36	16	22.41	22.39	22.62			
	36	35	22.42	22.21	22.57			
	75	0	22.48	22.22	22.61			
16QAM	1	0	22.23	22.38	22.38	-6.30	16.34	33.00
	1	37	22.30	22.30	22.51			
	1	74	22.58	22.41	22.64			
	36	0	21.29	21.40	21.50			
	36	16	21.38	21.39	21.61			
	36	35	21.25	21.30	21.62			
	75	0	21.27	21.42	21.54			
LTE Band 41 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39750	40620	41490			
			2506.0MHz	2593.0MHz	2680.0MHz			
QPSK	1	0	23.33	23.32	23.29	-6.30	17.30	33.00
	1	49	23.41	23.29	23.49			
	1	99	23.41	23.35	23.60			
	50	0	22.34	22.32	22.45			
	50	24	22.37	22.33	22.51			
	50	49	22.43	22.34	22.61			
	100	0	22.29	22.34	22.50			
16QAM	1	0	22.40	22.19	22.31	-6.30	16.29	33.00
	1	49	22.30	22.44	22.50			
	1	99	22.17	22.36	22.59			
	50	0	21.33	21.28	21.34			
	50	24	21.32	21.36	21.55			
	50	49	21.37	21.32	21.66			
	100	0	21.35	21.31	21.55			

LTE Band 41 (Class 2)-Ant11:

LTE Band 41 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39675	40620	41565			
			2498.5MHz	2593.0MHz	2687.5MHz			
QPSK	1	0	26.50	26.55	26.59	-4.00	22.68	33.00
	1	12	26.23	26.41	26.53			
	1	24	26.26	26.56	26.68			
	12	0	25.38	25.50	25.58			
	12	6	25.38	25.52	25.62			
	12	11	25.39	25.55	25.62			
	25	0	25.40	25.41	25.56			
16QAM	1	0	25.41	25.59	25.50	-4.00	21.62	33.00
	1	12	25.46	25.51	25.62			
	1	24	25.22	25.46	25.60			
	12	0	24.43	24.52	24.54			
	12	6	24.30	24.49	24.59			
	12	11	24.35	24.53	24.67			
	25	0	24.37	24.48	24.67			
LTE Band 41 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39700	40620	41540			
			2501.0MHz	2593.0MHz	2685.0MHz			
QPSK	1	0	26.44	26.30	26.65	-4.00	22.65	33.00
	1	24	26.33	26.54	26.57			
	1	49	26.38	26.40	26.65			
	25	0	25.31	25.51	25.50			
	25	12	25.43	25.55	25.67			
	25	24	25.48	25.61	25.67			
	50	0	25.37	25.32	25.64			
16QAM	1	0	25.40	25.29	25.51	-4.00	21.64	33.00
	1	24	25.34	25.40	25.52			
	1	49	25.38	25.37	25.64			
	25	0	24.37	24.51	24.54			
	25	12	24.44	24.56	24.66			
	25	24	24.35	24.60	24.66			
	50	0	24.30	24.48	24.59			

LTE Band 41 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39725	40620	41515			
			2503.5MHz	2593.0MHz	2682.5MHz			
QPSK	1	0	26.45	26.41	26.35	-4.00	22.53	33.00
	1	37	26.37	26.49	26.53			
	1	74	26.44	26.37	26.45			
	36	0	25.39	25.37	25.46			
	36	16	25.43	25.53	25.54			
	36	35	25.42	25.22	25.48			
	75	0	25.35	25.23	25.46			
16QAM	1	0	25.41	25.39	25.40	-4.00	21.63	33.00
	1	37	25.37	25.39	25.63			
	1	74	25.33	25.43	25.58			
	36	0	24.37	25.33	25.45			
	36	16	24.40	24.52	24.53			
	36	35	24.34	25.26	25.46			
	75	0	24.21	24.57	24.56			
LTE Band 41 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39750	40620	41490			
			2506.0MHz	2593.0MHz	2680.0MHz			
QPSK	1	0	26.30	26.43	26.42	-4.00	22.56	33.00
	1	49	26.32	26.40	26.48			
	1	99	26.44	26.52	26.56			
	50	0	25.34	25.47	25.48			
	50	24	25.35	25.53	25.50			
	50	49	25.44	25.56	25.64			
	100	0	25.37	25.37	25.46			
16QAM	1	0	25.45	25.43	25.51	-4.00	21.65	33.00
	1	49	25.37	25.63	25.65			
	1	99	25.30	25.48	25.62			
	50	0	24.33	24.50	24.49			
	50	24	24.45	24.52	24.51			
	50	49	24.44	24.60	24.62			
	100	0	24.32	24.49	24.55			

LTE Band 41 (Class 2)-Ant8:

LTE Band 41 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39675	40620	41565			
			2498.5MHz	2593.0MHz	2687.5MHz			
QPSK	1	0	25.81	25.80	25.92	-2.20	23.72	33.00
	1	12	25.72	25.79	25.87			
	1	24	25.65	25.64	25.75			
	12	0	24.97	24.96	25.06			
	12	6	24.85	24.93	25.02			
	12	11	24.85	24.97	24.97			
	25	0	24.71	24.84	24.88			
16QAM	1	0	24.64	24.75	24.73	-2.20	22.73	33.00
	1	12	24.93	24.89	24.91			
	1	24	24.69	24.79	24.88			
	12	0	24.08	24.01	24.11			
	12	6	23.96	24.05	24.03			
	12	11	23.96	24.02	23.99			
	25	0	23.87	23.95	24.00			
LTE Band 41 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39700	40620	41540			
			2501.0MHz	2593.0MHz	2685.0MHz			
QPSK	1	0	25.81	25.93	25.85	-2.20	23.73	33.00
	1	24	25.83	25.87	25.89			
	1	49	25.79	25.70	25.66			
	25	0	24.99	25.04	24.98			
	25	12	25.05	24.96	24.90			
	25	24	25.01	25.00	25.01			
	50	0	24.93	24.95	24.88			
16QAM	1	0	24.99	24.97	24.91	-2.20	22.79	33.00
	1	24	24.98	24.90	24.92			
	1	49	24.89	24.83	24.82			
	25	0	23.85	23.81	23.80			
	25	12	23.79	23.84	23.87			
	25	24	23.71	23.75	23.83			
	50	0	23.81	23.80	23.84			

LTE Band 41 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39725	40620	41515			
			2503.5MHz	2593.0MHz	2682.5MHz			
QPSK	1	0	25.88	26.08	25.98	-2.20	23.88	33.00
	1	37	25.70	25.90	25.83			
	1	74	25.49	25.78	25.79			
	36	0	24.41	24.70	24.66			
	36	16	25.02	25.12	25.10			
	36	35	24.51	24.65	24.72			
	75	0	24.49	24.68	24.70			
16QAM	1	0	25.07	25.03	24.95	-2.20	22.87	33.00
	1	37	24.81	24.83	24.92			
	1	74	24.78	24.75	24.85			
	36	0	23.80	23.88	23.90			
	36	16	23.66	23.77	23.81			
	36	35	23.89	23.85	23.87			
	75	0	23.88	23.71	23.81			
LTE Band 41 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39750	40620	41490			
			2506.0MHz	2593.0MHz	2680.0MHz			
QPSK	1	0	25.85	25.91	26.00	-2.20	23.80	33.00
	1	49	25.79	25.79	25.98			
	1	99	25.73	25.85	25.96			
	50	0	25.06	25.07	24.99			
	50	24	24.85	24.91	25.13			
	50	49	24.88	24.94	24.98			
	100	0	24.83	24.87	24.99			
16QAM	1	0	24.85	25.05	24.96	-2.20	22.85	33.00
	1	49	24.88	24.93	24.84			
	1	99	24.79	24.81	24.71			
	50	0	23.94	24.04	24.00			
	50	24	23.87	23.97	24.06			
	50	49	23.85	24.05	24.02			
	100	0	23.82	23.96	23.86			

LTE Band 41 (Class 2)-Ant9:

LTE Band 41 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39675	40620	41565			
			2498.5MHz	2593.0MHz	2687.5MHz			
QPSK	1	0	26.43	26.23	26.36	-1.60	24.96	33.00
	1	12	26.56	26.33	26.51			
	1	24	26.44	26.20	26.37			
	12	0	25.43	25.31	25.45			
	12	6	25.51	25.27	25.43			
	12	11	25.37	25.20	25.40			
	25	0	25.54	25.27	25.42			
16QAM	1	0	25.41	25.23	25.35	-1.60	23.90	33.00
	1	12	25.46	25.26	25.50			
	1	24	25.30	25.36	25.33			
	12	0	24.50	24.30	24.49			
	12	6	24.53	24.31	24.43			
	12	11	24.43	24.30	24.43			
	25	0	24.48	24.36	24.47			
LTE Band 41 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39700	40620	41540			
			2501.0MHz	2593.0MHz	2685.0MHz			
QPSK	1	0	26.46	26.28	26.35	-1.60	24.92	33.00
	1	24	26.47	26.33	26.34			
	1	49	26.52	26.31	26.43			
	25	0	25.55	25.33	25.40			
	25	12	25.36	25.30	25.53			
	25	24	25.45	25.24	25.40			
	50	0	25.42	25.35	25.49			
16QAM	1	0	25.55	25.26	25.23	-1.60	23.95	33.00
	1	24	25.50	25.33	25.25			
	1	49	25.51	25.30	25.40			
	25	0	24.51	24.44	24.47			
	25	12	24.51	24.40	24.48			
	25	24	24.46	24.41	24.58			
	50	0	24.43	24.32	24.49			

LTE Band 41 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39725	40620	41515			
			2503.5MHz	2593.0MHz	2682.5MHz			
QPSK	1	0	26.35	26.22	26.28	-1.60	24.95	33.00
	1	37	26.38	26.28	26.55			
	1	74	26.38	26.20	26.42			
	36	0	25.53	25.37	25.33			
	36	16	25.52	25.25	25.47			
	36	35	25.50	25.21	25.46			
	75	0	25.46	25.17	25.46			
16QAM	1	0	25.47	25.15	25.25	-1.60	23.99	33.00
	1	37	25.41	25.20	25.46			
	1	74	25.59	25.25	25.40			
	36	0	25.54	25.31	25.32			
	36	16	24.58	24.28	24.51			
	36	35	25.51	25.17	25.32			
	75	0	24.42	24.22	24.48			
LTE Band 41 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39750	40620	41490			
			2506.0MHz	2593.0MHz	2680.0MHz			
QPSK	1	0	26.40	26.30	26.24	-1.60	24.89	33.00
	1	49	26.49	26.36	26.47			
	1	99	26.37	26.24	26.45			
	50	0	25.45	25.25	25.28			
	50	24	25.43	25.31	25.35			
	50	49	25.41	25.19	25.40			
	100	0	25.38	25.30	25.36			
16QAM	1	0	25.21	25.13	25.19	-1.60	23.79	33.00
	1	49	25.25	25.25	25.18			
	1	99	25.39	25.31	25.33			
	50	0	24.40	24.26	24.30			
	50	24	24.44	24.33	24.40			
	50	49	24.41	24.22	24.42			
	100	0	24.43	24.29	24.38			

LTE Band 41 (Class 2)-Ant1:

LTE Band 41 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39675	40620	41565			
			2498.5MHz	2593.0MHz	2687.5MHz			
QPSK	1	0	25.24	25.37	25.35	-6.30	19.26	33.00
	1	12	25.24	25.50	25.56			
	1	24	25.23	25.39	25.38			
	12	0	24.38	24.38	24.49			
	12	6	24.43	24.50	24.41			
	12	11	24.35	24.37	24.43			
	25	0	24.27	24.46	24.46			
16QAM	1	0	24.49	24.32	24.41	-6.30	18.32	33.00
	1	12	24.31	24.62	24.58			
	1	24	24.53	24.43	24.34			
	12	0	23.34	23.44	23.43			
	12	6	23.27	23.51	23.40			
	12	11	23.29	23.37	23.46			
	25	0	23.32	23.45	23.35			
LTE Band 41 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39700	40620	41540			
			2501.0MHz	2593.0MHz	2685.0MHz			
QPSK	1	0	25.20	25.27	25.30	-6.30	19.15	33.00
	1	24	25.24	25.45	25.38			
	1	49	25.45	25.44	25.34			
	25	0	24.22	24.48	24.36			
	25	12	24.24	24.51	24.51			
	25	24	24.34	24.42	24.47			
	50	0	24.37	24.55	24.45			
16QAM	1	0	24.39	24.34	24.39	-6.30	18.23	33.00
	1	24	24.51	24.36	24.27			
	1	49	24.45	24.53	24.40			
	25	0	23.40	23.58	23.46			
	25	12	23.21	23.47	23.47			
	25	24	23.34	23.53	23.42			
	50	0	23.25	23.42	23.39			

LTE Band 41 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39725	40620	41515			
			2503.5MHz	2593.0MHz	2682.5MHz			
QPSK	1	0	25.42	25.37	25.41	-6.30	19.23	33.00
	1	37	25.46	25.48	25.44			
	1	74	25.34	25.40	25.53			
	36	0	24.62	24.59	24.32			
	36	16	24.46	24.60	24.46			
	36	35	24.41	24.56	24.34			
	75	0	24.56	24.60	24.32			
16QAM	1	0	24.30	24.36	24.32	-6.30	18.23	33.00
	1	37	24.34	24.40	24.43			
	1	74	24.53	24.43	24.41			
	36	0	23.43	23.55	23.45			
	36	16	23.47	23.61	23.49			
	36	35	23.39	23.44	23.44			
	75	0	23.46	23.61	23.45			
LTE Band 41 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			39750	40620	41490			
			2506.0MHz	2593.0MHz	2680.0MHz			
QPSK	1	0	25.45	25.33	25.37	-6.30	19.28	33.00
	1	49	25.48	25.58	25.48			
	1	99	25.34	25.51	25.54			
	50	0	24.44	24.51	24.54			
	50	24	24.59	24.52	24.41			
	50	49	24.73	24.55	24.44			
	100	0	24.71	24.54	24.38			
16QAM	1	0	24.48	24.27	24.41	-6.30	18.64	33.00
	1	49	24.54	24.65	24.43			
	1	99	24.94	24.60	24.39			
	50	0	23.43	23.47	23.22			
	50	24	23.67	23.60	23.46			
	50	49	23.68	23.51	23.41			
	100	0	23.59	23.56	23.41			

LTE Band 66-Ant11:

LTE Band 66 - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			131979	132322	132665			
			1710.7MHz	1745.0MHz	1779.3MHz			
QPSK	1	0	24.92	24.78	24.73	-2.10	22.92	30.00
	1	2	25.02	24.93	24.84			
	1	5	24.88	24.75	24.78			
	3	0	23.95	23.84	23.88			
	3	1	23.86	23.91	23.87			
	3	2	23.85	23.85	23.76			
	6	0	23.87	23.89	23.84			
16QAM	1	0	23.99	23.82	23.98	-2.10	21.92	30.00
	1	2	24.02	23.88	23.88			
	1	5	23.93	23.85	23.82			
	3	0	22.95	22.95	22.91			
	3	1	22.91	22.87	22.83			
	3	2	22.94	22.84	22.89			
	6	0	22.86	22.85	22.88			
LTE Band 66 - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			131987	132322	132657			
			1711.5MHz	1745.0MHz	1778.5MHz			
QPSK	1	0	24.96	24.76	24.73	-2.10	23.00	30.00
	1	7	25.10	24.96	24.95			
	1	14	24.97	24.92	24.87			
	8	0	24.05	23.88	23.88			
	8	4	24.07	23.96	24.01			
	8	7	24.07	23.97	23.96			
	15	0	24.05	23.95	23.88			
16QAM	1	0	23.90	23.73	23.86	-2.10	22.19	30.00
	1	7	24.29	23.93	23.84			
	1	14	24.00	23.89	23.92			
	8	0	23.02	22.89	22.81			
	8	4	23.12	23.00	23.01			
	8	7	23.11	23.06	22.97			
	15	0	23.01	22.95	22.86			

LTE Band 66 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			131997	132322	132647			
			1712.5MHz	1745.0MHz	1777.5MHz			
QPSK	1	0	24.95	24.88	24.86	-2.10	23.00	30.00
	1	12	25.07	25.10	25.06			
	1	24	25.00	24.93	24.89			
	12	0	24.05	23.90	23.86			
	12	6	24.11	24.04	24.00			
	12	11	24.12	24.00	23.99			
	25	0	24.03	23.98	23.94			
16QAM	1	0	23.89	24.09	23.91	-2.10	21.99	30.00
	1	12	24.02	23.98	23.92			
	1	24	24.07	24.02	24.00			
	12	0	23.02	22.90	22.84			
	12	6	23.12	23.06	23.00			
	12	11	23.09	23.08	22.95			
	25	0	23.07	22.98	23.01			
LTE Band 66 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			132022	132322	132622			
			1715.0MHz	1745.0MHz	1775.0MHz			
QPSK	1	0	24.80	24.96	24.92	-2.10	22.91	30.00
	1	24	25.01	24.98	24.86			
	1	49	25.00	24.89	24.91			
	25	0	23.99	23.93	23.90			
	25	12	24.06	23.94	24.02			
	25	24	24.07	23.97	23.97			
	50	0	24.02	24.00	23.96			
16QAM	1	0	23.88	23.99	23.76	-2.10	21.95	30.00
	1	24	24.02	23.89	23.96			
	1	49	24.05	23.92	23.92			
	25	0	23.09	22.93	22.96			
	25	12	23.10	22.96	23.03			
	25	24	23.11	23.00	23.01			
	50	0	23.00	23.00	23.03			

LTE Band 66 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			132047	132322	132597			
			1717.5MHz	1745.0MHz	1772.5MHz			
QPSK	1	0	24.97	24.89	24.81	-2.10	22.87	30.00
	1	37	24.93	24.94	24.82			
	1	74	24.92	24.83	24.81			
	36	0	24.00	23.91	23.90			
	36	16	24.01	23.92	23.95			
	36	35	24.01	23.93	23.89			
	75	0	23.99	23.93	23.88			
16QAM	1	0	23.74	23.85	23.85	-2.10	21.91	30.00
	1	37	23.99	23.90	23.95			
	1	74	24.01	23.84	23.84			
	36	0	23.01	22.93	22.90			
	36	16	23.05	22.88	22.95			
	36	35	23.00	22.95	22.93			
	75	0	23.01	22.89	22.91			
LTE Band 66 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			132072	132322	132572			
			1720.0MHz	1745.0MHz	1770.0MHz			
QPSK	1	0	24.93	24.86	24.86	-2.10	22.84	30.00
	1	49	24.94	24.85	24.89			
	1	99	24.82	24.94	24.87			
	50	0	23.97	23.89	23.88			
	50	24	24.07	23.99	23.93			
	50	49	24.03	23.96	23.92			
	100	0	23.96	23.97	23.93			
16QAM	1	0	23.86	23.87	23.91	-2.10	21.91	30.00
	1	49	23.86	23.88	24.01			
	1	99	23.75	23.82	23.93			
	50	0	23.00	22.90	22.88			
	50	24	23.07	23.00	22.92			
	50	49	23.03	22.95	22.92			
	100	0	23.01	23.04	22.85			

LTE Band 66-Ant8:

LTE Band 66 - 1.4MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			131979	132322	132665			
			1710.7MHz	1745.0MHz	1779.3MHz			
QPSK	1	0	24.35	24.48	23.64	-2.70	21.95	30.00
	1	2	24.43	24.47	23.63			
	1	5	24.45	24.35	23.60			
	3	0	24.35	24.49	23.64			
	3	1	24.34	24.65	23.61			
	3	2	24.45	24.53	23.66			
	6	0	23.47	23.62	22.31			
16QAM	1	0	23.45	23.40	23.57	-2.70	20.87	30.00
	1	2	23.39	23.57	23.43			
	1	5	23.56	23.38	23.46			
	3	0	22.54	22.52	22.54			
	3	1	22.47	22.54	22.59			
	3	2	22.60	22.49	22.52			
	6	0	22.51	22.67	22.55			
LTE Band 66 - 3MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			131987	132322	132657			
			1711.5MHz	1745.0MHz	1778.5MHz			
QPSK	1	0	24.32	24.49	24.25	-2.70	21.95	30.00
	1	7	24.39	24.65	24.48			
	1	14	24.50	24.51	24.33			
	8	0	23.44	23.56	23.46			
	8	4	23.50	23.79	23.42			
	8	7	23.53	23.73	23.48			
	15	0	23.40	23.63	23.42			
16QAM	1	0	23.45	23.46	23.44	-2.70	20.86	30.00
	1	7	23.51	23.54	23.39			
	1	14	23.54	23.56	23.42			
	8	0	22.47	22.60	22.43			
	8	4	22.57	22.62	22.37			
	8	7	22.52	22.72	22.32			
	15	0	22.53	22.72	22.30			

LTE Band 66 - 5MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			131997	132322	132647			
			1712.5MHz	1745.0MHz	1777.5MHz			
QPSK	1	0	24.40	24.50	24.42	-2.70	21.88	30.00
	1	12	24.53	24.58	24.36			
	1	24	24.44	24.46	24.37			
	12	0	23.46	23.60	23.59			
	12	6	23.50	23.72	23.45			
	12	11	23.55	23.74	23.47			
	25	0	23.45	23.68	23.42			
16QAM	1	0	23.43	23.52	23.36	-2.70	20.99	30.00
	1	12	23.54	23.69	23.42			
	1	24	23.53	23.50	23.31			
	12	0	22.49	22.56	22.43			
	12	6	22.52	22.66	22.29			
	12	11	22.61	22.47	22.31			
	25	0	22.50	22.61	22.26			
LTE Band 66 - 10MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			132022	132322	132622			
			1715.0MHz	1745.0MHz	1775.0MHz			
QPSK	1	0	24.35	24.54	24.51	-2.70	21.93	30.00
	1	24	24.42	24.63	24.63			
	1	49	24.46	24.43	24.28			
	25	0	23.47	23.67	23.59			
	25	12	23.40	23.63	23.46			
	25	24	23.51	23.61	23.40			
	50	0	23.45	23.50	23.49			
16QAM	1	0	23.23	23.71	23.51	-2.70	21.01	30.00
	1	24	23.53	23.54	23.58			
	1	49	23.58	23.46	23.45			
	25	0	22.55	22.57	22.60			
	25	12	22.58	22.61	22.66			
	25	24	22.59	22.55	22.49			
	50	0	22.46	22.45	22.50			

LTE Band 66 - 15MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			132047	132322	132597			
			1717.5MHz	1745.0MHz	1772.5MHz			
QPSK	1	0	24.45	24.62	24.49	-2.70	21.93	30.00
	1	37	24.32	24.63	24.63			
	1	74	24.47	24.48	24.29			
	36	0	23.37	23.51	23.39			
	36	16	23.31	23.63	23.61			
	36	35	23.45	23.53	23.38			
	75	0	23.36	23.41	23.44			
16QAM	1	0	23.45	23.49	23.54	-2.70	21.00	30.00
	1	37	23.33	23.34	23.70			
	1	74	23.45	23.42	23.40			
	36	0	22.50	22.58	22.34			
	36	16	22.35	22.63	22.67			
	36	35	22.43	22.57	22.32			
	75	0	22.43	22.56	22.46			
LTE Band 66 - 20MHz Bandwidth								
Modulation	RB Size	RB Offset	Average Power (dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
			132072	132322	132572			
			1720.0MHz	1745.0MHz	1770.0MHz			
QPSK	1	0	24.45	24.42	24.61	-2.70	21.99	30.00
	1	49	24.42	24.64	24.51			
	1	99	24.69	24.54	24.44			
	50	0	23.46	23.64	23.55			
	50	24	23.41	23.73	23.62			
	50	49	23.64	23.56	23.61			
	100	0	23.45	23.59	23.39			
16QAM	1	0	23.50	23.61	23.41	-2.70	20.97	30.00
	1	49	23.40	23.62	23.52			
	1	99	23.67	23.60	23.40			
	50	0	22.49	22.62	22.46			
	50	24	22.47	22.64	22.55			
	50	49	22.69	22.55	22.34			
	100	0	22.53	22.44	22.48			

LTE Band 7C-Ant11:

LTE Band 7C_10MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20805-20949	21006-21150	21206-21350			
	2510.0-2519.9 (MHz-MHz)	2525.6-2540.0 (MHz-MHz)	2545.6-2560.0 (MHz-MHz)			
1RB#0-0RB#0	23.99	24.18	24.16	-4.00	20.31	33.00
1RB#0-1RB#99	17.24	17.32	17.41			
1RB#49-0RB#0	24.23	24.31	24.27			
12RB#0-0RB#0	23.88	23.99	24.05			
50RB#0-100RB#0	22.91	22.98	23.03			
LTE Band 7C_10MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20805-20949	21006-21150	21206-21350			
	2510.0-2519.9 (MHz-MHz)	2525.6-2540.0 (MHz-MHz)	2545.6-2560.0 (MHz-MHz)			
1RB#0-0RB#0	23.25	23.13	23.11	-4.00	19.25	33.00
1RB#0-1RB#99	16.45	16.32	16.48			
1RB#49-0RB#0	23.01	23.19	23.22			
12RB#0-0RB#0	22.99	23.04	23.20			
50RB#0-100RB#0	21.90	21.95	22.01			
LTE Band 7C_15MHz+10MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39845	40571-40691	41417-41537			
	2507.5-2519.5 (MHz-MHz)	2530.1-2542.1 (MHz-MHz)	2552.7-2564.7 (MHz-MHz)			
1RB#0-0RB#0	23.94	24.03	24.13	-4.00	20.25	33.00
1RB#0-1RB#49	17.25	17.30	17.37			
1RB#74-0RB#0	24.15	24.25	24.24			
16RB#0-0RB#0	23.00	23.11	23.19			
75RB#0-50RB#0	22.97	23.02	23.05			
LTE Band 7C_15MHz+10MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20825-20945	21051-21171	21277-21397			
	2507.5-2519.5 (MHz-MHz)	2530.1-2542.1 (MHz-MHz)	2552.7-2564.7 (MHz-MHz)			
1RB#0-0RB#0	23.16	23.17	23.26	-4.00	19.34	33.00
1RB#0-1RB#49	16.53	16.44	16.50			
1RB#74-0RB#0	23.15	23.22	23.34			
16RB#0-0RB#0	22.07	22.15	22.13			
75RB#0-50RB#0	22.06	22.03	22.00			

LTE Band 7C_15MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20825-20975	21025-21175	21225-21375			
	2507.5-2522.5 (MHz-MHz)	2527.5-2542.5 (MHz-MHz)	2547.5-2562.5 (MHz-MHz)			
1RB#0-0RB#0	23.98	24.04	24.18	-4.00	20.22	33.00
1RB#0-1RB#74	17.31	17.30	17.56			
1RB#74-0RB#0	24.02	24.17	24.22			
16RB#0-0RB#0	23.91	23.97	24.00			
75RB#0-75RB#0	22.96	23.01	23.02			
LTE Band 7C_15MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20825-20975	21025-21175	21225-21375			
	2507.5-2522.5 (MHz-MHz)	2527.5-2542.5 (MHz-MHz)	2547.5-2562.5 (MHz-MHz)			
1RB#0-0RB#0	23.20	23.14	23.17	-4.00	19.29	33.00
1RB#0-1RB#74	16.41	16.53	16.39			
1RB#74-0RB#0	23.19	23.29	23.24			
16RB#0-0RB#0	23.01	23.04	23.11			
75RB#0-75RB#0	22.05	22.14	22.09			
LTE Band 7C_15MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20828-20999	21003-21174	21179-21350			
	2507.8-2524.9 (MHz-MHz)	2525.3-2542.4 (MHz-MHz)	2542.9-2560.0 (MHz-MHz)			
1RB#0-0RB#0	24.05	23.99	24.13	-4.00	20.24	33.00
1RB#0-1RB#99	17.20	17.28	17.47			
1RB#74-0RB#0	24.03	24.16	24.24			
16RB#0-0RB#0	23.92	23.98	23.99			
75RB#0-100RB#0	22.99	23.00	23.05			
LTE Band 7C_15MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20828-20999	21003-21174	21179-21350			
	2507.8-2524.9 (MHz-MHz)	2525.3-2542.4 (MHz-MHz)	2542.9-2560.0 (MHz-MHz)			
1RB#0-0RB#0	23.00	23.09	23.03	-4.00	19.29	33.00
1RB#0-1RB#99	16.25	16.41	16.47			
1RB#74-0RB#0	23.13	23.16	23.29			
16RB#0-0RB#0	23.00	23.05	23.09			
75RB#0-100RB#0	22.11	22.07	22.12			

LTE Band 7C_20MHz+10MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20850-20994	21051-21195	21251-21395			
	2510.0-2524.4 (MHz-MHz)	2530.1-2544.5 (MHz-MHz)	2550.1-2564.5 (MHz-MHz)			
1RB#0-0RB#0	24.12	24.15	24.18	-4.00	20.35	33.00
1RB#0-1RB#49	17.40	17.32	17.57			
1RB#99-0RB#0	24.11	24.34	24.35			
18RB#0-0RB#0	23.08	23.11	23.13			
100RB#0-50RB#0	22.98	23.03	23.05			
LTE Band 7C_20MHz+10MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20850-20994	21051-21195	21251-21395			
	2510.0-2524.4 (MHz-MHz)	2530.1-2544.5 (MHz-MHz)	2550.1-2564.5 (MHz-MHz)			
1RB#0-0RB#0	23.39	23.22	23.20	-4.00	19.39	33.00
1RB#0-1RB#49	16.41	16.55	16.47			
1RB#99-0RB#0	23.38	23.29	23.32			
18RB#0-0RB#0	22.06	22.07	22.19			
100RB#0-50RB#0	22.05	22.03	22.08			
LTE Band 7C_20MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20850-21021	21026-21197	21201-21372			
	2510.0-2527.1 (MHz-MHz)	2527.6-2544.7 (MHz-MHz)	2545.1-2562.2 (MHz-MHz)			
1RB#0-0RB#0	24.06	24.12	24.18	-4.00	20.22	33.00
1RB#0-1RB#74	17.26	17.43	17.53			
1RB#99-0RB#0	24.22	24.20	24.20			
18RB#0-0RB#0	23.00	23.10	23.16			
100RB#0-75RB#0	23.01	23.06	23.04			
LTE Band 7C_20MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20850-21021	21026-21197	21201-21372			
	2510.0-2527.1 (MHz-MHz)	2527.6-2544.7 (MHz-MHz)	2545.1-2562.2 (MHz-MHz)			
1RB#0-0RB#0	23.00	23.10	23.05	-4.00	19.23	33.00
1RB#0-1RB#74	16.22	16.42	16.34			
1RB#99-0RB#0	23.23	23.16	23.09			
18RB#0-0RB#0	22.04	22.03	22.12			
100RB#0-75RB#0	22.01	22.08	22.07			



LTE Band 7C_20MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20850-21048	21001-21199	21152-21350			
	2510.0-2529.8 (MHz-MHz)	2525.1-2544.9 (MHz-MHz)	2540.2-2560.0 (MHz-MHz)			
1RB#0-0RB#0	24.04	24.20	24.12	-4.00	20.20	33.00
1RB#0-1RB#99	17.35	17.49	17.50			
1RB#99-0RB#0	24.17	24.19	24.13			
18RB#0-0RB#0	23.87	23.92	23.97			
100RB#0-100RB#0	22.96	23.03	23.04			
LTE Band 7C_20MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20850-21048	21001-21199	21152-21350			
	2510.0-2529.8 (MHz-MHz)	2525.1-2544.9 (MHz-MHz)	2540.2-2560.0 (MHz-MHz)			
1RB#0-0RB#0	23.27	23.26	23.16	-4.00	19.27	33.00
1RB#0-1RB#99	16.31	16.48	16.43			
1RB#99-0RB#0	23.19	23.26	23.15			
18RB#0-0RB#0	22.92	23.08	22.98			
100RB#0-100RB#0	22.09	22.02	22.11			

LTE Band 7C-Ant8:

LTE Band 7C_10MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20805-20949	21006-21150	21206-21350			
	2510.0-2519.9 (MHz-MHz)	2525.6-2540.0 (MHz-MHz)	2545.6-2560.0 (MHz-MHz)			
1RB#0-0RB#0	23.84	23.94	24.15	-2.20	21.95	33.00
1RB#0-1RB#99	16.90	17.11	17.08			
1RB#49-0RB#0	24.10	24.00	24.14			
12RB#0-0RB#0	23.89	23.92	23.91			
50RB#0-100RB#0	22.47	22.72	22.75			
LTE Band 7C_10MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20805-20949	21006-21150	21206-21350			
	2510.0-2519.9 (MHz-MHz)	2525.6-2540.0 (MHz-MHz)	2545.6-2560.0 (MHz-MHz)			
1RB#0-0RB#0	22.87	23.15	22.96	-2.20	21.07	33.00
1RB#0-1RB#99	15.44	15.51	15.37			
1RB#49-0RB#0	23.02	23.27	23.06			
12RB#0-0RB#0	22.96	22.96	22.99			
50RB#0-100RB#0	21.57	21.80	21.75			
LTE Band 7C_15MHz+10MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39845	40571-40691	41417-41537			
	2507.5-2519.5 (MHz-MHz)	2530.1-2542.1 (MHz-MHz)	2552.7-2564.7 (MHz-MHz)			
1RB#0-0RB#0	23.87	23.88	23.99	-2.20	21.89	33.00
1RB#0-1RB#49	16.88	17.14	17.09			
1RB#74-0RB#0	23.99	23.99	24.09			
16RB#0-0RB#0	23.00	23.04	23.02			
75RB#0-50RB#0	22.42	22.88	22.86			
LTE Band 7C_15MHz+10MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20825-20945	21051-21171	21277-21397			
	2507.5-2519.5 (MHz-MHz)	2530.1-2542.1 (MHz-MHz)	2552.7-2564.7 (MHz-MHz)			
1RB#0-0RB#0	22.82	22.95	23.07	-2.20	20.98	33.00
1RB#0-1RB#49	13.98	15.38	15.22			
1RB#74-0RB#0	23.14	23.03	23.18			
16RB#0-0RB#0	22.01	22.05	22.00			
75RB#0-50RB#0	21.42	21.84	21.86			

LTE Band 7C_15MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20825-20975	21025-21175	21225-21375			
	2507.5-2522.5 (MHz-MHz)	2527.5-2542.5 (MHz-MHz)	2547.5-2562.5 (MHz-MHz)			
1RB#0-0RB#0	23.87	24.01	23.92	-2.20	21.89	33.00
1RB#0-1RB#74	16.91	17.09	17.11			
1RB#74-0RB#0	23.89	23.99	24.09			
16RB#0-0RB#0	23.84	23.92	23.95			
75RB#0-75RB#0	22.46	22.73	22.77			
LTE Band 7C_15MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20825-20975	21025-21175	21225-21375			
	2507.5-2522.5 (MHz-MHz)	2527.5-2542.5 (MHz-MHz)	2547.5-2562.5 (MHz-MHz)			
1RB#0-0RB#0	22.87	22.95	23.01	-2.20	20.93	33.00
1RB#0-1RB#74	13.90	15.65	15.60			
1RB#74-0RB#0	22.87	23.13	22.92			
16RB#0-0RB#0	22.93	22.96	22.98			
75RB#0-75RB#0	21.79	21.74	21.85			
LTE Band 7C_15MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20828-20999	21003-21174	21179-21350			
	2507.8-2524.9 (MHz-MHz)	2525.3-2542.4 (MHz-MHz)	2542.9-2560.0 (MHz-MHz)			
1RB#0-0RB#0	23.93	23.94	24.02	-2.20	21.82	33.00
1RB#0-1RB#99	14.04	17.19	17.13			
1RB#74-0RB#0	23.97	24.02	24.02			
16RB#0-0RB#0	23.91	23.91	23.87			
75RB#0-100RB#0	22.60	22.64	22.79			
LTE Band 7C_15MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20828-20999	21003-21174	21179-21350			
	2507.8-2524.9 (MHz-MHz)	2525.3-2542.4 (MHz-MHz)	2542.9-2560.0 (MHz-MHz)			
1RB#0-0RB#0	22.93	23.10	23.00	-2.20	21.07	33.00
1RB#0-1RB#99	15.29	15.57	15.32			
1RB#74-0RB#0	23.14	23.27	23.09			
16RB#0-0RB#0	22.95	22.99	22.94			
75RB#0-100RB#0	21.68	21.76	21.77			

LTE Band 7C_20MHz+10MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20850-20994	21051-21195	21251-21395			
	2510.0-2524.4 (MHz-MHz)	2530.1-2544.5 (MHz-MHz)	2550.1-2564.5 (MHz-MHz)			
1RB#0-0RB#0	23.92	23.94	24.00	-2.20	22.03	33.00
1RB#0-1RB#49	13.98	24.23	17.08			
1RB#99-0RB#0	24.12	24.00	24.21			
18RB#0-0RB#0	23.10	23.07	23.05			
100RB#0-50RB#0	22.88	22.96	22.91			
LTE Band 7C_20MHz+10MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20850-20994	21051-21195	21251-21395			
	2510.0-2524.4 (MHz-MHz)	2530.1-2544.5 (MHz-MHz)	2550.1-2564.5 (MHz-MHz)			
1RB#0-0RB#0	22.91	23.00	23.13	-2.20	21.00	33.00
1RB#0-1RB#49	15.32	15.51	15.58			
1RB#99-0RB#0	23.20	23.05	23.16			
18RB#0-0RB#0	21.98	22.09	22.06			
100RB#0-50RB#0	21.69	21.75	21.82			
LTE Band 7C_20MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20850-21021	21026-21197	21201-21372			
	2510.0-2527.1 (MHz-MHz)	2527.6-2544.7 (MHz-MHz)	2545.1-2562.2 (MHz-MHz)			
1RB#0-0RB#0	23.85	24.02	24.06	-2.20	21.93	33.00
1RB#0-1RB#74	17.05	17.15	17.08			
1RB#99-0RB#0	24.13	24.10	24.08			
18RB#0-0RB#0	23.02	23.04	23.01			
100RB#0-75RB#0	22.86	22.76	22.89			
LTE Band 7C_20MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20850-21021	21026-21197	21201-21372			
	2510.0-2527.1 (MHz-MHz)	2527.6-2544.7 (MHz-MHz)	2545.1-2562.2 (MHz-MHz)			
1RB#0-0RB#0	22.95	23.10	23.12	-2.20	21.27	33.00
1RB#0-1RB#74	15.23	15.56	15.42			
1RB#99-0RB#0	23.29	23.47	23.26			
18RB#0-0RB#0	21.99	22.01	22.06			
100RB#0-75RB#0	21.89	21.83	21.82			



LTE Band 7C_20MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20850-21048	21001-21199	21152-21350			
	2510.0-2529.8 (MHz-MHz)	2525.1-2544.9 (MHz-MHz)	2540.2-2560.0 (MHz-MHz)			
1RB#0-0RB#0	23.94	23.98	24.10	-2.20	21.90	33.00
1RB#0-1RB#99	14.17	17.13	17.06			
1RB#99-0RB#0	24.03	24.05	24.05			
18RB#0-0RB#0	23.84	23.83	23.84			
100RB#0-100RB#0	22.61	22.67	22.84			
LTE Band 7C_20MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	20850-21048	21001-21199	21152-21350			
	2510.0-2529.8 (MHz-MHz)	2525.1-2544.9 (MHz-MHz)	2540.2-2560.0 (MHz-MHz)			
1RB#0-0RB#0	22.95	23.07	23.08	-2.20	20.97	33.00
1RB#0-1RB#99	15.17	15.58	15.31			
1RB#99-0RB#0	23.12	23.11	23.17			
18RB#0-0RB#0	22.94	22.97	22.94			
100RB#0-100RB#0	21.70	21.70	21.77			

LTE Band 41C-Ant11:

LTE Band 41C_5MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39683-39800	40528-40645	41373-41490			
	2499.3-2511.0 (MHz-MHz)	2583.8-2595.5 (MHz-MHz)	2669.3-2680.0 (MHz-MHz)			
1RB#0-0RB#0	24.56	24.48	24.59	-4.00	20.59	33.00
1RB#0-1RB#99	17.25	17.64	17.48			
1RB#24-0RB#0	24.44	24.59	24.44			
8RB#0-0RB#0	24.34	24.37	24.37			
25RB#0-100RB#0	23.32	23.40	23.37			
LTE Band 41C_5MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39683-39800	40528-40645	41373-41490			
	2499.3-2511.0 (MHz-MHz)	2583.8-2595.5 (MHz-MHz)	2669.3-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.37	23.22	23.46	-4.00	19.50	33.00
1RB#0-1RB#99	15.52	15.65	15.78			
1RB#24-0RB#0	23.50	23.47	23.42			
8RB#0-0RB#0	23.38	23.49	23.40			
25RB#0-100RB#0	22.34	22.48	22.37			
LTE Band 41C_10MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39703-39823	40549-40669	41395-41515			
	2501.3-2513.3 (MHz-MHz)	2585.9-2670.5 (MHz-MHz)	2670.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	24.49	24.52	24.45	-4.00	20.52	33.00
1RB#0-1RB#74	17.30	17.67	17.52			
1RB#49-0RB#0	24.32	24.49	24.43			
12RB#0-0RB#0	24.38	24.43	24.40			
50RB#0-75RB#0	23.30	23.38	23.37			
LTE Band 41C_10MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39703-39823	40549-40669	41395-41515			
	2501.3-2513.3 (MHz-MHz)	2585.9-2670.5 (MHz-MHz)	2670.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	23.43	23.55	23.60	-4.00	19.60	33.00
1RB#0-1RB#74	15.34	15.67	15.77			
1RB#49-0RB#0	23.27	23.22	23.36			
12RB#0-0RB#0	23.40	23.37	23.35			
50RB#0-75RB#0	22.28	22.41	22.39			

LTE Band 41C_10MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39705-39849	40526-40670	41346-41490			
	2501.5-2515.9 (MHz-MHz)	2583.6-2598.0 (MHz-MHz)	2665.6-2680.0 (MHz-MHz)			
1RB#0-0RB#0	24.54	24.55	24.46	-4.00	20.55	33.00
1RB#0-1RB#99	15.53	17.84	17.60			
1RB#49-0RB#0	24.43	24.48	24.46			
12RB#0-0RB#0	24.23	24.34	24.31			
50RB#0-100RB#0	23.26	23.38	23.35			
LTE Band 41C_10MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39705-39849	40526-40670	41346-41490			
	2501.5-2515.9 (MHz-MHz)	2583.6-2598.0 (MHz-MHz)	2665.6-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.29	23.29	23.40	-4.00	19.48	33.00
1RB#0-1RB#99	15.56	15.90	15.81			
1RB#49-0RB#0	23.32	23.29	23.29			
12RB#0-0RB#0	23.29	23.48	23.38			
50RB#0-100RB#0	22.28	22.41	22.35			
LTE Band 41C_15MHz+10MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39845	40571-40691	41417-41537			
	2503.5-2515.5 (MHz-MHz)	2588.1-2600.0 (MHz-MHz)	2672.7-2684.7 (MHz-MHz)			
1RB#0-0RB#0	24.46	24.53	24.62	-4.00	20.65	33.00
1RB#0-1RB#49	17.36	17.76	17.57			
1RB#74-0RB#0	24.45	24.65	24.50			
16RB#0-0RB#0	23.52	23.52	23.56			
75RB#0-50RB#0	23.30	23.41	23.40			
LTE Band 41C_15MHz+10MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39845	40571-40691	41417-41537			
	2503.5-2515.5 (MHz-MHz)	2588.1-2600.0 (MHz-MHz)	2672.7-2684.7 (MHz-MHz)			
1RB#0-0RB#0	23.51	23.47	23.48	-4.00	19.69	33.00
1RB#0-1RB#49	15.74	15.79	15.84			
1RB#74-0RB#0	23.46	23.69	23.59			
16RB#0-0RB#0	22.48	22.53	22.57			
75RB#0-50RB#0	22.26	22.51	22.40			

LTE Band 41C_15MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39875	40545-40695	41365-41515			
	2503.5-2518.5 (MHz-MHz)	2585.5-2600.5 (MHz-MHz)	2667.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	24.36	24.33	24.40	-4.00	20.45	33.00
1RB#0-1RB#74	17.53	17.88	17.65			
1RB#74-0RB#0	24.38	24.45	24.43			
16RB#0-0RB#0	24.23	24.28	24.34			
75RB#0-75RB#0	23.27	23.38	23.32			
LTE Band 41C_15MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39875	40545-40695	41365-41515			
	2503.5-2518.5 (MHz-MHz)	2585.5-2600.5 (MHz-MHz)	2667.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	23.39	23.42	23.46	-4.00	19.46	33.00
1RB#0-1RB#74	15.94	15.97	15.82			
1RB#74-0RB#0	23.32	23.41	23.43			
16RB#0-0RB#0	23.31	23.36	23.40			
75RB#0-75RB#0	22.27	22.41	22.42			
LTE Band 41C_15MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39728-39899	40523-40694	41319-41490			
	2503.8-2520.9 (MHz-MHz)	2583.5-2600.4 (MHz-MHz)	2662.9-2680.0 (MHz-MHz)			
1RB#0-0RB#0	24.28	24.35	24.34	-4.00	20.45	33.00
1RB#0-1RB#99	17.76	17.98	17.83			
1RB#74-0RB#0	24.38	24.45	24.39			
16RB#0-0RB#0	24.22	24.30	24.28			
75RB#0-100RB#0	23.28	23.38	23.34			
LTE Band 41C_15MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39728-39899	40523-40694	41319-41490			
	2503.8-2520.9 (MHz-MHz)	2583.5-2600.4 (MHz-MHz)	2662.9-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.38	23.71	23.37	-4.00	19.71	33.00
1RB#0-1RB#99	15.98	16.00	15.99			
1RB#74-0RB#0	23.40	23.65	23.54			
16RB#0-0RB#0	23.28	23.33	23.35			
75RB#0-100RB#0	22.35	22.38	22.42			

LTE Band 41C_20MHz+5MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39867	40595-40712	41440-41557			
	2506.0-2517.7 (MHz-MHz)	2590.5-2602.2 (MHz-MHz)	2675.0-2686.7 (MHz-MHz)			
1RB#0-0RB#0	24.44	24.50	24.49	-4.00	20.77	33.00
1RB#0-1RB#24	17.67	17.77	17.53			
1RB#99-0RB#0	24.60	24.60	24.77			
18RB#0-0RB#0	23.52	23.53	23.53			
100RB#0-25RB#0	23.35	23.41	23.40			
LTE Band 41C_20MHz+5MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39867	40595-40712	41440-41557			
	2506.0-2517.7 (MHz-MHz)	2590.5-2602.2 (MHz-MHz)	2675.0-2686.7 (MHz-MHz)			
1RB#0-0RB#0	23.62	23.66	23.54	-4.00	19.66	33.00
1RB#0-1RB#24	15.37	15.78	15.76			
1RB#99-0RB#0	23.62	23.59	23.62			
18RB#0-0RB#0	22.50	22.56	22.54			
100RB#0-25RB#0	22.38	22.47	22.50			
LTE Band 41C_20MHz+10MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39894	40571-40715	41391-41535			
	2506.0-2520.4 (MHz-MHz)	2588.1-2602.5 (MHz-MHz)	2670.1-2684.5 (MHz-MHz)			
1RB#0-0RB#0	24.36	24.55	24.43	-4.00	20.59	33.00
1RB#0-1RB#49	15.57	17.89	17.70			
1RB#99-0RB#0	24.42	24.52	24.59			
18RB#0-0RB#0	23.43	23.47	23.49			
100RB#0-50RB#0	23.29	23.48	23.39			
LTE Band 41C_20MHz+10MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39894	40571-40715	41391-41535			
	2506.0-2520.4 (MHz-MHz)	2588.1-2602.5 (MHz-MHz)	2670.1-2684.5 (MHz-MHz)			
1RB#0-0RB#0	23.62	23.55	23.39	-4.00	19.68	33.00
1RB#0-1RB#49	15.70	16.05	15.83			
1RB#99-0RB#0	23.43	23.68	23.65			
18RB#0-0RB#0	22.45	22.50	22.52			
100RB#0-50RB#0	22.32	22.42	22.35			

LTE Band 41C_20MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39921	40546-40717	41341-41512			
	2506.0-2523.1 (MHz-MHz)	2585.6-2602.7 (MHz-MHz)	2665.1-2682.2 (MHz-MHz)			
1RB#0-0RB#0	24.76	24.73	24.54	-4.00	20.76	33.00
1RB#0-1RB#74	18.15	18.40	18.07			
1RB#99-0RB#0	24.68	24.73	24.67			
18RB#0-0RB#0	23.68	23.66	23.48			
100RB#0-75RB#0	23.58	23.48	23.43			
LTE Band 41C_20MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39921	40546-40717	41341-41512			
	2506.0-2523.1 (MHz-MHz)	2585.6-2602.7 (MHz-MHz)	2665.1-2682.2 (MHz-MHz)			
1RB#0-0RB#0	23.72	23.74	23.64	-4.00	19.77	33.00
1RB#0-1RB#74	16.10	16.30	16.28			
1RB#99-0RB#0	23.77	23.49	23.77			
18RB#0-0RB#0	22.71	22.64	22.53			
100RB#0-75RB#0	22.57	22.50	22.39			
LTE Band 41C_20MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39948	40521-40719	41292-41490			
	2506.52525.8 (MHz-MHz)	2583.1-2602.9 (MHz-MHz)	2660.2-2680.0 (MHz-MHz)			
1RB#0-0RB#0	24.43	24.45	24.18	-4.00	20.59	33.00
1RB#0-1RB#99	17.91	18.20	18.07			
1RB#99-0RB#0	24.59	24.54	24.41			
18RB#0-0RB#0	24.21	24.22	24.08			
100RB#0-100RB#0	23.36	23.37	23.28			
LTE Band 41C_20MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39948	40521-40719	41292-41490			
	2506.52525.8 (MHz-MHz)	2583.1-2602.9 (MHz-MHz)	2660.2-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.52	23.26	23.32	-4.00	19.63	33.00
1RB#0-1RB#99	16.02	16.09	16.11			
1RB#99-0RB#0	23.63	23.36	23.46			
18RB#0-0RB#0	23.31	23.38	23.18			
100RB#0-100RB#0	22.36	22.40	22.30			

LTE Band 41C-Ant8:

LTE Band 41C_5MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39683-39800	40528-40645	41373-41490			
	2499.3-2511.0 (MHz-MHz)	2583.8-2595.5 (MHz-MHz)	2669.3-2680.0 (MHz-MHz)			
1RB#0-0RB#0	24.50	24.43	24.36	-2.20	22.31	33.00
1RB#0-1RB#99	16.55	16.63	16.73			
1RB#24-0RB#0	24.51	24.49	24.38			
8RB#0-0RB#0	24.31	24.32	24.27			
25RB#0-100RB#0	23.18	23.25	23.26			
LTE Band 41C_5MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39683-39800	40528-40645	41373-41490			
	2499.3-2511.0 (MHz-MHz)	2583.8-2595.5 (MHz-MHz)	2669.3-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.51	23.35	23.38	-2.20	21.31	33.00
1RB#0-1RB#99	14.39	14.54	14.67			
1RB#24-0RB#0	23.49	23.38	23.27			
8RB#0-0RB#0	23.34	23.39	23.33			
25RB#0-100RB#0	22.14	22.19	22.25			
LTE Band 41C_10MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39703-39823	40549-40669	41395-41515			
	2501.3-2513.3 (MHz-MHz)	2585.9-2670.5 (MHz-MHz)	2670.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	24.44	24.48	24.30	-2.20	22.29	33.00
1RB#0-1RB#74	16.56	16.67	16.70			
1RB#49-0RB#0	24.32	24.40	24.49			
12RB#0-0RB#0	24.33	24.34	24.29			
50RB#0-75RB#0	23.08	23.24	23.23			
LTE Band 41C_10MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39703-39823	40549-40669	41395-41515			
	2501.3-2513.3 (MHz-MHz)	2585.9-2670.5 (MHz-MHz)	2670.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	23.28	23.62	23.46	-2.20	21.42	33.00
1RB#0-1RB#74	14.65	14.54	14.73			
1RB#49-0RB#0	23.29	23.47	23.36			
12RB#0-0RB#0	23.38	23.40	23.28			
50RB#0-75RB#0	22.16	22.10	22.19			

LTE Band 41C_10MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39705-39849	40526-40670	41346-41490			
	2501.5-2515.9 (MHz-MHz)	2583.6-2598.0 (MHz-MHz)	2665.6-2680.0 (MHz-MHz)			
1RB#0-0RB#0	24.50	24.67	24.44	-2.20	22.47	33.00
1RB#0-1RB#99	16.66	16.73	16.73			
1RB#49-0RB#0	24.29	24.43	24.36			
12RB#0-0RB#0	24.20	24.24	24.23			
50RB#0-100RB#0	23.16	23.23	23.20			
LTE Band 41C_10MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39705-39849	40526-40670	41346-41490			
	2501.5-2515.9 (MHz-MHz)	2583.6-2598.0 (MHz-MHz)	2665.6-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.37	23.47	23.30	-2.20	21.27	33.00
1RB#0-1RB#99	14.68	14.75	14.82			
1RB#49-0RB#0	23.34	23.41	23.30			
12RB#0-0RB#0	23.36	23.41	23.32			
50RB#0-100RB#0	22.18	22.16	22.27			
LTE Band 41C_15MHz+10MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39845	40571-40691	41417-41537			
	2503.5-2515.5 (MHz-MHz)	2588.1-2600.0 (MHz-MHz)	2672.7-2684.7 (MHz-MHz)			
1RB#0-0RB#0	24.33	24.45	24.33	-2.20	22.34	33.00
1RB#0-1RB#49	16.50	16.58	16.68			
1RB#74-0RB#0	24.38	24.42	24.54			
16RB#0-0RB#0	23.39	23.40	23.37			
75RB#0-50RB#0	23.10	23.15	23.20			
LTE Band 41C_15MHz+10MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39845	40571-40691	41417-41537			
	2503.5-2515.5 (MHz-MHz)	2588.1-2600.0 (MHz-MHz)	2672.7-2684.7 (MHz-MHz)			
1RB#0-0RB#0	23.39	23.60	23.43	-2.20	21.40	33.00
1RB#0-1RB#49	14.61	14.53	14.66			
1RB#74-0RB#0	23.43	23.53	23.10			
16RB#0-0RB#0	22.43	22.44	22.37			
75RB#0-50RB#0	22.28	22.33	22.34			

LTE Band 41C_15MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39875	40545-40695	41365-41515			
	2503.5-2518.5 (MHz-MHz)	2585.5-2600.5 (MHz-MHz)	2667.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	24.41	24.24	24.29	-2.20	22.21	33.00
1RB#0-1RB#74	16.51	16.68	16.67			
1RB#74-0RB#0	24.41	24.38	24.37			
16RB#0-0RB#0	24.21	24.21	24.20			
75RB#0-75RB#0	23.02	23.12	23.18			
LTE Band 41C_15MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39875	40545-40695	41365-41515			
	2503.5-2518.5 (MHz-MHz)	2585.5-2600.5 (MHz-MHz)	2667.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	23.33	23.18	23.30	-2.20	21.32	33.00
1RB#0-1RB#74	14.06	14.49	14.69			
1RB#74-0RB#0	23.52	23.40	23.22			
16RB#0-0RB#0	23.28	23.25	23.24			
75RB#0-75RB#0	22.07	22.17	22.14			
LTE Band 41C_15MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39728-39899	40523-40694	41319-41490			
	2503.8-2520.9 (MHz-MHz)	2583.5-2600.4 (MHz-MHz)	2662.9-2680.0 (MHz-MHz)			
1RB#0-0RB#0	24.26	24.24	24.23	-2.20	22.17	33.00
1RB#0-1RB#99	16.53	16.68	16.64			
1RB#74-0RB#0	24.37	24.35	24.26			
16RB#0-0RB#0	24.14	24.15	24.13			
75RB#0-100RB#0	22.96	23.21	23.19			
LTE Band 41C_15MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39728-39899	40523-40694	41319-41490			
	2503.8-2520.9 (MHz-MHz)	2583.5-2600.4 (MHz-MHz)	2662.9-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.29	23.47	23.22	-2.20	21.35	33.00
1RB#0-1RB#99	14.56	14.46	14.63			
1RB#74-0RB#0	23.30	23.55	23.22			
16RB#0-0RB#0	23.25	23.23	23.25			
75RB#0-100RB#0	22.02	22.15	22.20			

LTE Band 41C_20MHz+5MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39867	40595-40712	41440-41557			
	2506.0-2517.7 (MHz-MHz)	2590.5-2602.2 (MHz-MHz)	2675.0-2686.7 (MHz-MHz)			
1RB#0-0RB#0	24.44	24.42	24.46	-2.20	22.29	33.00
1RB#0-1RB#24	16.42	16.49	16.58			
1RB#99-0RB#0	24.47	24.48	24.49			
18RB#0-0RB#0	23.41	23.40	23.35			
100RB#0-25RB#0	23.19	23.17	23.20			
LTE Band 41C_20MHz+5MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39867	40595-40712	41440-41557			
	2506.0-2517.7 (MHz-MHz)	2590.5-2602.2 (MHz-MHz)	2675.0-2686.7 (MHz-MHz)			
1RB#0-0RB#0	23.64	23.33	23.30	-2.20	21.55	33.00
1RB#0-1RB#24	14.43	14.52	14.61			
1RB#99-0RB#0	23.75	23.63	23.33			
18RB#0-0RB#0	22.35	22.30	22.41			
100RB#0-25RB#0	22.07	22.10	22.20			
LTE Band 41C_20MHz+10MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39894	40571-40715	41391-41535			
	2506.0-2520.4 (MHz-MHz)	2588.1-2602.5 (MHz-MHz)	2670.1-2684.5 (MHz-MHz)			
1RB#0-0RB#0	24.38	24.30	24.32	-2.20	22.27	33.00
1RB#0-1RB#49	16.51	16.64	16.63			
1RB#99-0RB#0	24.35	24.47	24.44			
18RB#0-0RB#0	23.29	23.38	23.29			
100RB#0-50RB#0	23.09	23.11	23.20			
LTE Band 41C_20MHz+10MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39894	40571-40715	41391-41535			
	2506.0-2520.4 (MHz-MHz)	2588.1-2602.5 (MHz-MHz)	2670.1-2684.5 (MHz-MHz)			
1RB#0-0RB#0	23.49	23.25	23.25	-2.20	21.29	33.00
1RB#0-1RB#49	14.50	14.57	14.65			
1RB#99-0RB#0	23.48	23.46	23.45			
18RB#0-0RB#0	22.30	22.41	22.30			
100RB#0-50RB#0	22.11	22.16	22.31			

LTE Band 41C_20MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39921	40546-40717	41341-41512			
	2506.0-2523.1 (MHz-MHz)	2585.6-2602.7 (MHz-MHz)	2665.1-2682.2 (MHz-MHz)			
1RB#0-0RB#0	24.31	24.27	24.22	-2.20	22.20	33.00
1RB#0-1RB#74	16.56	16.68	16.65			
1RB#99-0RB#0	24.30	24.40	24.37			
18RB#0-0RB#0	23.28	23.33	23.27			
100RB#0-75RB#0	23.03	23.18	23.21			
LTE Band 41C_20MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39921	40546-40717	41341-41512			
	2506.0-2523.1 (MHz-MHz)	2585.6-2602.7 (MHz-MHz)	2665.1-2682.2 (MHz-MHz)			
1RB#0-0RB#0	23.59	23.30	23.42	-2.20	21.39	33.00
1RB#0-1RB#74	14.44	14.52	14.64			
1RB#99-0RB#0	23.53	23.46	23.40			
18RB#0-0RB#0	22.28	22.33	22.22			
100RB#0-75RB#0	22.01	22.08	22.15			
LTE Band 41C_20MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39948	40521-40719	41292-41490			
	2506.52525.8 (MHz-MHz)	2583.1-2602.9 (MHz-MHz)	2660.2-2680.0 (MHz-MHz)			
1RB#0-0RB#0	24.24	24.28	24.25	-2.20	22.23	33.00
1RB#0-1RB#99	16.44	16.68	16.61			
1RB#99-0RB#0	24.31	24.28	24.43			
18RB#0-0RB#0	24.13	24.14	24.01			
100RB#0-100RB#0	23.10	23.18	23.17			
LTE Band 41C_20MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39948	40521-40719	41292-41490			
	2506.52525.8 (MHz-MHz)	2583.1-2602.9 (MHz-MHz)	2660.2-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.46	23.32	23.22	-2.20	21.34	33.00
1RB#0-1RB#99	14.53	14.52	14.71			
1RB#99-0RB#0	23.54	23.34	23.40			
18RB#0-0RB#0	23.21	23.27	23.16			
100RB#0-100RB#0	22.05	22.22	22.15			

LTE Band 41C-Ant9:

LTE Band 41C_5MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39683-39800	40528-40645	41373-41490			
	2499.3-2511.0 (MHz-MHz)	2583.8-2595.5 (MHz-MHz)	2669.3-2680.0 (MHz-MHz)			
1RB#0-0RB#0	24.84	24.80	24.84	-1.60	23.32	33.00
1RB#0-1RB#99	18.22	18.14	18.37			
1RB#24-0RB#0	24.83	24.75	24.92			
8RB#0-0RB#0	24.83	24.89	24.90			
25RB#0-100RB#0	23.53	23.48	23.41			
LTE Band 41C_5MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39683-39800	40528-40645	41373-41490			
	2499.3-2511.0 (MHz-MHz)	2583.8-2595.5 (MHz-MHz)	2669.3-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.88	23.75	23.83	-1.60	22.29	33.00
1RB#0-1RB#99	16.76	16.52	16.72			
1RB#24-0RB#0	23.89	23.85	23.82			
8RB#0-0RB#0	23.79	23.70	23.86			
25RB#0-100RB#0	22.49	22.34	22.38			
LTE Band 41C_10MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39703-39823	40549-40669	41395-41515			
	2501.3-2513.3 (MHz-MHz)	2585.9-2670.5 (MHz-MHz)	2670.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	24.91	24.33	24.47	-1.60	23.31	33.00
1RB#0-1RB#74	17.02	18.16	18.66			
1RB#49-0RB#0	24.78	24.18	24.62			
12RB#0-0RB#0	24.89	24.40	24.58			
50RB#0-75RB#0	23.51	23.08	23.39			
LTE Band 41C_10MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39703-39823	40549-40669	41395-41515			
	2501.3-2513.3 (MHz-MHz)	2585.9-2670.5 (MHz-MHz)	2670.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	23.87	23.81	23.72	-1.60	22.27	33.00
1RB#0-1RB#74	17.02	16.56	16.88			
1RB#49-0RB#0	23.68	23.75	23.69			
12RB#0-0RB#0	23.85	23.73	23.77			
50RB#0-75RB#0	22.53	22.43	22.40			

LTE Band 41C_10MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39705-39849	40526-40670	41346-41490			
	2501.5-2515.9 (MHz-MHz)	2583.6-2598.0 (MHz-MHz)	2665.6-2680.0 (MHz-MHz)			
1RB#0-0RB#0	24.95	24.82	24.74	-1.60	23.35	33.00
1RB#0-1RB#99	16.90	18.27	18.35			
1RB#49-0RB#0	24.73	24.81	24.82			
12RB#0-0RB#0	24.78	24.82	24.95			
50RB#0-100RB#0	23.36	23.21	23.33			
LTE Band 41C_10MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39705-39849	40526-40670	41346-41490			
	2501.5-2515.9 (MHz-MHz)	2583.6-2598.0 (MHz-MHz)	2665.6-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.78	23.13	23.55	-1.60	22.37	33.00
1RB#0-1RB#99	17.08	16.62	16.80			
1RB#49-0RB#0	23.97	23.15	23.38			
12RB#0-0RB#0	23.72	23.28	23.49			
50RB#0-100RB#0	22.49	22.11	22.32			
LTE Band 41C_15MHz+10MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39845	40571-40691	41417-41537			
	2503.5-2515.5 (MHz-MHz)	2588.1-2600.0 (MHz-MHz)	2672.7-2684.7 (MHz-MHz)			
1RB#0-0RB#0	24.81	24.78	24.87	-1.60	23.27	33.00
1RB#0-1RB#49	18.01	18.11	18.15			
1RB#74-0RB#0	24.65	24.52	24.64			
16RB#0-0RB#0	23.84	23.76	23.86			
75RB#0-50RB#0	23.44	23.44	23.37			
LTE Band 41C_15MHz+10MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39845	40571-40691	41417-41537			
	2503.5-2515.5 (MHz-MHz)	2588.1-2600.0 (MHz-MHz)	2672.7-2684.7 (MHz-MHz)			
1RB#0-0RB#0	23.80	23.47	23.24	-1.60	22.20	33.00
1RB#0-1RB#49	16.94	16.59	16.91			
1RB#74-0RB#0	23.79	23.23	23.75			
16RB#0-0RB#0	22.85	22.38	22.53			
75RB#0-50RB#0	22.41	22.04	22.37			

LTE Band 41C_15MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39875	40545-40695	41365-41515			
	2503.5-2518.5 (MHz-MHz)	2585.5-2600.5 (MHz-MHz)	2667.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	24.71	24.61	24.75	-1.60	23.25	33.00
1RB#0-1RB#74	18.47	18.41	18.52			
1RB#74-0RB#0	24.74	24.17	24.85			
16RB#0-0RB#0	24.72	24.31	24.48			
75RB#0-75RB#0	23.39	23.04	23.32			
LTE Band 41C_15MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39875	40545-40695	41365-41515			
	2503.5-2518.5 (MHz-MHz)	2585.5-2600.5 (MHz-MHz)	2667.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	23.76	23.65	23.78	-1.60	22.18	33.00
1RB#0-1RB#74	16.87	16.54	16.75			
1RB#74-0RB#0	23.64	23.46	23.62			
16RB#0-0RB#0	23.75	23.57	23.66			
75RB#0-75RB#0	22.42	22.25	22.38			
LTE Band 41C_15MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39728-39899	40523-40694	41319-41490			
	2503.8-2520.9 (MHz-MHz)	2583.5-2600.4 (MHz-MHz)	2662.9-2680.0 (MHz-MHz)			
1RB#0-0RB#0	24.70	24.56	24.69	-1.60	23.11	33.00
1RB#0-1RB#99	16.78	18.04	18.24			
1RB#74-0RB#0	24.70	24.54	24.69			
16RB#0-0RB#0	24.71	24.62	24.70			
75RB#0-100RB#0	23.42	23.26	23.29			
LTE Band 41C_15MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39728-39899	40523-40694	41319-41490			
	2503.8-2520.9 (MHz-MHz)	2583.5-2600.4 (MHz-MHz)	2662.9-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.77	23.69	23.74	-1.60	22.17	33.00
1RB#0-1RB#99	16.76	16.60	16.57			
1RB#74-0RB#0	23.61	23.54	23.47			
16RB#0-0RB#0	23.74	23.65	23.63			
75RB#0-100RB#0	22.44	22.30	22.33			

LTE Band 41C_20MHz+5MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39867	40595-40712	41440-41557			
	2506.0-2517.7 (MHz-MHz)	2590.5-2602.2 (MHz-MHz)	2675.0-2686.7 (MHz-MHz)			
1RB#0-0RB#0	24.87	24.74	24.81	-1.60	23.27	33.00
1RB#0-1RB#24	18.45	18.44	18.57			
1RB#99-0RB#0	24.77	24.69	24.78			
18RB#0-0RB#0	23.81	23.66	23.85			
100RB#0-25RB#0	23.29	23.36	23.46			
LTE Band 41C_20MHz+5MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39867	40595-40712	41440-41557			
	2506.0-2517.7 (MHz-MHz)	2590.5-2602.2 (MHz-MHz)	2675.0-2686.7 (MHz-MHz)			
1RB#0-0RB#0	23.86	23.77	23.84	-1.60	22.50	33.00
1RB#0-1RB#24	16.98	16.74	16.82			
1RB#99-0RB#0	24.10	23.78	23.90			
18RB#0-0RB#0	22.93	22.80	22.90			
100RB#0-25RB#0	22.48	22.33	22.41			
LTE Band 41C_20MHz+10MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39894	40571-40715	41391-41535			
	2506.0-2520.4 (MHz-MHz)	2588.1-2602.5 (MHz-MHz)	2670.1-2684.5 (MHz-MHz)			
1RB#0-0RB#0	24.84	24.79	24.84	-1.60	23.24	33.00
1RB#0-1RB#49	16.92	18.20	18.52			
1RB#99-0RB#0	24.64	24.45	24.64			
18RB#0-0RB#0	23.73	23.51	23.47			
100RB#0-50RB#0	23.41	23.33	23.34			
LTE Band 41C_20MHz+10MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39894	40571-40715	41391-41535			
	2506.0-2520.4 (MHz-MHz)	2588.1-2602.5 (MHz-MHz)	2670.1-2684.5 (MHz-MHz)			
1RB#0-0RB#0	23.89	23.75	23.87	-1.60	22.29	33.00
1RB#0-1RB#49	16.89	16.62	16.75			
1RB#99-0RB#0	23.68	23.76	23.85			
18RB#0-0RB#0	22.82	22.79	22.81			
100RB#0-50RB#0	22.44	22.40	22.41			

LTE Band 41C_20MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39921	40546-40717	41341-41512			
	2506.0-2523.1 (MHz-MHz)	2585.6-2602.7 (MHz-MHz)	2665.1-2682.2 (MHz-MHz)			
1RB#0-0RB#0	24.80	24.74	24.81	-1.60	23.23	33.00
1RB#0-1RB#74	18.31	18.30	18.35			
1RB#99-0RB#0	24.72	24.73	24.83			
18RB#0-0RB#0	23.79	23.67	23.79			
100RB#0-75RB#0	23.43	23.45	23.41			
LTE Band 41C_20MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39921	40546-40717	41341-41512			
	2506.0-2523.1 (MHz-MHz)	2585.6-2602.7 (MHz-MHz)	2665.1-2682.2 (MHz-MHz)			
1RB#0-0RB#0	24.01	23.98	23.88	-1.60	22.41	33.00
1RB#0-1RB#74	17.02	16.64	16.82			
1RB#99-0RB#0	23.66	23.50	23.40			
18RB#0-0RB#0	22.62	22.48	22.50			
100RB#0-75RB#0	22.49	22.31	22.45			
LTE Band 41C_20MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39948	40521-40719	41292-41490			
	2506.52525.8 (MHz-MHz)	2583.1-2602.9 (MHz-MHz)	2660.2-2680.0 (MHz-MHz)			
1RB#0-0RB#0	24.86	24.75	24.91	-1.60	23.31	33.00
1RB#0-1RB#99	18.35	18.37	18.47			
1RB#99-0RB#0	24.74	24.67	24.69			
18RB#0-0RB#0	24.81	24.79	24.64			
100RB#0-100RB#0	23.49	23.31	23.39			
LTE Band 41C_20MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39948	40521-40719	41292-41490			
	2506.52525.8 (MHz-MHz)	2583.1-2602.9 (MHz-MHz)	2660.2-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.99	23.86	23.99	-1.60	22.39	33.00
1RB#0-1RB#99	16.94	16.74	16.94			
1RB#99-0RB#0	23.83	23.72	23.82			
18RB#0-0RB#0	23.82	23.65	23.75			
100RB#0-100RB#0	22.51	22.45	22.43			

LTE Band 41C-Ant1:

LTE Band 41C_5MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39683-39800	40528-40645	41373-41490			
	2499.3-2511.0 (MHz-MHz)	2583.8-2595.5 (MHz-MHz)	2669.3-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.44	23.33	23.40	-6.30	17.17	33.00
1RB#0-1RB#99	17.57	17.43	17.45			
1RB#24-0RB#0	23.38	23.43	23.47			
8RB#0-0RB#0	23.42	23.46	23.47			
25RB#0-100RB#0	22.13	22.16	22.31			
LTE Band 41C_5MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39683-39800	40528-40645	41373-41490			
	2499.3-2511.0 (MHz-MHz)	2583.8-2595.5 (MHz-MHz)	2669.3-2680.0 (MHz-MHz)			
1RB#0-0RB#0	22.36	22.29	22.42	-6.30	16.27	33.00
1RB#0-1RB#99	15.74	15.69	15.81			
1RB#24-0RB#0	22.37	22.27	22.57			
8RB#0-0RB#0	22.41	22.29	22.42			
25RB#0-100RB#0	21.27	21.19	21.30			
LTE Band 41C_10MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39703-39823	40549-40669	41395-41515			
	2501.3-2513.3 (MHz-MHz)	2585.9-2670.5 (MHz-MHz)	2670.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	23.44	23.38	23.43	-6.30	17.31	33.00
1RB#0-1RB#74	15.60	16.91	14.97			
1RB#49-0RB#0	23.32	23.23	23.61			
12RB#0-0RB#0	23.37	23.21	23.50			
50RB#0-75RB#0	22.06	21.90	22.30			
LTE Band 41C_10MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39703-39823	40549-40669	41395-41515			
	2501.3-2513.3 (MHz-MHz)	2585.9-2670.5 (MHz-MHz)	2670.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	22.44	22.30	22.55	-6.30	16.37	33.00
1RB#0-1RB#74	15.48	15.32	17.01			
1RB#49-0RB#0	22.38	22.27	22.67			
12RB#0-0RB#0	22.41	22.37	22.52			
50RB#0-75RB#0	21.24	21.19	21.32			

LTE Band 41C_10MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39705-39849	40526-40670	41346-41490			
	2501.5-2515.9 (MHz-MHz)	2583.6-2598.0 (MHz-MHz)	2665.6-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.20	22.95	23.09	-6.30	16.90	33.00
1RB#0-1RB#99	17.05	17.10	17.21			
1RB#49-0RB#0	23.17	22.98	22.92			
12RB#0-0RB#0	23.14	22.90	23.19			
50RB#0-100RB#0	21.93	20.95	22.01			
LTE Band 41C_10MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39705-39849	40526-40670	41346-41490			
	2501.5-2515.9 (MHz-MHz)	2583.6-2598.0 (MHz-MHz)	2665.6-2680.0 (MHz-MHz)			
1RB#0-0RB#0	22.15	22.04	22.03	-6.30	16.06	33.00
1RB#0-1RB#99	15.44	15.58	15.54			
1RB#49-0RB#0	22.36	22.28	22.26			
12RB#0-0RB#0	22.09	21.95	22.17			
50RB#0-100RB#0	21.01	20.96	21.04			
LTE Band 41C_15MHz+10MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39845	40571-40691	41417-41537			
	2503.5-2515.5 (MHz-MHz)	2588.1-2600.0 (MHz-MHz)	2672.7-2684.7 (MHz-MHz)			
1RB#0-0RB#0	23.28	23.25	23.28	-6.30	17.07	33.00
1RB#0-1RB#49	17.15	17.26	17.23			
1RB#74-0RB#0	23.12	23.15	23.37			
16RB#0-0RB#0	22.27	22.26	22.27			
75RB#0-50RB#0	22.05	21.92	22.06			
LTE Band 41C_15MHz+10MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39845	40571-40691	41417-41537			
	2503.5-2515.5 (MHz-MHz)	2588.1-2600.0 (MHz-MHz)	2672.7-2684.7 (MHz-MHz)			
1RB#0-0RB#0	22.27	22.21	22.27	-6.30	15.97	33.00
1RB#0-1RB#49	15.52	15.45	15.63			
1RB#74-0RB#0	22.15	22.11	22.20			
16RB#0-0RB#0	21.25	21.19	21.31			
75RB#0-50RB#0	20.99	20.95	21.07			

LTE Band 41C_15MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39875	40545-40695	41365-41515			
	2503.5-2518.5 (MHz-MHz)	2585.5-2600.5 (MHz-MHz)	2667.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	23.15	22.91	22.99	-6.30	16.92	33.00
1RB#0-1RB#74	16.92	16.80	17.05			
1RB#74-0RB#0	23.14	22.92	23.00			
16RB#0-0RB#0	23.20	22.98	23.22			
75RB#0-75RB#0	22.05	21.97	22.06			
LTE Band 41C_15MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39725-39875	40545-40695	41365-41515			
	2503.5-2518.5 (MHz-MHz)	2585.5-2600.5 (MHz-MHz)	2667.5-2682.5 (MHz-MHz)			
1RB#0-0RB#0	22.01	21.96	21.91	-6.30	15.95	33.00
1RB#0-1RB#74	15.42	15.22	15.44			
1RB#74-0RB#0	22.11	22.25	22.03			
16RB#0-0RB#0	22.19	21.93	22.22			
75RB#0-75RB#0	21.04	20.81	21.15			
LTE Band 41C_15MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39728-39899	40523-40694	41319-41490			
	2503.8-2520.9 (MHz-MHz)	2583.5-2600.4 (MHz-MHz)	2662.9-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.08	22.89	22.84	-6.30	16.94	33.00
1RB#0-1RB#99	16.97	16.85	16.98			
1RB#74-0RB#0	23.15	22.93	23.24			
16RB#0-0RB#0	23.13	22.93	23.14			
75RB#0-100RB#0	21.95	21.99	22.04			
LTE Band 41C_15MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39728-39899	40523-40694	41319-41490			
	2503.8-2520.9 (MHz-MHz)	2583.5-2600.4 (MHz-MHz)	2662.9-2680.0 (MHz-MHz)			
1RB#0-0RB#0	22.23	21.94	21.83	-6.30	15.93	33.00
1RB#0-1RB#99	15.40	15.36	15.48			
1RB#74-0RB#0	22.00	21.99	21.96			
16RB#0-0RB#0	22.14	21.89	22.11			
75RB#0-100RB#0	20.96	20.94	21.08			

LTE Band 41C_20MHz+5MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39867	40595-40712	41440-41557			
	2506.0-2517.7 (MHz-MHz)	2590.5-2602.2 (MHz-MHz)	2675.0-2686.7 (MHz-MHz)			
1RB#0-0RB#0	23.41	23.24	23.29	-6.30	17.23	33.00
1RB#0-1RB#24	17.05	17.16	17.24			
1RB#99-0RB#0	23.42	23.32	23.53			
18RB#0-0RB#0	22.26	22.20	22.27			
100RB#0-25RB#0	22.08	21.94	22.17			
LTE Band 41C_20MHz+5MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39867	40595-40712	41440-41557			
	2506.0-2517.7 (MHz-MHz)	2590.5-2602.2 (MHz-MHz)	2675.0-2686.7 (MHz-MHz)			
1RB#0-0RB#0	22.44	22.21	22.36	-6.30	16.14	33.00
1RB#0-1RB#24	15.51	15.42	15.48			
1RB#99-0RB#0	22.31	22.32	22.42			
18RB#0-0RB#0	21.31	21.20	21.32			
100RB#0-25RB#0	21.07	21.99	21.17			
LTE Band 41C_20MHz+10MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39894	40571-40715	41391-41535			
	2506.0-2520.4 (MHz-MHz)	2588.1-2602.5 (MHz-MHz)	2670.1-2684.5 (MHz-MHz)			
1RB#0-0RB#0	23.30	23.04	23.24	-6.30	17.03	33.00
1RB#0-1RB#49	16.95	17.16	17.23			
1RB#99-0RB#0	23.18	23.04	23.33			
18RB#0-0RB#0	22.16	21.99	22.29			
100RB#0-50RB#0	22.00	22.08	22.15			
LTE Band 41C_20MHz+10MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39894	40571-40715	41391-41535			
	2506.0-2520.4 (MHz-MHz)	2588.1-2602.5 (MHz-MHz)	2670.1-2684.5 (MHz-MHz)			
1RB#0-0RB#0	22.23	22.14	22.03	-6.30	16.00	33.00
1RB#0-1RB#49	15.59	15.36	15.61			
1RB#99-0RB#0	22.27	22.28	22.30			
18RB#0-0RB#0	21.24	21.17	21.28			
100RB#0-50RB#0	21.18	21.12	21.23			

LTE Band 41C_20MHz+15MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39921	40546-40717	41341-41512			
	2506.0-2523.1 (MHz-MHz)	2585.6-2602.7 (MHz-MHz)	2665.1-2682.2 (MHz-MHz)			
1RB#0-0RB#0	23.42	23.30	23.38	-6.30	17.12	33.00
1RB#0-1RB#74	17.12	17.17	17.30			
1RB#99-0RB#0	23.27	23.21	23.40			
18RB#0-0RB#0	22.27	22.33	22.24			
100RB#0-75RB#0	22.06	22.08	22.15			
LTE Band 41C_20MHz+15MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39921	40546-40717	41341-41512			
	2506.0-2523.1 (MHz-MHz)	2585.6-2602.7 (MHz-MHz)	2665.1-2682.2 (MHz-MHz)			
1RB#0-0RB#0	22.37	22.23	22.12	-6.30	16.13	33.00
1RB#0-1RB#74	15.59	15.34	15.46			
1RB#99-0RB#0	22.43	22.35	22.42			
18RB#0-0RB#0	21.34	21.30	21.27			
100RB#0-75RB#0	21.11	21.20	21.23			
LTE Band 41C_20MHz+20MHz_QPSK						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39948	40521-40719	41292-41490			
	2506.52525.8 (MHz-MHz)	2583.1-2602.9 (MHz-MHz)	2660.2-2680.0 (MHz-MHz)			
1RB#0-0RB#0	23.23	22.91	23.07	-6.30	17.00	33.00
1RB#0-1RB#99	17.15	17.11	17.27			
1RB#99-0RB#0	23.28	23.27	23.30			
18RB#0-0RB#0	23.22	23.22	23.10			
100RB#0-100RB#0	22.04	21.96	22.09			
LTE Band 41C_20MHz+20MHz_16QAM						
RB Configuration	Average Power(dBm)			Ant. Gain (dBi)	Max. EIRP (dBm)	EIRP Limit (dBm)
	39750-39948	40521-40719	41292-41490			
	2506.52525.8 (MHz-MHz)	2583.1-2602.9 (MHz-MHz)	2660.2-2680.0 (MHz-MHz)			
1RB#0-0RB#0	22.40	22.31	22.37	-6.30	16.10	33.00
1RB#0-1RB#99	15.49	15.27	15.53			
1RB#99-0RB#0	22.26	22.28	22.38			
18RB#0-0RB#0	22.21	22.35	22.25			
100RB#0-100RB#0	21.06	21.08	21.17			

**Peak-to-Average Ratio(CCDF)****Test Result and Data**

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	20MHz	16QAM	18700	1RB#0	4.50	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	5.76	13	PASS
Band2	20MHz	16QAM	18900	1RB#0	4.76	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	5.73	13	PASS
Band2	20MHz	16QAM	19100	1RB#0	4.52	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	5.68	13	PASS
Band4	20MHz	16QAM	20050	1RB#0	4.48	13	PASS
Band4	20MHz	16QAM	20050	100RB#0	5.71	13	PASS
Band4	20MHz	16QAM	20175	1RB#0	4.52	13	PASS
Band4	20MHz	16QAM	20175	100RB#0	5.74	13	PASS
Band4	20MHz	16QAM	20300	1RB#0	4.83	13	PASS
Band4	20MHz	16QAM	20300	100RB#0	5.70	13	PASS
Band5	10MHz	16QAM	20450	1RB#0	4.50	13	PASS
Band5	10MHz	16QAM	20450	50RB#0	5.69	13	PASS
Band5	10MHz	16QAM	20525	1RB#0	4.64	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	5.70	13	PASS
Band5	10MHz	16QAM	20600	1RB#0	4.68	13	PASS
Band5	10MHz	16QAM	20600	50RB#0	5.65	13	PASS
Band7	20MHz	16QAM	20850	1RB#0	4.77	13	PASS
Band7	20MHz	16QAM	20850	100RB#0	5.29	13	PASS
Band7	20MHz	16QAM	21100	1RB#0	4.64	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	5.32	13	PASS
Band7	20MHz	16QAM	21350	1RB#0	4.74	13	PASS
Band7	20MHz	16QAM	21350	100RB#0	5.28	13	PASS
Band12	10MHz	16QAM	23060	1RB#0	4.67	13	PASS
Band12	10MHz	16QAM	23060	50RB#0	5.66	13	PASS
Band12	10MHz	16QAM	23095	1RB#0	4.75	13	PASS
Band12	10MHz	16QAM	23095	50RB#0	5.62	13	PASS
Band12	10MHz	16QAM	23130	1RB#0	4.60	13	PASS
Band12	10MHz	16QAM	23130	50RB#0	5.69	13	PASS
Band17	10MHz	16QAM	23780	1RB#0	4.71	13	PASS
Band17	10MHz	16QAM	23780	50RB#0	5.65	13	PASS
Band17	10MHz	16QAM	23790	1RB#0	4.67	13	PASS
Band17	10MHz	16QAM	23790	50RB#0	5.68	13	PASS
Band17	10MHz	16QAM	23800	1RB#0	4.59	13	PASS
Band17	10MHz	16QAM	23800	50RB#0	5.70	13	PASS
Band25	20MHz	16QAM	26140	1RB#0	4.63	13	PASS
Band25	20MHz	16QAM	26140	100RB#0	5.75	13	PASS




Band25	20MHz	16QAM	26365	1RB#0	4.76	13	PASS
Band25	20MHz	16QAM	26365	100RB#0	5.74	13	PASS
Band25	20MHz	16QAM	26590	1RB#0	4.63	13	PASS
Band25	20MHz	16QAM	26590	100RB#0	5.79	13	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	4.83	13	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	5.69	13	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	4.82	13	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	5.69	13	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	4.76	13	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	5.68	13	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	4.84	13	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	5.64	13	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	4.46	13	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	5.77	13	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	4.61	13	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	5.78	13	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	4.92	13	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	5.70	13	PASS
Band41	20MHz	16QAM	39750	1RB#0	4.44	13	PASS
Band41	20MHz	16QAM	39750	100RB#0	5.65	13	PASS
Band41	20MHz	16QAM	40620	1RB#0	4.49	13	PASS
Band41	20MHz	16QAM	40620	100RB#0	5.63	13	PASS
Band41	20MHz	16QAM	41490	1RB#0	4.62	13	PASS
Band41	20MHz	16QAM	41490	100RB#0	5.63	13	PASS
Band66	20MHz	16QAM	132072	1RB#0	4.46	13	PASS
Band66	20MHz	16QAM	132072	100RB#0	5.70	13	PASS
Band66	20MHz	16QAM	132322	1RB#0	4.51	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	5.69	13	PASS
Band66	20MHz	16QAM	132572	1RB#0	4.66	13	PASS
Band66	20MHz	16QAM	132572	100RB#0	5.72	13	PASS




Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
7-7	20MHz-20MHz	QPSK-QPSK	20850-21048	100RB#0-100RB#0	6.43	13	PASS
7-7	20MHz-20MHz	QPSK-QPSK	21001-21199	100RB#0-100RB#0	6.72	13	PASS
7-7	20MHz-20MHz	QPSK-QPSK	21152-21350	100RB#0-100RB#0	6.80	13	PASS
7-7	20MHz-20MHz	16QAM-16QAM	20850-21048	100RB#0-100RB#0	7.35	13	PASS
7-7	20MHz-20MHz	16QAM-16QAM	21001-21199	100RB#0-100RB#0	7.31	13	PASS
7-7	20MHz-20MHz	16QAM-16QAM	21152-21350	100RB#0-100RB#0	7.38	13	PASS
41-41	20MHz-20MHz	QPSK-QPSK	39750-39948	100RB#0-100RB#0	6.73	13	PASS
41-41	20MHz-20MHz	QPSK-QPSK	40521-40719	100RB#0-100RB#0	6.77	13	PASS
41-41	20MHz-20MHz	QPSK-QPSK	41292-41490	100RB#0-100RB#0	6.80	13	PASS
41-41	20MHz-20MHz	16QAM-16QAM	39750-39948	100RB#0-100RB#0	7.31	13	PASS
41-41	20MHz-20MHz	16QAM-16QAM	40521-40719	100RB#0-100RB#0	7.37	13	PASS
41-41	20MHz-20MHz	16QAM-16QAM	41292-41490	100RB#0-100RB#0	7.39	13	PASS

Test Graphs


Band2-20MHz-16QAM-18700-1RB#0-PASS




Band2-20MHz-16QAM-18700-100RB#0-PASS




Band2-20MHz-16QAM-18900-1RB#0-PASS




Band2-20MHz-16QAM-18900-100RB#0-PASS




Band2-20MHz-16QAM-19100-1RB#0-PASS




Band2-20MHz-16QAM-19100-100RB#0-PASS




Band4-20MHz-16QAM-20050-1RB#0-PASS




Band4-20MHz-16QAM-20050-100RB#0-PASS




Band4-20MHz-16QAM-20175-1RB#0-PASS




Band4-20MHz-16QAM-20175-100RB#0-PASS



Band4-20MHz-16QAM-20300-1RB#0-PASS




Band4-20MHz-16QAM-20300-100RB#0-PASS




Band5-10MHz-16QAM-20450-1RB#0-PASS




Band5-10MHz-16QAM-20450-50RB#0-PASS




Band5-10MHz-16QAM-20525-1RB#0-PASS




Band5-10MHz-16QAM-20525-50RB#0-PASS




Band5-10MHz-16QAM-20600-1RB#0-PASS




Band5-10MHz-16QAM-20600-50RB#0-PASS




Band7-20MHz-16QAM-20850-1RB#0-PASS




Band7-20MHz-16QAM-20850-100RB#0-PASS




Band7-20MHz-16QAM-21100-1RB#0-PASS




Band7-20MHz-16QAM-21100-100RB#0-PASS



Band7-20MHz-16QAM-21350-1RB#0-PASS




Band7-20MHz-16QAM-21350-100RB#0-PASS




Band12-10MHz-16QAM-23060-1RB#0-PASS




Band12-10MHz-16QAM-23060-50RB#0-PASS




Band12-10MHz-16QAM-23095-1RB#0-PASS




Band12-10MHz-16QAM-23095-50RB#0-PASS



Band12-10MHz-16QAM-23130-1RB#0-PASS




Band12-10MHz-16QAM-23130-50RB#0-PASS



Band17-10MHz-16QAM-23780-1RB#0-PASS




Band17-10MHz-16QAM-23780-50RB#0-PASS




Band17-10MHz-16QAM-23790-1RB#0-PASS




Band17-10MHz-16QAM-23790-50RB#0-PASS




Band17-10MHz-16QAM-23800-1RB#0-PASS




Band17-10MHz-16QAM-23800-50RB#0-PASS




Band25-20MHz-16QAM-26140-1RB#0-PASS




Band25-20MHz-16QAM-26140-100RB#0-PASS




Band25-20MHz-16QAM-26365-1RB#0-PASS



Band25-20MHz-16QAM-26365-100RB#0-PASS




Band25-20MHz-16QAM-26590-1RB#0-PASS




Band25-20MHz-16QAM-26590-100RB#0-PASS




Band26(814-824)-5MHz-16QAM-26715-1RB#0-PASS




Band26(814-824)-5MHz-16QAM-26715-25RB#0-PASS




Band26(814-824)-5MHz-16QAM-26740-1RB#0-PASS




Band26(814-824)-5MHz-16QAM-26740-25RB#0-PASS




Band26(814-824)-5MHz-16QAM-26765-1RB#0-PASS




Band26(814-824)-5MHz-16QAM-26765-25RB#0-PASS




Band26(814-824)-10MHz-16QAM-26740-1RB#0-PASS




Band26(814-824)-10MHz-16QAM-26740-50RB#0-PASS




Band26(824-849)-15MHz-16QAM-26865-1RB#0-PASS




Band26(824-849)-15MHz-16QAM-26865-75RB#0-PASS




Band26(824-849)-15MHz-16QAM-26915-1RB#0-PASS




Band26(824-849)-15MHz-16QAM-26915-75RB#0-PASS




Band26(824-849)-15MHz-16QAM-26965-1RB#0-PASS




Band26(824-849)-15MHz-16QAM-26965-75RB#0-PASS




Band41-20MHz-16QAM-39750-1RB#0-PASS




Band41-20MHz-16QAM-39750-100RB#0-PASS



Band41-20MHz-16QAM-40620-1RB#0-PASS




Band41-20MHz-16QAM-40620-100RB#0-PASS




Band41-20MHz-16QAM-41490-1RB#0-PASS




Band41-20MHz-16QAM-41490-100RB#0-PASS




Band66-20MHz-16QAM-132072-1RB#0-PASS




Band66-20MHz-16QAM-132072-100RB#0-PASS




Band66-20MHz-16QAM-132322-1RB#0-PASS



Band66-20MHz-16QAM-132322-100RB#0-PASS





26dB Emission Bandwidth and 99% Occupied Bandwidth

Test Result and Data

Band	Bandwidth	Modulation	Channel	RB Configuration	26dB EBW (MHz)	99% OBW (MHz)	Verdict
Band2	1.4MHz	QPSK	18900	6RB#0	1.370	1.1013	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.375	1.1042	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.974	2.6857	PASS
Band2	3MHz	16QAM	18900	15RB#0	3.000	2.6849	PASS
Band2	5MHz	QPSK	18900	25RB#0	5.176	4.5257	PASS
Band2	5MHz	16QAM	18900	25RB#0	5.194	4.5176	PASS
Band2	10MHz	QPSK	18900	50RB#0	9.780	8.9463	PASS
Band2	10MHz	16QAM	18900	50RB#0	9.784	8.9429	PASS
Band2	15MHz	QPSK	18900	75RB#0	15.02	13.508	PASS
Band2	15MHz	16QAM	18900	75RB#0	15.18	13.506	PASS
Band2	20MHz	QPSK	18900	100RB#0	19.67	17.921	PASS
Band2	20MHz	16QAM	18900	100RB#0	19.66	17.936	PASS
Band4	1.4MHz	QPSK	20175	6RB#0	1.382	1.1058	PASS
Band4	1.4MHz	16QAM	20175	6RB#0	1.426	1.1006	PASS
Band4	3MHz	QPSK	20175	15RB#0	2.998	2.6867	PASS
Band4	3MHz	16QAM	20175	15RB#0	2.966	2.6851	PASS
Band4	5MHz	QPSK	20175	25RB#0	5.161	4.5162	PASS
Band4	5MHz	16QAM	20175	25RB#0	5.185	4.5184	PASS
Band4	10MHz	QPSK	20175	50RB#0	9.897	8.9505	PASS
Band4	10MHz	16QAM	20175	50RB#0	9.912	8.9608	PASS
Band4	15MHz	QPSK	20175	75RB#0	15.00	13.504	PASS
Band4	15MHz	16QAM	20175	75RB#0	15.01	13.504	PASS
Band4	20MHz	QPSK	20175	100RB#0	19.69	17.905	PASS
Band4	20MHz	16QAM	20175	100RB#0	19.73	17.938	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.353	1.1025	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.362	1.1045	PASS
Band5	3MHz	QPSK	20525	15RB#0	3.027	2.6869	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.994	2.6893	PASS
Band5	5MHz	QPSK	20525	25RB#0	5.153	4.5225	PASS
Band5	5MHz	16QAM	20525	25RB#0	5.157	4.5207	PASS
Band5	10MHz	QPSK	20525	50RB#0	9.837	8.9614	PASS
Band5	10MHz	16QAM	20525	50RB#0	9.866	8.9588	PASS
Band7	5MHz	QPSK	21100	25RB#0	5.215	4.5154	PASS
Band7	5MHz	16QAM	21100	25RB#0	5.232	4.5270	PASS
Band7	10MHz	QPSK	21100	50RB#0	9.770	8.9468	PASS
Band7	10MHz	16QAM	21100	50RB#0	9.846	8.9525	PASS
Band7	15MHz	QPSK	21100	75RB#0	14.92	13.472	PASS



Band7	15MHz	16QAM	21100	75RB#0	15.07	13.472	PASS
Band7	20MHz	QPSK	21100	100RB#0	19.68	17.899	PASS
Band7	20MHz	16QAM	21100	100RB#0	19.75	17.944	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	1.389	1.1043	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	1.378	1.1029	PASS
Band12	3MHz	QPSK	23095	15RB#0	3.001	2.6881	PASS
Band12	3MHz	16QAM	23095	15RB#0	3.016	2.6836	PASS
Band12	5MHz	QPSK	23095	25RB#0	5.168	4.5167	PASS
Band12	5MHz	16QAM	23095	25RB#0	5.141	4.5103	PASS
Band12	10MHz	QPSK	23095	50RB#0	9.751	8.9429	PASS
Band12	10MHz	16QAM	23095	50RB#0	9.771	8.9553	PASS
Band17	5MHz	QPSK	23790	25RB#0	5.211	4.5229	PASS
Band17	5MHz	16QAM	23790	25RB#0	5.200	4.5219	PASS
Band17	10MHz	QPSK	23790	50RB#0	9.783	8.9419	PASS
Band17	10MHz	16QAM	23790	50RB#0	9.808	8.9456	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.364	1.1045	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1.412	1.1044	PASS
Band25	3MHz	QPSK	26365	15RB#0	3.002	2.6874	PASS
Band25	3MHz	16QAM	26365	15RB#0	2.953	2.6904	PASS
Band25	5MHz	QPSK	26365	25RB#0	5.122	4.5234	PASS
Band25	5MHz	16QAM	26365	25RB#0	5.120	4.5234	PASS
Band25	10MHz	QPSK	26365	50RB#0	9.846	8.9679	PASS
Band25	10MHz	16QAM	26365	50RB#0	9.776	8.9536	PASS
Band25	15MHz	QPSK	26365	75RB#0	15.00	13.491	PASS
Band25	15MHz	16QAM	26365	75RB#0	14.87	13.509	PASS
Band25	20MHz	QPSK	26365	100RB#0	19.68	17.972	PASS
Band25	20MHz	16QAM	26365	100RB#0	19.75	17.922	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	1.363	1.0999	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	1.328	1.1014	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	3.049	2.6929	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	3.000	2.6845	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	5.153	4.5202	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	5.226	4.5115	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	9.826	8.9343	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	9.873	8.9542	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	1.364	1.0968	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	1.376	1.1061	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	2.996	2.6909	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	2.982	2.6843	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	5.198	4.5253	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	5.151	4.5124	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	9.816	8.9581	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	9.806	8.9564	PASS




Band26(824-849)	15MHz	QPSK	26915	75RB#0	15.04	13.518	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	14.99	13.532	PASS
Band41	5MHz	QPSK	40620	25RB#0	5.406	4.5202	PASS
Band41	5MHz	16QAM	40620	25RB#0	5.502	4.5171	PASS
Band41	10MHz	QPSK	40620	50RB#0	9.863	8.9387	PASS
Band41	10MHz	16QAM	40620	50RB#0	9.841	8.9483	PASS
Band41	15MHz	QPSK	40620	75RB#0	15.75	13.491	PASS
Band41	15MHz	16QAM	40620	75RB#0	15.74	13.483	PASS
Band41	20MHz	QPSK	40620	100RB#0	20.53	17.933	PASS
Band41	20MHz	16QAM	40620	100RB#0	20.23	17.915	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.358	1.1044	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.486	1.1041	PASS
Band66	3MHz	QPSK	132322	15RB#0	3.022	2.6884	PASS
Band66	3MHz	16QAM	132322	15RB#0	3.010	2.6864	PASS
Band66	5MHz	QPSK	132322	25RB#0	5.160	4.5196	PASS
Band66	5MHz	16QAM	132322	25RB#0	5.154	4.5170	PASS
Band66	10MHz	QPSK	132322	50RB#0	9.901	8.9546	PASS
Band66	10MHz	16QAM	132322	50RB#0	9.847	8.9538	PASS
Band66	15MHz	QPSK	132322	75RB#0	14.94	13.503	PASS
Band66	15MHz	16QAM	132322	75RB#0	14.99	13.516	PASS
Band66	20MHz	QPSK	132322	100RB#0	19.65	17.912	PASS
Band66	20MHz	16QAM	132322	100RB#0	19.62	17.950	PASS




Band	Bandwidth	Modulation	Channel	RB Configuration	26dB EBW (MHz)	99% OBW (MHz)	Verdict
7-7	10MHz-20MHz	QPSK-QPSK	21006-21150	50RB#0-100RB#0	29.73	27.859	PASS
7-7	10MHz-20MHz	16QAM-16QAM	21006-21150	50RB#0-100RB#0	29.74	27.814	PASS
7-7	15MHz-10MHz	QPSK-QPSK	21051-21171	75RB#0-50RB#0	24.87	23.242	PASS
7-7	15MHz-10MHz	16QAM-16QAM	21051-21171	75RB#0-50RB#0	24.89	23.214	PASS
7-7	15MHz-15MHz	QPSK-QPSK	21025-21175	75RB#0-75RB#0	30.48	28.429	PASS
7-7	15MHz-15MHz	16QAM-16QAM	21025-21175	75RB#0-75RB#0	30.48	28.428	PASS
7-7	15MHz-20MHz	QPSK-QPSK	21003-21174	75RB#0-100RB#0	35.03	32.754	PASS
7-7	15MHz-20MHz	16QAM-16QAM	21003-21174	75RB#0-100RB#0	34.83	32.748	PASS
7-7	20MHz-10MHz	QPSK-QPSK	21051-21195	100RB#0-50RB#0	29.74	27.865	PASS
7-7	20MHz-10MHz	16QAM-16QAM	21051-21195	100RB#0-50RB#0	29.68	27.813	PASS
7-7	20MHz-15MHz	QPSK-QPSK	21026-21197	100RB#0-75RB#0	34.87	32.761	PASS
7-7	20MHz-15MHz	16QAM-16QAM	21026-21197	100RB#0-75RB#0	34.96	32.700	PASS
7-7	20MHz-20MHz	QPSK-QPSK	21001-21199	100RB#0-100RB#0	40.35	37.684	PASS
7-7	20MHz-20MHz	16QAM-16QAM	21001-21199	100RB#0-100RB#0	40.38	37.695	PASS
41-41	5MHz-20MHz	QPSK-QPSK	40528-40645	25RB#0-100RB#0	25.40	23.003	PASS
41-41	5MHz-20MHz	16QAM-16QAM	40528-40645	25RB#0-100RB#0	25.55	22.955	PASS
41-41	10MHz-15MHz	QPSK-QPSK	40549-40669	50RB#0-75RB#0	26.61	23.206	PASS
41-41	10MHz-15MHz	16QAM-16QAM	40549-40669	50RB#0-75RB#0	25.37	23.180	PASS
41-41	10MHz-20MHz	QPSK-QPSK	40526-40670	50RB#0-100RB#0	31.19	27.840	PASS
41-41	10MHz-20MHz	16QAM-16QAM	40526-40670	50RB#0-100RB#0	30.19	27.879	PASS
41-41	15MHz-10MHz	QPSK-QPSK	40571-40691	75RB#0-50RB#0	25.84	23.194	PASS
41-41	15MHz-10MHz	16QAM-16QAM	40571-40691	75RB#0-50RB#0	25.61	23.206	PASS
41-41	15MHz-15MHz	QPSK-QPSK	40545-40695	75RB#0-75RB#0	32.49	28.424	PASS
41-41	15MHz-15MHz	16QAM-16QAM	40545-40695	75RB#0-75RB#0	31.45	28.478	PASS
41-41	15MHz-20MHz	QPSK-QPSK	40523-40694	75RB#0-100RB#0	36.49	32.785	PASS
41-41	15MHz-20MHz	16QAM-16QAM	40523-40694	75RB#0-100RB#0	36.30	32.751	PASS
41-41	20MHz-5MHz	QPSK-QPSK	40595-40712	100RB#0-25RB#0	26.13	22.981	PASS
41-41	20MHz-5MHz	16QAM-16QAM	40595-40712	100RB#0-25RB#0	25.09	22.960	PASS
41-41	20MHz-10MHz	QPSK-QPSK	40571-40715	100RB#0-50RB#0	31.00	27.855	PASS
41-41	20MHz-10MHz	16QAM-16QAM	40571-40715	100RB#0-50RB#0	30.87	27.882	PASS
41-41	20MHz-15MHz	QPSK-QPSK	40546-40717	100RB#0-75RB#0	36.32	32.789	PASS
41-41	20MHz-15MHz	16QAM-16QAM	40546-40717	100RB#0-75RB#0	37.06	32.821	PASS
41-41	20MHz-20MHz	QPSK-QPSK	40521-40719	100RB#0-100RB#0	41.98	37.795	PASS
41-41	20MHz-20MHz	16QAM-16QAM	40521-40719	100RB#0-100RB#0	42.46	37.763	PASS

Test Graphs

Band2-1.4MHz-QPSK-18900-6RB#0-PASS




Band2-1.4MHz-16QAM-18900-6RB#0-PASS



Band2-3MHz-QPSK-18900-15RB#0-PASS




Band2-3MHz-16QAM-18900-15RB#0-PASS



Band2-5MHz-QPSK-18900-25RB#0-PASS




Band2-5MHz-16QAM-18900-25RB#0-PASS




Band2-10MHz-QPSK-18900-50RB#0-PASS




Band2-10MHz-16QAM-18900-50RB#0-PASS




Band2-15MHz-QPSK-18900-75RB#0-PASS




Band2-15MHz-16QAM-18900-75RB#0-PASS




Band2-20MHz-QPSK-18900-100RB#0-PASS




Band2-20MHz-16QAM-18900-100RB#0-PASS




Band4-1.4MHz-QPSK-20175-6RB#0-PASS




Band4-1.4MHz-16QAM-20175-6RB#0-PASS




Band4-3MHz-QPSK-20175-15RB#0-PASS




Band4-3MHz-16QAM-20175-15RB#0-PASS




Band4-5MHz-QPSK-20175-25RB#0-PASS




Band4-5MHz-16QAM-20175-25RB#0-PASS




Band4-10MHz-QPSK-20175-50RB#0-PASS




Band4-10MHz-16QAM-20175-50RB#0-PASS




Band4-15MHz-QPSK-20175-75RB#0-PASS




Band4-15MHz-16QAM-20175-75RB#0-PASS




Band4-20MHz-QPSK-20175-100RB#0-PASS




Band4-20MHz-16QAM-20175-100RB#0-PASS




Band5-1.4MHz-QPSK-20525-6RB#0-PASS




Band5-1.4MHz-16QAM-20525-6RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS




Band5-3MHz-16QAM-20525-15RB#0-PASS



Band5-5MHz-QPSK-20525-25RB#0-PASS



Band5-5MHz-16QAM-20525-25RB#0-PASS



Band5-10MHz-QPSK-20525-50RB#0-PASS



Band5-10MHz-16QAM-20525-50RB#0-PASS




Band7-5MHz-QPSK-21100-25RB#0-PASS



Band7-5MHz-16QAM-21100-25RB#0-PASS




Band7-10MHz-QPSK-21100-50RB#0-PASS




Band7-10MHz-16QAM-21100-50RB#0-PASS




Band7-15MHz-QPSK-21100-75RB#0-PASS




Band7-15MHz-16QAM-21100-75RB#0-PASS



Band7-20MHz-QPSK-21100-100RB#0-PASS




Band7-20MHz-16QAM-21100-100RB#0-PASS




Band12-1.4MHz-QPSK-23095-6RB#0-PASS




Band12-1.4MHz-16QAM-23095-6RB#0-PASS




Band12-3MHz-QPSK-23095-15RB#0-PASS




Band12-3MHz-16QAM-23095-15RB#0-PASS




Band12-5MHz-QPSK-23095-25RB#0-PASS




Band12-5MHz-16QAM-23095-25RB#0-PASS



Band12-10MHz-QPSK-23095-50RB#0-PASS




Band12-10MHz-16QAM-23095-50RB#0-PASS



Band17-5MHz-QPSK-23790-25RB#0-PASS




Band17-5MHz-16QAM-23790-25RB#0-PASS




Band17-10MHz-QPSK-23790-50RB#0-PASS




Band17-10MHz-16QAM-23790-50RB#0-PASS




Band25-1.4MHz-QPSK-26365-6RB#0-PASS




Band25-1.4MHz-16QAM-26365-6RB#0-PASS




Band25-3MHz-QPSK-26365-15RB#0-PASS



Band25-3MHz-16QAM-26365-15RB#0-PASS




Band25-5MHz-QPSK-26365-25RB#0-PASS




Band25-5MHz-16QAM-26365-25RB#0-PASS




Band25-10MHz-QPSK-26365-50RB#0-PASS




Band25-10MHz-16QAM-26365-50RB#0-PASS




Band25-15MHz-QPSK-26365-75RB#0-PASS




Band25-15MHz-16QAM-26365-75RB#0-PASS




Band25-20MHz-QPSK-26365-100RB#0-PASS



Band25-20MHz-16QAM-26365-100RB#0-PASS



Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS



Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-PASS

