















FEITUKEJI											
Frequency ID	1	2	3	4	5	6	7	8	9	10	11
Frequency (MHz)	2400.0	2410.0	2420.0	2430.0	2440.0	2450.0	2460.0	2470.0	2480.0	2490.0	2500.0
Point Values											
Ant. Port Input Pwr. (dBm)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tot. Rad. Pwr. (dBm)	-6.71	-6.73	-6.81	-6.63	-6.88	-6.63	-6.95	-7.16	-7.26	-7.11	-7.27
Peak EIRP (dBm)	-0.40	-0.35	-0.49	-0.42	-0.62	0.06	0.19	0.33	0.35	0.52	0.34
Directivity (dBi)	6.31	6.38	6.32	6.21	6.26	6.69	7.14	7.48	7.61	7.63	7.61
Efficiency (dB)	-6.71	-6.73	-6.81	-6.63	-6.88	-6.63	-6.95	-7.16	-7.26	-7.11	-7.27
Efficiency (%)	21.30	21.30	20.90	21.70	20.50	21.70	20.20	19.30	18.80	19.50	18.80
Gain (dBi)	-0.40	-0.35	-0.49	-0.42	-0.62	0.06	0.19	0.33	0.35	0.52	0.34
NHPRP ±Pi/4 (dBm)	-8.46	-8.46	-8.55	-8.38	-8.69	-8.47	-8.82	-9.04	-9.15	-8.98	-9.10
NHPRP ±Pi/6 (dBm)	-10.10	-10.08	-10.18	-10.04	-10.37	-10.18	-10.53	-10.76	-10.86	-10.68	-10.76
NHPRP ±Pi/8 (dBm)	-11.42	-11.38	-11.46	-11.34	-11.69	-11.51	-11.85	-12.08	-12.17	-11.97	-12.03
Upper Hem. PRP (dBm)	-10.79	-10.80	-10.85	-10.69	-10.97	-10.73	-11.06	-11.25	-11.33	-11.16	-11.27
Lower Hem. PRP (dBm)	-8.86	-8.88	-8.98	-8.79	-9.03	-8.77	-9.08	-9.30	-9.41	-9.28	-9.47
Upper Hem. PRP (%)	8.34	8.33	8.22	8.54	8.01	8.45	7.84	7.49	7.37	7.66	7.47
Lower Hem. PRP (%)	13.00	12.93	12.64	13.21	12.51	13.28	12.36	11.76	11.45	11.79	11.30











Antenna pattern



Manufacturer: Shenzhen Chenweixin Plastic Electronics Co., Ltd
 Address: NO101 UNIT B OF FURUI ROAD BAOAN DISTRICT SHENZHEN