


## 7. MODULATION CHARACTERISTICS

### 7.1 TEST PROCEDURES

The devices may employ any type of modulation techniques. The type of modulation used must be reported.

### 7.2 TEST SETUP



----- The following blanks -----

### 7.3 TEST RESULTS

EUT Name	Pet Tracker		Model	M200d
Sample No.	E202403143863-0002		Test Mode	LTE
Power supply	DC 3.85V		Environmental Conditions	Temp:25.8°C;Humi:45%RH
Test Date	2024-03-27 to 2024-03-30		Test Site	/
Tested By	Zhu rongting		Reviewed by	Zhao Zetian

Band	Bandwidth	Modulation	Channel	RB Configuration	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	PASS
Band2	3MHz	QPSK	18615	15RB#0	PASS
Band2	3MHz	QPSK	18900	15RB#0	PASS
Band2	3MHz	QPSK	19185	15RB#0	PASS
Band2	3MHz	16QAM	18615	15RB#0	PASS
Band2	3MHz	16QAM	18900	15RB#0	PASS
Band2	3MHz	16QAM	19185	15RB#0	PASS
Band2	5MHz	QPSK	18625	25RB#0	PASS
Band2	5MHz	QPSK	18900	25RB#0	PASS
Band2	5MHz	QPSK	19175	25RB#0	PASS
Band2	5MHz	16QAM	18625	25RB#0	PASS
Band2	5MHz	16QAM	18900	25RB#0	PASS
Band2	5MHz	16QAM	19175	25RB#0	PASS
Band2	10MHz	QPSK	18650	50RB#0	PASS
Band2	10MHz	QPSK	18900	50RB#0	PASS
Band2	10MHz	QPSK	19150	50RB#0	PASS
Band2	10MHz	16QAM	18650	1RB#0	PASS
Band2	10MHz	16QAM	18900	1RB#0	PASS
Band2	10MHz	16QAM	19150	1RB#0	PASS
Band2	15MHz	QPSK	18675	75RB#0	PASS
Band2	15MHz	QPSK	18900	75RB#0	PASS
Band2	15MHz	QPSK	19125	75RB#0	PASS
Band2	15MHz	16QAM	18675	1RB#0	PASS
Band2	15MHz	16QAM	18900	1RB#0	PASS
Band2	15MHz	16QAM	19125	1RB#0	PASS
Band2	20MHz	QPSK	18700	100RB#0	PASS
Band2	20MHz	QPSK	18900	100RB#0	PASS
Band2	20MHz	QPSK	19100	100RB#0	PASS
Band2	20MHz	16QAM	18700	1RB#0	PASS
Band2	20MHz	16QAM	18900	1RB#0	PASS
Band2	20MHz	16QAM	19100	1RB#0	PASS

