OBW NVNT ac80 5530MHz Ant1



OBW NVNT ac80 5530MHz Ant2



OBW NVNT ac80 5610MHz Ant1



OBW NVNT ac80 5610MHz Ant2



OBW NVNT n20 5500MHz Ant1



OBW NVNT n20 5500MHz Ant2



OBW NVNT n20 5600MHz Ant1



OBW NVNT n20 5600MHz Ant2



OBW NVNT n20 5700MHz Ant1



OBW NVNT n20 5700MHz Ant2



OBW NVNT n40 5510MHz Ant1



OBW NVNT n40 5510MHz Ant2



OBW NVNT n40 5590MHz Ant1



OBW NVNT n40 5590MHz Ant2



OBW NVNT n40 5670MHz Ant1



OBW NVNT n40 5670MHz Ant2



Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5500	Ant1	-15.19	1.41	-13.78	10.44	Pass
NVNT	ac20	5500	Ant2	-14.26	1.41	-12.85	10.44	Pass
NVNT	ac20	5500	Sum	-11.69	1.41	-10.28	10.44	Pass
NVNT	ac20	5600	Ant1	-13.44	1.34	-12.1	10.44	Pass
NVNT	ac20	5600	Ant2	-12.12	1.34	-10.78	10.44	Pass
NVNT	ac20	5600	Sum	-9.72	1.34	-8.38	10.44	Pass
NVNT	ac20	5700	Ant1	-12.15	1.34	-10.81	10.44	Pass
NVNT	ac20	5700	Ant2	-12.65	1.34	-11.31	10.44	Pass
NVNT	ac20	5700	Sum	-9.38	1.34	-8.04	10.44	Pass
NVNT	ac40	5510	Ant1	-24.93	2.47	-22.46	10.44	Pass
NVNT	ac40	5510	Ant2	-25.06	2.47	-22.59	10.44	Pass
NVNT	ac40	5510	Sum	-21.98	2.47	-19.51	10.44	Pass
NVNT	ac40	5590	Ant1	-24.96	2.45	-22.51	10.44	Pass
NVNT	ac40	5590	Ant2	-24.18	2.45	-21.73	10.44	Pass
NVNT	ac40	5590	Sum	-21.54	2.45	-19.09	10.44	Pass
NVNT	ac40	5670	Ant1	-11.19	2.46	-8.73	10.44	Pass
NVNT	ac40	5670	Ant2	-18.4	2.46	-15.94	10.44	Pass
NVNT	ac40	5670	Sum	-10.43	2.46	-7.97	10.44	Pass
NVNT	ac80	5530	Ant1	-32.14	3.97	-28.17	10.44	Pass
NVNT	ac80	5530	Ant2	-32.49	3.97	-28.52	10.44	Pass
NVNT	ac80	5530	Sum	-29.3	3.97	-25.33	10.44	Pass
NVNT	ac80	5610	Ant1	-34.98	3.98	-31	10.44	Pass
NVNT	ac80	5610	Ant2	-34.64	3.98	-30.66	10.44	Pass
NVNT	ac80	5610	Sum	-31.8	3.98	-27.82	10.44	Pass
NVNT	n20	5500	Ant1	-13.24	1.42	-11.82	10.44	Pass
NVNT	n20	5500	Ant2	-12.51	1.42	-11.09	10.44	Pass
NVNT	n20	5500	Sum	-9.85	1.42	-8.43	10.44	Pass
NVNT	n20	5600	Ant1	-13.32	1.4	-11.92	10.44	Pass
NVNT	n20	5600	Ant2	-12.99	1.4	-11.59	10.44	Pass
NVNT	n20	5600	Sum	-10.14	1.4	-8.74	10.44	Pass
NVNT	n20	5700	Ant1	-13.95	1.4	-12.55	10.44	Pass
NVNT	n20	5700	Ant2	-14.29	1.4	-12.89	10.44	Pass
NVNT	n20	5700	Sum	-11.11	1.4	-9.71	10.44	Pass
NVNT	n40	5510	Ant1	-24.58	2.47	-22.11	10.44	Pass
NVNT	n40	5510	Ant2	-24.35	2.47	-21.88	10.44	Pass
NVNT	n40	5510	Sum	-21.45	2.47	-18.98	10.44	Pass
NVNT	n40	5590	Ant1	-24.11	2.46	-21.65	10.44	Pass
NVNT	n40	5590	Ant2	-22.77	2.46	-20.31	10.44	Pass
NVNT	n40	5590	Sum	-20.38	2.46	-17.92	10.44	Pass
NVNT	n40	5670	Ant1	-18.92	2.47	-16.45	10.44	Pass
NVNT	n40	5670	Ant2	-22.26	2.47	-19.79	10.44	Pass

NVNT	n40	5670	Sum	-17.27	2.47	-14.8	10.44	Pass

Test Graphs
PSD NVNT ac20 5500MHz Ant1

PSD NVNT ac20 5500MHz Ant2


PSD NVNT ac20 5600MHz Ant1



PSD NVNT ac20 5600MHz Ant2



PSD NVNT ac20 5700MHz Ant1



PSD NVNT ac20 5700MHz Ant2



PSD NVNT ac40 5510MHz Ant1



PSD NVNT ac40 5510MHz Ant2



PSD NVNT ac40 5590MHz Ant1



PSD NVNT ac40 5590MHz Ant2



PSD NVNT ac40 5670MHz Ant1



PSD NVNT ac40 5670MHz Ant2



PSD NVNT ac80 5530MHz Ant1



PSD NVNT ac80 5530MHz Ant2



PSD NVNT ac80 5610MHz Ant1



PSD NVNT ac80 5610MHz Ant2



PSD NVNT n20 5500MHz Ant1



PSD NVNT n20 5500MHz Ant2



PSD NVNT n20 5600MHz Ant1



PSD NVNT n20 5600MHz Ant2



PSD NVNT n20 5700MHz Ant1



PSD NVNT n20 5700MHz Ant2



PSD NVNT n40 5510MHz Ant1



PSD NVNT n40 5510MHz Ant2



PSD NVNT n40 5590MHz Ant1



PSD NVNT n40 5590MHz Ant2



PSD NVNT n40 5670MHz Ant1



PSD NVNT n40 5670MHz Ant2



Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5500	Ant1	-39.42	-27	Pass
NVNT	ac20	5500	Ant2	-38.92	-27	Pass
NVNT	ac20	5700	Ant1	-33.79	-27	Pass
NVNT	ac20	5700	Ant2	-37.32	-27	Pass
NVNT	ac40	5510	Ant1	-31.85	-27	Pass
NVNT	ac40	5510	Ant2	-35.12	-27	Pass
NVNT	ac40	5670	Ant1	-37.68	-27	Pass
NVNT	ac40	5670	Ant2	-38.87	-27	Pass
NVNT	ac80	5530	Ant1	-34.28	-27	Pass
NVNT	ac80	5530	Ant2	-31.03	-27	Pass
NVNT	ac80	5610	Ant1	-39.96	-27	Pass
NVNT	ac80	5610	Ant2	-41.27	-27	Pass
NVNT	n20	5500	Ant1	-38.74	-27	Pass
NVNT	n20	5500	Ant2	-38.29	-27	Pass
NVNT	n20	5700	Ant1	-35.63	-27	Pass
NVNT	n20	5700	Ant2	-36.2	-27	Pass
NVNT	n40	5510	Ant1	-32.76	-27	Pass
NVNT	n40	5510	Ant2	-34.72	-27	Pass
NVNT	n40	5670	Ant1	-35.88	-27	Pass
NVNT	n40	5670	Ant2	-38.79	-27	Pass

Test Graphs
Band Edge NVNT ac20 5500MHz Low Ant1



Band Edge NVNT ac20 5500MHz Low Ant2



Band Edge NVNT ac20 5700MHz High Ant1



Band Edge NVNT ac20 5700MHz High Ant2



Band Edge NVNT ac40 5510MHz Low Ant1



Band Edge NVNT ac40 5510MHz Low Ant2



Band Edge NVNT ac40 5670MHz High Ant1



Band Edge NVNT ac40 5670MHz High Ant2



Band Edge NVNT ac80 5530MHz Low Ant1



Band Edge NVNT ac80 5530MHz Low Ant2



Band Edge NVNT ac80 5610MHz High Ant1



Band Edge NVNT ac80 5610MHz High Ant2



Band Edge NVNT n20 5500MHz Low Ant1



Band Edge NVNT n20 5500MHz Low Ant2



Band Edge NVNT n20 5700MHz High Ant1



Band Edge NVNT n20 5700MHz High Ant2



Band Edge NVNT n40 5510MHz Low Ant1



Band Edge NVNT n40 5510MHz Low Ant2



Band Edge NVNT n40 5670MHz High Ant1



Band Edge NVNT n40 5670MHz High Ant2



Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5500	Ant1	-33.66	-27	Pass
NVNT	ac20	5500	Ant2	-33.43	-27	Pass
NVNT	ac20	5600	Ant1	-33.04	-27	Pass
NVNT	ac20	5600	Ant2	-32.89	-27	Pass
NVNT	ac20	5700	Ant1	-32.91	-27	Pass
NVNT	ac20	5700	Ant2	-32.91	-27	Pass
NVNT	ac40	5510	Ant1	-33.15	-27	Pass
NVNT	ac40	5510	Ant2	-33.85	-27	Pass
NVNT	ac40	5590	Ant1	-33.06	-27	Pass
NVNT	ac40	5590	Ant2	-33.15	-27	Pass
NVNT	ac40	5670	Ant1	-33.56	-27	Pass
NVNT	ac40	5670	Ant2	-32.94	-27	Pass
NVNT	ac80	5530	Ant1	-32.69	-27	Pass
NVNT	ac80	5530	Ant2	-32.45	-27	Pass
NVNT	ac80	5610	Ant1	-32.86	-27	Pass
NVNT	ac80	5610	Ant2	-33.03	-27	Pass
NVNT	n20	5500	Ant1	-33.06	-27	Pass
NVNT	n20	5500	Ant2	-33.89	-27	Pass
NVNT	n20	5600	Ant1	-33.42	-27	Pass
NVNT	n20	5600	Ant2	-32.96	-27	Pass
NVNT	n20	5700	Ant1	-33.22	-27	Pass
NVNT	n20	5700	Ant2	-32.74	-27	Pass
NVNT	n40	5510	Ant1	-33.49	-27	Pass
NVNT	n40	5510	Ant2	-33.43	-27	Pass
NVNT	n40	5590	Ant1	-32.93	-27	Pass
NVNT	n40	5590	Ant2	-32.97	-27	Pass
NVNT	n40	5670	Ant1	-32.47	-27	Pass
NVNT	n40	5670	Ant2	-33.39	-27	Pass

Test Graphs
Tx. Spurious NVNT ac20 5500MHz Ant1 Emission



Tx. Spurious NVNT ac20 5500MHz Ant2 Emission



Tx. Spurious NVNT ac20 5600MHz Ant1 Emission



Tx. Spurious NVNT ac20 5600MHz Ant2 Emission



Tx. Spurious NVNT ac20 5700MHz Ant1 Emission



Tx. Spurious NVNT ac20 5700MHz Ant2 Emission



Tx. Spurious NVNT ac40 5510MHz Ant1 Emission



Tx. Spurious NVNT ac40 5510MHz Ant2 Emission



Tx. Spurious NVNT ac40 5590MHz Ant1 Emission



Tx. Spurious NVNT ac40 5590MHz Ant2 Emission



Tx. Spurious NVNT ac40 5670MHz Ant1 Emission



Tx. Spurious NVNT ac40 5670MHz Ant2 Emission



Tx. Spurious NVNT ac80 5530MHz Ant1 Emission



Tx. Spurious NVNT ac80 5530MHz Ant2 Emission



Tx. Spurious NVNT ac80 5610MHz Ant1 Emission



Tx. Spurious NVNT ac80 5610MHz Ant2 Emission



Tx. Spurious NVNT n20 5500MHz Ant1 Emission



Tx. Spurious NVNT n20 5500MHz Ant2 Emission



Tx. Spurious NVNT n20 5600MHz Ant1 Emission



Tx. Spurious NVNT n20 5600MHz Ant2 Emission



Tx. Spurious NVNT n20 5700MHz Ant1 Emission



Tx. Spurious NVNT n20 5700MHz Ant2 Emission



Tx. Spurious NVNT n40 5510MHz Ant1 Emission



Tx. Spurious NVNT n40 5510MHz Ant2 Emission



Tx. Spurious NVNT n40 5590MHz Ant1 Emission



Tx. Spurious NVNT n40 5590MHz Ant2 Emission



Tx. Spurious NVNT n40 5670MHz Ant1 Emission



Tx. Spurious NVNT n40 5670MHz Ant2 Emission



5.8G WIFI

Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	73.45	1.34	0.74
NVNT	a	5785	Ant1	73.42	1.34	0.74
NVNT	a	5825	Ant1	89.35	0.49	∞
NVNT	a	5745	Ant2	73.5	1.34	0.74
NVNT	a	5785	Ant2	73.95	1.31	0.74
NVNT	a	5825	Ant2	73.63	1.33	0.73
NVNT	n20	5745	Ant1	72.47	1.4	0.78
NVNT	n20	5785	Ant1	72.07	1.42	0.78
NVNT	n20	5825	Ant1	88.52	0.53	∞
NVNT	n20	5745	Ant2	72.18	1.42	0.78
NVNT	n20	5785	Ant2	72.04	1.42	0.79
NVNT	n20	5825	Ant2	72.27	1.41	0.79
NVNT	n40	5755	Ant1	75.78	1.2	∞
NVNT	n40	5795	Ant1	79.58	0.99	∞
NVNT	n40	5755	Ant2	56.75	2.46	1.56
NVNT	n40	5795	Ant2	56.82	2.45	1.59
NVNT	ac20	5745	Ant1	72.31	1.41	0.78
NVNT	ac20	5785	Ant1	72.43	1.4	0.79
NVNT	ac20	5825	Ant1	72.43	1.4	0.79
NVNT	ac20	5745	Ant2	72.52	1.4	0.78
NVNT	ac20	5785	Ant2	72.54	1.39	0.79
NVNT	ac20	5825	Ant2	72.47	1.4	0.79
NVNT	ac40	5755	Ant1	56.73	2.46	1.59
NVNT	ac40	5795	Ant1	56.72	2.46	1.59
NVNT	ac40	5755	Ant2	56.82	2.45	1.56
NVNT	ac40	5795	Ant2	56.98	2.44	1.56
NVNT	ac80	5775	Ant1	39.96	3.98	3.23
NVNT	ac80	5775	Ant2	40	3.98	3.13

Test Graphs
Duty Cycle NVNT a 5745MHz Ant1



Duty Cycle NVNT a 5785MHz Ant1



Duty Cycle NVNT a 5825MHz Ant1



Duty Cycle NVNT a 5745MHz Ant2



Duty Cycle NVNT a 5785MHz Ant2



Duty Cycle NVNT a 5825MHz Ant2



Duty Cycle NVNT n20 5745MHz Ant1



Duty Cycle NVNT n20 5785MHz Ant1



Duty Cycle NVNT n20 5825MHz Ant1



Duty Cycle NVNT n20 5745MHz Ant2



Duty Cycle NVNT n20 5785MHz Ant2



Duty Cycle NVNT n20 5825MHz Ant2



Duty Cycle NVNT n40 5755MHz Ant1



Duty Cycle NVNT n40 5795MHz Ant1



Duty Cycle NVNT n40 5755MHz Ant2



Duty Cycle NVNT n40 5795MHz Ant2



Duty Cycle NVNT ac20 5745MHz Ant1



Duty Cycle NVNT ac20 5785MHz Ant1



Duty Cycle NVNT ac20 5825MHz Ant1



Duty Cycle NVNT ac20 5745MHz Ant2



Duty Cycle NVNT ac20 5785MHz Ant2



Duty Cycle NVNT ac20 5825MHz Ant2