



RF Test Data for BT(Conducted Measurement)

Product Name: Touch all in one

Test Model: 2151E

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Can Kun
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.962	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.983	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.961	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.282	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.286	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.282	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.3	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.302	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.292	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	0.3	21	Pass
NVNT	1-DH5	2441	Ant1	0.24	21	Pass
NVNT	1-DH5	2480	Ant1	-1.27	21	Pass
NVNT	2-DH5	2402	Ant1	0.9	21	Pass
NVNT	2-DH5	2441	Ant1	1.01	21	Pass
NVNT	2-DH5	2480	Ant1	-0.18	21	Pass
NVNT	3-DH5	2402	Ant1	1.39	21	Pass
NVNT	3-DH5	2441	Ant1	1.52	21	Pass
NVNT	3-DH5	2480	Ant1	0.35	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1











Power NVNT 2-DH5 2441MHz Ant1



Power NVNT 2-DH5 2480MHz Ant1









A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.97	2403.012	1.042	0.655	Pass
NVNT	2-DH5	Ant1	2402.018	2403.01	0.992	0.857	Pass
NVNT	3-DH5	Ant1	2402.026	2403.162	1.136	0.868	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.91	293.91	101	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	281.106	97	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.154	204.63	95	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs


Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-56.64	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-55.99	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-49.68	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-53.79	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-47.69	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.26	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-53.37	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-54.22	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-52.71	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-52.77	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-51.61	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-52.46	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission










Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission








Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-55.12	-20	Pass
NVNT	1-DH5	2441	Ant1	-55.47	-20	Pass
NVNT	1-DH5	2480	Ant1	-53.54	-20	Pass
NVNT	2-DH5	2402	Ant1	-53.9	-20	Pass
NVNT	2-DH5	2441	Ant1	-54.22	-20	Pass
NVNT	2-DH5	2480	Ant1	-53.04	-20	Pass
NVNT	3-DH5	2402	Ant1	-54.01	-20	Pass
NVNT	3-DH5	2441	Ant1	-53.39	-20	Pass
NVNT	3-DH5	2480	Ant1	-53.36	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.63	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2441	Ant1	77.33	1.12	0.34
NVNT	2-DH5	2480	Ant1	77.33	1.12	0.34
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-50.3	2.00	-	46.96	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.95	2.00	1.1	39.41	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2365.2	-47.27	2.00	-	49.99	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2362.608	-57.85	2.00	1.1	40.51	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-51.16	2.00	-	46.10	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.47	2.00	1.1	39.89	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-49.99	2.00	-	47.27	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-58.02	2.00	1.1	40.34	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2485.528	-45.4	2.00	-	51.86	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2496.88	-57.35	2.00	1.1	41.01	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-51.35	2.00	-	45.91	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.92	2.00	1.1	39.44	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-51.68	2.00	-	45.58	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-59.6	2.00	1.12	38.78	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2339.664	-47.46	2.00	-	49.80	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2367.12	-57.72	2.00	1.12	40.66	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-51.4	2.00	-	45.86	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.23	2.00	1.12	40.15	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-48.42	2.00	-	48.84	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.65	2.00	1.12	40.73	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2484.616	-45.59	2.00	-	51.67	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2497.096	-57.35	2.00	1.12	41.03	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-52.01	2.00	-	45.25	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.65	2.00	1.12	39.73	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-51.42	2.00	-	45.84	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.77	2.00	1.12	39.61	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2380.176	-47.12	2.00	-	50.14	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2358.384	-58	2.00	1.12	40.38	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-51.31	2.00	-	45.95	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.53	2.00	1.12	39.85	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-50.18	2.00	-	47.08	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-58.03	2.00	1.12	40.35	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2484.88	-45.06	2.00	-	52.20	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.656	-57.22	2.00	1.12	41.16	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.75	2.00	-	47.51	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.18	2.00	1.12	40.20	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

