

B3003 Operating Manual

(220919_V1.0)



Instructions on displays of the panel in the standby mode:		Long press the power button to power on after connecting the battery for the first time. Display: Please wait to connect the host. Screen will turn off after no press for 15S and press any button to wake up. After the code matching is successfully finished, panel displays main interface (short press the confirm button to switch display and can be switched cyclically): Display of ambient temperature →display of power supply voltage →display of gear/temperature setting →display of shell temperature.
Instructions on button operating	Standby mode	Long press the power button: power on and the panel displays start.
		Short press the confirm button: cyclically switch the displays.
		Short press the up button: temperature/ gear+1.
		Short press the down button: temperature/ gear-1.
	Power on mode	Short press the confirm button: cyclically switch the displays.
		Short press the up button: temperature/ gear+1.
		Short press the down button: temperature/ gear-1.
		Long press the power button: power off and the panel displays shutdown.

Instructions on remote control code matching	Standby mode	Press the power button and confirm button at the same time for remote control code matching, and it will enter the main interface after the code matching is successfully finished. In case of code matching failure, exit within 20 seconds or press the confirm button to exit, and then code matching can be reperformed.
Instructions on manual gear control mode/ auto constant temperature mode	Standby mode/power on mode	Press the up button and down button at the same time to enter the constant temperature mode in which the panel displays Auto. Press again to switch to the manual gear control mode, and the display on the panel is manual (default for the manual mode).
Language Switching Instructions	Standby mode	Long press the “confirm button” to enter the English mode, Chinese mode and Russian mode, which can be switched cyclically.
Instructions on screen off	In the power on/off mode, the screen will turn off after no press for 15S and press any button to wake up.	

FCC Caution

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.