




Questions, problems, missing parts?

Before returning to your retailer, call our customer service at 1-800-887-6326
Monday – Friday 9:00 a.m. – 5:00 p.m. CST

PACKAGE CONTENTS



⚠ SAFETY INFORMATION

Please read and understand this entire manual before attempting to assemble, operate or install the product.

WARNING

- Do not plug lamp into an electrical outlet before installation is completed.

CAUTION

- Not compatible with dimmer, and can only be dimmed by app & remote controller.


PREPARATION

Before beginning assembly, installation or operation of product, make sure all parts are present. Compare parts with package contents list and diagram on previous page. If any part is missing or damaged, do not attempt to assemble, install or operate the product.


ASSEMBLY INSTRUCTIONS

1. Unpack the lamp and assemble poles.

- Carefully organize and place all parts on a smooth, flat surface. Line up all of the parts according to the assembly diagram.
- Screw the lower pole (A) to bottom frame with the bottom clamp.
- Screw the middle pole (B1) to lower pole (A).
- Screw the middle pole (B2) to middle pole (B1).
- Screw the middle pole (B3) to middle pole (B2).
- Screw the upper pole (B4) to middle pole (B3).





2. Attach the top frame onto the upper pole (B4) with the top clamp.





3. a. Please tear off the 3M tape protective paper on the back of the LED light strip. (Fig.3a)

- Pass the LED light strip through the all of the clamps and attach the LED light strip onto the poles by using clamps. (Fig.3b)

- Wrap the LED light strip around the poles by turning the clamps to achieve a better light effect, then stick the light strip onto the poles. (Fig.3c)




4. Put the fabric shade over the lamp according to diagram on page 1.




ASSEMBLY INSTRUCTIONS (continued)

5. a. Insert the quick connector into the inline switch.
- b. Plug the adapter into an outlet.



WAY TO OPERATION



1. Manual Control by using inline switch.



2. Remote controller

Install two 1.5 volt batteries (type AAA, not included) into the remote controller.

Note: The remote controller can be used within 5 meters.



3. APP Control

REGISTRATION / LOGIN / PASSWORD RETRIEVAL


Setting for single light through mobile device (Take iOs for example as below. Android will be slightly different).

Before you start


1. Download the Smart Life APP  from the Apple App Store or Android Google play store.
Registration
If you do not have the app account, you may choose to register. The registration process is described on this page and the next. Click "Agree" to proceed to the registration page.



2. Click "Sign up" to enter the next page shown in Fig.3.



3. The system will identify automatically the country/region you are in, or you may choose to select manually a country/region. Enter your email and click "Get Verification Code" and enter the verification code you received, then enter the password and click "Completed" to finish registration as shown in Fig.3, Fig.3a, Fig.3b.




Account ID + Password Login

If you already have an app account, click "Log in" to proceed to the login page.

- a. The system will identify automatically the country / region you are in, or you may also choose to select manually a country / region .
- b. Enter the email you have registered and enter the password in to log in.

Smart Life Login.

1. Enter the email you have registered and enter the password into log in as shown in Fig.1, Fig. 1a.



USER GUIDE


The Smart Life app supports two configuration methods: "Add Manually" and "Auto Scan". Ensure Bluetooth is turned on and connect to a 2.4GHz Wi-Fi network before linking the lights with the app.

Auto Scan

Ensure the light on the smart device is flashing rapidly. If it is not, please choose one of below steps to operate:

1. Long press and hold "U" at the inline switch for 5 seconds to reset and start connecting to the network.
2. Use the wall switch by turning it off, then on, then off again, then on, and finally off and on once more (off-on-off-on-off-on) to trigger the flashing mode.

1. Click "+" and "Add Device" at the top right corner of the App home page shown in Fig.1, and enter the next page shown in Fig.2.



2. Click "Add" to enter the next page shown in Fig3.




3. Enter the Wi-Fi account and password and click "Next" to enter the next page shown in Fig.4.

Note: The Wi-Fi account and password in the APP must be the same as on the mobile phone.



USER GUIDE (continued)

4. Once connected, the App will enter another page. Click "Done" to complete connecting as shown in Fig.4, Fig.4a, Fig.4b, Fig.4c.




Add Manually mode

1. Click "+" and "Add Device" at the top right corner of the App home page upper right corner and enter the next page shown in Fig.2.



3. Click "Strip Lights (BLE+Wi-Fi)" to enter the next page shown in Fig.4.




4. Click "Confirm the lamplight is blinking or breathing" to enter the next page shown in Fig.5.

Note: Ensure the light on the smart device is flashing rapidly. If it is not, please choose one of below steps to operate:

1. Long press and hold "⊕" at the inline switch for 5 seconds to reset and start connecting to the network.
2. Use the wall switch by turning it off, then on, then off again, then on, and finally off and on once more (off-on-off-on-off-on) to trigger the flashing mode.

USER GUIDE (continued)

5. Select the Wi-Fi in your home, enter the Wi-Fi password shown in Fig.5. Click "Next" to enter the next page shown in Fig.6.




5

6. As shown in Fig.6.




6

7. As shown in Fig.7.




7

8. Click "Done" to complete the connecting as shown in Fig.8 and Fig.8a.



8



8a

USER GUIDE (continued)

APP Function Introduction



Static Mode

Control Device

After the device is successfully connected, the paired device will be displayed on the main interface. Click to enter the corresponding control interface.

Note:




1. When the device is online, it supports quick operations.
2. When the device is offline, "offline" is displayed (See Fig. 2). At this time, the device cannot be operated. At this time, you can check whether the device has been successfully powered on.



LED Floor Lamp Dynamic Mode

You can select a favorite dynamic effect from the scene interface, or "DIY" your desired dynamic effect as below steps.

1. Click "Add+" in the top right corner to enter custom scene (See Fig. 1).
2. After you click "Save", you can see the saved dynamic effects in the scene interface (See Fig. 2).
3. You can add / delete / modify the color displayed and change the speed of color switching and brightness (See Fig. 3).
4. If you want to change the customized scene, click "DIY" to change or delete it (See Fig. 4).






LED Floor Lamp Sync to Music Function




Enter the music mode and use any device to play music. The led floor lamp will synchronize with the music.

Note:


1. Click "M" at the bottom of the interface to enter a custom scene.
2. You can select the phone mode or local microphone mode according to different use needs.
- Note: The volume of the mobile phone is relatively small. It is better to use Bluetooth audio or local mode.**
3. You can click your favorite scene mode to let the led floor lamp show different music rhythm effects.



Other Mode



You can use the "Share Device" to enable multiple phones to operate the device together.



CARE AND MAINTENANCE

- To clean, turn off and wipe with a damp, non-abrasive cloth.

TROUBLESHOOTING

1) The light does not work:

- a) Check that the connection between the two power connectors is correct.
- b) Make sure the wall switch and circuit breaker are on.
- c) Check to see if the lights are turned off with the APP.

2) APP connection failure or the device doesn't connect to network.

- a) Make sure Bluetooth is turned on and connect to a 2.4GHz Wi-Fi network.
- b) Make sure the WiFi password that you enter is correct.
- c) Make sure the internet connection speeds is over 10mbps.
- d) Mobile device requirements: Iphone 4S or newer running IOS 9.0 x or later. Android v5.0 or later.

3) The light keeps flashing.

- a) Make sure it gets connected to a WIFI network.
- b) Turn the light fixture OFF-ON while it is flashing over 180 seconds, it will stay on without flashing.

4) If the remote controller can not control the lamp:

- Make sure the batteries are sufficiently charged.

Caution: Make sure main power is turned off before serving this fixture.

If unable to fix any of the above issues, please consult a certified electrician.

FCC Statement

1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
 - (1) This device may not cause harmful interference.
 - (2) This device must accept any interference received, including interference that may cause undesired operation.
2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a class B digital device pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. This equipment should be installed and operated with a minimum distance of 20 cm between the radiator and your body.

FIVE-YEAR LIMITED WARRANTY: If, during normal use, this lighting fixture breaks or fails due to a defect in material workmanship within five (5) years from the date of original purchase, the manufacturer agrees to have the product or any defective part(s) repaired or replaced with the same or similar product or part free of charge, within the stated warranty period, when returned by the original purchaser with original sales receipt. This warranty: (1) excludes expendable parts including but not limited to light bulbs; (2) does not cover damage that has resulted from abuse or misuse; and (3) does not cover any losses, labor, injuries to persons/property or costs. This warranty does give you specific legal rights and you may have other rights, which vary from state to state.



Questions, problems, missing parts?

Before returning to your retailer, call our customer service at 1-800-887-6326
Monday – Friday 9:00 a.m. – 5:00 p.m. CST