







Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com










Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

Hotline
400-003-0500
www.anbotek.com







Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com

Appendix D: Maximum Power Spectral Density

Test Result B1

Test Mode	Antenna	Frequency [MHz]	Reading Result [dBm/MHz]	DC Factor [dB]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5180	5.28	0.00	5.28	≤11.00	PASS
11A	Ant2	5180	3.1	0.00	3.10	≤11.00	PASS
11A	Ant1	5200	5.02	0.00	5.02	≤11.00	PASS
11A	Ant2	5200	2.72	0.00	2.72	≤11.00	PASS
11A	Ant1	5240	4.89	0.00	4.89	≤11.00	PASS
11A	Ant2	5240	2.84	0.00	2.84	≤11.00	PASS
11N20MIMO	Ant1	5180	4.47	0.00	4.47	≤11.00	PASS
11N20MIMO	Ant2	5180	2.07	0.00	2.07	≤11.00	PASS
11N20MIMO	total	5180	---	---	6.44	≤11.00	PASS
11N20MIMO	Ant1	5200	4.88	0.00	4.88	≤11.00	PASS
11N20MIMO	Ant2	5200	2.73	0.00	2.73	≤11.00	PASS
11N20MIMO	total	5200	---	---	6.95	≤11.00	PASS
11N20MIMO	Ant1	5240	4.6	0.00	4.60	≤11.00	PASS
11N20MIMO	Ant2	5240	1.69	0.00	1.69	≤11.00	PASS
11N20MIMO	total	5240	---	---	6.39	≤11.00	PASS
11N40MIMO	Ant1	5190	1.67	0.00	1.67	≤11.00	PASS
11N40MIMO	Ant2	5190	-0.03	0.00	-0.03	≤11.00	PASS
11N40MIMO	total	5190	---	---	3.91	≤11.00	PASS
11N40MIMO	Ant1	5230	1.33	0.00	1.33	≤11.00	PASS
11N40MIMO	Ant2	5230	-0.73	0.00	-0.73	≤11.00	PASS
11N40MIMO	total	5230	---	---	3.43	≤11.00	PASS
11AC20MIMO	Ant1	5180	4.53	0.00	4.53	≤11.00	PASS
11AC20MIMO	Ant2	5180	2.8	0.00	2.80	≤11.00	PASS
11AC20MIMO	total	5180	---	---	6.76	≤11.00	PASS
11AC20MIMO	Ant1	5200	4.45	0.00	4.45	≤11.00	PASS
11AC20MIMO	Ant2	5200	2.53	0.00	2.53	≤11.00	PASS
11AC20MIMO	total	5200	---	---	6.61	≤11.00	PASS
11AC20MIMO	Ant1	5240	4.11	0.00	4.11	≤11.00	PASS
11AC20MIMO	Ant2	5240	2.44	0.00	2.44	≤11.00	PASS
11AC20MIMO	total	5240	---	---	6.37	≤11.00	PASS
11AC40MIMO	Ant1	5190	1.62	0.00	1.62	≤11.00	PASS
11AC40MIMO	Ant2	5190	0.18	0.00	0.18	≤11.00	PASS
11AC40MIMO	total	5190	---	---	3.97	≤11.00	PASS
11AC40MIMO	Ant1	5230	0.86	0.00	0.86	≤11.00	PASS
11AC40MIMO	Ant2	5230	-0.63	0.00	-0.63	≤11.00	PASS
11AC40MIMO	total	5230	---	---	3.19	≤11.00	PASS

11AC80MIMO	Ant1	5210	-5.79	1.23	-4.56	≤11.00	PASS
11AC80MIMO	Ant2	5210	-6.04	1.37	-4.67	≤11.00	PASS
11AC80MIMO	total	5210	---	---	-1.60	≤11.00	PASS
11AX20MIMO	Ant1	5180	4.21	0.00	4.21	≤11.00	PASS
11AX20MIMO	Ant2	5180	2.05	0.00	2.05	≤11.00	PASS
11AX20MIMO	total	5180	---	---	6.27	≤11.00	PASS
11AX20MIMO	Ant1	5200	3.98	0.00	3.98	≤11.00	PASS
11AX20MIMO	Ant2	5200	2.4	0.00	2.40	≤11.00	PASS
11AX20MIMO	total	5200	---	---	6.27	≤11.00	PASS
11AX20MIMO	Ant1	5240	3.93	0.00	3.93	≤11.00	PASS
11AX20MIMO	Ant2	5240	2.29	0.00	2.29	≤11.00	PASS
11AX20MIMO	total	5240	---	---	6.20	≤11.00	PASS
11AX40MIMO	Ant1	5190	1.14	0.00	1.14	≤11.00	PASS
11AX40MIMO	Ant2	5190	-0.57	0.00	-0.57	≤11.00	PASS
11AX40MIMO	total	5190	---	---	3.38	≤11.00	PASS
11AX40MIMO	Ant1	5230	1.7	0.00	1.70	≤11.00	PASS
11AX40MIMO	Ant2	5230	-0.43	0.00	-0.43	≤11.00	PASS
11AX40MIMO	total	5230	---	---	3.77	≤11.00	PASS
11AX80MIMO	Ant1	5210	-1.64	0.00	-1.64	≤11.00	PASS
11AX80MIMO	Ant2	5210	-4.22	0.00	-4.22	≤11.00	PASS
11AX80MIMO	total	5210	---	---	0.27	≤11.00	PASS

Note: 1.The cable loss are compensated in the graph.

Test Result B4


Test Mode	Antenna	Frequency [MHz]	Reading Result [dBm/500K Hz]	DC Factor [dB]	Result [dBm/500K Hz]	Limit [dBm/500KHz]	Verdict
11A	Ant1	5745	1.49	0.00	1.49	≤30.00	PASS
11A	Ant2	5745	0.14	0.00	0.14	≤30.00	PASS
11A	Ant1	5785	1.2	0.00	1.20	≤30.00	PASS
11A	Ant2	5785	-0.28	0.00	-0.28	≤30.00	PASS
11A	Ant1	5825	1.39	0.00	1.39	≤30.00	PASS
11A	Ant2	5825	-0.31	0.00	-0.31	≤30.00	PASS
11N20MIMO	Ant1	5745	1.72	0.00	1.72	≤30.00	PASS
11N20MIMO	Ant2	5745	0.28	0.00	0.28	≤30.00	PASS
11N20MIMO	total	5745	---	---	4.07	≤29.11	PASS
11N20MIMO	Ant1	5785	1.12	0.00	1.12	≤30.00	PASS
11N20MIMO	Ant2	5785	-0.55	0.00	-0.55	≤30.00	PASS
11N20MIMO	total	5785	---	---	3.38	≤29.11	PASS
11N20MIMO	Ant1	5825	0.96	0.00	0.96	≤30.00	PASS
11N20MIMO	Ant2	5825	-0.91	0.00	-0.91	≤30.00	PASS
11N20MIMO	total	5825	---	---	3.14	≤29.11	PASS
11N40MIMO	Ant1	5755	-1.64	0.00	-1.64	≤30.00	PASS
11N40MIMO	Ant2	5755	-2.8	0.00	-2.80	≤30.00	PASS
11N40MIMO	total	5755	---	---	0.83	≤29.11	PASS
11N40MIMO	Ant1	5795	-2	0.00	-2.00	≤30.00	PASS
11N40MIMO	Ant2	5795	-3.14	0.00	-3.14	≤30.00	PASS
11N40MIMO	total	5795	---	---	0.48	≤29.11	PASS
11AC20MIMO	Ant1	5745	1.39	0.00	1.39	≤30.00	PASS
11AC20MIMO	Ant2	5745	0.14	0.00	0.14	≤30.00	PASS
11AC20MIMO	total	5745	---	---	3.82	≤29.11	PASS
11AC20MIMO	Ant1	5785	0.46	0.00	0.46	≤30.00	PASS
11AC20MIMO	Ant2	5785	-0.42	0.00	-0.42	≤30.00	PASS
11AC20MIMO	total	5785	---	---	3.05	≤29.11	PASS
11AC20MIMO	Ant1	5825	0.63	0.00	0.63	≤30.00	PASS
11AC20MIMO	Ant2	5825	-1.47	0.00	-1.47	≤30.00	PASS
11AC20MIMO	total	5825	---	---	2.72	≤29.11	PASS
11AC40MIMO	Ant1	5755	-1.46	0.00	-1.46	≤30.00	PASS
11AC40MIMO	Ant2	5755	-3.27	0.00	-3.27	≤30.00	PASS
11AC40MIMO	total	5755	---	---	0.74	≤29.11	PASS
11AC40MIMO	Ant1	5795	-1.53	0.00	-1.53	≤30.00	PASS
11AC40MIMO	Ant2	5795	-3.71	0.00	-3.71	≤30.00	PASS
11AC40MIMO	total	5795	---	---	0.53	≤29.11	PASS
11AC80MIMO	Ant1	5775	-6.8	1.37	-5.43	≤30.00	PASS

Shenzhen Anbotech Compliance Laboratory Limited

11AC80MIMO	Ant2	5775	-6.85	1.37	-5.48	≤30.00	PASS
11AC80MIMO	total	5775	---	---	-2.44	≤29.11	PASS
11AX20MIMO	Ant1	5745	0.98	0.00	0.98	≤30.00	PASS
11AX20MIMO	Ant2	5745	0.35	0.00	0.35	≤30.00	PASS
11AX20MIMO	total	5745	---	---	3.69	≤29.11	PASS
11AX20MIMO	Ant1	5785	0.83	0.00	0.83	≤30.00	PASS
11AX20MIMO	Ant2	5785	-0.9	0.00	-0.90	≤30.00	PASS
11AX20MIMO	total	5785	---	---	3.06	≤29.11	PASS
11AX20MIMO	Ant1	5825	1.14	0.00	1.14	≤30.00	PASS
11AX20MIMO	Ant2	5825	-1.68	0.00	-1.68	≤30.00	PASS
11AX20MIMO	total	5825	---	---	2.97	≤29.11	PASS
11AX40MIMO	Ant1	5755	-1.55	0.00	-1.55	≤30.00	PASS
11AX40MIMO	Ant2	5755	-2.68	0.00	-2.68	≤30.00	PASS
11AX40MIMO	total	5755	---	---	0.93	≤29.11	PASS
11AX40MIMO	Ant1	5795	-2.22	0.00	-2.22	≤30.00	PASS
11AX40MIMO	Ant2	5795	-3.41	0.00	-3.41	≤30.00	PASS
11AX40MIMO	total	5795	---	---	0.24	≤29.11	PASS
11AX80MIMO	Ant1	5775	-5.43	0.00	-5.43	≤30.00	PASS
11AX80MIMO	Ant2	5775	-6.9	0.00	-6.90	≤30.00	PASS
11AX80MIMO	total	5775	---	---	-3.09	≤29.11	PASS

Note: 1.The cable loss are compensated in the graph.


Test Graphs




Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com







11A-Ant1-5240-PASS




11A-Ant2-5240-PASS








11A-Ant1-5785-PASS





11A-Ant2-5785-PASS















11N20MIMO-Ant1-5745-PASS





11N20MIMO-Ant2-5745-PASS














11N40MIMO-Ant1-5755-PASS



11N40MIMO-Ant2-5755-PASS







Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com


Hotline
400-003-0500
www.anbotech.com




11AC20MIMO-Ant1-5200-PASS




11AC20MIMO-Ant2-5200-PASS







11AC20MIMO-Ant1-5745-PASS




11AC20MIMO-Ant2-5745-PASS








11AC20MIMO-Ant1-5825-PASS




11AC20MIMO-Ant2-5825-PASS









11AC40MIMO-Ant1-5755-PASS




11AC40MIMO-Ant2-5755-PASS




11AC40MIMO-Ant1-5795-PASS




11AC40MIMO-Ant2-5795-PASS




11AC80MIMO-Ant1-5210-PASS




11AC80MIMO-Ant2-5210-PASS





11AC80MIMO-Ant1-5775-PASS




11AC80MIMO-Ant2-5775-PASS












11AX20MIMO-Ant1-5745-PASS




11AX20MIMO-Ant2-5745-PASS




11AX20MIMO-Ant1-5785-PASS




11AX20MIMO-Ant2-5785-PASS







11AX40MIMO-Ant1-5190-PASS




11AX40MIMO-Ant2-5190-PASS




11AX40MIMO-Ant1-5230-PASS




11AX40MIMO-Ant2-5230-PASS




11AX40MIMO-Ant1-5755-PASS




11AX40MIMO-Ant2-5755-PASS




11AX40MIMO-Ant1-5795-PASS



11AX40MIMO-Ant2-5795-PASS





Appendix E: Band edge measurements

Test Result B1

Test Mode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-42.36	≤-27	PASS
11A	Ant2	Low	5180	-42.57	≤-27	PASS
11A	Ant1	High	5240	-49.06	≤-27	PASS
11A	Ant2	High	5240	-49.65	≤-27	PASS
11N20MIMO	Ant1	Low	5180	-42.39	≤-27	PASS
11N20MIMO	Ant2	Low	5180	-42.34	≤-27	PASS
11N20MIMO	Ant1	High	5240	-49.69	≤-27	PASS
11N20MIMO	Ant2	High	5240	-49.44	≤-27	PASS
11N40MIMO	Ant1	Low	5190	-38.88	≤-27	PASS
11N40MIMO	Ant2	Low	5190	-41.04	≤-27	PASS
11N40MIMO	Ant1	High	5230	-49.48	≤-27	PASS
11N40MIMO	Ant2	High	5230	-49.97	≤-27	PASS
11AC20MIMO	Ant1	Low	5180	-41.92	≤-27	PASS
11AC20MIMO	Ant2	Low	5180	-41.71	≤-27	PASS
11AC20MIMO	Ant1	High	5240	-49.73	≤-27	PASS
11AC20MIMO	Ant2	High	5240	-49.49	≤-27	PASS
11AC40MIMO	Ant1	Low	5190	-39	≤-27	PASS
11AC40MIMO	Ant2	Low	5190	-40.98	≤-27	PASS
11AC40MIMO	Ant1	High	5230	-49.01	≤-27	PASS
11AC40MIMO	Ant2	High	5230	-49.7	≤-27	PASS
11AC80MIMO	Ant1	Low	5210	-32.6	≤-27	PASS
11AC80MIMO	Ant1	High	5210	-44.99	≤-27	PASS
11AC80MIMO	Ant2	Low	5210	-32.62	≤-27	PASS
11AC80MIMO	Ant2	High	5210	-41.48	≤-27	PASS
11AX20MIMO	Ant1	Low	5180	-39.01	≤-27	PASS
11AX20MIMO	Ant2	Low	5180	-43.35	≤-27	PASS
11AX20MIMO	Ant1	High	5240	-49.05	≤-27	PASS
11AX20MIMO	Ant2	High	5240	-49.9	≤-27	PASS
11AX40MIMO	Ant1	Low	5190	-39.09	≤-27	PASS
11AX40MIMO	Ant2	Low	5190	-41.3	≤-27	PASS
11AX40MIMO	Ant1	High	5230	-48.68	≤-27	PASS
11AX40MIMO	Ant2	High	5230	-48.89	≤-27	PASS
11AX80MIMO	Ant1	Low	5210	-38.49	≤-27	PASS
11AX80MIMO	Ant1	High	5210	-48.17	≤-27	PASS
11AX80MIMO	Ant2	Low	5210	-38.82	≤-27	PASS
11AX80MIMO	Ant2	High	5210	-48.45	≤-27	PASS

Note: The margin is at least greater than the antenna gain plus the cable loss.

Shenzhen Anbotek Compliance Laboratory Limited

Test Result B4

Test Mode	Antenna	Ch. Name	Frequency [MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5720~5725	-42.47	≤15.98	PASS
11A	Ant1	Low	5745	5700~5720	-42.42	≤15.60	PASS
11A	Ant1	Low	5745	5650~5700	-52.24	≤-26.75	PASS
11A	Ant1	Low	5745	5760~5650	-51.61	≤-27	PASS
11A	Ant2	Low	5745	5720~5725	-46.29	≤15.98	PASS
11A	Ant2	Low	5745	5700~5720	-48.47	≤10.28	PASS
11A	Ant2	Low	5745	5650~5700	-53.1	≤-26.88	PASS
11A	Ant2	Low	5745	5760~5650	-51.42	≤-27	PASS
11A	Ant1	High	5825	5850~5855	-47.36	≤15.65	PASS
11A	Ant1	High	5825	5855~5875	-48.81	≤10.35	PASS
11A	Ant1	High	5825	5875~5925	-51.92	≤-25.57	PASS
11A	Ant1	High	5825	5925~5935	-51.64	≤-27	PASS
11A	Ant2	High	5825	5850~5855	-49.55	≤15.65	PASS
11A	Ant2	High	5825	5855~5875	-48.09	≤10.68	PASS
11A	Ant2	High	5825	5875~5925	-51.55	≤-26.29	PASS
11A	Ant2	High	5825	5925~5935	-52.15	≤-27	PASS
11N20MIMO	Ant1	Low	5745	5720~5725	-43.37	≤15.98	PASS
11N20MIMO	Ant1	Low	5745	5700~5720	-43.01	≤13.22	PASS
11N20MIMO	Ant1	Low	5745	5650~5700	-51.13	≤-26.88	PASS
11N20MIMO	Ant1	Low	5745	5760~5650	-51.07	≤-27	PASS
11N20MIMO	Ant2	Low	5745	5720~5725	-45.15	≤16.36	PASS
11N20MIMO	Ant2	Low	5745	5700~5720	-43.98	≤15.32	PASS
11N20MIMO	Ant2	Low	5745	5650~5700	-53.82	≤-26.75	PASS
11N20MIMO	Ant2	Low	5745	5760~5650	-53.01	≤-27	PASS
11N20MIMO	Ant1	High	5825	5850~5855	-47.35	≤16.10	PASS
11N20MIMO	Ant1	High	5825	5855~5875	-47.68	≤11.72	PASS
11N20MIMO	Ant1	High	5825	5875~5925	-51.31	≤-25.13	PASS
11N20MIMO	Ant1	High	5825	5925~5935	-51.28	≤-27	PASS
11N20MIMO	Ant2	High	5825	5850~5855	-49.69	≤16.10	PASS
11N20MIMO	Ant2	High	5825	5855~5875	-50.15	≤10.24	PASS
11N20MIMO	Ant2	High	5825	5875~5925	-52.12	≤-26.87	PASS
11N20MIMO	Ant2	High	5825	5925~5935	-49.86	≤-27	PASS
11N40MIMO	Ant1	Low	5755	5720~5725	-39.69	≤18.13	PASS
11N40MIMO	Ant1	Low	5755	5700~5720	-43.2	≤10.71	PASS
11N40MIMO	Ant1	Low	5755	5650~5700	-51.36	≤-26.94	PASS
11N40MIMO	Ant1	Low	5755	5780~5650	-50.99	≤-27	PASS
11N40MIMO	Ant2	Low	5755	5720~5725	-36.96	≤15.90	PASS
11N40MIMO	Ant2	Low	5755	5700~5720	-35.75	≤15.47	PASS
11N40MIMO	Ant2	Low	5755	5650~5700	-51.19	≤-26.07	PASS

Shenzhen Anbotech Compliance Laboratory Limited



11N40MIMO	Ant2	Low	5755	5780~5650	-50.43	≤-27	PASS
11N40MIMO	Ant1	High	5795	5850~5855	-48.84	≤16.39	PASS
11N40MIMO	Ant1	High	5795	5855~5875	-49.56	≤10.14	PASS
11N40MIMO	Ant1	High	5795	5875~5925	-51.41	≤-26.44	PASS
11N40MIMO	Ant1	High	5795	5925~5935	-51.41	≤-27	PASS
11N40MIMO	Ant2	High	5795	5850~5855	-49.46	≤15.85	PASS
11N40MIMO	Ant2	High	5795	5855~5875	-50.12	≤10.14	PASS
11N40MIMO	Ant2	High	5795	5875~5925	-52.86	≤-26.79	PASS
11N40MIMO	Ant2	High	5795	5925~5935	-52.24	≤-27	PASS
11AC20MIMO	Ant1	Low	5745	5720~5725	-44.99	≤15.98	PASS
11AC20MIMO	Ant1	Low	5745	5700~5720	-44.26	≤12.05	PASS
11AC20MIMO	Ant1	Low	5745	5650~5700	-52.18	≤-26.88	PASS
11AC20MIMO	Ant1	Low	5745	5760~5650	-50.36	≤-27	PASS
11AC20MIMO	Ant2	Low	5745	5720~5725	-45.49	≤15.98	PASS
11AC20MIMO	Ant2	Low	5745	5700~5720	-46.79	≤12.19	PASS
11AC20MIMO	Ant2	Low	5745	5650~5700	-51.79	≤-26.88	PASS
11AC20MIMO	Ant2	Low	5745	5760~5650	-51.65	≤-27	PASS
11AC20MIMO	Ant1	High	5825	5850~5855	-47.05	≤15.65	PASS
11AC20MIMO	Ant1	High	5825	5855~5875	-46.5	≤13.74	PASS
11AC20MIMO	Ant1	High	5825	5875~5925	-52.23	≤-26.44	PASS
11AC20MIMO	Ant1	High	5825	5925~5935	-51.45	≤-27	PASS
11AC20MIMO	Ant2	High	5825	5850~5855	-50.05	≤15.65	PASS
11AC20MIMO	Ant2	High	5825	5855~5875	-50.91	≤10.02	PASS
11AC20MIMO	Ant2	High	5825	5875~5925	-51.27	≤-26.29	PASS
11AC20MIMO	Ant2	High	5825	5925~5935	-52.13	≤-27	PASS
11AC40MIMO	Ant1	Low	5755	5720~5725	-39.67	≤15.90	PASS
11AC40MIMO	Ant1	Low	5755	5700~5720	-39.06	≤15.20	PASS
11AC40MIMO	Ant1	Low	5755	5650~5700	-50.81	≤-26.94	PASS
11AC40MIMO	Ant1	Low	5755	5780~5650	-51.05	≤-27	PASS
11AC40MIMO	Ant2	Low	5755	5720~5725	-35.98	≤16.34	PASS
11AC40MIMO	Ant2	Low	5755	5700~5720	-36.56	≤15.20	PASS
11AC40MIMO	Ant2	Low	5755	5650~5700	-50.5	≤-25.78	PASS
11AC40MIMO	Ant2	Low	5755	5780~5650	-50.24	≤-27	PASS
11AC40MIMO	Ant1	High	5795	5850~5855	-48.36	≤18.03	PASS
11AC40MIMO	Ant1	High	5795	5855~5875	-48.85	≤10.07	PASS
11AC40MIMO	Ant1	High	5795	5875~5925	-51.64	≤-26.08	PASS
11AC40MIMO	Ant1	High	5795	5925~5935	-51.24	≤-27	PASS
11AC40MIMO	Ant2	High	5795	5850~5855	-50.82	≤15.85	PASS
11AC40MIMO	Ant2	High	5795	5855~5875	-50.79	≤10.34	PASS
11AC40MIMO	Ant2	High	5795	5875~5925	-51.54	≤-26.97	PASS
11AC40MIMO	Ant2	High	5795	5925~5935	-51.02	≤-27	PASS
11AC80MIMO	Ant1	Low	5775	5720~5725	-28.27	≤15.67	PASS




11AC80MIMO	Ant1	Low	5775	5700~5720	-30.75	≤11.14	PASS
11AC80MIMO	Ant1	Low	5775	5650~5700	-45.72	≤-25.55	PASS
11AC80MIMO	Ant1	Low	5775	5800~5650	-48.34	≤-27	PASS
11AC80MIMO	Ant1	High	5775	5850~5855	-35.11	≤15.98	PASS
11AC80MIMO	Ant1	High	5775	5855~5875	-33.19	≤12.34	PASS
11AC80MIMO	Ant1	High	5775	5875~5925	-51.93	≤-26.46	PASS
11AC80MIMO	Ant1	High	5775	5925~5935	-50.92	≤-27	PASS
11AC80MIMO	Ant2	Low	5775	5720~5725	-27.92	≤15.67	PASS
11AC80MIMO	Ant2	Low	5775	5700~5720	-30.15	≤11.14	PASS
11AC80MIMO	Ant2	Low	5775	5650~5700	-47.84	≤-26.54	PASS
11AC80MIMO	Ant2	Low	5775	5800~5650	-49.84	≤-27	PASS
11AC80MIMO	Ant2	High	5775	5850~5855	-33.66	≤15.98	PASS
11AC80MIMO	Ant2	High	5775	5855~5875	-31.9	≤14.00	PASS
11AC80MIMO	Ant2	High	5775	5875~5925	-50.62	≤-26.07	PASS
11AC80MIMO	Ant2	High	5775	5925~5935	-50.65	≤-27	PASS
11AX20MIMO	Ant1	Low	5745	5720~5725	-45.73	≤15.98	PASS
11AX20MIMO	Ant1	Low	5745	5700~5720	-46.07	≤10.51	PASS
11AX20MIMO	Ant1	Low	5745	5650~5700	-52.03	≤-26.88	PASS
11AX20MIMO	Ant1	Low	5745	5760~5650	-51.65	≤-27	PASS
11AX20MIMO	Ant2	Low	5745	5720~5725	-41.51	≤15.98	PASS
11AX20MIMO	Ant2	Low	5745	5700~5720	-45.55	≤10.93	PASS
11AX20MIMO	Ant2	Low	5745	5650~5700	-52.89	≤-26.63	PASS
11AX20MIMO	Ant2	Low	5745	5760~5650	-52	≤-27	PASS
11AX20MIMO	Ant1	High	5825	5850~5855	-46.37	≤16.54	PASS
11AX20MIMO	Ant1	High	5825	5855~5875	-46.36	≤13.52	PASS
11AX20MIMO	Ant1	High	5825	5875~5925	-49.77	≤-26.44	PASS
11AX20MIMO	Ant1	High	5825	5925~5935	-51.21	≤-27	PASS
11AX20MIMO	Ant2	High	5825	5850~5855	-49.15	≤15.65	PASS
11AX20MIMO	Ant2	High	5825	5855~5875	-50.84	≤10.02	PASS
11AX20MIMO	Ant2	High	5825	5875~5925	-51.87	≤-25.86	PASS
11AX20MIMO	Ant2	High	5825	5925~5935	-51.72	≤-27	PASS
11AX40MIMO	Ant1	Low	5755	5720~5725	-37.95	≤17.68	PASS
11AX40MIMO	Ant1	Low	5755	5700~5720	-39.3	≤14.87	PASS
11AX40MIMO	Ant1	Low	5755	5650~5700	-51.29	≤-26.94	PASS
11AX40MIMO	Ant1	Low	5755	5780~5650	-51.02	≤-27	PASS
11AX40MIMO	Ant2	Low	5755	5720~5725	-34.46	≤15.90	PASS
11AX40MIMO	Ant2	Low	5755	5700~5720	-33.94	≤15.14	PASS
11AX40MIMO	Ant2	Low	5755	5650~5700	-52.8	≤-26.94	PASS
11AX40MIMO	Ant2	Low	5755	5780~5650	-50.83	≤-27	PASS
11AX40MIMO	Ant1	High	5795	5850~5855	-48.33	≤15.85	PASS
11AX40MIMO	Ant1	High	5795	5855~5875	-48.23	≤11.48	PASS
11AX40MIMO	Ant1	High	5795	5875~5925	-52.2	≤-26.97	PASS




11AX40MIMO	Ant1	High	5795	5925~5935	-50.19	≤-27	PASS
11AX40MIMO	Ant2	High	5795	5850~5855	-50.98	≤15.85	PASS
11AX40MIMO	Ant2	High	5795	5855~5875	-49.58	≤10.74	PASS
11AX40MIMO	Ant2	High	5795	5875~5925	-50.45	≤-26.97	PASS
11AX40MIMO	Ant2	High	5795	5925~5935	-50.34	≤-27	PASS
11AX80MIMO	Ant1	Low	5775	5720~5725	-35.75	≤16.69	PASS
11AX80MIMO	Ant1	Low	5775	5700~5720	-40.12	≤10.58	PASS
11AX80MIMO	Ant1	Low	5775	5650~5700	-50.09	≤-26.21	PASS
11AX80MIMO	Ant1	Low	5775	5800~5650	-49.11	≤-27	PASS
11AX80MIMO	Ant1	High	5775	5850~5855	-44	≤16.59	PASS
11AX80MIMO	Ant1	High	5775	5855~5875	-44.2	≤11.52	PASS
11AX80MIMO	Ant1	High	5775	5875~5925	-52.29	≤-26.86	PASS
11AX80MIMO	Ant1	High	5775	5925~5935	-51.95	≤-27	PASS
11AX80MIMO	Ant2	Low	5775	5720~5725	-36.77	≤16.69	PASS
11AX80MIMO	Ant2	Low	5775	5700~5720	-42.9	≤10.01	PASS
11AX80MIMO	Ant2	Low	5775	5650~5700	-51.57	≤-26.88	PASS
11AX80MIMO	Ant2	Low	5775	5800~5650	-50.84	≤-27	PASS
11AX80MIMO	Ant2	High	5775	5850~5855	-43.72	≤17.81	PASS
11AX80MIMO	Ant2	High	5775	5855~5875	-45.58	≤10.62	PASS
11AX80MIMO	Ant2	High	5775	5875~5925	-52.77	≤-26.27	PASS
11AX80MIMO	Ant2	High	5775	5925~5935	-50.12	≤-27	PASS


The results of single antenna testing in MIMO mode meet the margin of more than 3db

Test Graphs B1







11A-Ant1-5240-PASS




11A-Ant2-5240-PASS




11N20MIMO-Ant1-5180-PASS




11N20MIMO-Ant2-5180-PASS





11N20MIMO-Ant1-5240-PASS




11N20MIMO-Ant2-5240-PASS









11AC20MIMO-Ant1-5180-PASS




11AC20MIMO-Ant2-5180-PASS




11AC20MIMO-Ant1-5240-PASS




11AC20MIMO-Ant2-5240-PASS







11AC40MIMO-Ant1-5230-PASS



11AC40MIMO-Ant2-5230-PASS







11AC80MIMO-Ant2-5210-PASS




11AC80MIMO-Ant2-5210-PASS








11AX20MIMO-Ant1-5240-PASS




11AX20MIMO-Ant2-5240-PASS












11AX80MIMO-Ant2-5210-PASS




11AX80MIMO-Ant2-5210-PASS

Test Graphs B4







11A-Ant1-5825-PASS




11A-Ant2-5825-PASS




11N20MIMO-Ant1-5745-PASS




11N20MIMO-Ant2-5745-PASS




11N20MIMO-Ant1-5825-PASS




11N20MIMO-Ant2-5825-PASS




11N40MIMO-Ant1-5755-PASS




11N40MIMO-Ant2-5755-PASS




11N40MIMO-Ant1-5795-PASS




11N40MIMO-Ant2-5795-PASS




11AC20MIMO-Ant1-5745-PASS




11AC20MIMO-Ant2-5745-PASS




11AC20MIMO-Ant1-5825-PASS




11AC20MIMO-Ant2-5825-PASS




11AC40MIMO-Ant1-5755-PASS




11AC40MIMO-Ant2-5755-PASS




11AC40MIMO-Ant1-5795-PASS




11AC40MIMO-Ant2-5795-PASS



11AC80MIMO-Ant1-5775-PASS




11AC80MIMO-Ant1-5775-PASS





11AC80MIMO-Ant2-5775-PASS




11AC80MIMO-Ant2-5775-PASS









11AX40MIMO-Ant1-5755-PASS




11AX40MIMO-Ant2-5755-PASS




11AX40MIMO-Ant1-5795-PASS



11AX40MIMO-Ant2-5795-PASS





---End---